



Buy it for looks. Buy it for life.®



Moen® Full Line 2016 - 2017

Residential and Commercial Price Catalog - Effective February 1, 2016



The Answers You Need For Every Application

Hands-Free Convenience
With MotionSense®

24

Reflex® is Effortless Redefined

26

M•PACT® Common Valve System
Keeps Options Open

82

Save Time With the Pro-Fit®
Installation System

82

Roman Tub Valves: Versatile,
Durable, Built to Perform

83

Quick-Connect Wiring System
Simplifies Lighting Installation

27

SecureMount™ System For Easy
Installation and Total Confidence

326

Contents

Via™ One-Handle Bathroom Faucet / S8000

Suggested List Prices

- 3 Wholesale
- 18 Bulk
- 343 Moen Genuine Parts
- 479 Commercial

Kitchen and Bar Collections

Styles with MotionSense®:

- 25 STō®
- 25 Align®
- 25 Brantford™
- 25 Arbor®

Premium Kitchen Collections:

- 28 Waterhill®
- 29 Weymouth®
- 29 90°™
- 30 STō®
- 30 Etch®

Kitchen Collections:

- 31 Aberdeen™
- 31 Woodmere®
- 32 Tilt™
- 32 Voss™
- 32 Notch™
- 32 Align®
- 34 Brantford™
- 35 Arbor®
- 36 Camerist®
- 37 Belfield™
- 37 Integra®
- 38 Chateau®

On The Cover::

**Align® One-Handle Pre-Rinse Spring
Pulldown Faucet / 5923**

Kitchen Compliments

- 41 Pot Fillers
- 42 Premium Bar/Prep Faucets
- 44 Bar/Prep Faucets
- 47 Laundry Faucets
- 48 Premium Beverage and Filtering Faucets
- 50 Premium Soap/Lotion Dispensers
- 51 Soap/Lotion Dispensers, Air Gaps Hose Management

Stainless Steel Sinks

- 55 1600™ Professional Series
- 56 1800™ Series
- 63 2000™ Series
- 67 2200™ Series
- 69 Commercial Series
- 72 Sink Accessories

Disposals

- 78 GX Series **NEW!**
- GXP Pro Series **NEW!**

Bath and Shower Collections

Premium Bath Collections:

- 84 Weymouth®
- 95 Arris®
- 105 Waterhill®
- 114 90°™
- 126 Via™ **NEW!**
- 131 Rothbury™
- 144 Icon™

Bath Collections:

- 156 Wynford™
- 166 Align®
- 175 Voss™
- 186 Kingsley®
- 198 Rizon™
- 204 Dartmoor™ **NEW!**
- 210 Glyde™ **NEW!**
- 216 Brantford™
- 225 Eva®
- 233 Method™
- 240 Chateau®

Shower and Spa Custom Options

- 255 ioDIGITAL® Showering
- 261 ExactTemp® 3/4" Thermostatic Showering
- 266 Moentrol® Multi-Function Showering Options
- 271 Moentrol® and Standard Transfer Valve Showering Components
- 277 Posi-Temp® and Standard Transfer Valve Showering Components
- 286 Showerheads
- 297 Handheld Showers
- 302 Handheld Shower Accessories
- 304 Body Sprays
- 305 Shower Arm and Flanges
- 308 Showering Accessories
- 313 Tub Spouts and Drains
- 321 Coordinating Accessories
- 326 Bath Safety

Moen Genuine Parts

- 329 Genuine Replacement Parts

Bulk Pack Products

- 385 Bulk Packs

Commercial

- 409 Faucets, Valves and Sinks



THE OPTIONS
YOU WANT FOR
THE ANSWERS
YOU NEED.

To make sure you receive support as outstanding as our products, Moen offers all the service options you need, including our Customer Service team, our Professional team and our comprehensive online resources. In particular, you'll appreciate CustomerNet, which not only gives you online visibility to inventory availability, order status and tracking information, but also provides other invaluable tools. With CustomerNet, the answers to the majority of your questions are just a click away. To enroll, just call (888) 450-5829.

CUSTOMER SERVICE

Moen, Commercial & CFG

Moen Faucet Products

Phone: (800) 531-1600

Fax: (800) 848-6636

Email orders and general inquiries to:

moencustomerservicewholesaleUS@moen.com

Moen Accessories Products

Phone: (800) 882-0116

Fax: (888) 379-2720

Email orders and general inquiries to:

moencustomerserviceUS@moen.com

CustomerNet:

To enroll for access to Website, password resets and CustomerNet inquiries :

Phone: (888) 450-5829

Email orders to: cnctacts@moen.com

Website: customernet.moen.com

MOEN PROFESSIONAL

For technical and warranty assistance

Moen's Professional Line:

Phone: 1-877-Moen-Pro (1-877-663-6776)

Website: moenpro.com

Email: moenpro.com

HELPFUL WEBSITES

moen.com

cfgonline.com

moen.com/commercial

csi.moen.com



Buy it for looks. Buy it for life.®

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
601	34.45	49	26508072158	12
2352	144.20	247	26508025659	12
2353	164.80	245	26508025697	12
2363	188.30	245	26508025703	12
2510	112.90	91	26508074541	6
2520	112.90	91	26508073001	6
2570	137.05	91	26508073018	6
2580	112.90	91	26508233566	6
2590	137.05	91	26508073025	6
2919	161.65	250	26508000175	6
2982	161.65	250	26508007266	6
2995	189.20	250	26508016459	6
3233EP	93.45	291	26508219430	12
3233EPBN	158.65	291	26508219447	12
3233EPCBC	103.05	291	26508219454	12
3320	260.10	149	26508081761	6
3330	260.10	149	26508081754	6
3350	260.10	149	26508228227	6
3372	162.15	90	26508201930	12
3375	162.15	90	26508228234	12
3510	154.75	119	26508102336	6
3520	154.75	119	26508102329	6
3570	184.35	119	26508072981	6
3636EP	244.80	300	26508241677	6
3636EPBN	465.95	300	26508241684	6
3636EPORB	512.50	300	26508242773	6
3638	93.45	291	26508241691	12
3638BN	158.65	291	26508241707	12
3638EP	93.45	291	26508242131	12
3638EPBN	158.65	291	26508242148	12
3638ORB	174.55	291	26508242155	12
3667EP	258.00	298	26508242162	6
3667EPBN	510.15	298	26508242179	6
3667EPORB	561.15	298	26508242186	6
3668EP	216.00	299	26508242193	6
3668EPBN	312.60	299	26508242209	6
3668EPORB	343.60	299	26508242216	6
3669EP	258.00	298	26508242223	6
3669EPBN	510.15	298	26508242230	6
3669EPORB	561.15	298	26508242247	6
3800	56.85	315	26508030639	12
3801	56.85	315	26508029473	12
3804	21.35	318	26508030707	12
3804CBN	29.25	318	26508239872	12
3805	21.35	318	26508008614	12
3806	68.75	314	26508041680	12
3806W	103.10	314	26508050248	12
3807	68.75	314	26508041710	12
3807BN	96.00	314	26508138434	12
3807CP	72.85	314	26508041734	12
3808	62.65	315	26508118252	12
3808AZ	99.80	315	26508174845	12
3808BN	90.65	315	26508118283	12
3808ORB	99.80	315	26508113523	12
3808P	97.05	315	26508118276	12
3808WR	99.80	315	26508118290	12
3809BN	86.85	314	26508131800	12
3814	70.35	314	26508251041	6
3814BN	102.10	314	26508251058	6
3814ORB	112.30	314	26508251065	6
3828	42.10	318	26508133736	12
3829	42.10	318	26508133743	12
3829BC	69.80	318	26508149393	12
3829BN	96.70	318	26508133804	12
3829ORB	106.40	318	26508134375	12
3829P	96.70	318	26508133774	12

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
3830	50.45	316	26508133750	12
3830P	116.05	316	26508133781	12
3853	50.10	316	26508070345	12
3853BN	104.05	316	26508164518	12
3853ORB	114.40	316	26508164525	12
3855	93.45	291	26508070376	12
3855EP	93.45	291	26508229972	12
3857	69.00	314	26508070406	6
3857BN	100.15	314	26508162453	6
3857ORB	110.20	314	26508162460	6
3858	61.95	317	26508162477	6
3858BN	89.95	317	26508162484	6
3858ORB	98.95	317	26508162491	6
3861EP	235.40	300	26508219508	6
3861EPBN	479.40	300	26508219515	6
3861EPNL	479.40	300	26508250969	6
3861EPORB	528.80	300	26508219522	6
3861EPWR	528.80	300	26508250624	6
3865EP	176.20	300	26508221495	6
3865EPBN	255.75	300	26508221501	6
3865EPORB	281.40	300	26508227619	6
3868EP	216.00	299	26508221532	6
3868EPBN	312.60	299	26508221549	6
3868EPORB	343.60	299	26508227633	6
3869EP	267.00	298	26508222140	6
3869EPBN	530.30	298	26508223222	6
3869EPORB	583.35	298	26508223215	6
3869EPWR	589.20	298	26508250709	6
3887EP	239.65	299	26508222157	6
3887EPBN	476.15	299	26508223239	6
3890	63.15	315	26508174746	12
3890BN	91.60	315	26508174753	12
3892	51.50	317	26508174760	12
3892BN	79.60	317	26508174777	12
3911	50.30	316	26508004258	12
3926	47.55	316	26508004272	12
3929BC	78.85	314	26508137284	12
3931	47.55	316	26508004289	12
3942	93.45	51	26508187586	6
3942BL	102.85	51	26508187890	6
3942CSL	112.20	51	26508187593	6
3942SRS	112.20	51	26508234341	6
3942V	102.85	51	26508187906	6
3942W	102.85	51	26508187913	6
3944	93.45	51	26508187616	6
3944CSL	112.20	51	26508187623	6
3944ORB	117.80	51	26508187937	6
3944SRS	112.20	51	26508234358	6
3959	49.00	317	26508004296	12
3960	50.30	316	26508004302	12
3972	52.05	316	26508120156	12
3972BN	80.70	316	26508143988	12
4500	244.05	156	26508253649	3
4500BN	363.55	156	26508253656	3
4500NL	363.55	156	26508255650	3
4500ORB	399.90	156	26508255667	3
4505	232.50	156	26508255674	3
4505BN	346.25	156	26508255681	3
4505NL	346.25	156	26508255698	3
4505ORB	380.90	156	26508255704	3
4507	361.35	156	26508255711	3
4507BN	528.25	156	26508255728	3
4507ORB	581.05	156	26508255742	3
4792	135.50	87	26508229583	6
4793	156.75	87	26508229590	6
4794	149.45	87	26508244050	6

Wholesale

Listed in numerical order

SUGGESTED LIST PRICES

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
4796	127.60	87	26508229606	6
4797	130.10	87	26508229613	6
4798	130.10	87	26508229620	6
4902	175.30	242	26508023204	6
4903	92.35	46	26508085325	12
4903BC	110.70	46	26508139295	12
4904	168.45	46	26508207505	3
4905	191.90	45	26508138748	3
4905ORB	276.65	45	26508164884	3
4905SRS	258.10	45	26508242902	3
4910	130.05	46	26508003190	12
4925	143.15	241	26508002360	12
4925BC	182.85	241	26508136737	12
4945	250.65	241	26508002537	6
4962	231.85	241	26508006009	6
4975	94.15	47	26508003206	12
5923	432.50	33	26508267028	3
5923SRS	553.60	33	26508267035	3
5965	332.60	45	26508240007	3
5965SRS	428.10	45	26508240014	3
5985	321.75	45	26508211748	3
5985ORB	443.95	45	26508211809	3
5985SRS	412.35	45	26508242926	3
5995	303.45	45	26508207291	3
5995BL	343.95	45	26508228395	3
5995ORB	406.65	45	26508209790	3
5995SRS	388.75	45	26508231968	3
6101	232.50	186	26508107942	6
6101BN	346.25	186	26508115299	6
6101ORB	380.90	186	26508116272	6
6102	244.05	186	26508128886	3
6102BN	363.55	186	26508128893	3
6102ORB	399.90	186	26508131961	3
6102P	407.10	186	26508174791	3
6102WR	399.90	186	26508128909	3
6121	267.35	186	26508126745	3
6121BN	398.15	186	26508126769	3
6121ORB	438.00	186	26508131978	3
6121P	446.00	186	26508232484	3
6121WR	438.00	186	26508126776	3
6124C	361.05	44	26508254608	3
6124ORB	506.60	44	26508254615	3
6124SRS	460.45	44	26508254622	3
6172	168.65	210	26508261163	3
6172BN	229.00	210	26508261170	3
6190	244.05	166	26508244913	3
6190BN	363.55	166	26508249567	3
6191	237.60	166	26508249598	3
6191BN	357.10	166	26508249604	3
6192	361.35	166	26508249611	3
6192BN	528.25	166	26508249628	3
6300	31.30	296	26508154724	12
6300BC	37.60	296	26508154731	12
6300BN	47.85	296	26508207574	12
6300EP	31.30	296	26508208557	12
6300P	55.85	296	26508154748	12
6302	80.80	292	26508142417	12
6302BN	126.20	292	26508142431	12
6302EP	80.80	292	26508208595	12
6303	44.70	294	26508153314	12
6303BN	68.45	294	26508153321	12
6303EP	44.70	294	26508208687	12
6303EPBN	68.45	294	26508208694	12
6303EPORB	75.30	294	26508208700	12
6303ORB	75.30	294	26508153338	12
6304	36.45	296	26508156223	12

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
6304EP	36.45	296	26508208717	12
6313	44.70	294	26508214862	12
6313BN	68.45	294	26508214879	12
6313ORB	75.30	294	26508214886	12
6322EP	37.95	294	26508239513	12
6325	79.85	293	26508230107	12
6325BN	124.70	293	26508230114	12
6325EP	79.85	293	26508230121	12
6325EPBN	124.70	293	26508230138	12
6325EPORB	137.20	293	26508230145	12
6325ORB	137.20	293	26508230152	12
6370	47.95	295	26508266632	1
6370BN	73.40	295	26508266687	1
6371	47.95	295	26508266625	1
6371BN	73.40	295	26508266649	1
6371ORB	80.80	295	26508266670	1
6399	79.85	293	26508174722	12
6399BN	124.70	293	26508174739	12
6399EP	79.85	293	26508208762	12
6399EPBN	124.70	293	26508208779	12
6400	218.30	225	26508195369	3
6400BN	285.65	225	26508195376	3
6400ORB	314.20	225	26508195383	3
6410	157.20	225	26508153109	6
6410BN	213.50	225	26508153116	6
6410ORB	234.90	225	26508153123	6
6600	218.30	216	26508195390	3
6600BN	285.65	216	26508195406	3
6600ORB	314.20	216	26508195413	3
6610	157.20	216	26508162057	6
6610BN	213.50	216	26508160992	6
6610ORB	234.90	216	26508161005	6
6615SRS	487.10	44	26508242049	3
6802	168.65	204	26508264386	3
6802BN	229.00	204	26508264393	3
6802ORB	251.95	204	26508264409	3
6810	218.30	233	26508206959	3
6810BN	285.65	233	26508206966	3
6900	244.05	198	26508235096	3
6901	232.50	175	26508230169	3
6901BN	346.25	175	26508230176	3
6901ORB	380.90	175	26508230183	3
6903	244.05	175	26508230190	3
6903BN	363.55	175	26508230206	3
6903ORB	399.90	175	26508230213	3
7165	343.70	33	26508240021	3
7165SRS	442.40	33	26508240038	3
7185C	357.55	34	26508211786	3
7185EC	656.30	25	26508242308	3
7185EORB	723.00	25	26508242315	3
7185ESRS	697.35	25	26508242322	3
7185ORB	492.50	34	26508211816	3
7185SRS	457.90	34	26508242940	3
7240C	252.20	37	26508259870	3
7240ORB	374.70	37	26508259887	3
7240SRS	340.65	37	26508259894	3
7245C	293.30	37	26508259900	3
7245ORB	435.65	37	26508259917	3
7245SRS	396.00	37	26508259924	3
7250C	238.50	37	26508259931	3
7250ORB	354.30	37	26508259948	3
7250SRS	322.05	37	26508259955	3
7255C	277.30	37	26508259962	3
7255ORB	411.85	37	26508259979	3
7255SRS	374.40	37	26508259986	3
7294BL	355.90	35	26508228838	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
7294C	314.05	35	26508228845	3
7294ORB	427.10	35	26508228869	3
7294SRS	402.30	35	26508231975	3
7295C	330.50	34	26508245170	3
7295ORB	464.65	34	26508245187	3
7295SRS	442.50	34	26508245194	3
7365	302.45	33	26508251171	3
7365SRS	389.30	33	26508251188	3
7423	127.50	38	26508053157	6
7425	125.00	38	26508052938	6
7425BC	158.90	38	26508137703	6
7430	157.30	38	26508052853	6
7430BC	205.65	38	26508137710	6
7430W	236.65	38	26508052907	6
7434	157.30	38	26508053034	6
7437	160.60	38	26508053126	6
7545C	330.50	36	26508138816	3
7545ORB	464.65	36	26508164907	3
7545SRS	442.50	36	26508242964	3
7545W	381.10	36	26508138823	3
7565	369.60	33	26508240045	3
7565EC	687.10	25	26508257944	3
7565ESRS	733.25	25	26508257951	3
7565SRS	475.70	33	26508240052	3
7590C	598.00	31	26508108543	2
7590CSL	712.95	31	26508198933	2
7590ORB	748.55	31	26508144312	2
7594BL	382.15	35	26508228388	3
7594C	337.15	35	26508205037	3
7594EC	640.95	25	26508233863	3
7594EORB	709.65	25	26508233870	3
7594ESRS	676.85	25	26508233887	3
7594ORB	451.90	35	26508209806	3
7594SRS	431.90	35	26508231982	3
7615C	451.20	31	26508199947	3
7615ORB	635.30	31	26508199961	3
7615SRS	577.55	31	26508242117	3
7626C	407.65	32	26508267059	3
7626SRS	519.95	32	26508267066	3
7735ORB	467.65	34	26508211823	3
7735SRS	436.55	34	26508242971	3
7790	319.65	35	26508207581	3
7790SRS	411.70	35	26508231999	3
7825	163.75	36	26508138786	3
7825ORB	276.65	36	26508164914	3
7825SRS	251.20	36	26508242988	3
7835	195.20	36	26508138809	3
7835SRS	288.85	36	26508242995	3
7840	195.20	36	26508138847	3
7840ORB	307.35	36	26508164938	3
7840SRS	286.35	36	26508243008	3
7900	93.25	39	26508004135	12
7906	118.60	39	26508003398	6
7907	149.30	39	26508030318	6
7910	119.25	39	26508004142	12
9000	116.50	84	26508081112	6
9001	91.60	49	26508094709	6
9124C	401.10	32	26508254639	3
9124ORB	562.85	32	26508254646	3
9124SRS	511.60	32	26508254653	3
9125C	407.65	32	26508254325	3
9125ORB	571.90	32	26508254332	3
9125SRS	519.95	32	26508254349	3
9265	239.95	173	26508255155	6
9601	51.80	49	26508153918	18
9700	164.75	85	26508230008	3

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
9792	305.25	88	26508229637	6
9793	312.40	88	26508229644	6
9796	288.30	88	26508229651	6
9797	289.70	88	26508229668	6
10154	18.65	306	26508050903	20
10154AZ	36.75	306	26508174869	20
10154BN	33.40	306	26508105344	20
10154NL	33.40	306	26508104248	1
10154ORB	36.75	306	26508100325	20
10154WR	36.75	306	26508117101	20
10790	97.55	319	26508004166	12
22001	15.45	65	26508167687	1
22002	15.45	63	26508167694	1
22036	18.95	72	26508017593	24
22037	16.55	72	26508008652	40
22174	8.55	72	26508038314	30
22175	4.10	72	26508036006	1000
22194	5.95	72	26508038321	1
22201	14.20	72	26508036037	142
22504	15.45	62	26508102039	1
22505	15.45	62	26508102046	1
22506	15.45	62	26508102053	1
22507	15.45	60	26508102060	1
22508	15.45	63	26508102077	1
22509	15.45	59	26508102084	1
22510	16.55	60	26508008843	1
22511	15.45	60	26508017500	1
22512	16.55	57	26508247907	1
22514	15.45	62	26508017524	1
22515	16.55	62	26508017531	1
22516	15.45	56	26508247921	1
22517	15.45	56	26508017548	1
22518	15.45	56	26508017555	1
22519	15.45	56	26508247938	1
22520	15.45	58	26508116159	1
22521	15.45	58	26508116166	1
22522	15.45	58	26508116173	1
22523	15.45	58	26508116180	1
22524	15.45	58	26508140819	1
22525	15.45	60	26508225257	1
22526	15.45	57	26508008850	1
22527	15.45	57	26508017517	1
22537	15.45	55	26508155035	1
22538	15.45	55	26508155042	1
22539	15.45	55	26508155059	1
22540	15.45	55	26508155066	1
22541	15.45	59	26508193099	1
22542	15.45	59	26508193105	1
22543	15.45	58	26508193112	1
22601	6.25	72	26508052259	100
22602	8.70	72	26508035665	100
22650	12.10	73	26508104385	1
22681	4.45	73	26508032336	1
22682	5.30	73	26508032374	1
22684	3.65	73	26508032299	1
22897	1.05	73	26508038307	1
26100EP	59.95	301	26508266540	2
26100EPSRN	73.30	301	26508266557	2
67315C	225.40	37	26508069257	6
67315SRS	318.600	37	26508242933	6
74998	70.80	47	26508028070	12
90410	115.70	319	26508904107	10
90410BN	185.15	319	26508132050	10
90410ORB	203.65	319	26508132067	10
90480BN	206.25	319	26508120873	8
90480ORB	218.05	319	26508132081	8

Wholesale

Listed in numerical order

SUGGESTED LIST PRICES

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
90480	130.80	319	26508904800	8
90530	44.90	319	26508905302	10
96107	17.55	319	26508961070	18
96497	18.70	319	26508004708	12
101663AZ	29.85	320	26508174517	12
101663BN	27.10	320	26508120897	12
101663NL	27.10	320	26508230886	12
101663ORB	29.85	320	26508100349	12
101663P	24.75	320	26508066119	12
101663WR	29.85	320	26508120927	12
101664AZ	37.10	320	26508174524	12
101664BN	33.70	320	26508120903	12
101664NL	33.70	320	26508230893	12
101664ORB	37.10	320	26508100363	12
101664P	33.70	320	26508066126	1
101664WR	37.10	320	26508120934	12
102763AZ	37.10	320	26508174531	12
102763BN	33.70	320	26508120910	12
102763NL	33.70	320	26508230909	12
102763ORB	37.10	320	26508100387	12
102763P	33.70	320	26508073339	1
102763WR	37.10	320	26508120941	12
104465	173.00	87	26508204368	12
105895BL	34.80	51	26508098011	6
105895CSL	48.05	51	26508185803	6
105895ORB	50.45	51	26508144336	6
105895SRS	45.05	51	26508214138	6
114348	76.95	303	26508118085	12
114348NL	89.40	303	26508146354	12
114348P	98.00	303	26508118108	12
114348BN	111.50	303	26508118115	12
114348ORB	122.70	303	26508101766	12
114348WR	122.70	303	26508118122	12
116651	12.85	306	26508128572	6
116651BN	21.80	306	26508128589	6
116651NL	21.80	306	26508147146	6
116651ORB	28.30	306	26508147191	6
116651WR	28.30	306	26508128596	6
123815	25.35	306	26508140437	12
123815BN	42.20	306	26508152881	12
123815ORB	46.40	306	26508164983	12
123815WR	46.40	306	26508165003	12
123816	44.25	319	26508140444	12
125753	67.60	315	26508147498	12
125753BN	104.85	315	26508145043	12
125753ORB	115.25	315	26508145050	12
128284	24.15	263	26508156568	12
137488	7.20	307	26508178454	12
137488BN	18.80	307	26508178461	12
140680	12.10	319	26508184431	12
140690	13.55	319	26508184448	12
140715	10.15	87	26508187517	200
140780	55.85	85	26508165720	12
140780BN	77.90	85	26508165737	12
140780NL	77.20	85	26508230923	12
140780ORB	88.00	85	26508165744	12
140780P	107.50	319	26508233085	12
141002	45.20	25	26508187296	6
141002SRS	51.90	25	26508209370	6
141002NL	49.25	29	26508265765	6
141002ORB	57.20	29	26508211410	6
141002BL	51.90	45	26508229019	6
142538	4.85	319	26508188668	180
147204	24.30	114	26508204450	12
147204BN	58.85	114	26508205136	12
147547	81.80	308	26508204610	6

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
147547BN	120.00	308	26508205143	6
147556	127.95	114	26508204696	6
147556BN	187.65	114	26508205211	6
147572	10.35	307	26508204849	12
147572BN	15.15	307	26508205327	12
147913	119.70	308	26508200513	6
147913BN	177.15	308	26508200520	6
151380	65.80	306	26508207413	6
151380BN	111.90	306	26508207420	6
151380ORB	123.00	306	26508207437	6
152027	56.05	315	26508207550	12
152027BN	83.50	315	26508207567	12
154296	243.05	311	26508218266	6
154296BN	267.35	311	26508218273	6
154296NL	294.10	311	26508231029	6
154296ORB	294.10	311	26508218280	6
154305	121.95	308	26508218488	6
154305BN	176.80	308	26508218495	6
154305NL	187.75	308	26508231098	6
154305ORB	187.75	308	26508218501	6
155694	21.35	303	26508221372	12
155694BN	30.85	303	26508221389	12
155694ORB	34.05	303	26508227565	12
155746	172.60	311	26508221396	6
155746BN	250.25	311	26508221402	6
155746ORB	275.25	311	26508227572	6
155747	56.55	309	26508221419	6
155747BN	82.05	309	26508221426	6
155747ORB	90.25	309	26508227589	6
155748	33.00	312	26508221433	8
155748BN	47.95	312	26508221440	6
155891	64.95	309	26508223178	6
155891BN	94.25	309	26508223185	6
157276	56.55	309	26508221457	6
157276BN	82.05	309	26508221464	6
157276ORB	90.25	309	26508227602	6
157328	40.45	32	26508239056	6
157328SRS	46.55	32	26508225103	6
157328ORB	51.20	32	26508255179	6
159060	17.70	51	26508231425	6
160042	87.00	308	26508228166	6
160042BN	126.20	308	26508228173	6
160042ORB	138.80	308	26508228180	6
161951	86.25	306	26508233559	12
161951BN	116.65	306	26508233610	12
161951ORB	128.35	306	26508233627	12
161955	67.90	315	26508233726	6
161955BN	105.30	315	26508233733	6
161955ORB	115.90	315	26508233740	6
164745	10.30	307	26508239247	20
164745BN	15.05	307	26508239254	20
164745ORB	19.55	307	26508239261	20
164927	65.90	309	26508241585	6
164927BN	95.45	309	26508241592	6
164927ORB	107.70	309	26508241608	6
164928	65.90	309	26508241615	6
164928BN	95.45	309	26508241622	6
164928ORB	107.70	309	26508241639	6
164929	55.20	310	26508241646	6
164929BN	80.05	310	26508241653	6
164929ORB	90.25	310	26508241660	6
165006	22.25	198	26508239926	20
165212BN	82.05	310	26508245651	12
165212	56.55	310	26508245644	12
169031	125.00	25	26508266199	12
172666	15.20	166	26508250938	20

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
172666BN	18.90	166	26508250945	20
175385	67.60	315	26508257753	6
175385BN	104.85	315	26508257760	6
175385NL	104.85	315	26508257777	6
175385ORB	115.25	315	26508257784	6
176015	72.60	308	26508253335	12
176015BN	105.20	308	26508253359	12
176015ORB	115.80	308	26508253373	12
176015P	142.90	308	26508256695	12
176015WR	147.00	308	26508254028	12
176257	81.80	308	26508254974	6
176257BN	120.00	308	26508254981	6
180238	46.15	310	26508262276	6
221672	21.50	84	26508224519	12
221672BN	28.60	84	26508224526	12
221672NL	28.60	84	26508231135	12
221672ORB	31.55	84	26508224533	12
221673	14.60	90	26508224540	12
221673BN	19.45	90	26508224557	12
221673NL	19.45	90	26508231142	12
221673ORB	21.45	90	26508224564	12
221772	13.80	86	26508256947	12
221772BN	18.35	86	26508256954	12
226651	39.70	306	26508165751	6
226651AZ	84.75	306	26508174708	6
226651BN	77.10	306	26508165782	6
226651NL	77.10	306	26508165799	6
226651ORB	84.75	306	26508165805	6
226651WR	84.75	306	26508165829	6
3863EP17	258.00	298	26508250600	6
3863EP17BN	535.55	298	26508250617	6
3865EP17	176.20	300	26508250631	6
3865EP17BN	255.75	300	26508250648	6
3865EP17ORB	281.40	300	26508250655	6
3868EP17	216.00	299	26508250662	6
3868EP17BN	312.60	299	26508250679	6
3868EP17ORB	343.60	299	26508250686	1
3887EP17	239.65	299	26508250716	6
3887EP17BN	476.15	299	26508250723	6
6370EP17	47.95	295	26508266694	1
6370EP17BN	73.40	295	26508266700	1
6371EP17	47.95	295	26508266656	1
6371EP17BN	73.40	295	26508266663	1
157276EP15	56.55	310	26508241714	6
157276EP15BN	82.05	310	26508241721	6
157276EP15ORB	90.25	310	26508241738	6
A501	86.45	304	26508149119	12
A501AZ	118.90	304	26508174654	12
A501BN	108.10	304	26508149300	12
A501NL	108.10	304	26508149171	12
A501ORB	118.90	304	26508149256	12
A501P	108.10	304	26508149140	12
A501WR	118.90	304	26508149188	12
A701	43.35	303	26508232941	12
A701BN	62.80	303	26508232958	12
A701ORB	69.05	303	26508232965	12
A714	37.40	312	26508042847	24
A714ST	54.25	312	26508081013	24
A714ORB	59.70	312	26508181317	12
A714WR	59.70	312	26508167014	12
A714P	85.35	312	26508042861	12
A714NL	93.85	312	26508081006	24
A720	66.45	302	26508042892	12
A720AZ	99.30	302	26508174661	12
A720BN	90.30	302	26508141984	12
A720NL	87.65	302	26508079416	12

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
A720ORB	99.30	302	26508141991	12
A720P	79.70	302	26508079447	12
A721	59.55	302	26508227725	12
A721BN	83.95	302	26508227732	12
A725	46.60	302	26508044551	12
A725AZ	72.50	302	26508174678	12
A725BN	65.90	302	26508121955	12
A725NL	65.90	302	26508079232	12
A725ORB	72.50	302	26508132166	12
A725P	65.90	302	26508044575	12
A725WR	72.50	302	26508121962	12
A726	89.15	312	26508073032	12
A726WR	101.5	312	26508118412	6
A726NL	159.15	312	26508079638	24
A726P	159.15	312	26508073049	24
A726ST	159.15	312	26508079645	24
A726AZ	164.95	312	26508175361	12
A726BR	164.95	312	26508181225	12
A735	139.15	311	26508172728	6
A735CP	160.00	311	26508172780	6
A735BN	201.75	311	26508172735	6
A735ORB	214.20	311	26508172742	6
A735P	214.20	311	26508172803	6
A735WR	214.20	311	26508172766	6
A742	150.50	311	26508204078	6
A742BN	218.30	311	26508205433	6
A745	151.35	311	26508187692	6
A750	38.50	303	34584010643	24
A755	119.10	302	26508232972	12
A755BN	172.70	302	26508232989	12
A755ORB	189.95	302	26508232996	12
A780	105.10	312	26508227138	20
A1616	114.90	186	26508125786	6
A1616BN	164.50	186	26508125793	6
A1616ORB	181.05	186	26508132142	6
A1616P	184.30	186	26508232491	6
A1616WR	181.05	186	26508125809	6
A1717	127.60	216	26508166116	6
A1717BN	182.85	216	26508166123	6
A1717ORB	198.70	216	26508199015	6
A2020	126.45	233	26508206973	6
A2020BN	181.10	233	26508206980	6
AT2099	15.15	307	26508065112	12
AT2099BN	38.55	307	26508105924	12
AT2099ORB	42.40	307	26508132173	12
AT2099P	40.80	307	26508065129	12
AT2199	7.20	307	26508065136	12
AT2199AZ	20.90	307	26508175460	12
AT2199BN	18.95	307	26508130162	12
AT2199NL	18.95	307	26508104057	12
AT2199ORB	20.90	307	26508132180	12
AT2199P	20.05	307	26508065143	12
AT2199SLP	13.55	307	26508123386	12
AT2199WR	20.90	307	26508118436	12
CLA701	43.35	303	26508254288	12
CLA701BN	62.80	303	26508254295	12
CL703	73.95	302	26508250549	12
CL703BN	107.20	302	26508250556	12
CL703ORB	117.95	302	26508250563	12
CL707	100.35	302	26508250570	12
CL707BN	145.50	302	26508250587	12
CL707ORB	160.10	302	26508250594	12
CL6302	80.80	292	26508254240	12
CL6302BN	126.20	292	26508254257	12
CL6302EP	80.80	292	26508266892	12
CL6302EPBN	126.20	292	26508266908	12

Wholesale

Listed in numerical order

SUGGESTED LIST PRICES

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
CL6303	44.70	294	26508254264	12
CL6303BN	68.45	294	26508254271	12
CL6303EP	44.70	294	26508266878	12
CL6303EPBN	68.45	294	26508266885	12
CL10154	25.85	307	26508254103	12
CL10154BN	52.35	307	26508254110	12
CL26500	47.55	293	26508254226	12
CL26500BN	77.65	293	26508254233	12
CL26500EP	47.55	293	26508266915	12
CL26500EPBN	77.65	293	26508266922	12
CL123815	32.50	306	26508254127	12
CL123815BN	61.15	306	26508254134	12
CL155694	21.35	303	26508254141	12
CL155694BN	30.85	303	26508254158	12
CL155747	56.55	310	26508254776	6
CL155747BN	82.05	310	26508254783	6
CL155748	33.00	312	26508254165	12
CL155748BN	47.95	312	26508254172	12
CL164928	67.55	309	26508254202	6
CL164928BN	97.90	309	26508254219	6
CSR2160CH	46.10	325	34584008831	10
CSR2160BN	50.75	325	34584008848	10
CSR21600WB	58.05	325	34584008855	10
CSR2164CH	36.50	184	34584024374	10
CSR2164BN	50.75	184	34584024381	10
CSR21640WB	58.05	184	34584024398	10
CSR2165CH	36.50	325	34584008794	10
CSR2165BN	39.05	325	34584008800	10
CSR21650WB	46.95	325	34584011336	10
DN0703CH	18.05	323	34584008268	12
DN0703BN	20.30	323	34584012890	24
DN0705CH	7.80	323	34584018489	144
DN0705BN	9.05	323	34584018472	144
DN0707CH	15.50	323	34584018496	144
DN0707BN	16.75	323	34584018144	144
DN0708CH	38.35	323	34584008275	3
DN0708BN	43.20	323	34584012906	3
DN0709CH	32.70	323	34584017314	3
DN0709BN	36.55	323	34584017307	3
DN0718CH	35.35	323	34584008282	3
DN0718BN	39.70	323	34584012913	3
DN0722CH	57.60	323	34584008299	3
DN0722BN	64.70	323	34584012920	3
DN0724CH	38.35	323	34584008305	3
DN0724BN	43.20	323	34584012937	3
DN0761CH	104.50	324	34584018632	2
DN0761BN	131.55	324	34584018625	2
DN0762CH	149.10	324	34584018656	2
DN0762BN	184.15	324	34584018649	2
DN0763CH	182.85	324	34584018670	2
DN0763BN	228.65	324	34584018663	2
DN0764CH	234.25	324	34584018694	2
DN0764BN	292.80	324	34584018687	2
DN0769	19.30	324	34584019097	3
DN0786CH	24.95	323	34584008312	3
DN0786BN	28.05	323	34584012982	3
DN0790CH	64.5	323	34584008329	3
DN0790BN	72.55	323	34584012999	3
DN0792CH	93.15	323	34584008336	3
DN0792BN	104.90	323	34584013101	3
DN0794BN	163.30	323	34584015174	2
DN0794CH	151.00	323	34584015167	2
DN2141CH	62.60	325	34584017536	2
DN2141BN	68.20	325	34584017543	2
DN21410WB	79.40	325	34584017550	2
DN7025	47.95	328	34584179661	2

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
DN7065	117.40	328	34584484284	2
DN71100WB	425.80	328	34584023827	2
DN7110	367.05	328	34584019141	2
DN8303CH	13.75	322	34584004413	24
DN8303BN	15.35	322	34584004482	24
DN8308CH	26.35	322	34584004420	3
DN8308BN	29.35	322	34584004499	3
DN8318CH	26.90	322	34584004437	3
DN8318BN	30.10	322	34584004505	3
DN8322CH	44.50	322	34584004444	3
DN8322BN	49.70	322	34584004512	3
DN8324CH	29.15	322	34584004451	3
DN8324BN	32.65	322	34584004529	3
DN8386CH	19.05	322	34584004468	3
DN8386BN	21.25	322	34584004536	3
DN8390CH	49.70	322	34584004475	3
DN8390BN	55.45	322	34584004543	3
G16100	1771.30	55	26508240267	1
G16200	1919.40	55	26508240274	1
G16221	1997.65	55	26508240281	1
G16430	1047.50	55	26508240298	1
G18110	856.60	60	26508240304	1
G18121	976.55	57	26508248447	1
G18160	614.45	60	26508248133	1
G18163	701.60	60	26508256206	1
G18165	910.05	60	26508248126	1
G18180	678.90	56	26508248119	1
G18185	574.30	56	26508248140	1
G18190	570.00	60	26508240311	1
G18191	343.65	60	26508240328	1
G18192	322.50	60	26508240335	1
G18195	301.15	60	26508244470	1
G18195L	301.15	60	26508248089	1
G18210	518.20	59	26508240366	1
G18211	545.55	59	26508240373	1
G18212	791.05	59	26508240403	1
G18212B	791.05	59	26508265086	1
G18215	297.85	59	26508248096	1
G18220	1026.10	57	26508248454	1
G18231	803.70	59	26508240458	1
G18232	612.00	59	26508240465	1
G18237	898.90	58	26508240489	1
G18242	808.95	59	26508240496	1
G18246	941.20	58	26508240502	1
G18252	871.00	57	26508255032	1
G18253	920.05	57	26508255049	1
G18255	766.65	58	26508240519	1
G18256	423.00	58	26508240526	1
G18264	941.20	58	26508240557	1
G18265	635.55	58	26508240564	1
G18273	898.90	58	26508240571	1
G18287	731.20	56	26508248157	1
G18288	679.90	56	26508248164	1
G18415	352.00	62	26508248461	1
G18440	333.10	62	26508240618	1
G18442	411.40	62	26508240625	1
G18443	325.20	62	26508240632	1
G18450	243.25	62	26508240649	1
G18461	417.40	62	26508248171	1
G20160	354.25	64	26508240656	1
G20192	219.45	64	26508240663	1
G20192B	219.45	64	26508258422	1
G20193	207.25	64	26508240670	1
G20210	291.90	63	26508240687	1
G20210B	291.90	63	26508258439	1
G20214	263.85	63	26508240694	1

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
G20253	308.08	63	26508240700	1
G20256	383.10	63	26508240717	1
G20273	349.00	63	26508240724	1
G181631	512.20	61	26508258415	1
G181953	567.75	61	26508240342	1
G181954	567.75	61	26508240359	1
G182113	483.85	61	26508240380	1
G182114	483.85	61	26508240397	1
G182133	382.80	61	26508240410	1
G182134	382.80	61	26508240427	1
G182153	364.85	61	26508240434	1
G182154	364.85	61	26508240441	1
G182334	605.15	61	26508240472	1
G182571	765.65	61	26508240533	1
G182574	765.65	61	26508240540	1
G201961	131.10	65	26508256213	1
G201962	131.10	65	26508248065	1
G201963	131.10	65	26508239209	1
G201964	131.10	65	26508240588	1
G202131	190.35	65	26508248072	1
G202133	190.35	65	26508240595	1
G202134	190.35	65	26508241066	1
G202153	183.25	65	26508241073	1
G202154	183.25	65	26508241080	1
G202334	267.25	64	26508241097	1
G202591	327.30	65	26508241103	1
G202593	327.30	65	26508241110	1
G202594	327.30	65	26508241127	1
G202714	188.45	64	26508241134	1
G202720	202.00	64	26508241141	1
G202721	202.00	64	26508241158	1
G202853	168.85	64	26508258446	1
G202854	168.85	64	26508241165	1
G202861	214.05	64	26508259566	1
G202864	214.05	64	26508258453	1
G204502	163.95	65	26508240731	1
G204571	190.40	66	26508258460	1
G204573	190.40	66	26508241172	1
G221963	128.30	67	26508241219	1
G221964	128.30	67	26508241226	1
G221983	95.55	67	26508241233	1
G221984	95.55	67	26508241240	1
G222133	177.65	67	26508240748	1
G222134	177.65	67	26508240755	1
G222154	148.80	67	26508241257	1
G222173	113.45	67	26508241288	1
G222174	113.45	67	26508241301	1
G224562	78.70	68	26508241325	1
G2245622	78.70	68	26508241332	1
GA716	98.50	60	26508248027	10
GA719	142.35	60	26508248034	8
GA726	69.25	57	26508248041	15
GA728	93.40	57	26508248058	12
GA746B	117.3	58	26508248188	15
GA748B	133.00	58	26508248195	12
GA749B	148.85	60	26508248201	6
GA760	166.55	55	26508248218	6
GA763	123.10	55	26508248225	12
GA768	145.30	55	26508248232	10
GA771	160.00	57	26508248249	6
GA772	122.65	57	26508248256	12
GA780B	162.70	56	26508248263	6
GA781B	145.30	56	26508248270	8
GA782B	123.10	56	26508248287	15
GA785B	134.35	56	26508248294	12
GA821	90.65	57	26508248331	10

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
GA841	122.65	57	26508248348	10
GA915	127.10	62	26508248379	5
GA922	109.25	56	26508248386	5
GA944	159.70	58	26508248393	5
GXP33C	113.25	79	26508261811	2
GX50C	172.00	78	26508261798	2
GXP50C	133.25	79	26508261804	2
GX75C	292.00	78	26508261774	2
GXS75C	238.70	78	26508261781	2
GX100C	372.00	78	26508261767	1
GXL1000C	452.00	78	26508261750	1
KG2045522	95.00	66	26508241349	1
KG2045622	95.00	66	26508241356	1
L2352	144.20	247	26508047538	6
L2353	164.80	245	26508047569	6
L2361	157.10	249	26508047613	6
L2362	167.65	247	26508047545	6
L2368EP	208.50	247	26508241813	3
L2369EP	224.95	246	26508241820	3
L4601	125.95	240	26508047293	12
L4605	125.95	240	26508060759	12
L4621	155.55	240	26508047286	12
L4621BC	186.70	240	26508136706	12
L4621P	263.30	240	26508047385	12
L4625	155.55	240	26508047323	6
L4631BC	186.70	240	26508139301	6
L4635	155.55	240	26508061527	12
LR2350DCH	53.75	327	34584020857	3
LR2350DBN	55.90	327	34584017598	3
LR2350DOWB	59.25	327	34584020864	3
LR2352DCH	53.75	327	34584020871	3
LR2352DBN	55.90	327	34584017604	3
LR2352DOWB	59.25	327	34584020888	3
LR2354DCH	53.75	327	34584020918	3
LR2354DBN	55.90	327	34584020550	3
LR2354DOWB	59.25	327	34584020925	3
LR2356DCH	53.75	327	34584020895	3
LR2356DBN	55.90	327	34584017611	3
LR2356DOWB	59.25	327	34584020901	3
P26100EP	59.95	301	26508266939	12
P26100EP	59.95	301	26508266939	12
S110	104.10	305	26508242353	6
S110BN	126.00	305	26508242360	6
S112	355.95	286	26508132753	3
S112BN	481.90	286	26508132760	3
S112EP	355.95	286	26508221761	3
S112EPBN	481.90	286	26508222065	3
S112EPNL	530.05	286	26508222072	3
S112EPORB	530.05	286	26508222089	3
S112NL	530.05	286	26508144671	3
S112ORB	530.05	286	26508144664	3
S112WR	530.05	286	26508132777	3
S113	104.10	305	26508133965	3
S113BN	126.00	305	26508133972	3
S113NL	126.00	305	26508144695	3
S113ORB	138.60	305	26508144688	3
S113WR	138.60	305	26508133989	3
S114	121.60	313	26508185261	6
S114BN	198.95	313	26508185278	6
S114NL	198.95	313	26508185285	6
S114ORB	218.80	313	26508185292	6
S115	132.20	105	26508186190	6
S115BN	218.40	105	26508186206	6
S115NL	218.40	105	26508186213	6
S115ORB	240.20	105	26508186220	6
S122	39.95	305	26508223499	6

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
S122BN	82.60	305	26508223512	6
S122ORB	90.85	305	26508223529	6
S133	39.95	305	26508223536	6
S133BN	82.60	305	26508223543	6
S143	39.95	305	26508136942	3
S143BN	82.60	305	26508136959	3
S143ORB	82.65	305	26508136966	3
S144	153.50	313	26508185346	6
S144BN	233.35	313	26508185353	6
S144ORB	256.60	313	26508185360	6
S146	158.05	287	26508135198	3
S146BN	217.25	287	26508135358	3
S146EPBN	217.25	287	26508214534	3
S146EPORB	228.25	287	26508214541	3
S146ORB	228.25	287	26508135518	3
S156	157.95	288	26508167908	3
S176	157.95	288	26508139189	3
S176BN	217.20	288	26508152911	3
S176EP	157.95	288	26508214558	3
S176EPBN	217.20	288	26508214565	3
S177	39.85	305	26508223550	6
S177BN	82.60	305	26508223574	6
S411	437.95	105	26508132524	3
S411BN	671.10	105	26508132739	3
S411NL	671.10	105	26508144558	3
S411ORB	723.90	105	26508144541	3
S611	422.00	43	26508132814	2
S611ORB	638.25	43	26508144480	2
S611SRS	580.30	43	26508242018	3
S611WR	638.25	43	26508132838	2
S664	712.00	41	26508200063	3
S664ORB	1076.15	41	26508169032	3
S664SRS	978.35	41	26508234242	3
S665	712.00	41	26508205617	3
S665SRS	978.35	41	26508234259	3
S711	539.15	28	26508098943	2
S711ORB	799.50	28	26508144442	2
S711SRS	726.70	28	26508242056	3
S711WR	799.50	28	26508133262	2
S712	679.90	28	26508132678	2
S712ORB	1018.70	28	26508144428	2
S712SRS	926.05	28	26508242063	2
S712WR	1018.70	28	26508132692	2
S713	893.10	28	26508132784	3
S713ORB	1326.25	28	26508144404	3
S713SRS	1205.70	28	26508242070	3
S713WR	1326.25	28	26508132807	3
S1300	82.80	304	26508219621	6
S1311	379.70	286	26508152171	3
S1311BN	518.25	286	26508152188	3
S1311EP	379.70	286	26508213988	3
S1311EPBN	518.25	286	26508214015	3
S1311EPNL	518.25	286	26508231180	3
S1311EPORB	570.00	286	26508214022	3
S1311NL	518.25	286	26508231197	3
S1311ORB	570.00	286	26508152195	3
S3371	479.80	89	26508216408	6
S3384	1766.65	260	26508216422	1
S3600	121.95	89	26508216439	12
S3840	75.20	314	26508220726	6
S3840BN	116.50	314	26508220894	6
S3842	60.55	317	26508220733	6
S3842BN	93.70	317	26508220917	6
S3859	89.85	313	26508220740	6
S3859AZ	143.25	313	26508220924	6
S3859BN	130.30	313	26508220931	6

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
S3859ORB	143.25	313	26508220948	6
S3860	88.40	317	26508220412	6
S3860BN	128.20	317	26508220436	6
S3860ORB	140.95	317	26508220443	6
S3870EP	311.25	297	26508228975	6
S3870EPBN	624.25	297	26508228982	6
S3870EPORB	687.30	297	26508228999	6
S3879EP	274.75	297	26508221884	6
S3879EPBN	551.25	297	26508221891	6
S3894	93.85	313	26508240144	6
S3896	89.85	313	26508220764	6
S3896BN	130.30	313	26508222126	6
S3898	88.40	317	26508220450	6
S3898BN	128.20	317	26508220467	6
S3945C	130.25	50	26508248911	6
S3945ORB	162.80	50	26508248928	6
S3945SRS	156.40	50	26508248935	6
S3946BL	143.25	50	26508247167	6
S3946C	130.25	50	26508248942	6
S3946ORB	162.80	50	26508248959	6
S3946SRS	156.40	50	26508248966	6
S3947C	130.25	50	26508248973	6
S3947SRS	156.40	50	26508247327	6
S3948C	130.25	50	26508247150	6
S3948ORB	162.80	50	26508250273	6
S3948SRS	156.40	50	26508250280	6
S5170	397.65	43	26508222102	3
S5170SRS	497.05	43	26508241974	3
S5500	230.75	49	26508249475	6
S5510	266.65	48	26508249482	3
S5510ORB	410.20	48	26508249499	3
S5510SRS	373.30	48	26508249505	3
S5520	266.65	48	26508249512	3
S5520ORB	410.20	48	26508249529	3
S5520SRS	373.30	48	26508249536	3
S5530	266.65	48	26508249543	3
S5530SRS	373.30	48	26508249550	3
S6201	322.35	131	26508216460	3
S6201BN	489.30	131	26508216484	3
S6201ORB	515.40	131	26508216491	3
S6202	391.85	131	26508216507	3
S6202BN	646.90	131	26508216521	3
S6202ORB	681.40	131	26508216538	3
S6310	157.95	288	26508220771	3
S6310BN	217.20	288	26508220986	3
S6310EP	157.95	288	26508221921	3
S6310EPBN	217.20	288	26508221938	3
S6310EPNL	206.85	288	26508234389	3
S6310EPORB	228.05	288	26508221945	3
S6310NL	206.85	288	26508234549	3
S6310ORB	228.05	288	26508220993	3
S6310WR	228.05	288	26508221013	3
S6312	102.75	290	26508220788	12
S6312BN	122.15	290	26508221037	12
S6312EP	102.75	290	26508222003	12
S6312EPBN	122.15	290	26508222027	12
S6312EPNL	122.15	290	26508260845	6
S6312EPORB	134.35	290	26508260852	6
S6312NL	122.15	290	26508260869	12
S6312ORB	134.35	290	26508260876	12
S6320	247.50	286	26508220795	3
S6320AZ	427.80	286	26508221044	3
S6320BN	388.90	286	26508221068	3
S6320EP	247.50	286	26508221853	3
S6320EPBN	388.90	286	26508221860	3
S6320EPORB	427.80	286	26508221877	3

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
S6320ORB	427.80	286	26508221075	3
S6335	123.85	290	26508220849	6
S6335BN	168.65	290	26508220863	6
S6335EP	123.85	290	26508221778	6
S6335EPBN	168.65	290	26508222041	6
S6335EPORB	185.40	290	26508222058	6
S6335ORB	185.40	290	26508220870	6
S6340	157.95	288	26508220801	3
S6340BN	217.20	288	26508220634	3
S6340EP	157.95	289	26508221907	3
S6345	274.50	287	26508260944	3
S6345BN	388.90	287	26508260951	3
S6345EP	274.50	287	26508260968	3
S6345EPBN	388.90	287	26508260975	3
S6360	229.95	287	26508220481	3
S6360BN	345.00	287	26508220498	3
S6360EP	229.95	287	26508220504	3
S6360EPBN	345.00	287	26508220511	3
S6360EPORB	380.10	287	26508224946	3
S6360ORB	380.10	287	26508224953	3
S6365	157.95	289	26508230220	3
S6365BN	217.20	289	26508230237	3
S6365EP	157.95	289	26508230244	3
S6365EPBN	217.20	289	26508230251	3
S6365EPORB	228.05	289	26508230268	3
S6365ORB	228.05	289	26508230275	3
S6500	341.15	144	26508216545	3
S6500BN	563.30	144	26508216569	3
S6510	280.70	144	26508216576	3
S6510BN	426.00	144	26508216590	3
S6700	391.85	114	26508216606	3
S6700BN	646.90	114	26508216613	3
S6705	489.80	114	26508242377	3
S6705BN	808.60	114	26508242384	3
S6711	548.45	114	26508216620	3
S6711BN	826.95	114	26508216637	3
S7170	441.85	29	26508216644	3
S7170SRS	552.30	29	26508242100	3
S7597C	673.45	29	26508216668	3
S7597SRS	818.55	29	26508242124	3
S8000	320.00	126	26508261446	3
S8001	310.00	126	26508261453	3
S11704	135.05	313	26508186268	6
S11704BN	221.05	313	26508186275	6
S11705EP	223.85	300	26508221969	6
S11705EPBN	324.45	300	26508221952	6
S12104	137.70	313	26508215531	6
S12104BN	218.10	313	26508215548	6
S12104NL	220.25	313	26508231166	6
S12104ORB	239.90	313	26508215555	6
S12107EP	452.25	297	26508218945	6
S12107EPBN	639.50	297	26508218952	6
S12107EPNL	639.50	297	26508231173	6
S12107EPORB	703.40	297	26508218969	6
S22105	1570.00	86	26508251072	1
S22105BN	2276.50	86	26508251089	1
S22110	1570.00	86	26508255001	1
S22110BN	2276.50	86	26508255018	1
S42107	502.25	84	26508215562	3
S42107BN	772.65	84	26508215579	3
S42107NL	772.65	84	26508231203	3
S42107ORB	833.65	84	26508215586	3
S43001	458.50	95	26508242391	3
S43001BN	668.40	95	26508242407	3
S62101	430.35	42	26508236420	3
S62101NL	645.60	42	26508236437	3

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
S62101ORB	737.25	42	26508236444	3
S62101SRS	675.70	42	26508236451	3
S62308	401.80	43	26508236796	3
S62308BL	529.10	43	26508236802	3
S62308SRS	529.10	43	26508236819	3
S62608	456.85	42	26508248478	3
S62608SRS	593.90	42	26508248485	3
S72101	716.10	29	26508236468	3
S72101NL	855.00	29	26508236475	3
S72101ORB	983.00	29	26508236482	3
S72101SRS	945.20	29	26508236499	3
S72308	502.20	30	26508236826	3
S72308BL	661.40	30	26508236833	3
S72308EC	846.05	25	26508257968	3
S72308ESRS	933.20	25	26508257975	3
S72308SRS	661.40	30	26508236840	3
S72608	507.60	30	26508248492	3
S72608SRS	659.90	30	26508248508	3
S93005	1480.00	96	26508251096	1
S93005BN	2146.00	96	26508251102	1
S3879EP17	274.75	297	26508250730	6
S3879EP17BN	551.25	297	26508250747	6
S6335EP15	123.85	290	26508264218	6
S6340EP20	157.95	289	26508245934	3
SA340	220.50	260	26508216682	24
SA340BL	220.50	260	26508216699	24
SMA1000CH	29.40	327	34584007728	24
SMA1000OWB	29.40	327	34584007735	24
SMA1001CH	26.15	327	34584007759	10
SR2100CH	11.25	325	34584013354	25
SR2100BN	12.90	325	34584013361	25
SR2100OWB	13.10	325	34584013378	25
T373	284.35	211	26508261316	3
T373BN	419.25	211	26508261323	3
T393	343.70	167	26508249642	3
T393BN	480.35	167	26508249659	3
T394	535.45	168	26508249666	3
T394BN	881.40	168	26508249673	3
T653	343.70	158	26508253830	3
T653BN	480.35	158	26508253847	3
T653NL	480.35	158	26508256091	3
T653ORB	528.35	158	26508256107	3
T654	535.45	159	26508256114	3
T654BN	881.40	159	26508254448	3
T654NL	881.40	159	26508254509	3
T654ORB	969.50	159	26508254578	3
T657	350.55	158	26508253854	3
T657BN	489.95	158	26508253861	3
T657NL	489.95	158	26508256121	3
T657ORB	538.90	158	26508256138	3
T658	546.20	159	26508256145	3
T658BN	899.05	159	26508256152	3
T658ORB	988.90	159	26508256176	3
T683	284.35	205	26508264621	3
T683BN	419.25	205	26508264638	3
T683ORB	460.00	205	26508264645	3
T693	343.70	177	26508230701	3
T693BN	480.35	177	26508230718	3
T693ORB	528.35	177	26508230725	3
T694	535.45	178	26508230732	3
T694BN	881.40	178	26508230749	3
T694ORB	969.50	178	26508230756	3
T910	343.70	188	26508107973	3
T910BN	480.35	188	26508115541	3
T910ORB	528.35	188	26508132470	3
T912	535.45	189	26508115060	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
T912BN	881.40	189	26508115534	3
T912ORB	969.50	189	26508132487	3
T920	395.30	188	26508126868	3
T920BN	552.30	188	26508126882	3
T920ORB	607.50	188	26508132494	3
T920P	603.85	188	26508164105	3
T920WR	607.50	188	26508126899	3
T922	615.80	189	26508126905	3
T922BN	1013.60	189	26508126929	3
T922ORB	1114.95	189	26508132500	3
T924	397.95	219	26508162019	3
T924BN	504.15	219	26508161036	3
T924ORB	554.55	219	26508161043	3
T933	253.45	218	26508162118	3
T933BN	379.20	218	26508162132	3
T933ORB	417.15	218	26508162125	3
T935	343.70	199	26508027806	3
T936	535.45	200	26508235171	3
T943	253.45	226	26508153192	3
T943BN	379.20	226	26508153208	3
T943ORB	417.15	226	26508153215	3
T944	397.95	227	26508153161	3
T944BN	504.15	227	26508153178	3
T944ORB	554.55	227	26508153185	3
T986	253.45	234	26508207178	3
T986BN	379.20	234	26508207185	3
T987	397.95	235	26508207192	3
T987BN	504.15	235	26508207208	3
T990	243.20	243	26508125724	6
T990BC	300.25	243	26508136751	6
T991	361.75	244	26508125731	6
T994	150.00	242	26508017173	6
T999	189.50	243	26508015858	6
T2111	109.50	195	26508107980	3
T2111BN	198.85	195	26508115305	3
T2111ORB	218.80	195	26508132364	3
T2111P	295.80	195	26508115220	3
T2111WR	218.80	195	26508115381	3
T2112	145.95	194	26508107997	3
T2112BN	265.45	194	26508115312	3
T2112EP	145.95	194	26508208823	3
T2112EPBN	265.45	194	26508208854	3
T2112EPORB	291.95	194	26508208861	3
T2112EPP	372.10	194	26508232507	3
T2112NH	116.10	194	26508208885	3
T2112NHBN	210.85	194	26508208915	3
T2112NHORB	231.95	194	26508208922	3
T2112ORB	291.95	194	26508132371	3
T2112P	372.10	194	26508115237	3
T2112WR	291.95	194	26508115398	3
T2113	185.65	193	26508108000	3
T2113BN	337.45	193	26508115329	3
T2113EP	185.65	193	26508208946	3
T2113EPBN	337.45	193	26508208977	3
T2113EPORB	371.35	193	26508208984	3
T2113EPP	459.30	193	26508232521	3
T2113NH	125.05	193	26508209004	3
T2113NHBN	244.55	193	26508209035	3
T2113NHORB	2694.00	193	26508209042	3
T2113ORB	371.35	193	26508132388	3
T2113P	459.30	193	26508115244	3
T2113WR	371.35	193	26508115404	3
T2130	87.80	230	26508258163	3
T2130BN	154.10	230	26508258170	3
T2130ORB	165.85	230	26508258187	3
T2131	51.70	230	26508153222	3

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
T2131BN	118.00	230	26508153239	3
T2131ORB	129.80	230	26508153246	3
T2132	67.75	229	26508153253	3
T2132BN	145.85	229	26508153260	3
T2132EPBN	145.85	229	26508209066	3
T2132EPORB	160.35	229	26508209073	3
T2132NHBN	125.05	229	26508207819	3
T2132NHORB	137.50	229	26508207826	3
T2132ORB	160.35	229	26508153277	3
T2133	98.65	228	26508153284	3
T2133BN	192.35	228	26508153291	3
T2133EPBN	192.35	228	26508207833	3
T2133EPORB	211.60	228	26508207840	3
T2133NHBN	147.35	228	26508207857	3
T2133NHORB	157.65	228	26508207864	3
T2133ORB	211.60	228	26508153307	3
T2150	87.80	222	26508258194	3
T2150BN	154.10	222	26508258200	3
T2150ORB	165.85	222	26508258217	3
T2151	51.70	222	26508162149	3
T2151BN	118.00	222	26508162163	3
T2151ORB	129.80	222	26508162156	3
T2152	67.75	221	26508162170	3
T2152BN	145.85	221	26508162194	3
T2152EPBN	145.85	221	26508207871	3
T2152EPORB	160.35	221	26508207888	3
T2152NHBN	125.05	221	26508207895	3
T2152NHORB	137.50	221	26508207901	3
T2152ORB	160.35	221	26508162187	3
T2153	98.65	220	26508162200	3
T2153BN	192.35	220	26508162224	3
T2153EPBN	192.35	220	26508207918	3
T2153EPORB	211.60	220	26508207925	3
T2153NHBN	147.35	220	26508207932	3
T2153NHORB	157.65	220	26508207949	3
T2153ORB	211.60	220	26508162217	3
T2181	65.70	208	26508264423	3
T2181BN	136.80	208	26508264430	3
T2181ORB	149.45	208	26508264447	3
T2182	82.90	207	26508264454	3
T2182BN	166.65	207	26508264461	3
T2182EP	82.90	207	26508264478	3
T2182EPBN	166.65	207	26508264485	3
T2182EPORB	182.20	207	26508264492	3
T2182ORB	182.20	207	26508264508	3
T2183	116.05	206	26508264515	3
T2183BN	216.55	206	26508264522	3
T2183EP	116.05	206	26508264539	3
T2183EPBN	216.55	206	26508264546	3
T2183EPORB	237.20	206	26508264553	3
T2183ORB	237.20	206	26508264560	3
T2191	109.50	173	26508249680	3
T2191BN	198.85	173	26508249178	3
T2192	145.95	172	26508249710	3
T2192BN	265.45	172	26508249727	3
T2192EP	145.95	172	26508249185	3
T2192EPBN	265.45	172	26508249192	3
T2192NH	116.10	172	26508249314	3
T2192NHBN	210.85	172	26508249321	3
T2193	185.65	171	26508249758	3
T2193BN	337.45	171	26508249765	3
T2193EP	185.65	171	26508249208	3
T2193EPBN	337.45	171	26508249772	3
T2193NH	125.05	171	26508249338	3
T2193NHBN	244.55	171	26508249345	3
T2691	109.50	183	26508230282	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
T2691BN	198.85	183	26508230299	3
T2691ORB	218.80	183	26508230305	3
T2692	145.95	182	26508230312	3
T2692BN	265.45	182	26508230329	3
T2692EP	145.95	182	26508230336	3
T2692EPBN	265.45	182	26508230343	3
T2692EPORB	291.95	182	26508230350	3
T2692NH	116.10	182	26508230367	3
T2692NHBN	210.85	182	26508230374	3
T2692NHORB	231.95	182	26508230381	3
T2692ORB	291.95	182	26508230398	3
T2693	185.65	181	26508230404	3
T2693BN	337.45	181	26508230411	3
T2693EP	185.65	181	26508230428	3
T2693EPBN	337.45	181	26508230435	3
T2693EPORB	371.35	181	26508230442	3
T2693NH	125.05	181	26508230459	3
T2693NHBN	244.55	181	26508230466	3
T2693NHORB	269.00	181	26508230473	3
T2693ORB	371.35	181	26508230480	3
T2741	65.70	214	26508261217	3
T2741BN	136.80	214	26508261224	3
T2742	82.90	213	26508261231	3
T2742BN	166.65	213	26508261248	3
T2742EP	82.90	213	26508261255	3
T2742EPBN	166.65	213	26508261262	3
T2743	116.05	212	26508261279	3
T2743BN	216.55	212	26508261286	3
T2743EP	116.05	212	26508261293	3
T2743EPBN	216.55	212	26508261309	3
T2801	51.70	238	26508207055	3
T2801BN	118.00	238	26508207062	3
T2802	67.75	237	26508207079	3
T2802BN	145.85	237	26508207086	3
T2802EPBN	145.85	237	26508208311	3
T2802NH	57.80	237	26508224489	3
T2802NHBN	125.05	237	26508208328	3
T2803	98.65	236	26508207093	3
T2803BN	192.35	236	26508207109	3
T2803EPBN	192.35	236	26508208335	3
T2803NH	72.20	236	26508224496	3
T2803NHBN	147.35	236	26508208342	3
T2811	109.50	203	26508235102	3
T2812	145.95	202	26508235119	3
T2812EP	145.95	202	26508235126	3
T2812NH	116.10	202	26508256671	3
T2813	185.65	201	26508235133	3
T2813EP	185.65	201	26508235140	3
T2813NH	125.05	201	26508256688	3
T3111	116.00	192	26508108017	3
T3111BN	270.60	192	26508115336	3
T3111ORB	297.65	192	26508132395	3
T3111P	314.40	192	26508115251	3
T3112	154.80	191	26508108024	3
T3112BN	350.60	191	26508115343	3
T3112ORB	385.70	191	26508132401	3
T3112P	407.55	191	26508115268	3
T3113	210.00	191	26508108031	3
T3113BN	447.80	191	26508115350	3
T3113ORB	492.50	191	26508132418	3
T3113P	520.30	191	26508115275	3
T3291	129.65	170	26508249819	3
T3291BN	276.20	170	26508249826	3
T3292	173.05	170	26508249215	3
T3292BN	358.00	170	26508249222	3
T3293	234.85	169	26508249239	3

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
T3293BN	457.10	169	26508249246	3
T3691	129.65	180	26508230497	3
T3691BN	276.20	180	26508230503	3
T3691ORB	303.85	180	26508230510	3
T3692	173.05	180	26508230527	3
T3692BN	358.00	180	26508230534	3
T3692ORB	393.80	180	26508230541	3
T3693	234.85	179	26508230558	3
T3693BN	457.10	179	26508230565	3
T3693ORB	502.80	179	26508230572	3
T4111	150.30	190	26508115176	3
T4111BN	201.85	190	26508115558	3
T4111ORB	222.05	190	26508132425	3
T4111P	222.95	190	26508115503	3
T4171	99.80	275	26508201947	6
T4171BN	134.15	275	26508201954	6
T4171ORB	147.55	275	26508201961	6
T4191	100.40	169	26508249253	12
T4191BN	134.90	169	26508249260	12
T4311	100.40	190	26508250402	6
T4311BN	134.90	190	26508250419	6
T4311ORB	148.40	190	26508250426	6
T4501	109.50	164	26508253441	3
T4501BN	198.85	164	26508253458	3
T4501NL	198.85	164	26508255759	3
T4501ORB	218.80	164	26508255766	3
T4502	145.95	163	26508253465	3
T4502BN	265.45	163	26508253472	3
T4502EP	145.95	163	26508253489	3
T4502EPBN	265.45	163	26508253496	3
T4502EPORB	291.95	163	26508255780	3
T4502NH	116.10	163	26508253663	3
T4502NHBN	210.85	163	26508253502	3
T4502NL	265.45	163	26508255803	3
T4502ORB	291.95	163	26508255810	3
T4503	185.65	162	26508253519	3
T4503BN	337.45	162	26508253526	3
T4503EP	185.65	162	26508253533	3
T4503EPBN	337.45	162	26508253540	3
T4503EPORB	371.35	162	26508255834	3
T4503NH	125.05	162	26508253557	3
T4503NHBN	244.55	162	26508253670	3
T4503NL	337.45	162	26508255865	3
T4503ORB	371.35	162	26508255872	3
T4511	100.40	160	26508253687	12
T4511BN	134.90	160	26508253694	12
T4511NL	134.90	160	26508255889	12
T4511ORB	148.40	160	26508255896	12
T4520	242.85	157	26508253403	3
T4520BN	408.20	157	26508253700	3
T4520NL	408.20	157	26508255902	3
T4520ORB	449.00	157	26508255919	3
T4524	247.70	157	26508253717	3
T4524BN	416.35	157	26508253762	3
T4524NL	416.35	157	26508255926	3
T4524ORB	458.00	157	26508255933	3
T4611	100.40	179	26508230589	12
T4611BN	134.90	179	26508230596	12
T4611ORB	148.40	179	26508230602	12
T4943	191.25	217	26508162088	3
T4943BN	249.60	217	26508162101	3
T4943ORB	274.55	217	26508162095	3
T5191	378.55	173	26508249277	3
T5191BN	518.40	173	26508249284	3
T5210	378.55	195	26508115152	3
T5210BN	518.40	195	26508115565	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
T52100RB	570.25	195	26508171905	3
T5220	345.95	230	26508171769	3
T5220BN	417.80	230	26508171776	3
T52200RB	459.55	230	26508171783	3
T5225	345.95	222	26508171790	3
T5225BN	417.80	222	26508171806	3
T5225ORB	459.55	222	26508171813	3
T5245	378.55	164	26508255940	3
T5245BN	518.40	164	26508255957	3
T5245ORB	570.25	164	26508255971	3
T5269	378.55	183	26508230619	3
T5269BN	518.40	183	26508230626	3
T5269ORB	570.25	183	26508230633	3
T5501	129.65	161	26508253779	3
T5501BN	276.20	161	26508253786	3
T5501NL	276.20	161	26508256039	3
T5501ORB	303.85	161	26508256046	3
T5502	173.05	161	26508253793	3
T5502BN	358.00	161	26508253809	3
T5502NL	358.00	161	26508256053	3
T5502ORB	393.80	161	26508256060	3
T5503	234.85	160	26508253816	3
T5503BN	457.10	160	26508253823	3
T5503NL	457.10	160	26508256077	3
T5503ORB	502.80	160	26508256084	3
T6105	242.85	187	26508107966	3
T6105BN	408.20	187	26508115527	3
T6105ORB	449.00	187	26508132449	3
T6107	276.90	187	26508166031	3
T6107BN	450.95	187	26508166048	3
T6107ORB	496.15	187	26508166055	3
T6125	279.25	187	26508126820	3
T6125BN	469.35	187	26508126844	3
T6125ORB	516.30	187	26508132463	3
T6125P	528.45	187	26508164099	3
T6125WR	516.30	187	26508126851	3
T6173	176.60	210	26508261330	3
T6173BN	259.80	210	26508261347	3
T6193	242.85	166	26508249857	3
T6193BN	408.20	166	26508249291	3
T6420	155.25	225	26508153130	3
T6420BN	232.80	225	26508153147	3
T64200RB	256.00	225	26508153154	3
T6620	155.25	216	26508162071	3
T6620BN	232.80	216	26508161012	3
T66200RB	256.00	216	26508161029	3
T6805	176.60	204	26508264591	3
T6805BN	259.80	204	26508264607	3
T6805ORB	284.70	204	26508264614	3
T6820	155.25	233	26508207154	3
T6820BN	232.80	233	26508207161	3
T6905	242.85	175	26508230640	3
T6905BN	408.20	175	26508230657	3
T6905ORB	449.00	175	26508230664	3
T6906	276.90	176	26508230671	3
T6906BN	450.95	176	26508230688	3
T6906ORB	496.15	176	26508230695	3
T6920	242.85	198	26508235157	3
T62132NH	53.45	229	26508208366	12
T62132EP	67.75	229	26508208359	12
T62133EP	84.65	228	26508208373	12
T62133NH	72.50	228	26508208380	12
T62152EP	56.20	221	26508208397	12
T62152NH	53.45	221	26508208403	12
T62153EP	84.65	220	26508208410	12
T62153NH	72.50	220	26508208427	12

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
T62802EP	56.20	237	26508208434	12
T62803EP	84.65	236	26508208458	12
T90331	30.60	319	26508184455	12
T90331AZ	106.15	319	26508184479	12
T90331BC	93.70	319	26508184493	12
T90331BN	96.45	319	26508184509	12
T90331NL	96.45	319	26508184516	12
T90331ORB	106.15	319	26508184523	12
T90331P	106.15	319	26508184530	12
T90331WR	106.15	319	26508184578	12
TG2045522	249.20	66	26508241363	1
TG2045622	249.20	66	26508241370	1
TL181	32.60	249	26508047620	12
TL2368EP	75.55	248	26508242414	6
TL2369EP	92.00	246	26508242421	6
TL5265	213.45	250	26508255162	3
TR1000CH	31.35	325	34584017727	3
TR1000BN	31.35	325	34584017710	3
TR1000OWB	31.35	325	34584017734	3
TS213	1025.90	108	26508170212	3
TS213BN	1795.35	108	26508170229	3
TS213NL	1795.35	108	26508170236	3
TS213ORB	1936.95	108	26508170243	3
TS214	672.00	107	26508170267	3
TS214BN	953.55	107	26508170274	3
TS214NL	953.55	107	26508170281	3
TS214ORB	1028.85	107	26508170298	3
TS310	233.95	111	26508184707	3
TS310BN	341.40	111	26508184714	3
TS310NL	341.40	111	26508184721	3
TS310ORB	368.40	111	26508184738	3
TS312	456.00	111	26508170410	3
TS312BN	653.35	111	26508170427	3
TS312NL	653.35	111	26508170434	3
TS312ORB	704.90	111	26508170441	3
TS314	546.00	110	26508170519	3
TS314BN	777.00	110	26508170526	3
TS314NL	777.00	110	26508170533	3
TS314ORB	838.20	110	26508170540	3
TS325	210.55	110	26508250488	6
TS325BN	256.05	110	26508250495	6
TS325NL	256.05	110	26508251157	6
TS325ORB	276.25	110	26508250501	6
TS325WR	276.25	110	26508251164	6
TS416	528.00	106	26508221822	3
TS416BN	780.90	106	26508221839	3
TS416ORB	800.15	106	26508221846	3
TS418	515.95	105	26508170618	3
TS418BN	782.85	105	26508170625	3
TS418NL	782.85	105	26508170632	3
TS418ORB	844.65	105	26508170649	3
TS514	143.05	109	26508170762	6
TS514BN	204.70	109	26508170779	6
TS514NL	204.70	109	26508170786	6
TS514ORB	220.90	109	26508170793	6
TS903	481.15	116	26508215371	3
TS903BN	685.15	116	26508217771	3
TS904	749.40	117	26508215395	3
TS904BN	1257.30	117	26508217795	3
TS923	505.25	133	26508215432	3
TS923BN	719.40	133	26508217856	3
TS923ORB	757.70	133	26508217863	3
TS925	786.85	134	26508215449	3
TS925BN	1320.20	134	26508217887	3
TS925ORB	1390.60	134	26508217894	3
TS963	409.95	146	26508215470	3

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
TS963BN	583.65	146	26508217931	3
TS964	638.55	147	26508215487	3
TS964BN	1071.30	147	26508217955	3
TS1320	121.40	304	26508219638	6
TS1320BN	171.10	304	26508219645	6
TS1320NL	171.10	304	26508250754	6
TS1320ORB	193.10	304	26508219652	6
TS1322	121.40	304	26508219669	6
TS1322BN	171.10	304	26508219676	6
TS1322NL	171.10	304	26508250761	6
TS1322ORB	193.10	304	26508219683	6
TS1420	187.75	304	26508252543	6
TS1420BN	254.45	304	26508258743	6
TS1420NL	254.45	304	26508258750	6
TS1420ORB	280.05	304	26508258767	6
TS1422	187.75	304	26508258798	6
TS1422BN	254.45	304	26508258804	6
TS1422NL	254.45	304	26508258811	6
TS1422ORB	280.05	304	26508258828	6
TS2141	130.55	154	26508215029	3
TS2141BN	241.80	154	26508216767	3
TS2142	174.10	153	26508215036	3
TS2142BN	322.65	153	26508216781	3
TS2142EP	174.10	153	26508222256	3
TS2142EPBN	322.65	153	26508223253	3
TS2143	221.55	152	26508215043	3
TS2143BN	410.20	152	26508216804	3
TS2143EP	221.55	152	26508222263	3
TS2143EPBN	410.20	152	26508223277	3
TS2154	138.35	151	26508215050	3
TS2154BN	328.80	151	26508216828	3
TS2155	184.55	150	26508215067	3
TS2155BN	426.15	150	26508216842	3
TS2156	250.45	150	26508215074	3
TS2156BN	544.25	150	26508216866	3
TS2211	160.95	141	26508215081	3
TS2211BN	297.95	141	26508216880	3
TS2211ORB	313.85	141	26508216897	3
TS2212	214.55	140	26508215098	3
TS2212BN	397.65	140	26508216910	3
TS2212EP	214.55	140	26508222164	3
TS2212EPBN	397.65	140	26508223314	3
TS2212EPORB	418.75	140	26508223321	3
TS2212ORB	418.75	140	26508216927	3
TS2213	272.85	139	26508215104	3
TS2213BN	505.55	139	26508216941	3
TS2213EP	272.85	139	26508222188	3
TS2213EPBN	505.55	139	26508223376	3
TS2213EPORB	532.55	139	26508223383	3
TS2213ORB	532.55	139	26508216958	3
TS2711	153.25	123	26508215111	3
TS2711BN	283.80	123	26508216989	3
TS2712	204.40	122	26508215128	3
TS2712BN	378.65	122	26508216996	3
TS2712EP	204.40	122	26508222218	3
TS2712EPBN	378.65	122	26508223413	3
TS2712NH	162.40	122	26508222225	3
TS2712NHBN	300.85	122	26508223420	3
TS2713	259.85	121	26508215135	3
TS2713BN	481.40	121	26508217009	3
TS2713EP	259.85	121	26508222249	3
TS2713EPBN	481.40	121	26508223437	3
TS2713NH	174.95	121	26508222232	3
TS2713NHBN	348.80	121	26508223444	3
TS3100	258.25	118	26508223581	3
TS3100BN	390.70	118	26508223598	3

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
TS3110	250.30	109	26508184752	3
TS3110BN	368.45	109	26508184769	3
TS3110NL	368.45	109	26508184776	3
TS3110ORB	397.50	109	26508184783	3
TS3112	656.90	109	26508170311	3
TS3112BN	1005.85	109	26508170328	3
TS3112NL	1005.85	109	26508170335	3
TS3112ORB	1085.25	109	26508170342	3
TS3200	119.20	148	26508223604	6
TS3200BN	159.00	148	26508223628	6
TS3210	258.90	93	26508215715	3
TS3210BN	366.20	93	26508215845	3
TS3210NL	366.20	93	26508231319	3
TS3210ORB	395.15	93	26508215852	3
TS3211	173.25	138	26508215142	3
TS3211BN	431.55	138	26508217115	3
TS3211ORB	454.60	138	26508217122	3
TS3212	231.20	137	26508215159	3
TS3212BN	559.25	137	26508217146	3
TS3212ORB	589.15	137	26508217153	3
TS3213	313.80	137	26508215166	3
TS3213BN	714.20	137	26508217177	3
TS3213ORB	752.35	137	26508217184	3
TS3300	119.20	118	26508223635	6
TS3300BN	159.00	118	26508223642	6
TS3400	401.70	263	26508215173	3
TS3400BN	682.70	263	26508217221	3
TS3400ORB	716.70	263	26508217238	3
TS3411	193.20	265	26508215203	3
TS3411BN	303.50	265	26508217313	3
TS3411ORB	318.75	265	26508217320	3
TS3411WR	318.75	265	26508217344	3
TS3420	846.85	260	26508215227	3
TS3420BN	1008.80	260	26508217375	3
TS3420ORB	1039.40	260	26508217382	3
TS3600	99.80	265	26508215258	6
TS3600BN	177.50	265	26508217511	6
TS3600ORB	186.45	265	26508217528	6
TS3600WR	186.45	265	26508217542	6
TS3661NH	445.00	297	26508266991	3
TS3711	165.05	120	26508215265	3
TS3711BN	411.00	120	26508217559	3
TS3713	298.90	119	26508215272	3
TS3713BN	680.20	119	26508217566	3
TS3715	220.15	120	26508215289	3
TS3715BN	532.70	120	26508217573	3
TS3760	258.25	135	26508223659	3
TS3760BN	390.70	135	26508223673	3
TS3760ORB	411.55	135	26508223680	3
TS3820	119.20	135	26508223697	6
TS3820BN	159.00	135	26508223710	6
TS3820ORB	167.45	135	26508223727	6
TS3900	258.25	148	26508223734	3
TS3900BN	390.70	148	26508223758	3
TS4112	179.30	149	26508215296	3
TS4112BN	245.45	149	26508217597	3
TS4172	134.85	119	26508227749	6
TS4172BN	182.20	119	26508227756	6
TS4211	220.90	136	26508215302	3
TS4211BN	302.45	136	26508217610	3
TS4211ORB	318.60	136	26508217627	3
TS5205	144.85	136	26508250518	6
TS5205BN	193.65	136	26508250525	6
TS5205ORB	204.00	136	26508250532	6
TS6204	406.85	132	26508221792	3
TS6204BN	678.70	132	26508221808	3

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
TS6204ORB	714.80	132	26508221815	3
TS6205	350.80	132	26508215333	3
TS6205BN	601.00	132	26508217696	3
TS6205ORB	633.15	132	26508217702	3
TS6520	293.25	145	26508215340	3
TS6520BN	502.40	145	26508217726	3
TS6530	334.25	145	26508215357	3
TS6530BN	555.00	145	26508217740	3
TS6720	350.80	115	26508215364	3
TS6720BN	601.00	115	26508217757	3
TS6730	406.85	115	26508221679	3
TS6730BN	678.70	115	26508221686	3
TS7115	502.60	118	26508223772	3
TS7115BN	842.10	118	26508223789	3
TS8002	342.10	126	26508264003	3
TS8115	502.60	135	26508223796	3
TS8115BN	842.10	135	26508223819	3
TS8115ORB	886.90	135	26508223826	3
TS8711	149.45	129	26508264010	3
TS8712	199.30	128	26508264027	3
TS8712EP	199.30	128	26508264034	3
TS8713	253.40	127	26508264041	3
TS8713EP	253.40	127	26508264058	3
TS21102	1119.80	88	26508215593	3
TS21102BN	1949.25	88	26508215609	3
TS21102NL	1949.25	88	26508231210	3
TS21102ORB	2103.05	88	26508215616	3
TS21104	1119.80	88	26508215623	3
TS21104BN	1949.25	88	26508215630	3
TS21104NL	1949.25	88	26508231227	3
TS21104ORB	2103.05	88	26508215647	3
TS22001	240.60	103	26508242438	3
TS22001BN	357.80	103	26508242445	3
TS22002	468.90	102	26508242452	3
TS22002BN	684.80	102	26508242469	3
TS22002EP	468.90	102	26508242476	3
TS22002EPBN	684.80	102	26508242483	3
TS22003	561.40	101	26508242513	3
TS22003BN	814.35	101	26508242520	3
TS22003EP	561.40	101	26508242537	3
TS22003EPBN	814.35	101	26508242544	3
TS22101	734.50	87	26508215654	3
TS22101BN	1039.65	87	26508215661	3
TS22101NL	1039.65	87	26508231234	3
TS22101ORB	1121.60	87	26508215678	3
TS22103	734.50	87	26508215685	3
TS22103BN	1039.65	87	26508215692	3
TS22103NL	1039.65	87	26508231241	3
TS22103ORB	1121.60	87	26508215708	3
TS23005	216.50	100	26508250433	6
TS23005BN	268.30	100	26508250440	6
TS25105	655.00	86	26508251119	3
TS25105BN	949.75	86	26508251126	3
TS32102	493.70	92	26508215722	3
TS32102BN	720.65	92	26508215739	3
TS32102EP	493.70	92	26508218877	3
TS32102EPBN	720.65	92	26508218884	3
TS32102EPNL	720.65	92	26508231258	3
TS32102EPORB	777.45	92	26508218891	3
TS32102NL	720.65	92	26508231272	3
TS32102ORB	777.45	92	26508215777	3
TS32104	602.05	91	26508215784	3
TS32104BN	844.65	91	26508215791	3
TS32104EP	602.05	91	26508218914	3
TS32104EPBN	844.65	91	26508218921	3
TS32104EPNL	844.65	91	26508231289	3

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
TS32104EPORB	911.30	91	26508218938	3
TS32104NL	844.65	91	26508231302	3
TS32104ORB	911.30	91	26508215838	3
TS32110	313.10	89	26508215869	3
TS32110BN	460.75	89	26508215876	3
TS32110NL	460.75	89	26508231326	3
TS32110ORB	497.05	89	26508215883	3
TS32112	800.70	89	26508215890	3
TS32112BN	1240.45	89	26508215906	3
TS32112NL	1240.45	89	26508231333	3
TS32112ORB	1338.25	89	26508215913	3
TS32205	233.00	90	26508250457	6
TS32205BN	274.65	90	26508250464	6
TS32205NL	274.65	90	26508251218	6
TS32205ORB	296.35	90	26508250471	6
TS33001	675.40	99	26508242575	3
TS33001BN	1054.25	99	26508242582	3
TS33002	257.40	99	26508242599	3
TS33002BN	386.15	99	26508242605	3
TS33003	147.05	99	26508242612	6
TS33003BN	214.55	99	26508242629	6
TS42106	545.65	85	26508215951	3
TS42106BN	766.55	85	26508215968	3
TS42106NL	766.55	85	26508231357	3
TS42106ORB	827.05	85	26508215975	3
TS42108	533.30	84	26508215982	3
TS42108BN	809.15	84	26508215999	3
TS42108NL	809.15	84	26508231364	3
TS42108ORB	873.00	84	26508216002	3
TS42112	545.65	85	26508216019	3
TS42112BN	766.55	85	26508216026	3
TS42112NL	766.55	85	26508231371	3
TS42112ORB	827.05	85	26508216033	3
TS42114	533.30	84	26508216040	3
TS42114BN	809.15	84	26508216057	3
TS42114NL	809.15	84	26508231388	3
TS42114ORB	873.00	84	26508216064	3
TS43002	496.45	95	26508242636	3
TS43002BN	767.85	95	26508242643	3
TS43003	508.10	95	26508242650	3
TS43003BN	765.95	95	26508242667	3
TS50100	260.00	96	26508251133	2
TS50110	221.00	96	26508258231	2
TS50200	390.00	86	26508251140	2
TS50210	331.50	86	26508258248	2
TS52104	162.50	90	26508216071	6
TS52104BN	224.50	90	26508216088	6
TS52104NL	224.50	90	26508231395	6
TS52104ORB	242.10	90	26508216095	6
TS93003	646.65	97	26508242735	3
TS93003BN	935.15	97	26508242742	3
TS93004	987.20	98	26508242759	3
TS93004BN	1760.85	98	26508242766	3
YB0402CH	42.65	174	34584022547	24
YB0402BN	48.50	174	34584022530	24
YB0403CH	23.55	174	34584022561	24
YB0403BN	25.95	174	34584022554	24
YB0408CH	43.05	174	34584022585	6
YB0408BN	47.60	174	34584022578	6
YB0409CH	36.65	174	34584022608	6
YB0409BN	40.30	174	34584022592	6
YB0418CH	49.95	174	34584022622	6
YB0418BN	54.90	174	34584022615	6
YB0424CH	51.55	174	34584022646	6
YB0424BN	56.85	174	34584022639	6
YB0486CH	35.10	174	34584022660	6

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YB0486BN	38.35	174	34584022653	6
YB0803CH	69.60	104	34584021731	24
YB0803BN	76.40	104	34584021724	24
YB0808CH	99.05	104	34584021755	6
YB0808BN	108.95	104	34584021748	6
YB0818CH	114.65	104	34584021779	6
YB0818BN	126.05	104	34584021762	6
YB0824CH	123.75	104	34584021793	6
YB0824BN	136.35	104	34584021786	6
YB0886CH	80.05	104	34584021816	6
YB0886BN	87.95	104	34584021809	6
YB0892CH	199.65	104	34584021830	3
YB0892BN	228.20	104	34584021823	3
YB2101BN	30.30	209	34584024985	6
YB2101CH	19.75	209	34584024992	6
YB2101ORB	33.30	209	34584025005	6
YB2103BN	21.40	209	34584025012	24
YB2103CH	14.00	209	34584025029	24
YB2103ORB	23.55	209	34584025036	24
YB2108BN	38.60	209	34584025043	6
YB2108CH	25.10	209	34584025050	6
YB2108ORB	42.35	209	34584025067	6
YB2118BN	47.35	209	34584025074	6
YB2118CH	30.85	209	34584025098	6
YB2118ORB	52.10	209	34584025081	6
YB2124BN	49.80	209	34584025104	6
YB2124CH	32.50	209	34584025111	6
YB2124ORB	54.75	209	34584025128	6
YB2186BN	29.20	209	34584025135	6
YB2186CH	19.15	209	34584025142	6
YB2186ORB	32.25	209	34584025159	6
YB2201BN	27.75	223	34584008008	6
YB2201CH	18.10	223	34584008015	6
YB2201ORB	30.50	223	34584008022	6
YB2203BN	19.60	223	34584008039	24
YB2203CH	12.85	223	34584008046	24
YB2203ORB	21.60	223	34584008053	24
YB2208BN	35.35	223	34584008060	6
YB2208CH	23.00	223	34584008077	6
YB2208ORB	38.80	223	34584008084	6
YB2218BN	43.35	223	34584008091	6
YB2218CH	28.25	223	34584008107	6
YB2218ORB	47.70	223	34584008114	6
YB2224BN	45.60	223	34584008121	6
YB2224CH	29.75	223	34584008138	6
YB2224ORB	50.15	223	34584008145	6
YB2261BN	127.40	224	34584022226	2
YB2261CH	101.95	224	34584022233	2
YB2261ORB	127.40	224	34584022240	2
YB2262BN	178.35	224	34584022257	2
YB2262CH	142.65	224	34584022264	2
YB2262ORB	178.35	224	34584022271	2
YB2263BN	221.50	224	34584022288	2
YB2263CH	177.15	224	34584022295	2
YB2263ORB	221.50	224	34584022301	2
YB2264BN	283.60	224	34584022318	2
YB2264CH	226.90	224	34584022325	2
YB2264ORB	283.60	224	34584022332	2
YB2269	19.05	224	34584022349	3
YB2286BN	26.75	223	34584008152	6
YB2286CH	17.55	223	34584008169	6
YB2286ORB	29.55	223	34584008176	6
YB2303BN	20.85	215	34584024596	24
YB2303CH	13.65	215	34584024602	24
YB2308BN	37.55	215	34584024619	6
YB2308CH	24.40	215	34584024626	6

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YB2318BN	46.10	215	34584024633	6
YB2318CH	30.05	215	34584024640	6
YB2324BN	48.45	215	34584024657	6
YB2324CH	31.65	215	34584024664	6
YB2386BN	28.45	215	34584024671	6
YB2386CH	18.65	215	34584024688	6
YB2401BN	27.75	239	34584016317	6
YB2401CH	18.10	239	34584016324	6
YB2403BN	19.60	239	34584016331	24
YB2403CH	12.85	239	34584016348	24
YB2408BN	35.35	239	34584016355	6
YB2408CH	23.00	239	34584016362	6
YB2418BN	43.35	239	34584016379	6
YB2418CH	28.25	239	34584016386	6
YB2422BN	66.70	239	34584024534	6
YB2422CH	52.40	239	34584024541	6
YB2424BN	45.60	239	34584016393	6
YB2424CH	29.75	239	34584016409	6
YB2486BN	26.75	239	34584016416	6
YB2486CH	17.55	239	34584016423	6
YB2801BN	27.75	231	34584005663	6
YB2801CH	18.10	231	34584005601	6
YB2801ORB	30.50	231	34584005724	6
YB2803BN	19.60	231	34584005618	24
YB2803CH	12.85	231	34584005557	24
YB2803ORB	21.60	231	34584005670	24
YB2808BN	35.35	231	34584005625	6
YB2808CH	23.00	231	34584005564	6
YB2808ORB	38.80	231	34584005687	6
YB2818BN	43.35	231	34584005632	6
YB2818CH	28.25	231	34584005571	6
YB2818ORB	47.70	231	34584005694	6
YB2824BN	45.60	231	34584005649	6
YB2824CH	29.75	231	34584005588	6
YB2824ORB	50.15	231	34584005700	6
YB2861BN	127.40	232	34584022356	2
YB2861CH	101.95	232	34584022363	2
YB2861ORB	127.40	232	34584022370	2
YB2862BN	178.35	232	34584022387	2
YB2862CH	142.65	232	34584022394	2
YB2862ORB	178.35	232	34584022400	2
YB2863BN	221.50	232	34584022417	2
YB2863CH	177.15	232	34584022424	2
YB2863ORB	221.50	232	34584022431	2
YB2864BN	283.60	232	34584022448	2
YB2864CH	226.90	232	34584022455	2
YB2864ORB	283.60	232	34584022462	2
YB2869	19.05	232	34584022479	3
YB2886BN	26.75	231	34584005656	6
YB2886CH	17.55	231	34584005595	6
YB2886ORB	29.55	231	34584005717	6
YB2894BN	157.90	231	34584015136	2
YB2894CH	143.95	231	34584015143	2
YB2894ORB	173.70	231	34584015150	2
YB5003CH	41.70	130	34584024701	24
YB5008CH	76.70	130	34584024718	6
YB5012CH	82.95	130	34584024725	6
YB5018CH	88.25	130	34584024732	6
YB5024CH	91.45	130	34584024749	6
YB5086CH	61.65	130	34584024756	6
YB5101CH	30.65	184	34584020628	24
YB5101BN	33.80	184	34584020611	24
YB5101ORB	37.15	184	34584020635	24
YB5103CH	23.55	184	34584020659	24
YB5103BN	25.95	184	34584020642	24
YB5103ORB	28.55	184	34584020666	24

Bulk

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YB5108CH	43.05	184	34584020680	6
YB5108BN	47.60	184	34584020673	6
YB5108ORB	52.40	184	34584020697	6
YB5118CH	49.95	184	34584020710	6
YB5118BN	54.90	184	34584020703	6
YB5118ORB	60.40	184	34584020727	6
YB5124CH	51.55	184	34584020741	6
YB5124BN	56.85	184	34584020734	6
YB5124ORB	62.60	184	34584020758	6
YB5161ORB	150.15	185	34584023858	2
YB5161CH	120.10	185	34584023841	2
YB5161BN	150.15	185	34584023834	2
YB5162ORB	210.05	185	34584023889	2
YB5162CH	168.05	185	34584023872	2
YB5162BN	210.05	185	34584023865	2
YB5163BN	260.85	185	34584023896	2
YB5163ORB	260.85	185	34584023919	2
YB5163CH	208.65	185	34584023902	2
YB5169	22.00	185	34584023957	3
YB5170CH	33.50	184	34584020772	6
YB5170BN	35.95	184	34584020765	6
YB5170ORB	41.50	184	34584020789	6
YB5186CH	35.10	184	34584020802	6
YB5186BN	38.35	184	34584020796	6
YB5186ORB	42.20	184	34584020819	6
YB5201CH	30.65	165	34584023087	24
YB5201BN	33.80	165	34584023094	24
YB5201NL	37.15	165	34584023568	24
YB5201ORB	37.15	165	34584023575	24
YB5203CH	23.55	165	34584023100	24
YB5203BN	25.95	165	34584023117	24
YB5203NL	28.55	165	34584023582	24
YB5203ORB	28.55	165	34584023599	24
YB5208CH	43.05	165	34584023124	6
YB5208BN	47.60	165	34584023131	6
YB5208NL	52.40	165	34584023605	6
YB5208ORB	52.40	165	34584023612	6
YB5218CH	49.95	165	34584023148	6
YB5218BN	54.90	165	34584023155	6
YB5218NL	60.40	165	34584023629	6
YB5218ORB	60.40	165	34584023636	6
YB5222CH	66.90	165	34584023162	6
YB5222BN	72.10	165	34584023179	6
YB5222NL	79.35	165	34584023643	6
YB5222ORB	79.35	165	34584023650	6
YB5224CH	51.55	165	34584023186	6
YB5224BN	56.85	165	34584023193	6
YB5224NL	62.60	165	34584023667	6
YB5224ORB	62.60	165	34584023674	6
YB5275CH	106.60	165	34584023544	6
YB5275BN	121.95	165	34584023537	6
YB5275OWB	132.20	165	34584023551	6
YB5286CH	35.10	165	34584023209	6
YB5286BN	38.35	165	34584023216	6
YB5286NL	42.20	165	34584023681	6
YB5401BN	33.80	196	34584006103	24
YB5401CH	30.65	196	34584006127	24
YB5401ORB	37.15	196	34584001184	24
YB5401PB	28.45	196	34584020932	24
YB5401WR	37.15	196	34584006134	24
YB5403BN	25.95	196	34584483003	24
YB5403CH	23.55	196	34584482761	24
YB5403ORB	28.55	196	34584000330	24
YB5403PB	21.85	196	34584482921	24
YB5403WR	28.55	196	34584483089	24
YB5405BN	9.15	196	34584018151	24

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YB5405CH	7.25	196	34584018168	24
YB5405ORB	9.70	196	34584018502	24
YB5407BN	18.00	196	34584018175	24
YB5407CH	14.50	196	34584018182	24
YB5407ORB	19.60	196	34584018519	24
YB5408BN	47.60	196	34584483010	6
YB5408CH	43.05	196	34584482778	6
YB5408ORB	52.40	196	34584000347	6
YB5408PB	40.00	196	34584482938	6
YB5408WR	52.40	196	34584483096	6
YB5418BN	54.90	196	34584483027	6
YB5418CH	49.95	196	34584482785	6
YB5418ORB	60.40	196	34584000606	6
YB5418PB	49.20	196	34584482945	6
YB5418WR	60.40	196	34584483102	6
YB5422BN	72.10	196	34584015686	6
YB5422CH	66.90	196	34584015693	6
YB5422ORB	79.35	196	34584015709	6
YB5422PB	64.55	196	34584020949	6
YB5422WR	79.35	196	34584015716	6
YB5424BN	56.85	196	34584483034	6
YB5424CH	51.55	196	34584482792	6
YB5424ORB	62.60	196	34584000613	6
YB5424PB	47.55	196	34584482952	6
YB5424WR	62.60	196	34584483119	6
YB5486BN	38.35	196	34584483065	6
YB5486CH	35.10	196	34584482822	6
YB5486ORB	42.20	196	34584000644	6
YB5486PB	32.55	196	34584482983	6
YB5486WR	42.20	196	34584483140	6
YB5488CH	77.75	196	34584003409	6
YB5490BN	71.40	196	34584483072	6
YB5490CH	66.35	196	34584482839	6
YB5490ORB	78.60	196	34584000651	6
YB5490WR	78.60	196	34584483157	6
YB5494BN	184.50	196	34584015075	2
YB5494CH	167.35	196	34584015082	2
YB5494ORB	202.95	196	34584015099	2
YB5801BN	43.95	155	34584005861	24
YB5801CH	40.50	155	34584005786	24
YB5803BN	33.70	155	34584005809	24
YB5803CH	31.15	155	34584006097	24
YB5805BN	12.60	155	34584018526	24
YB5805CH	9.65	155	34584018199	24
YB5807BN	23.35	155	34584018533	24
YB5807CH	19.15	155	34584018205	24
YB5808BN	61.90	155	34584005816	6
YB5808CH	57.05	155	34584005731	6
YB5818BN	71.25	155	34584005823	6
YB5818CH	66.10	155	34584005748	6
YB5822BN	93.60	155	34584005847	6
YB5822CH	88.60	155	34584005762	6
YB5824BN	73.95	155	34584005830	6
YB5824CH	68.25	155	34584005755	6
YB5886BN	49.75	155	34584005854	6
YB5886CH	46.50	155	34584005779	6
YB5890BN	92.75	155	34584005878	6
YB5890CH	87.80	155	34584005793	6
YB8000CH	4.40	251	34584001641	50
YB8000BC	5.60	251	34584002181	50
YB8000SN	7.25	251	34584003478	50
YB8000OWB	9.40	251	34584009234	50
YB8003CH	3.85	251	34584001634	50
YB8003BC	4.90	251	34584002174	50
YB8003SN	5.05	251	34584003461	50
YB8003OWB	5.70	251	34584009241	50

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YB8081	10.65	251	34584016836	25
YB8086CH	7.25	251	34584001689	50
YB8086BC	9.60	251	34584002228	50
YB8086SN	10.40	251	34584003515	50
YB8086OWB	11.10	251	34584009289	50
YB8088SN	13.00	251	34584020970	25
YB8094CH	3.65	251	34584001672	50
YB8094BC	4.70	251	34584002211	50
YB8094SN	6.05	251	34584003454	50
YB8094OWB	7.45	251	34584009272	50
YB8098CH	3.15	251	34584001665	50
YB8098BC	4.00	251	34584002204	50
YB8098SN	4.80	251	34584003492	50
YB8098OWB	5.60	251	34584009265	50
YB8099CH	1.55	251	34584001658	50
YB8099BC	2.65	251	34584002198	50
YB8099SN	2.30	251	34584003485	50
YB8099OWB	1.95	251	34584009258	50
YB8201CH	56.30	142	34584011459	24
YB8201BN	60.85	142	34584011374	24
YB8201ORB	66.85	142	34584011534	24
YB8203CH	43.15	142	34584011466	24
YB8203BN	46.70	142	34584011381	24
YB8203ORB	51.35	142	34584011541	24
YB8205CH	11.35	142	34584018212	48
YB8205BN	13.15	142	34584018540	48
YB8205ORB	14.40	142	34584018229	48
YB8207CH	22.75	142	34584018236	48
YB8207BN	24.55	142	34584018557	48
YB8207ORB	26.75	142	34584018243	48
YB8208CH	79.40	142	34584011473	6
YB8208BN	85.70	142	34584011398	6
YB8208ORB	94.30	142	34584011558	6
YB8218CH	91.35	142	34584011480	6
YB8218BN	98.65	142	34584011404	6
YB8218ORB	108.55	142	34584011565	6
YB8224CH	94.65	142	34584011503	6
YB8224BN	102.30	142	34584011428	6
YB8224ORB	112.55	142	34584011589	6
YB8261CH	144.75	143	34584018717	2
YB8261BN	180.90	143	34584018700	2
YB8261ORB	180.90	143	34584018724	2
YB8262CH	202.55	143	34584018748	2
YB8262BN	253.15	143	34584018731	2
YB8262ORB	253.15	143	34584018755	2
YB8263CH	251.50	143	34584018779	2
YB8263BN	314.45	143	34584018762	2
YB8263ORB	314.45	143	34584018786	2
YB8269	75.75	143	34584011596	6
YB8286CH	63.80	142	34584011510	6
YB8286BN	68.85	142	34584011435	6
YB8286ORB	75.75	142	34584011596	6
YB8401CH	82.10	94	34584017918	24
YB8401BN	93.45	94	34584017901	24
YB8401NL	102.80	94	34584020420	24
YB8401ORB	102.80	94	34584017925	24
YB8403CH	74.55	94	34584017949	24
YB8403BN	85.35	94	34584017932	24
YB8403NL	93.95	94	34584020437	24
YB8403ORB	93.95	94	34584017956	24
YB8405CH	13.75	94	34584021854	48
YB8405BN	15.60	94	34584021847	48
YB8405NL	17.15	94	34584021861	48
YB8405ORB	17.15	94	34584021878	48
YB8407CH	25.70	94	34584021892	48
YB8407BN	27.55	94	34584021885	48
YB8407NL	30.25	94	34584021908	48

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YB8407ORB	30.25	94	34584021915	48
YB8408CH	107.60	94	34584017970	6
YB8408BN	118.00	94	34584017963	6
YB8408NL	129.80	94	34584020444	6
YB8408ORB	129.80	94	34584017987	6
YB8418CH	121.55	94	34584018007	6
YB8418BN	138.05	94	34584017994	6
YB8418NL	151.95	94	34584020451	6
YB8418ORB	151.95	94	34584018014	6
YB8424CH	131.15	94	34584018038	6
YB8424BN	148.80	94	34584018021	6
YB8424NL	163.70	94	34584020468	6
YB8424ORB	163.70	94	34584018045	6
YB8486CH	84.75	94	34584018069	6
YB8486BN	96.75	94	34584018052	6
YB8486NL	106.45	94	34584020475	6
YB8486ORB	106.45	94	34584018076	6
YB8801BN	60.85	124	34584016492	24
YB8801CH	56.30	124	34584014696	24
YB8803BN	46.70	124	34584016508	24
YB8803CH	43.15	124	34584014702	24
YB8805BN	13.15	124	34584018250	24
YB8805CH	11.35	124	34584018564	24
YB8807BN	24.55	124	34584018267	24
YB8807CH	22.75	124	34584018571	24
YB8808BN	85.70	124	34584016515	6
YB8808CH	79.40	124	34584014719	6
YB8818BN	98.65	124	34584016522	6
YB8818CH	91.35	124	34584014726	6
YB8824BN	102.30	124	34584016539	6
YB8824CH	94.65	124	34584014733	6
YB8861BN	180.90	125	34584023964	2
YB8861CH	144.75	125	34584023971	2
YB8862BN	253.15	125	34584023988	2
YB8862CH	202.50	125	34584023995	2
YB8863BN	314.50	125	34584024008	2
YB8863CH	251.50	125	34584024015	2
YB8864BN	402.60	125	34584024022	2
YB8864CH	322.10	125	34584024039	2
YB8869	26.50	125	34584024046	3
YB8886BN	68.85	124	34584016546	6
YB8886CH	63.80	124	34584014740	6
YB9801BN	88.00	112	34584015617	24
YB9801CH	70.00	112	34584015624	24
YB9801NL	93.60	112	34584015631	24
YB9801ORB	93.60	112	34584015648	24
YB9803BN	76.40	112	34584000064	24
YB9803CH	69.60	112	34584000019	6
YB9803NL	83.95	112	34584003706	6
YB9803ORB	83.95	112	34584003768	6
YB9805BN	15.60	112	34584018601	6
YB9805CH	13.75	112	34584018274	6
YB9805ORB	17.15	112	34584018281	6
YB9807BN	27.55	112	34584018618	6
YB9807CH	25.70	112	34584018298	6
YB9807ORB	30.25	112	34584018304	6
YB9808BN	108.95	112	345840000224	6
YB9808CH	99.05	112	345840000217	6
YB9808NL	119.85	112	34584003713	6
YB9808ORB	119.85	112	34584003775	6
YB9818BN	126.05	112	345840000088	6
YB9818CH	114.65	112	345840000033	6
YB9818NL	138.75	112	34584003720	6
YB9818ORB	138.75	112	34584003782	6
YB9824BN	136.35	112	345840000095	6
YB9824CH	123.75	112	345840000200	6
YB9824NL	149.95	112	34584003737	6

Wholesale

Listed in numerical order

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YB9824ORB	149.95	112	34584003799	6
YB9861BN	180.90	113	34584015433	2
YB9861CH	144.75	113	34584015440	2
YB9861ORB	180.90	113	34584015457	2
YB9862BN	253.15	113	34584015464	2
YB9862CH	202.50	113	34584015471	2
YB9862ORB	253.15	113	34584015488	2
YB9863BN	314.50	113	34584015495	2
YB9863CH	251.50	113	34584015501	2
YB9863ORB	314.45	113	34584015518	2
YB9864BN	402.60	113	34584015525	2
YB9864CH	322.10	113	34584015532	2
YB9864ORB	402.60	113	34584015549	2
YB9869	26.50	113	34584016645	3
YB9886BN	87.95	112	34584000101	6
YB9886CH	80.05	112	34584000040	6
YB9886NL	96.80	112	34584003744	6
YB9886ORB	96.80	112	34584003805	6
YG0412BN	101.25	174	34584024107	3
YG0412CH	83.80	174	34584024091	3
YG0418BN	106.20	174	34584024121	3
YG0418CH	87.55	174	34584024114	3
YG0424BN	114.55	174	34584024145	3
YG0424CH	91.40	174	34584024138	3
YG0436BN	128.95	174	34584024169	3
YG0436CH	104.10	174	34584024152	3
YG0442BN	190.95	174	34584024183	3
YG0442CH	152.75	174	34584024176	3
YG0712BN	67.35	324	34584021922	3
YG0712CH	60.10	324	34584021939	3
YG0718BN	70.95	324	34584021946	3
YG0718CH	63.35	324	34584021953	3
YG0724BN	74.60	324	34584021960	3
YG0724CH	66.60	324	34584021977	3
YG0736BN	84.95	324	34584021984	3
YG0736CH	75.85	324	34584021991	3
YG0742BN	125.65	324	34584022752	3
YG0742CH	111.50	324	34584022769	3
YG0812BN	141.10	104	34584022035	3
YG0812CH	130.55	104	34584022042	3
YG0818BN	147.85	104	34584022059	3
YG0818CH	136.40	104	34584022066	3
YG0824BN	159.60	104	34584022073	3
YG0824CH	142.50	104	34584022080	3
YG0836BN	179.70	104	34584022097	3
YG0836CH	162.25	104	34584022103	3
YG0842BN	251.55	104	34584022776	3
YG0842CH	227.10	104	34584022783	3
YG2212BN	92.60	223	34584024206	3
YG2212CH	75.90	223	34584024190	3
YG2212ORB	101.15	223	34584024213	3
YG2218BN	97.25	223	34584024237	3
YG2218CH	80.25	223	34584024220	3
YG2218ORB	106.40	223	34584024244	3
YG2224BN	105.30	223	34584024268	3
YG2224CH	84.00	223	34584024251	3
YG2224ORB	117.40	223	34584024275	3
YG2812BN	92.60	231	34584024299	3
YG2812CH	75.90	231	34584024282	3
YG2812ORB	101.15	231	34584024305	3
YG2818BN	97.25	231	34584024329	3
YG2818CH	80.25	231	34584024312	3
YG2818ORB	106.40	231	34584024336	3
YG2824BN	105.30	231	34584024350	3
YG2824CH	84.00	231	34584024343	3
YG2824ORB	117.40	231	34584024367	3

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
YG5112CH	83.80	184	34584025166	6
YG5112ORB	111.40	184	34584025173	6
YG5118CH	87.55	184	34584025197	6
YG5118BN	106.20	184	34584025180	6
YG5118ORB	116.80	184	34584025203	6
YG5124CH	91.40	184	34584025227	6
YG5124BN	114.55	184	34584025210	6
YG5124ORB	126.05	184	34584025234	6
YG5412BN	101.25	197	34584483683	3
YG5412CH	83.80	197	34584482648	3
YG5412ORB	111.40	197	34584007476	3
YG5418BN	106.20	197	34584483690	3
YG5418CH	87.55	197	34584482655	3
YG5418ORB	116.80	197	34584007483	3
YG5424BN	114.55	197	34584483706	3
YG5424CH	91.40	197	34584482662	3
YG5424ORB	126.05	197	34584007490	3
YG5430BN	119.30	197	34584483713	3
YG5430CH	97.80	197	34584482679	3
YG5436BN	128.95	197	34584483720	3
YG5436CH	104.10	197	34584482686	3
YG5442BN	190.95	197	34584483737	3
YG5442CH	152.75	197	34584482693	3
YG8812BN	141.10	124	34584022110	3
YG8812CH	130.55	124	34584022127	3
YG8818BN	147.85	124	34584022134	3
YG8818CH	136.40	124	34584022141	3
YG8824BN	159.60	124	34584022158	3
YG8824CH	142.50	124	34584022165	3
YG8836BN	179.70	124	34584022172	3
YG8836CH	162.25	124	34584022189	3
YG8842BN	264.00	124	34584022790	3
YG8842CH	238.80	124	34584022806	3

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
22037	16.55	408	26508008652	40
62300	104.95	404	26508025857	12
62320	104.95	404	26508009208	12
62330	139.10	404	26508102312	12
62340	116.50	404	26508102305	12
62345	104.95	404	26508252512	12
62360	127.55	404	26508102275	12
62365	104.95	405	26508227251	12
62370	127.55	405	26508009215	12
62380	104.95	405	26508102268	12
62385	127.55	405	26508227268	12
62390	127.55	405	26508067055	12
62700	95.60	407	26508009277	12
63150	171.45	395	26508047170	12
63170	171.45	395	26508047187	12
64601	110.95	389	26508040751	1
64620	144.80	390	26508017241	12
64621	136.40	390	26508002896	1
64625	137.80	390	26508002902	1
64900	73.35	391	26508040775	1
64919	107.30	391	26508017265	12
64920	103.00	391	26508002889	1
64922	86.75	392	26508147955	12
64925	120.35	392	26508134542	12
64970	99.30	392	26508084908	12
66172	151.95	393	26508261194	6
66410	141.65	393	26508152485	6
66411	141.65	393	26508164051	6
66600	172.80	389	26508195420	6
66610	141.65	393	26508162064	6
66802	151.95	393	26508264379	1
66810	181.60	389	26508206942	6
67315C	225.40	388	26508069257	1
67315SRS	318.60	388	26508242933	1
67425	122.55	388	26508052983	6
67545C	308.20	388	26508209165	3
67840	186.75	388	26508138861	6
69000	103.30	394	26508045114	6
BG222173	106.15	408	26508241028	25
BG222174	106.15	408	26508241035	25
FP62300	104.95	406	26508154502	12
FP62320	104.95	405	26508154496	12
FP62340	116.50	406	26508199213	12
FP62345	104.95	404	26508252529	12
FP62360	127.55	406	26508235225	12
FP62365	104.95	405	26508233580	12
FP62370	127.55	406	26508154519	12
FP62380	104.95	406	26508154526	12
FP62385	127.55	405	26508264713	12
FP62390	127.55	406	26508235232	12
L64600	110.95	389	26508063705	12
L64601	110.95	389	26508063712	12
L64620	144.80	390	26508047309	12
L64621	136.40	390	26508047316	12
L64624	148.95	390	26508047347	12
L64625	137.80	391	26508047354	12
L64635	148.95	391	26508061534	12
T181	32.60	402	26508029565	12
T182	35.85	399	26508029589	12
T182EP	35.85	399	26508208786	12
T183	58.20	396	26508029602	12
T183EP	58.20	396	26508208809	12
T184	58.20	396	26508029626	12
T187	32.60	403	26508019832	12
T470	34.60	408	26508019825	12

MODEL NUMBER	LIST PRICE	PAGE NO.	UNIVERSAL PRODUCT CODE	CASE QTY
T471	66.75	407	26508015742	12
T473	41.25	407	26508015728	12
T62131	41.85	403	26508152492	12
T62132	56.20	400	26508152508	12
T62132NH	53.45	400	26508208366	12
T62133	84.65	397	26508152515	12
T62133EP	84.65	397	26508208373	12
T62133NH	72.50	397	26508208380	12
T62151	41.85	403	26508162026	12
T62152	56.20	401	26508162033	12
T62152EP	56.20	401	26508208397	12
T62152NH	53.45	401	26508208403	12
T62153	84.65	397	26508152040	12
T62153EP	84.65	397	26508208410	12
T62153NH	72.50	398	26508208427	12
T62182	70.15	400	26508264577	12
T62183	101.05	396	26508264584	12
T62742	70.15	400	26508261354	12
T62743	101.05	396	26508261361	6
T62801	41.85	403	26508207123	12
T62802	56.20	401	26508207130	12
T62802EP	56.20	401	26508208434	12
T62802NH	53.45	402	26508208441	12
T62803	84.65	398	26508207147	12
T62803EP	84.65	398	26508208458	12
T62803NH	72.50	398	26508208465	12
TL170	43.35	395	26508048870	12
TL171	47.65	395	26508048887	12
TL172	77.95	395	26508048863	12
TL181	32.60	403	26508047620	12
TL182	35.85	402	26508047552	12
TL182BC	35.85	402	26508137130	1
TL182EP	35.85	402	26508208472	12
TL182NH	34.00	402	26508208496	12
TL182NHBC	66.20	402	26508208502	12
TL183	58.20	399	26508047590	12
TL183BC	95.60	399	26508137147	1
TL183EP	58.20	399	26508208519	12
TL183NH	51.15	399	26508208533	12
TL183NHBC	89.45	399	26508208540	12
TL470	34.60	408	26508047842	12
TL471	66.75	407	26508047828	12
TL473	41.25	407	26508047774	12

Kitchen and Bar Collections

Notch™ One-Handle High Arc Pulldown Kitchen Faucet / 9124
1800™ Series 30" x 18" Stainless Steel 18 Gauge Single Bowl Sink / G18165

Please see moen.com/consumer-support/warranty
for complete product warranty information.

Get To Know MotionSense™

Hands-free operation no other faucet can touch.

Two motion sensors and Reflex® effortless self-retraction allow Moen pulldown faucets with MotionSense to respond to what you need, the moment you need it.

KITCHEN



Hands-free, anytime

Unlike other faucet brands that require you to adjust the handle position prior to using a motion sensor, Moen's single handle can be left untouched in the "off" position when using the sensors.

1. Wave On. Wave Off.

Ideal Touchless Control

Turning water on and off is as effortless and intuitive as waving your hand over top of the faucet's wave sensor. Motion once to turn on, and again to turn off. The Wave Sensor is great for filling large pots and washing dishes.

2. Always Ready




The Ready Sensor near the base of the faucet identifies when an object, like a cup or a hand, is placed beneath the spout, running water only until you exit the sensor zone. Use the Ready Sensor for quick tasks, like washing your hands or filling up a cup.

3. Consistent Performance

The handle on the side of the faucet offers familiar, manual operation, allowing you to adjust temperature and water flow.

- Hands-free mode works at any time, even when the handle is in the "off" position.
- Hands-free means your faucet needs less cleaning and helps you control the spread of germs.


***motion*sense®**



Installation

Moen faucets with MotionSense are thoughtfully designed from start to finish—from the snap-on mounting of the control box to the push-fit hose connections, it's that easy. Installing this hands-free faucet technology is just as intuitive as using the faucet.

Kitchen Faucets with MotionSense™

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
STO®		ONE-HANDLE PULLDOWN KITCHEN FAUCET			
		PREMIUM			
		572308EC	846.05	Chrome	3
		572308ESRS ●	933.20	Spot Resist Stainless	3
		AC ADAPTERS SOLD SEPARATELY			
		169031	125.00		12




motionSense

reflex

DURALOCK®

DURALAST®

ALIGN®		ONE-HANDLE PULLDOWN KITCHEN FAUCET			
		7565EC	687.10	Chrome	3
		7565ESRS ●	733.25	Spot Resist Stainless	3
		DECKPLATES SOLD SEPARATELY			
		141002	45.20	Chrome	6
		141002SRS ●	51.90	Spot Resist Stainless	6
		AC ADAPTERS SOLD SEPARATELY			
		169031	125.00		12




motionSense

reflex

DURALOCK®

DURALAST®

BRANTFORD™		ONE-HANDLE PULLDOWN KITCHEN FAUCET			
		7185EC	656.30	Chrome	3
		7185ESRS ●	697.35	Spot Resist Stainless	3
		7185EORB	723.00	Oil Rubbed Bronze	3
		AC ADAPTERS SOLD SEPARATELY			
		169031	125.00		12




motionSense

reflex

DURALOCK®

DURALAST®

ARBOR®		ONE-HANDLE PULLDOWN KITCHEN FAUCET			
		7594EC	640.95	Chrome	3
		7594ESRS ●	676.85	Spot Resist Stainless	3
		7594EORB	709.65	Oil Rubbed Bronze	3
		AC ADAPTERS SOLD SEPARATELY			
		169031	125.00		12



motionSense

reflex

DURALOCK®

DURALAST®

NOTES

- Spot Resist Stainless Finish **SPOT RESIST**
- motionSense MotionSense™ Hands-free Kitchen Faucet
- reflex Self-Retracting Spray Hose
- DURALOCK® Duralock® Quick Connections
- DURALAST® Duralast® Cartridge

Deck Extension kits available on page 340.

Bar/Prep faucets available. See page 42-46.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51



reflex

Designed To Put Itself Away

Everything has its place, especially in the kitchen. And with Reflex®, you get all the benefits of a flexible hose, plus the convenience of a spray head that retracts fully and securely.

Engineered to Move with You

Easier to use and extend than other faucets. Through extensive testing in real users' homes, Moen's team of engineers and designers developed a faucet that allows for easy maneuverability, retracting and secure docking.

Easier Maneuverability

Every part of a Reflex faucet works in unison as a complete system of innovations. The flexible hose moves with you to make your everyday tasks more convenient.

Self-Retracting Action

Reflex automatically retracts from any distance and angle and returns on its own, naturally. The hose effortlessly returns to its original position, docking smoothly and securely.

Spot Resist™ Finish From Moen Helps Keep Kitchens Looking Cleaner Longer

At Moen, we know that keeping your kitchen faucet free of fingerprints and water spots is an ongoing battle. It's not surprising, because the kitchen is the most used room in your home.

That's why we developed the Spot Resist Stainless finish. Spot Resist does just what it says—resists fingerprints and water spots—so you'll have one less thing you need to clean every day. This attractive finish maintains the brilliance of your faucet so you can spend more time enjoying



your home... and less time cleaning it. And when it is time for periodic cleaning, Spot Resist easily wipes clean.



KITCHEN

New Duralock® Quick-Connect Wiring System Provides Hassle-Free Installation



Moen's new Duralock Quick-Connect Wiring System assures quick, secure and hassle-free installation for Moen kitchen and bath faucets. This new solution helps save valuable time for plumbers and DIY installers alike.

- The intuitive, new system utilizes a proprietary, one-step, quick-connect installation
- Kitchen and bathroom faucets can be installed without the use of tools
- An audible "click" assures a fast, secure and hassle-free connection
- Ensures a reliable connection for the life of the faucet
- Designed for one-way installation, which guarantees the connection cannot be made backward or incorrectly
- Duralock is also easy to disengage or uninstall if needed, and can be done so with one hand and the push of a button
- Limited Lifetime Warranty*

*For full warranty information, visit moen.com

DURALOCK®
QUICK-CONNECT

Waterhill®

Weymouth®

90°™







STō®

Etch™

Premium Kitchen Faucets

Bring elegance to your home with premium kitchen faucet selections from Moen®. From the sophistication of period traditional to the streamlined refinement of minimalist contemporary, you'll find a host of amazing ways to be expressive in the kitchen.




		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY	
WATERHILL® TWO-HANDLE KITCHEN FAUCET						
	<ul style="list-style-type: none">• application: two or four hole• overall height: 11.47 "• connection size: 1/2"• connection type: IPS• water usage: 1.5 gpm (5.7 L/min) max.• side spray: included• side spray: can be installed with or without	PREMIUM				
		S713	893.10	Chrome	3	
		S713SR5 ●	1205.70	Spot Resist Stainless	3	
		S713ORB	1326.25	Oil Rubbed Bronze	3	
		S713WR	1326.25	Wrought Iron	3	
 DURALOCK®						
WATERHILL® TWO-HANDLE KITCHEN FAUCET						
	<ul style="list-style-type: none">• application: four hole• spout height: 12.25 "• connection size: 1/2"• connection type: IPS• spray type: aerated stream• water usage: 1.5 gpm (5.7 L/min) max.• side spray: included	PREMIUM				
		S712	679.90	Chrome	2	
		S712SR5 ●	926.05	Spot Resist Stainless	2	
		S712ORB	1018.70	Oil Rubbed Bronze	2	
		S712WR	1018.70	Wrought Iron	2	
 DURALOCK® DURALAST®						
WATERHILL® ONE-HANDLE KITCHEN FAUCET						
	<ul style="list-style-type: none">• application: three hole• overall height: 12.25 "• connection size: 3/8"• connection type: compression• water usage: 1.5 gpm (5.7 L/min) max.• side spray: included	PREMIUM				
		S711	539.15	Chrome	2	
		S711SR5 ●	726.70	Spot Resist Stainless	3	
		S711ORB	799.50	Oil Rubbed Bronze	2	
		S711WR	799.50	Wrought Iron	2	
 DURALOCK® DURALAST®						

Deck Extension kits available on page 340.
Bar/Prep faucets available. See page 42-46.


WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51

NOTES

- Spot Resist Stainless Finish 
- DURALOCK® Duralock® Quick Connections
- DURALAST® Duralast® Cartridge


Premium Kitchen Faucets

All Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
	WEYMOUTH® ONE-HANDLE KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: two hole • overall height: 10.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • side spray: included • side spray: can be installed with or without 				
	PREMIUM				
		S72101	716.10	Chrome	3
		S72101NL	855.00	Polished Nickel	3
		S72101SRS ●	945.20	Spot Resist Stainless	3
		S72101ORB	983.00	Oil Rubbed Bronze	3
	DECKPLATES SOLD SEPARATELY				
		141002	45.20	Chrome	6
		141002NL	49.25	Polished Nickel	6
		141002SRS ●	51.90	Spot Resist Stainless	6
		141002ORB	57.20	Oil Rubbed Bronze	6




DURALOCK® DURALAST®

	90 DEGREE™ ONE-HANDLE PULLOUT KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: one hole • overall height: 12.38" • connection size: 3/8" • connection type: compression • number of functions: three-function • spray type: aerated stream; pause function; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: left or right • hose length: 59" 				
	PREMIUM				
		S7597C	673.45	Chrome	3
		S7597SRS ●	818.55	Spot Resist Stainless	3



DURALOCK® DURALAST®

	90 DEGREE™ ONE-HANDLE KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: one hole • overall height: 12.00" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: left or right 				
	PREMIUM				
		S7170	441.85	Chrome	3
		S7170SRS ●	552.30	Spot Resist Stainless	3



DURALAST®

Deck Extension kits available on page 340.

Bar/Prep faucets available. See page 42-46.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51


NOTES

- Spot Resist Stainless Finish **SPOT RESIST**

DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Premium Kitchen Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
	STO® ONE-HANDLE PULLDOWN KITCHEN FAUCET				
	PREMIUM				
	<ul style="list-style-type: none"> • application: one hole • overall height: 17.30" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" 				
		S72308EC	846.05	Chrome	3
		S72308ESRS ●	933.20	Spot Resist Stainless	3

AC ADAPTERS SOLD SEPARATELY

169031

125.00


12

motion**sense**

reflex

DURALOCK®

DURALAST™

	STO® ONE-HANDLE PULLDOWN KITCHEN FAUCET				
	PREMIUM				
	<ul style="list-style-type: none"> • application: one hole • overall height: 17.25" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" 				
		S72308	502.20	Chrome	3
		S72308BL	661.40	Matte Black	3

S72308SRS ●

661.40 Spot Resist Stainless


3



reflex

DURALOCK®

DURALAST™

	ETCH™ ONE-HANDLE PULLDOWN KITCHEN FAUCET				
	PREMIUM				
	<ul style="list-style-type: none"> • application: one hole • overall height: 17.25" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" 				
		S72608	507.60	Chrome	3
		S72608SRS ●	659.90	Spot Resist Stainless	3

POWER**CLEAN**

reflex

DURALOCK®

DURALAST™

Look for the latest in kitchen faucet innovation

POWERCLEAN™

Power Clean™, more force, less splash.

With optimized cleaning force, Power Clean™ spray provides 50% more power than most pulldown and pullout faucets*, while containing splash and minimizing the mess.

*versus Moen pulldown and pullout faucets without Power Clean™ technology

NOTES

- Spot Resist Stainless Finish



MotionSense™ Hands-free Kitchen Faucet



Power Clean



Self-Retracting Spray Hose



Duralock® Quick Connections



Duralast® Cartridge

Deck Extension kits available on page 340.

Bar/Prep faucets available. See page 42-46.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51

Aberdeen™

Woodmere®

Tilt™

Voss™

Notch™

Align®

Brantford™

Arbor®

Camerist®

Belfield™

Integra®





Chateau®

Kitchen Faucets

Moen® kitchen faucets combine meaningful innovations with an exceptional variety of attractive styles and dazzling finishes. With almost limitless design possibilities, kitchen faucets from Moen offer design, functionality and value.



KITCHEN

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
ABERDEEN™ ONE-HANDLE PULLDOWN KITCHEN FAUCET					
	• application: two hole	7590C	598.00	Chrome	2
	• overall height: 14.63"	7590CSL	712.95	Classic Stainless	2
	• connection size: 3/8"	7590ORB	748.55	Oil Rubbed Bronze	2
	• connection type: compression				
	• number of functions: three-function				
	• spray type: aerated stream; pause function;				
	powerful cleaning rinse				
	• water usage: 1.5 gpm (5.7 L/min) max.				
	• hose length: 68"				
	 reflex◀ DURALOCK® DURALAST™				
WOODMERE® ONE-HANDLE PULLDOWN KITCHEN FAUCET					
	• application: one hole	7615C	451.20	Chrome	3
	• overall height: 16.87"	7615SRS ●	577.55	Spot Resist Stainless	3
	• connection size: 3/8"	7615ORB	635.30	Oil Rubbed Bronze	3
	• connection type: compression				
	• number of functions: three-function				
	• spray type: aerated stream; pause function;				
	powerful cleaning rinse				
	• water usage: 1.5 gpm (5.7 L/min) max.				
	• handle mounting: right only				
	• hose length: 68"				
	 reflex◀ DURALOCK® DURALAST™				

NOTES









Deck Extension kits available on page 340.

Bar/Prep faucets available. See page 42-46.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51

● Spot Resist Stainless Finish **SPOT RESIST**
 reflex◀ Self-Retracting Spray Hose
 DURALOCK® Duralock® Quick Connections
 DURALAST™ Duralast® Cartridge

Kitchen Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
TILT™	ONE-HANDLE PULLOUT KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: one hole • overall height: 11.92" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 59" 	7626C	407.65	Chrome	3
		7626SRS ●	519.95	Spot Resist Stainless	3
	 DURALOCK® DURALAST®				
VOSS™	ONE-HANDLE PULLOUT KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: one hole • overall height: 12.30" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 68" 	9125C	407.65	Chrome	3
		9125SRS ●	519.95	Spot Resist Stainless	3
		9125ORB	571.90	Oil Rubbed Bronze	3
	 POWERCLEAN™ reflex DURALOCK® DURALAST®				
NOTCH™	ONE-HANDLE PULLDOWN KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: one or three hole • overall height: 16.23" • connection size: 3/8" • connection type: compression • number of functions: three-function • spray type: aerated stream; pause function; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" 	9124C	401.10	Chrome	3
		9124SRS ●	511.60	Spot Resist Stainless	3
		9124ORB	562.85	Oil Rubbed Bronze	3
		DECKPLATES SOLD SEPARATELY			
		157328	40.45	Chrome	6
		157328SRS ●	46.55	Spot Resist Stainless	6
		157328ORB	51.20	Oil Rubbed Bronze	6
	 reflex DURALOCK® DURALAST®				
ALIGN®	ONE-HANDLE PULLDOWN KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: one or three hole • overall height: 15.70" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" 	7565EC	687.10	Chrome	3
		7565ESRS ●	733.25	Spot Resist Stainless	3
		DECKPLATES SOLD SEPARATELY			
		141002	45.20	Chrome	6
		141002SRS ●	51.90	Spot Resist Stainless	6
		AC ADAPTERS SOLD SEPARATELY			
		169031	125.00		12
	 motion ^{sense} reflex DURALOCK® DURALAST®				

Deck Extension kits available on page 340.

Bar/Prep faucets available. See page 42-46.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51

NOTES

- Spot Resist Stainless Finish **SPOT RESIST**
- motion**^{sense} MotionSense™ Hands-free Kitchen Faucet
- POWERCLEAN™** Power Clean (learn more, see page 30)
- reflex** Self-Retracting Spray Hose
- DURALOCK®** Duralock® Quick Connections
- DURALAST®** Duralast® Cartridge

Kitchen Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
ALIGN®	ONE-HANDLE PRE-RINSE SPRING PULLDOWN FAUCET				
	<ul style="list-style-type: none"> • application: one hole • overall height: 21.90" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" 	5923	432.50	Chrome	3
		5923SRS ●	553.60	Spot Resist Stainless	3
		DECKPLATES SOLD SEPARATELY			
		141002	45.20	Chrome	6
		141002SRS ●	51.90	Spot Resist Stainless	6
	 DURALOCK® DURALAST®				
ALIGN®	ONE-HANDLE PULLDOWN KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: one or three hole • overall height: 15.63" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" 	7565	369.60	Chrome	3
		7565SRS ●	475.70	Spot Resist Stainless	3
		DECKPLATES SOLD SEPARATELY			
		141002	45.20	Chrome	6
		141002SRS ●	51.90	Spot Resist Stainless	6
	 reflex  DURALOCK® DURALAST®				
ALIGN®	ONE-HANDLE KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: two or four hole • overall height: 15.31" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • side spray: included 	7165	343.70	Chrome	3
		7165SRS ●	442.40	Spot Resist Stainless	3
		DECKPLATES SOLD SEPARATELY			
		141002	45.20	Chrome	6
		141002SRS ●	51.90	Spot Resist Stainless	6
	 DURALOCK® DURALAST®				
	<ul style="list-style-type: none"> • application: one or three hole • overall height: 15.31" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only 	7365	302.45	Chrome	3
		7365SRS ●	389.30	Spot Resist Stainless	3
		DECKPLATES SOLD SEPARATELY			
		141002	45.20	Chrome	6
		141002SRS ●	51.90	Spot Resist Stainless	6
	 DURALAST®				



NOTES


Deck Extension kits available on page 340.
Bar/Prep faucets available. See page 42-46.



WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51



- Spot Resist Stainless Finish 
- reflex**  Self-Retracting Spray Hose
- DURALOCK®** Duralock® Quick Connections
- DURALAST®** Duralast® Cartridge

Kitchen Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
BRANTFORD™	ONE-HANDLE PULLDOWN KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: one or three hole • overall height: 15.50" • connection size: 3/8" • connection type: compression • number of functions: three-function • spray type: aerated stream; pause function; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" • deck plate: included 	7185EC	656.30	Chrome	3
		7185ESRS ●	697.35	Spot Resist Stainless	3
		7185EORB	723.00	Oil Rubbed Bronze	3
		AC ADAPTERS SOLD SEPARATELY			
		169031	125.00		12
	 motion sense® reflex DURALOCK® DURALAST®				

BRANTFORD™	ONE-HANDLE PULLDOWN KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: one or three hole • overall height: 15.50" • connection size: 3/8" • connection type: compression • number of functions: three-function • spray type: aerated stream; pause function; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • hose length: 68" • deck plate: included 	7185C	357.55	Chrome	3
		7185SRS ●	457.90	Spot Resist Stainless	3
		7185ORB	492.50	Oil Rubbed Bronze	3
	 reflex DURALOCK® DURALAST®				

BRANTFORD™	ONE-HANDLE PULLOUT KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: one or three hole • application: one hole • overall height: 12.94" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 68" 	7295C	330.50	Chrome	3
		7295SRS ●	442.50	Spot Resist Stainless	3
		7295ORB	464.65	Oil Rubbed Bronze	3
	 POWERCLEAN ® reflex DURALOCK® DURALAST®				

BRANTFORD™	ONE-HANDLE KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: two or four hole • overall height: 15.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • handle mounting: right only • deck plate: included • side spray: included • side spray: can be installed with or without 	7735SRS ●	436.55	Spot Resist Stainless	3
		7735ORB	467.65	Oil Rubbed Bronze	3
	 DURALOCK® DURALAST®				

NOTES




Deck Extension kits available on page 340.




Bar/Prep faucets available. See page 42-46.




WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51



- Spot Resist Stainless Finish **SPOT RESIST**
- motion**sense® MotionSense™ Hands-free Kitchen Faucet
- POWERCLEAN**® Power Clean (learn more, see page 30)
- reflex**|| Self-Retracting Spray Hose
- DURALOCK**® Duralock® Quick Connections
- DURALAST**® Duralast® Cartridge

Kitchen Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
ARBOR®	ONE-HANDLE PULLDOWN KITCHEN FAUCET				
		• application: one or three hole	7594EC	640.95 Chrome	3
		• overall height: 15.50"	7594ESRS ●	676.85 Spot Resist Stainless	3
		• connection size: 3/8"	7594EORB	709.65 Oil Rubbed Bronze	3
		• connection type: compression			
		• number of functions: three-function			
		• spray type: aerated stream; pause function; powerful cleaning rinse	AC ADAPTERS SOLD SEPARATELY		
		• water usage: 1.5 gpm (5.7 L/min) max.	169031	125.00	12
		• handle mounting: right only			
		• hose length: 68"			
		• deck plate: included			
		 motion sense®	reflex	DURALOCK®	DURALAST®

ARBOR®	ONE-HANDLE PULLDOWN KITCHEN FAUCET				
		• application: one or three hole	7594C	337.15 Chrome	3
		• overall height: 15.50"	7594BL	382.15 Matte Black	3
		• connection size: 3/8"	7594SRS ●	431.90 Spot Resist Stainless	3
		• connection type: compression	7594ORB	451.90 Oil Rubbed Bronze	3
		• number of functions: three-function			
		• spray type: aerated stream; pause function; powerful cleaning rinse			
		• water usage: 1.5 gpm (5.7 L/min) max.			
		• handle mounting: right only			
		• hose length: 68"			
		• deck plate: included			
		 reflex	DURALOCK®	DURALAST®	

ARBOR®	ONE-HANDLE PULLOUT KITCHEN FAUCET				
		• application: one or three hole	7294C	314.05 Chrome	3
		• overall height: 12.13"	7294BL	355.90 Matte Black	3
		• connection size: 3/8"	7294SRS ●	402.30 Spot Resist Stainless	3
		• connection type: compression	7294ORB	427.10 Oil Rubbed Bronze	3
		• number of functions: three-function			
		• spray type: aerated stream; pause function; powerful cleaning rinse			
		• water usage: 1.5 gpm (5.7 L/min) max.			
		• handle mounting: right only			
		• hose length: 59"			
		• deck plate: included			
		 DURALOCK®	DURALAST®		




ARBOR®	ONE-HANDLE KITCHEN FAUCET				
		• application: two or four hole	7790	319.65 Chrome	3
		• overall height: 15.50"	7790SRS ●	411.70 Spot Resist Stainless	3
		• connection size: 3/8"			
		• connection type: compression			
		• water usage: 1.5 gpm (5.7 L/min) max.			
		• handle mounting: right only			
		• deck plate: included			
		• side spray: included			
		• side spray: can be installed with or without			
		 DURALOCK®	DURALAST®		

NOTES












Deck Extension kits available on page 340.

Bar/Prep faucets available. See page 42-46.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51

- Spot Resist Stainless Finish 
-  MotionSense™ Hands-free Kitchen Faucet
-  Self-Retracting Spray Hose
- DURALOCK® Duralock® Quick Connections
- DURALAST® Duralast® Cartridge

Kitchen Faucets


		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
CAMERIST® ONE-HANDLE PULLOUT KITCHEN FAUCET					
 	• application: one or three hole	7545C ♦	330.50	Chrome	3
	• overall height: 10.88"	7545W	381.10	Glacier	3
	• connection size: 3/8"	7545SRS ●	442.50	Spot Resist Stainless	3
	• connection type: compression	7545ORB	464.65	Oil Rubbed Bronze	3
	• number of functions: four-function				
	• spray type: aerated stream; pause function; powerful cleaning rinse; light gentle veggie spray				
	• water usage: 1.5 gpm (5.7 L/min) max.				
	• hose length: 59"				
	• deck plate: included				
	 DURALOCK® DURALAST®				
CAMERIST® ONE-HANDLE KITCHEN FAUCET					
	• application: three hole	7835	195.20	Chrome	3
	• overall height: 8.13"	7835SRS ●	288.85	Spot Resist Stainless	3
	• connection size: 3/8"				
	• connection type: compression				
	• water usage: 1.5 gpm (5.7 L/min) max.				
	• deck plate: included				
	• side spray: included				
	 DURALOCK® DURALAST®				
CAMERIST® ONE-HANDLE KITCHEN FAUCET					
 	• application: two or four hole	7840 ♦	195.20	Chrome	3
	• overall height: 8.13"	7840SRS ●	286.35	Spot Resist Stainless	3
	• connection size: 3/8"	7840ORB	307.35	Oil Rubbed Bronze	3
	• connection type: compression				
	• water usage: 1.5 gpm (5.7 L/min) max.				
	• deck plate: included				
	• side spray: included				
	 DURALOCK® DURALAST®				
CAMERIST® ONE-HANDLE KITCHEN FAUCET					
 	• application: one or three hole	7825	163.75	Chrome	3
	• overall height: 8.13"	7825SRS ●	251.20	Spot Resist Stainless	3
	• connection size: 3/8"	7825ORB	276.65	Oil Rubbed Bronze	3
	• connection type: compression				
	• water usage: 1.5 gpm (5.7 L/min) max.				
	• deck plate: included				
	 DURALAST®				

NOTES














Deck Extension kits available on page 340.

Bar/Prep faucets available. See page 42-46.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51

- Spot Resist Stainless Finish 
- DURALOCK® Duralock® Quick Connections
- DURALAST® Duralast® Cartridge
- ◆ Also available in bulk pack. See page 385.


Kitchen Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
BELFIELD™ ONE-HANDLE KITCHEN FAUCET					
 	<ul style="list-style-type: none"> • application: one or three hole • overall height: 12.22" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • deck plate: included 	7240C	252.20	Chrome	3
		7240SRS ●	340.65	Spot Resist Stainless	3
		7240ORB	374.70	Oil Rubbed Bronze	3
	 DURALAST®				
BELFIELD™ TWO-HANDLE KITCHEN FAUCET					
 	<ul style="list-style-type: none"> • application: two or four hole • overall height: 12.22" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • deck plate: included • side spray: included 	7245C	293.30	Chrome	3
		7245SRS ●	396.00	Spot Resist Stainless	3
		7245ORB	435.65	Oil Rubbed Bronze	3
	 DURALOCK® DURALAST®				
	<ul style="list-style-type: none"> • application: two to three hole • overall height: 9.34" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. • deck plate: included 	7250C	238.50	Chrome	3
		7250SRS ●	322.05	Spot Resist Stainless	3
		7250ORB	354.30	Oil Rubbed Bronze	3
					
	<ul style="list-style-type: none"> • application: two or four hole • overall height: 9.34" • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. • deck plate: included • side spray: included 	7255C	277.30	Chrome	3
		7255SRS ●	374.40	Spot Resist Stainless	3
		7255ORB	411.85	Oil Rubbed Bronze	3
	 DURALOCK®				
INTEGRA® ONE-HANDLE PULLOUT KITCHEN FAUCET					
 	<ul style="list-style-type: none"> • application: one or three hole • overall height: 10.63" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 59" • deck plate: included 	67315C ◆	225.40	Chrome	6
		67315SRS ●◆	318.60	Spot Resist Stainless	6
	 DURALOCK® DURALAST®				











NOTES

Deck Extension kits available on page 340.
Bar/Prep faucets available. See page 42-46.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51

- Spot Resist Stainless Finish 
- DURALOCK® Duralock® Quick Connections
- DURALAST® Duralast® Cartridge
- ◆ Also available in bulk pack. See page 385.

Kitchen Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
CHATEAU®	ONE-HANDLE KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: four hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included 	7430 ♦	157.30	Chrome	6
		7430BC	205.65	Brushed Chrome	6
		7430W	236.65	Glacier	6
	DURALOCK® DURALAST®				
	<ul style="list-style-type: none"> • application: three hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included 	7434 ♦	157.30	Chrome	6
	DURALOCK® DURALAST®				
	<ul style="list-style-type: none"> • application: two hole • overall height: 8.94" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included 	7437	160.60	Chrome	6
	DURALOCK® DURALAST®				
	<ul style="list-style-type: none"> • application: one hole • overall height: 8.94" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. 	7423	127.50	Chrome	6
	DURALAST®				
	<ul style="list-style-type: none"> • application: three hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. 	7425 ♦	125.00	Chrome	6
		7425BC	158.90	Brushed Chrome	6
	DURALAST®				

NOTES

Deck Extension kits available on page 340.

Bar/Prep faucets available. See page 42-46.







WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51

DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

♦ Also available in bulk pack. See page 385.

Kitchen Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
CHATEAU®	TWO-HANDLE KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: four hole • overall height: 6.50 " • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included 	7907	149.30	Chrome	6
	 DURALOCK®				
	<ul style="list-style-type: none"> • application: three hole • overall height: 6.50 " • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. 	7906	118.60	Chrome	6
					
	<ul style="list-style-type: none"> • application: four hole • overall height: 6.50 " • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. • side spray: included 	7910 ♦	119.25	Chrome	12
	DURALOCK®				
	<ul style="list-style-type: none"> • application: three hole • overall height: 6.50 " • connection size: 1/2" • connection type: IPS • water usage: 1.5 gpm (5.7 L/min) max. 	7900 ♦	93.25	Chrome	12

NOTES

Deck Extension kits available on page 340.
 Bar/Prep faucets available. See page 42-46.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
 IN THE KITCHEN? SEE page 48-51

DURALOCK® Duralock® Quick Connections
 ♦ Also available in bulk pack. See page 385.

Kitchen Compliments

Kitchen Compliments is about creating a kitchen without compromise. Moen offers exceptional products that deliver all the style and functionality required for a dream kitchen—now with the convenience of getting it all from one, trusted brand. That means guaranteed style compatibility, guaranteed quality and guaranteed satisfaction.

Bundling creates excellent opportunities to cross-sell coordinating products.

KITCHEN



Lighting fixtures are available in seven of the most popular Moen collections.

You Can Offer Your Customers



Our expanded line of stainless steel sinks are complemented by rinse baskets, cutting boards and other sink accessories.



New soap dispenser designs coordinate with traditional, transitional and modern style options to coordinate with décor.



Sip™ Beverage Faucets provide clean, filtered water at the kitchen sink or a separate beverage sink while hiding the filter under the cabinet.



Moen bar faucets, pot fillers and filtering faucets are guaranteed to match our kitchen faucets in finishes, performance and quality.

Who Knew?

The Quick-Connect Wiring System from Moen easily and seamlessly coordinates stylish lighting from the 90™ and Voss™ collections with our kitchen and bath collections. Additional Moen lighting collections include: Brantford™, Eva®, Iso®, Rothbury™ and Waterhill®.



Our towel bars, towel rings, hooks, knobs, pulls and other accessories create consistent style throughout the kitchen.





Traditional

Modern

Premium Pot Fillers

The pot filler is the ultimate epicurean luxury, with all the details needed to ensure convenient flow control over a cooktop. They are available in traditional and modern styles to coordinate with any décor preference.



		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
TRADITIONAL POT FILLER TWO-HANDLE KITCHEN FAUCET					
	<ul style="list-style-type: none">• application: one hole "• spout reach: 24.00 "• connection size: 1/2"• connection type: IPS• spray type: aerated stream• water usage: 5.5 gpm (21 L/min) max.	PREMIUM			
		S664	712.00	Chrome	3
		S664SRS ●	978.35	Spot Resist Stainless	3
		S664ORB	1076.15	Oil Rubbed Bronze	3
					
MODERN POT FILLER TWO-HANDLE KITCHEN FAUCET					
	<ul style="list-style-type: none">• application: one hole "• spout reach: 24.00 "• connection size: 1/2"• connection type: IPS• spray type: aerated stream• water usage: 5.5 gpm (21 L/min) max.	PREMIUM			
		S665	712.00	Chrome	3
		S665SRS ●	978.35	Spot Resist Stainless	3
					



NOTES

Deck Extension kits available on page 340.

● Spot Resist Stainless Finish **SPOT RESIST**

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51

Premium Bar/Prep Faucets

All Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.





KITCHEN

Etch™
Weymouth®
Waterhill®
STō®
90 Degree™

Premium Bar/Prep Kitchen Faucets

Perfect for secondary sinks, bar/prep kitchen faucets combine design and functionality. Available in array of design options, Moen® bar/prep kitchen faucets match perfectly with almost any decorating style.



		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
ETCH™ ONE-HANDLE PULLDOWN BAR FAUCET					
		PREMIUM			
		S62608	456.85	Chrome	3
		S62608SRS ●	593.90	Spot Resist Stainless	3
	<ul style="list-style-type: none">• application: one hole• overall height: 15.50 "• connection size: 3/8"• connection type: compression• number of functions: two-function• spray type: aerated stream; powerful cleaning rinse• water usage: 1.5 gpm (5.7 L/min) max.• handle mounting: right only• hose length: 68"				
	 reflex◀ DURALOCK® DURALAST®				
WEYMOUTH® ONE-HANDLE BAR FAUCET					
		PREMIUM			
		S62101	430.35	Chrome	3
		S62101NL	645.60	Polished Nickel	3
		S62101SRS ●	675.70	Spot Resist Stainless	3
		S62101ORB	737.25	Oil Rubbed Bronze	3
	<ul style="list-style-type: none">• application: one hole• overall height: 7.81 "• connection size: 3/8"• connection type: compression• spray type: aerated stream• water usage: 1.5 gpm (5.7 L/min) max.• handle mounting: right only				
	 DURALAST®				

NOTES







Deck Extension kits available on page 340.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 48-51

- Spot Resist Stainless Finish
- reflex Self-Retracting Spray Hose
- DURALOCK® Duralock® Quick Connections
- DURALAST® Duralast® Cartridge




Premium Bar/Prep Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
WATERHILL®					
	ONE-HANDLE BAR FAUCET				
	<ul style="list-style-type: none">• application: two hole• overall height: 12.22"• connection size: 3/8"• connection type: compression• spray type: aerated stream• water usage: 1.5 gpm (5.7 L/min) max.	PREMIUM			
		S611	422.00	Chrome	2
		S611SRS ●	580.30	Spot Resist Stainless	3
		S611ORB	638.25	Oil Rubbed Bronze	2
S611WR	638.25	Wrought Iron	2		
 DURALOCK® DURALAST®					
STO®					
	ONE-HANDLE PULLDOWN BAR FAUCET				
	<ul style="list-style-type: none">• application: one hole• overall height: 14.63"• connection size: 3/8"• connection type: compression• number of functions: two-function• spray type: aerated stream; powerful cleaning rinse• water usage: 1.5 gpm (5.7 L/min) max.• handle mounting: right only• hose length: 68"	PREMIUM			
		S62308	401.80	Chrome	3
		S62308BL	529.10	Matte Black	3
		S62308SRS ●	529.10	Spot Resist Stainless	3
 reflex® DURALOCK® DURALAST®					
90 DEGREE™					
	ONE-HANDLE BAR FAUCET				
	<ul style="list-style-type: none">• application: one hole• overall height: 11.00"• connection size: 3/8"• connection type: compression• spray type: aerated stream• water usage: 1.5 gpm (5.7 L/min) max.• handle mounting: left or right	PREMIUM			
		S5170	397.65	Chrome	3
		S5170SRS ●	497.05	Spot Resist Stainless	3
		 DURALAST®			

NOTES

Deck Extension kits available on page 340.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51






● Spot Resist Stainless Finish **SPOT RESIST**
reflex  Self-Retracting Spray Hose
DURALOCK® Duralock® Quick Connections
DURALAST® Duralast® Cartridge

Woodmere®
Notch™
Align®
Brantford™
Arbor®
Camerist®
Chateau®

Bar/Prep
Kitchen Faucets

Combining performance and reliability, Moen® bar/prep faucets are tailored to perfection. Available in your choice of unique design options, these functional collections are sure to create a truly polished look.




		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
WOODMERE®					
ONE-HANDLE PULLDOWN BAR FAUCET					
	<ul style="list-style-type: none">• application: one hole• overall height: 13.25"• connection size: 3/8"• connection type: compression• number of functions: two-function• spray type: aerated stream; powerful cleaning rinse• water usage: 1.5 gpm (5.7 L/min) max.• handle mounting: right only• hose length: 68"	6615SRS ●	487.10	Spot Resist Stainless	3
	 reflex DURALOCK® DURALAST™				
NOTCH™					
ONE-HANDLE PULLDOWN BAR FAUCET					
	<ul style="list-style-type: none">• application: one or three hole• overall height: 14.52"• connection size: 3/8"• connection type: compression• number of functions: two-function• spray type: aerated stream; powerful cleaning rinse• water usage: 1.5 gpm (5.7 L/min) max.• handle mounting: right only• hose length: 68"	6124C	361.05	Chrome	3
		6124SRS ●	460.45	Spot Resist Stainless	3
		6124ORB	506.60	Oil Rubbed Bronze	3
		DECKPLATES SOLD SEPARATELY			
		157328	40.45	Chrome	6
		157328SRS ●	46.55	Spot Resist Stainless	6
		157328ORB	51.20	Oil Rubbed Bronze	6
	 reflex DURALOCK® DURALAST™				




NOTES




Deck Extension kits available on page 340.




WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51




- Spot Resist Stainless Finish 
- reflex|| Self-Retracting Spray Hose
- DURALOCK® Duralock® Quick Connections
- DURALAST® Duralast® Cartridge

Bar/Prep Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
ALIGN®		ONE-HANDLE PULLDOWN BAR FAUCET			
 	<ul style="list-style-type: none">• application: one or three hole• overall height: 13.75"• connection size: 3/8"• connection type: compression• number of functions: two-function• spray type: aerated stream; powerful cleaning rinse• water usage: 1.5 gpm (5.7 L/min) max.• handle mounting: right only• hose length: 68"	5965	332.60	Chrome	3
		5965SRS ●	428.10	Spot Resist Stainless	3
	DECKPLATES SOLD SEPARATELY				
		141002	45.20	Chrome	6
		141002SRS ●	51.90	Spot Resist Stainless	6
 reflex		DURALOCK® DURALAST®			

BRANTFORD™						ONE-HANDLE PULLDOWN BAR FAUCET					
 	<ul style="list-style-type: none">• application: one or three hole• overall height: 14.38"• connection size: 3/8"• connection type: compression• number of functions: two-function• spray type: aerated stream; powerful cleaning rinse• water usage: 1.5 gpm (5.7 L/min) max.• handle mounting: right only• hose length: 68"	5985	321.75	Chrome	3						
		5985SRS ●	412.35	Spot Resist Stainless	3						
		5985ORB	443.95	Oil Rubbed Bronze	3						
		DECKPLATES SOLD SEPARATELY									
		141002	45.20	Chrome	6						
		141002SRS ●	51.90	Spot Resist Stainless	6						
		141002ORB	57.20	Oil Rubbed Bronze	6						
 reflex◀ DURALOCK® DURALAST®											

ARBOR®					
ONE-HANDLE PULLDOWN BAR FAUCET					
 	<ul style="list-style-type: none">• application: one or three hole• overall height: 14.38"• connection size: 3/8"• connection type: compression• number of functions: two-function• spray type: aerated stream; powerful cleaning rinse• water usage: 1.5 gpm (5.7 L/min) max.• handle mounting: right only• hose length: 68"	5995	303.45	Chrome	3
		5995BL	343.95	Matte Black	3
		5995SRS ●	388.75	Spot Resist Stainless	3
		5995ORB	406.65	Oil Rubbed Bronze	3
		DECKPLATES SOLD SEPARATELY			
		141002	45.20	Chrome	6
		141002BL	51.90	Matte Black	6
		141002SRS ●	51.90	Spot Resist Stainless	6
		141002ORB	57.20	Oil Rubbed Bronze	6
 reflex◀ DURALOCK® DURALAST™					






CAMERIST®					
ONE-HANDLE BAR FAUCET					
	<ul style="list-style-type: none">• application: two hole• overall height: 11.00"• connection size: 3/8"• connection type: compression• spray type: aerated stream• water usage: 1.5 gpm (5.7 L/min) max.	4905	191.90	Chrome	3
		4905SRS ●	258.10	Spot Resist Stainless	3
		4905ORB	276.65	Oil Rubbed Bronze	3
					
		DURALOCK® DURALAST®			

NOTES

Deck Extension kits available on page 340.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51

● Spot Resist Stainless Finish **SPOT RESIST**
 reflex Self-Retracting Spray Hose
 DURALOCK® Duralock® Quick Connections
 DURALAST® Duralast® Cartridge

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
CHATEAU®		TWO-HANDLE BAR FAUCET			
	<ul style="list-style-type: none">• application: two hole• overall height: 10.50 "• connection size: 1/2"• connection type: IPS• spray type: aerated stream• water usage: 1.5 gpm (5.7 L/min) max. 	4903	92.35	Chrome	12
		4903BC	110.70	Brushed Chrome	12
	<ul style="list-style-type: none">• application: two hole• overall height: 10.50 "• connection size: 3/8"• connection type: compression• spray type: aerated stream• water usage: 1.5 gpm (5.7 L/min) max.  DURALOCK® DURALAST®	4904	168.45	Chrome	3
	<ul style="list-style-type: none">• application: two hole• overall height: 10.50 "• connection size: 1/2"• connection type: IPS• spray type: aerated stream• water usage: 1.5 gpm (5.7 L/min) max.	4910	130.05	Chrome	12

Deck Extension kits available on page 340.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51

NOTES

DURALOCK® Duralock® Quick Connection
DURALAST® Duralast® Cartridge







Integra®
Chateau®

Laundry Faucets

Moen® laundry faucets bring performance, versatility and reliability to work areas with a simple, understated appeal. They are available in traditional and modern styles to coordinate with any décor preference.




KITCHEN

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
INTEGRA® ONE-HANDLE PULLOUT KITCHEN FAUCET					
 	<ul style="list-style-type: none">• application: one or three hole• overall height: 10.63"• connection size: 3/8"• connection type: compression• number of functions: two-function• spray type: aerated stream; powerful cleaning rinse• water usage: 1.5 gpm (5.7 L/min) max.• hose length: 59"• deck plate: included	67315C ◆	225.40	Chrome	6
		67315SRS ●◆	318.60	Spot Resist Stainless	6
 DURALOCK® DURALAST®					
CHATEAU® TWO-HANDLE LAUNDRY FAUCET					
	<ul style="list-style-type: none">• application: two hole• overall height: 6.63"• connection size: 1/2"• connection type: IPS• spray type: aerated stream• water usage: unrestricted	4975	94.15	Chrome	12
	<ul style="list-style-type: none">• application: two hole• overall height: 6.63"• connection size: 1/2"• connection type: IPS• spray type: aerated stream• water usage: unrestricted	74998	70.80	Chrome	12
					

Deck Extension kits available on page 340.

WANT TO ADD A SOAP DISPENSER
IN THE KITCHEN? SEE page 50-51

NOTES

- Spot Resist Stainless Finish 
- DURALOCK® Duralock® Quick Connections
- DURALAST® Duralast® Cartridge
- ◆ Also available in bulk pack. See page 385.

Premium Beverage and Filtering Faucets







KITCHEN

Traditional
Transitional
Modern

Premium Beverage and Filtering Kitchen Faucets

Having a cold water tap at your kitchen sink is easy and stylish with SIP™ beverage faucets. SIP™ styles feature a high arc rotating spout that provides more convenience at the sink. They are available in coordinating styles for every decorating taste: traditional, transitional or modern.



		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
SIP™ TRADITIONAL ONE-HANDLE BEVERAGE/FILTRATION FAUCET					
	<ul style="list-style-type: none">• overall height: 10.88• water usage: 1.5 gpm (5.7 L/min) max.• S5500: filtration sold separately	PREMIUM			
		S5510	266.65	Chrome	3
		S5510SRS ●	373.30	Spot Resist Stainless	3
		S5510ORB	410.20	Oil Rubbed Bronze	3
		FILTRATION SOLD SEPARATELY			
		S5500	230.75		6
 DURALAST™					
SIP™ TRANSITIONAL ONE-HANDLE BEVERAGE/FILTRATION FAUCET					
	<ul style="list-style-type: none">• overall height: 10.88• water usage: 1.5 gpm (5.7 L/min) max.• S5500: filtration sold separately	PREMIUM			
		S5520	266.65	Chrome	3
		S5520SRS ●	373.30	Spot Resist Stainless	3
		S5520ORB	410.20	Oil Rubbed Bronze	3
		FILTRATION SOLD SEPARATELY			
		S5500	230.75		6
 DURALAST™					
SIP™ MODERN ONE-HANDLE BEVERAGE/FILTRATION FAUCET					
	<ul style="list-style-type: none">• overall height: 10.88• water usage: 1.5 gpm (5.7 L/min) max.• S5500: filtration sold separately	PREMIUM			
		S5530	266.65	Chrome	3
		S5530SRS ●	373.30	Spot Resist Stainless	3
		FILTRATION SOLD SEPARATELY			
		S5500	230.75		6
 DURALAST™					





NOTES

- Spot Resist Stainless Finish 
- DURALAST™ Duralast® Cartridge

Bar/Prep faucets available. See page 42-46.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER IN THE KITCHEN? SEE page 48-51

Premium Beverage and Filtering Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
FILTRATION SYSTEM					
	<ul style="list-style-type: none"> • water usage: 0.7 gpm (2.7 L/min) max. • filter: included • system: dry change • battery: included • use with: S5510, S5520 and S5530 series 	PREMIUM			
		S5500	230.75		6
	<ul style="list-style-type: none"> • includes: replacement battery • use with: F7400, 77200, S5510, S5520, and S5530 series 	9601	51.80		18
	<ul style="list-style-type: none"> • use with: 77100 series 	9001	91.60		6
	<ul style="list-style-type: none"> • use with: puretouch® classic series 	601	34.45		12

Bar/Prep faucets available. See page 42-46.

WANT TO ADD WATER FILTRATION OR A SOAP DISPENSER
IN THE KITCHEN? SEE page 48-51.

Premium Soap/Lotion Dispensers

Traditional





Transitional

Modern

Soap/Lotion Dispensers

Accessorize your kitchen with stylish soap/lotion dispensers from Moen. They are available in coordinating styles for every decorating taste: traditional, transitional or modern. All come with tops that lift off for easy refill.




		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
TRADITIONAL SOAP/LOTION DISPENSER					
	<ul style="list-style-type: none">• overall height: 5.00 "• spout reach: 3.50 "• max deck thickness: 3 -1/2"• bottle size: 18 ounce refillable bottle• hole diameter: 1-1/8" hole	PREMIUM			
		S3945C	130.25	Chrome	6
		S3945SRS ●	156.40	Spot Resist Stainless	6
		S39450RB	162.80	Oil Rubbed Bronze	6
TRANSITIONAL SOAP/LOTION DISPENSER					
	<ul style="list-style-type: none">• overall height: 5.00 "• spout reach: 3.50 "• max deck thickness: 3 -1/2"• bottle size: 18 ounce refillable bottle• hole diameter: 1-1/8" hole	PREMIUM			
		S3946C	130.25	Chrome	6
		S3946BL	143.25	Matte Black	6
		S3946SRS ●	156.40	Spot Resist Stainless	6
	S39460RB	162.80	Oil Rubbed Bronze	6	
	<ul style="list-style-type: none">• overall height: 5.00 "• spout reach: 3.50 "• max deck thickness: 3 -1/2"• bottle size: 18 ounce refillable bottle• hole diameter: 1-1/8" hole	PREMIUM			
		S3948C	130.25	Chrome	6
		S3948SRS ●	156.40	Spot Resist Stainless	6
		S39480RB	162.80	Oil Rubbed Bronze	6
MODERN SOAP/LOTION DISPENSER					
	<ul style="list-style-type: none">• overall height: 5.00 "• spout reach: 3.50 "• max deck thickness: 3 -1/2"• bottle size: 18 ounce refillable bottle• hole diameter: 1-1/8" hole	PREMIUM			
		S3947C	130.25	Chrome	6
		S3947SRS ●	156.40	Spot Resist Stainless	6


NOTES


NOTES


● Spot Resist Stainless Finish **SPOT RESIST**

Soap/Lotion Dispensers, Air Gaps, Hose Management

		MODEL NUMBER	LIST PRICE	FINISH/ COLOR	CASE QTY
SOAP/LOTION DISPENSER					
	<ul style="list-style-type: none"> • overall height: 3.13 " • spout reach: 2.75 " • max deck thickness: 2 - 1/4" • bottle size: 18-ounce refillable bottle • hole diameter: 1-1/8" hole 	3942	93.45	Chrome	6
		3942BL	102.85	Matte Black	6
		3942V	102.85	Ivory	6
		3942W	102.85	Glacier	6
		3942CSL	112.20	Classic Stainless	6
		3942SRS ●	112.20	Spot Resist Stainless	6

	<ul style="list-style-type: none"> • overall height: 2.56 " • spout reach: 3.63 " • max deck thickness: 2 - 1/4" • bottle size: 18-ounce refillable bottle • hole diameter: 1-1/8" hole 	3944	93.45	Chrome	6
		3944CSL	112.20	Classic Stainless	6
		3944SRS ●	112.20	Spot Resist Stainless	6
		3944ORB	117.80	Oil Rubbed Bronze	6

AIR GAP					
	<ul style="list-style-type: none"> • warranty: limited lifetime 	105895BL	34.80	Matte Black	6
		105895SRS ●	45.05	Spot Resist Stainless	6
		105895CSL	48.05	Classic Stainless	6
		105895ORB	50.45	Oil Rubbed Bronze	6

PULLOUT/PULLDOWN HOSE MANAGEMENT SYSTEM					
	<ul style="list-style-type: none"> • system: helps prevent hose/weight getting caught under sink • size: can be cut to accommodate different cabinet sizes • compatible with: Moen kitchen pulldowns and pullout single mount skus (excluding Aberdeen) 	159060	17.70		6

Lined area for notes.

Sinks

Stainless Steel Sinks and Custom Sink Accessories

1800 Series 30" x 21" Stainless Steel 18 Gauge Double Bowl Sink / G18220
Weymouth® One-Handle High Arc Kitchen Faucet / S72101

Please see [moen.com/consumer-support/warranty](https://www.moen.com/consumer-support/warranty)
for complete product warranty information.

Moen® Stainless Steel Sinks

1600™ Professional Series

Constructed from premium, durable 16-gauge stainless steel, each sink in the 1600™ Professional Series is built to withstand your toughest chores, creative cooking whims and heaviest pots and pans. Exceptional sound-deadening and wear-resistant uniform brushed finish – backed by a limited lifetime warranty – assure the functionality and beauty last.

1800™ Series

High quality construction and extensive selection come together in our 1800™ Series. Strong 18-gauge stainless steel serves as a solid base for a wide array of design options. Exceptional sound-deadening and wear-resistant uniform brushed finish – backed by a limited lifetime warranty – assure the functionality and beauty last.

2000™ Series

The 2000™ Series delivers design and functionality at a value. A variety of configurations and mounting options in quality 20-gauge stainless steel give you choices that fit almost any countertop material – backed by a limited lifetime warranty.

2200™ Series

The 2200™ Series offers 22-gauge stainless steel construction that provides sturdy functionality and most commonly used configurations – backed by a limited lifetime warranty.

Commercial Series

Durable 18- and 20-gauge stainless steel sinks for commercial applications – backed by a 5-year limited warranty.

SoundSHIELD™

SoundSHIELD™ is a sound-deadening system that offers exceptional noise reduction and quiet dependability.

GUIDELINES FOR ORDERING

The following guidelines will assist you when ordering sinks.

	Description	Gauge	Undermount Options	Drop-In Options	Bar/Prep Options	Bowl Depth	SoundSHIELD™	Warranty
1600™ Professional Series	Professional	16	✓		✓	10"	✓	Limited Lifetime
1800™ Series	High Quality, Extensive Selection	18	✓	✓	✓	Up to 10"	✓	Limited Lifetime
2000™ Series	Design + Functionality	20	✓	✓	✓	Up to 8"	✓	Limited Lifetime
2200™ Series	Sturdy Value	22		✓	✓	Up to 8"	✓	Limited Lifetime
Commercial Series	Commercial Application	18, 20		✓		Up to 11"	✓	5-Year Limited

SKU Number Key*

		G	A	1	8	2	3	3	4				
Packaging		Sink	Accessory	Gauge		#Bowls	Random- numeric		# Holes	Any combo from below			
No Entry	Single/STD					16 Gauge	1	Single					
B	Bulk					18 Gauge	2	Double	0	None	No Entry	3.5" Drain	
P	Pallet					20 Gauge	4	Bar	1	1 Hole	2	2" Drain	
T	To go- with drains and faucet					22 Gauge			2	2 Holes	No Entry	Center Drain	
K	Kit- with access								3	3 Holes	B	Rear Position	
										4	4 Holes	L	Left Rear Position

* Commercial Series excluded











All stainless steel sinks feature SoundSHIELD™, a sound-deadening system that offers exceptional noise reduction and quiet dependability.

1600™ Professional Series Sinks

Constructed from premium, durable 16-gauge stainless steel, the 1600™ Professional Series is built to withstand your toughest chores.

- 16 gauge
- brushed stainless steel finish
- includes mounting brackets
- includes cut-out template where applicable



				MODEL NUMBER	DESCRIPTION	LIST PRICE
1600 SERIES PROFESSIONAL STYLE UNDERMOUNT SINK						
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 10"• minimum cabinet size: 39"• reversible bowl: yes• weight: 41.25			G16221	double bowl sink	1997.65
				ACCESSORIES		
				22538	cut-out template	15.45
				GA763	bottom grid	123.10
				GA768	bottom grid	145.30
1600 SERIES PROFESSIONAL STYLE UNDERMOUNT SINK						
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 10"• minimum cabinet size: 36"• weight: 39.90			G16200	double bowl sink	1919.40
				ACCESSORIES		
				22537	cut-out template	15.45
				GA763	bottom grid	123.10
1600 SERIES PROFESSIONAL STYLE UNDERMOUNT SINK						
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 10"• minimum cabinet size: 36"• weight: 35.20			G16100	single bowl sink	1771.30
				ACCESSORIES		
				22539	cut-out template	15.45
				GA760	bottom grid	166.55
1600 SERIES UNDERMOUNT BAR/PREP SINK						
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 10"• minimum cabinet size: 24"• weight: 21.85			G16430	single bowl sink	1047.50
				ACCESSORIES		
				22540	cut-out template	15.45
				GA763	bottom grid	123.10

SINKS



All stainless steel sinks feature SoundSHIELD™, a sound-deadening system that offers exceptional noise reduction and quiet dependability.









1800™ Series Sinks









Constructed with strong, high quality 18-gauge steel, the 1800™ Series provides a solid base for a wide array of design options.

- 18 gauge
- brushed stainless steel finish
- includes mounting brackets
- includes cut-out template where applicable



















SINKS

		MODEL NUMBER	DESCRIPTION	LIST PRICE
1800 SERIES PROFESSIONAL STYLE UNDERMOUNT SINK				
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 8.5"• minimum cabinet size: 36"• weight: 30.51		G18287	double bowl sink731.20
			ACCESSORIES	
			22517	sink template15.45
			GA782B	bottom grid123.10
			GA785B	bottom grid134.35
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 8.5"• minimum cabinet size: 33"• weight: 28.20		G18288	double bowl sink679.90
			ACCESSORIES	
			22518	sink template15.45
			GA782B	bottom grid123.10
			GA922	cutting board109.25
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 8.5"• minimum cabinet size: 36"• weight: 27.35		G18180	single bowl sink678.90
			ACCESSORIES	
			22519	sink template15.45
			GA780B	bottom grid162.70
			GA922	cutting board109.25
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 8.5"• minimum cabinet size: 27"• weight: 21.00		G18185	single bowl sink574.30
			ACCESSORIES	
			22516	sink template15.45
			GA781B	bottom grid145.30
			GA922	cutting board109.25

		MODEL NUMBER	DESCRIPTION	LIST PRICE	
1800 SERIES APRON FRONT UNDERMOUNT SINK					
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 9"• minimum cabinet size: 30"• weight: 42.20		G18220	double bowl sink	1026.10
			ACCESSORIES		
			22512	sink template	16.55
			GA772	bottom grid	122.65
			GA922	cutting board	109.25
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 9"• minimum cabinet size: 30"• weight: 38.25		G18121	single bowl sink	976.55
			ACCESSORIES		
			22512	sink template	16.55
			GA771	bottom grid	160.00
			GA922	cutting board	109.25
1800 SERIES DOUBLE BOWL UNDERMOUNT SINK WITH LOW MIDDLE DIVIDE					
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 9"• minimum cabinet size: 36"• weight: 20.30		G18253	double bowl sink	920.05
			ACCESSORIES		
			22527	template kit	15.45
			GA728	bottom grid	93.40
			GA841	rinse basket	122.65
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 9"• minimum cabinet size: 36"• weight: 19.40		G18252	double bowl sink	871.00
			ACCESSORIES		
			22526	template kit	15.45
			GA726	bottom grid	69.25
			GA821	rinse basket	90.65
			GA922	cutting board	109.25






1800™ Series

		MODEL NUMBER	DESCRIPTION	LIST PRICE
1800 SERIES OFFSET D SHAPE UNDERMOUNT SINK				
 <ul style="list-style-type: none"> • bowl type: d shape • drain opening size: 3 1/2" • depth size: 8", 10" • minimum cabinet size: 36" • weight: 21.10 		G18246	double bowl sink	941.20
		ACCESSORIES		
		22523	cut-out template	15.45
		GA746B	bottom grid	117.30
		GA748B	bottom grid	133.00
 <ul style="list-style-type: none"> • bowl type: d shape • drain opening size: 3 1/2" • depth size: 10", 8" • minimum cabinet size: 36" • weight: 21.20 		G18264	double bowl sink	941.20
		ACCESSORIES		
		22522	cut-out template	15.45
		GA746B	bottom grid	117.30
		GA748B	bottom grid	133.00
 <ul style="list-style-type: none"> • bowl type: d shape • drain opening size: 3 1/2" • depth size: 6", 10" • minimum cabinet size: 33" • weight: 18.70 		G18237	double bowl sink	898.90
		ACCESSORIES		
		22521	cut-out template	15.45
		GA748B	bottom grid	133.00
 <ul style="list-style-type: none"> • bowl type: d shape • drain opening size: 3 1/2" • depth size: 10", 6" • minimum cabinet size: 33" • weight: 20.35 		G18273	double bowl sink	898.90
		ACCESSORIES		
		22520	cut-out template	15.45
		GA748B	bottom grid	133.00
 <ul style="list-style-type: none"> • bowl type: d shape • drain opening size: 3 1/2" • depth size: 8" • minimum cabinet size: 36" • weight: 20.00 		G18265	double bowl sink	635.55
		ACCESSORIES		
		22543	cut-out template	15.45
		GA746B	bottom grid	117.30
		GA748B	bottom grid	133.00
 <ul style="list-style-type: none"> • bowl type: d shape • drain opening size: 3 1/2" • depth size: 10" • minimum cabinet size: 33" • weight: 20.40 		G18255	double bowl sink	766.65
		ACCESSORIES		
		22524	cut-out template	15.45
		GA746B	bottom grid	117.30
		GA841	rinse basket	122.65
 <ul style="list-style-type: none"> • bowl type: d shape • drain opening size: 3 1/2" • depth size: 7" • minimum cabinet size: 33" • weight: 17.55 		GA944	cutting board	159.70
		ACCESSORIES		
		22524	cut-out template	15.45
		GA746B	bottom grid	117.30
		GA841	rinse basket	122.65
		GA944	cutting board	159.70













		MODEL NUMBER	DESCRIPTION	LIST PRICE
1800 SERIES DOUBLE OFFSET BOWL UNDERMOUNT SINK				
 <ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 10", 8" • minimum cabinet size: 36" • weight: 21.85 		G18231	double bowl sink	803.70
		ACCESSORIES		
		22509	cut-out template	15.45
		GA726	bottom grid	69.25
		GA728	bottom grid	93.40
		GA821	rinse basket	90.65
		GA922	cutting board	109.25
 <ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 8" • minimum cabinet size: 36" • weight: 18.10 		G18232	double bowl sink	612.00
		ACCESSORIES		
		22542	cut-out template	15.45
		GA726	bottom grid	69.25
		GA728	bottom grid	93.40
		GA821	rinse basket	90.65
		GA922	cutting board	109.25
1800 SERIES DOUBLE/EQUAL BOWL UNDERMOUNT SINK				
 <ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 10", 8" • minimum cabinet size: 36" • reversible bowl: yes • weight: 19.00 		G18242	double bowl sink	808.95
		ACCESSORIES		
		22509	cut-out template	15.45
		GA726	bottom grid	69.25
		GA821	rinse basket	90.65
		GA922	cutting board	109.25
 <ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 9" • minimum cabinet size: 36" • weight: 20.90 		G18212	double bowl sink	791.05
		G18212B	double bowl sink	791.05
		ACCESSORIES		
		22541	cut-out template	15.45
		GA726	bottom grid	69.25
		GA821	rinse basket	90.65
		GA922	cutting board	109.25
 <ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 8" • minimum cabinet size: 36" • weight: 18.15 		G18211	double bowl sink	545.55
		ACCESSORIES		
		22541	cut-out template	15.45
		GA726	bottom grid	69.25
		GA821	rinse basket	90.65
		GA922	cutting board	109.25
 <ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 7" • minimum cabinet size: 36" • weight: 18.20 		G18210	double bowl sink	518.20
		ACCESSORIES		
		22541	cut-out template	15.45
		GA726	bottom grid	69.25
		GA821	rinse basket	90.65
		GA922	cutting board	109.25
 <ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 5.5" • minimum cabinet size: 36" • ADA installation compatible: yes • weight: 14.35 		G18215	double bowl sink	297.85
		ACCESSORIES		
		22541	cut-out template	15.45
		GA726	bottom grid	69.25
		GA821	rinse basket	90.65
		GA922	cutting board	109.25

1800™ Series

			MODEL NUMBER	DESCRIPTION	LIST PRICE
1800 SERIES SINGLE BOWL UNDERMOUNT SINK					
	<ul style="list-style-type: none"> • bowl type: d shape • drain opening size: 3 1/2" • depth size: 9" • minimum cabinet size: 36" • weight: 19.86 		G18165	single bowl sink	910.05
			ACCESSORIES		
			22511	sink template	15.45
			GA749B	bottom grid	148.85
	<ul style="list-style-type: none"> • bowl type: d shape • drain opening size: 3 1/2" • depth size: 7" • minimum cabinet size: 36" • weight: 16.80 		G18163	single bowl sink	701.60
			ACCESSORIES		
			22511	sink template	15.45
			GA749B	bottom grid	148.85
	<ul style="list-style-type: none"> • bowl type: d shape • drain opening size: 3 1/2" • depth size: 8" • minimum cabinet size: 24" • weight: 12.92 		G18160	single bowl sink	614.45
			ACCESSORIES		
			22510	cut-out template	16.55
			GA748B	bottom grid	133.00
	<ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 10" • minimum cabinet size: 36" • weight: 19.95 		G18110	single bowl sink	856.60
			ACCESSORIES		
			22525	cut-out template	15.45
			GA719	bottom grid	142.35
			GA821	rinse basket	90.65
			GA922	cutting board	109.25
	<ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 10" • minimum cabinet size: 27" • weight: 13.90 		G18190	single bowl sink	570.00
			ACCESSORIES		
			22507	cut-out template	15.45
			GA716	bottom grid	98.50
			GA922	cutting board	109.25
	<ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 8" • minimum cabinet size: 27" • weight: 13.60 		G18191	single bowl sink	343.65
			ACCESSORIES		
			22507	cut-out template	15.45
			GA716	bottom grid	98.50
			GA922	cutting board	109.25
	<ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 7" • minimum cabinet size: 27" • weight: 13.75 		G18192	single bowl sink	322.50
			ACCESSORIES		
			22507	cut-out template	15.45
			GA716	bottom grid	98.50
			GA922	cutting board	109.25
	<ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 5.5" • minimum cabinet size: 27" • ADA installation compatible: yes • weight: 10.75 		G18195	single bowl sink	301.15
			G18195L	single bowl sink	301.15
			ACCESSORIES		
			22507	cut-out template	15.45
			GA716	bottom grid	98.50
			GA922	cutting board	109.25

		MODEL NUMBER	DESCRIPTION	LIST PRICE	
1800 SERIES DROP-IN DOUBLE/EQUAL D SHAPE SINK					
	<ul style="list-style-type: none">• bowl type: d shape• drain opening size: 3 1/2"• drop-in with: u channel• depth size: 10"• minimum cabinet size: 36"• weight: 22.85		G182571	double bowl one hole sink	765.65
			G182574	double bowl four hole sink	765.65
			ACCESSORIES		
			GA746B	bottom grid	117.30
			GA841	rinse basket	122.65
1800 SERIES DROP-IN DOUBLE OFFSET BOWL SINK					
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: u channel• depth size: 8"• minimum cabinet size: 36"• weight: 21.80		G182334	double bowl four hole sink	605.15
			ACCESSORIES		
			GA726	bottom grid	69.25
			GA728	bottom grid	93.40
			GA821	rinse basket	90.65
1800 SERIES DROP-IN DOUBLE/EQUAL BOWL SINK					
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: u channel• depth size: 9"• minimum cabinet size: 36"• weight: 26.00		G182113	double bowl three hole sink	483.85
			G182114	double bowl four hole sink	483.85
			ACCESSORIES		
			GA726	bottom grid	69.25
			GA821	rinse basket	90.65
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: u channel• depth size: 8"• minimum cabinet size: 36"• weight: 20.30		G182133	double bowl three hole sink	382.80
			G182134	double bowl four hole sink	382.80
			ACCESSORIES		
			GA726	bottom grid	69.25
			GA821	rinse basket	90.65
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: u channel• depth size: 7"• minimum cabinet size: 36"• weight: 20.75		G182153	double bowl three hole sink	364.85
			G182154	double bowl four hole sink	364.85
			ACCESSORIES		
			GA726	bottom grid	69.25
			GA821	rinse basket	90.65
1800 SERIES DROP-IN SINGLE BOWL SINK					
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: u channel• depth size: 10"• minimum cabinet size: 27"• weight: 16.80		G181953	single bowl three hole sink	567.75
			G181954	single bowl four hole sink	567.75
			ACCESSORIES		
			GA716	bottom grid	98.50
				<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: u channel• depth size: 7"• minimum cabinet size: 36"• weight: 20.00	
ACCESSORIES					
GA749B	bottom grid	148.85			

1800™ Series

			MODEL NUMBER	DESCRIPTION	LIST PRICE
1800 SERIES UNDERMOUNT BAR/PREP SINK					
 <ul style="list-style-type: none"> • bowl type: d shape • drain opening size: 3 1/2" • depth size: 8" • minimum cabinet size: 15" • weight: 10.75 			G18461	single bowl sink	417.40
			ACCESSORIES		
			22514	sink template	15.45
			GA746B	bottom grid	117.30
			GA841	rinse basket	122.65
 <ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 10" • minimum cabinet size: 21" • weight: 10.60 			G18442	single bowl sink	411.40
			ACCESSORIES		
			22505	cut-out template	15.45
			GA726	bottom grid	69.25
			GA821	rinse basket	90.65
 <ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 8" • minimum cabinet size: 21" • weight: 10.40 			G18415	single bowl sink	352.00
			ACCESSORIES		
			22515	sink template	16.55
			GA915	cutting board	127.10
 <ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 8" • minimum cabinet size: 24" • weight: 10.50 			G18440	single bowl sink	333.10
			ACCESSORIES		
			22506	cut-out template	15.45
			GA728	bottom grid	93.40
			GA821	rinse basket	90.65
 <ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 8" • minimum cabinet size: 21" • weight: 13.60 			G18443	single bowl sink	325.20
			ACCESSORIES		
			22505	cut-out template	15.45
			GA726	bottom grid	69.25
			GA821	rinse basket	90.65
 <ul style="list-style-type: none"> • drain opening size: 3 1/2" • depth size: 6" • minimum cabinet size: 15" • weight: 6.00 			G18450	single bowl sink	243.25
			ACCESSORIES		
			22504	cut-out template	15.45



















All stainless steel sinks feature SoundSHIELD™, a sound-deadening system that offers exceptional noise reduction and quiet dependability.

2000™ Series Sinks

A variety of configurations and mounting options give you choices that fit almost any countertop material.

- 20 gauge
- brushed stainless steel finish
- includes mounting brackets
- includes cut-out template where applicable




		MODEL NUMBER	DESCRIPTION	LIST PRICE	
2000 SERIES DOUBLE/EQUAL D SHAPE UNDERMOUNT SINK					
	<ul style="list-style-type: none">• bowl type: d shape• drain opening size: 3 1/2"• depth size: 7.5"• minimum cabinet size: 36"• weight: 14.85		G20256	double bowl sink	383.10
			ACCESSORIES		
			22524	cut-out template	15.45
			GA841	rinse basket	122.65
	<ul style="list-style-type: none">• bowl type: d shape• drain opening size: 3 1/2"• depth size: 6.5"• minimum cabinet size: 36"• weight: 15.00		GA944	cutting board	159.70
			ACCESSORIES		
			G20253	double bowl sink	308.80
			22524	cut-out template	15.45
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 7.5"• minimum cabinet size: 27"• reversible bowl: yes• weight: 12.65		GA841	rinse basket	122.65
			GA944	cutting board	159.70
			ACCESSORIES		
			G20273	double bowl sink	349.00
2000 SERIES DOUBLE OFFSET BOWL UNDERMOUNT SINK					
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 7.5"• minimum cabinet size: 36"• weight: 15.80		22002	cut-out template	15.45
			GA726	bottom grid	69.25
			GA821	rinse basket	90.65
			GA922	cutting board	109.25
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 6"• minimum cabinet size: 36"• weight: 18.90		ACCESSORIES		
			G20210	double bowl sink	291.90
			G20210B	double bowl sink	291.90
			22508	cut-out template	15.45
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 6"• minimum cabinet size: 36"• weight: 18.90		GA726	bottom grid	69.25
			GA821	rinse basket	90.65
			GA922	cutting board	109.25
			G20214	double bowl sink	263.85
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 6"• minimum cabinet size: 36"• weight: 18.90		ACCESSORIES		
			22508	cut-out template	15.45
			GA726	bottom grid	69.25
			GA821	rinse basket	90.65
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• depth size: 6"• minimum cabinet size: 36"• weight: 18.90		GA922	cutting board	109.25

SINKS

2000 SERIES SINGLE BOWL UNDERMOUNT SINK




- bowl type: d shape
- drain opening size: 3 1/2"
- depth size: 6.5"
- minimum cabinet size: 24"
- weight: 9.95



G20160	single bowl sink	354.25
ACCESSORIES		
22510	cut-out template	16.55




- drain opening size: 3 1/2"
- depth size: 7.5"
- minimum cabinet size: 27"
- weight: 13.10



G20192	single bowl sink	219.45
G20192B	single bowl sink	219.45
ACCESSORIES		
22507	cut-out template	15.45
GA716	bottom grid	98.50
GA922	cutting board	109.25



- drain opening size: 3 1/2"
- depth size: 6.5"
- minimum cabinet size: 27"
- weight: 12.50




G20193	single bowl sink	207.25
ACCESSORIES		
22507	cut-out template	15.45
GA716	bottom grid	98.50
GA922	cutting board	109.25

2000 SERIES DROP-IN DOUBLE OFFSET BOWL SINK




- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 9", 7"
- minimum cabinet size: 36"
- weight: 21.05



G202334	double bowl four hole sink	267.25
ACCESSORIES		
GA726	bottom grid	69.25
GA821	rinse basket	90.65




- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 5.5", 8"
- minimum cabinet size: 27"
- weight: 17.60



G202861	double bowl one hole sink	214.05
G202864	double bowl four hole sink	214.05
ACCESSORIES		
GA716	bottom grid	98.50
GA922	cutting board	109.25




- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 7", 5"
- minimum cabinet size: 27"
- weight: 11.50



G202720	double bowl no hole sink	202.00
G202721	double bowl one hole sink	202.00
ACCESSORIES		
GA726	bottom grid	69.25
GA821	rinse basket	90.65
GA922	cutting board	109.25




- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 7", 5"
- minimum cabinet size: 27"
- weight: 14.20













G202714	double bowl four hole sink	188.45
ACCESSORIES		
GA726	bottom grid	69.25
GA821	rinse basket	90.65
GA922	cutting board	109.25













- drain opening size: 3 1/2"
- drop-in with: u channel
- depth size: 5.5", 6.5"
- minimum cabinet size: 27"
- weight: 15.25



G202853	double bowl three hole sink	168.85
G202854	double bowl four hole sink	168.85
ACCESSORIES		
GA716	bottom grid	98.50
GA922	cutting board	109.25

		MODEL NUMBER	DESCRIPTION	LIST PRICE	
2000 SERIES DROP-IN DOUBLE/EQUAL BOWL SINK					
	<ul style="list-style-type: none">• bowl type: d shape• drain opening size: 3 1/2"• drop-in with: u channel• depth size: 7"• minimum cabinet size: 36"• weight: 17.95		G202591	double bowl one hole sink	327.30
			G202593	double bowl three hole sink	327.30
			G202594	double bowl four hole sink	327.30
			ACCESSORIES		
			GA841	rinse basket	122.65
GA944	cutting board	159.70			
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: u channel• depth size: 8"• minimum cabinet size: 36"• weight: 18.35		G202131	double bowl one hole sink	190.35
			G202133	double bowl three hole sink	190.35
			G202134	double bowl four hole sink	190.35
			ACCESSORIES		
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: u channel• depth size: 7"• minimum cabinet size: 36"• weight: 18.15		G202153	double bowl three hole sink	183.25
			G202154	double bowl four hole sink	183.25
			ACCESSORIES		
			GA726	bottom grid	69.25
			GA821	rinse basket	90.65
2000 SERIES UNDERMOUNT BAR/PREP SINK					
	<ul style="list-style-type: none">• drain opening size: 2"• depth size: 5.5"• minimum cabinet size: 15"• weight: 5.45		G204502	single bowl sink	163.95
			ACCESSORIES		
			22001	cut-out template	15.45
2000 SERIES DROP-IN SINGLE BOWL SINK					
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: u channel• depth size: 7"• minimum cabinet size: 27"• weight: 13.15		G201961	single bowl one hole sink	131.10
			G201962	single bowl two hole sink	131.10
			G201963	single bowl three hole sink	131.10
			G201964	single bowl four hole sink	131.10
			ACCESSORIES		
			GA716	bottom grid	98.50

		MODEL NUMBER	DESCRIPTION	LIST PRICE
2000 SERIES DROP-IN BAR/PREP SINK				
	<ul style="list-style-type: none">• drain opening size: 2"• drop-in with: u channel• strainer drop-in: included• integrated drain: sealtite• depth size: 5.5"• minimum cabinet size: 15"• weight: 12.55		TG2045522 single bowl two hole sink	249.20
	<ul style="list-style-type: none">• drain opening size: 2"• drop-in with: u channel• strainer drop-in: included• integrated drain: sealtite• depth size: 5.5"• minimum cabinet size: 18"• weight: 12.00		TG2045622 single bowl two hole sink	249.20
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: u channel• depth size: 7"• minimum cabinet size: 18"• weight: 10.85		G204571 single bowl one hole sink	190.40
			G204573 single bowl three hole sink	190.40
			ACCESSORIES	
			GA726 bottom grid	69.25
			GA922 cutting board	109.25
	<ul style="list-style-type: none">• drain opening size: 2"• drop-in with: u channel• strainer drop-in: included• integrated drain: sealtite• depth size: 5.5"• minimum cabinet size: 15"• weight: 7.20		KG2045522 single bowl two hole sink	95.00
	<ul style="list-style-type: none">• drain opening size: 2"• drop-in with: u channel• strainer drop-in: included• integrated drain: sealtite• depth size: 5.5"• minimum cabinet size: 18"• weight: 7.10		KG2045622 single bowl two hole sink	95.00

SINKS













All stainless steel sinks feature SoundSHIELD™, a sound-deadening system that offers exceptional noise reduction and quiet dependability.

2200™ Series Sinks





The 2200™ Series offers 22-gauge stainless steel construction that provides sturdy functionality and most commonly used configurations.

- 22 gauge
- brushed stainless steel finish
- includes mounting brackets
- includes cut-out template where applicable



		MODEL NUMBER	DESCRIPTION	LIST PRICE	
2200 SERIES DROP-IN DOUBLE/EQUAL BOWL SINK					
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: u channel• depth size: 8"• minimum cabinet size: 36"• weight: 15.60		G222133	double bowl three hole sink	177.65
			G222134	double bowl four hole sink	177.65
			ACCESSORIES		
		GA726	bottom grid	69.25	
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: integrated mounting rails• depth size: 7"• minimum cabinet size: 36"• weight: 16.30		G222154	double bowl four hole sink	148.80
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: integrated mounting rails• depth size: 6.5"• minimum cabinet size: 36"• weight: 13.15		G222173	double bowl three hole sink	113.45
			G222174	double bowl four hole sink	113.45
2200 SERIES DROP-IN SINGLE BOWL SINK					
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: integrated mounting rails• depth size: 7"• minimum cabinet size: 27"• weight: 11.20		G221963	single bowl three hole sink	128.30
			G221964	single bowl four hole sink	128.30
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: integrated mounting rails• depth size: 6.5"• minimum cabinet size: 27"• weight: 8.85		G221983	single bowl three hole sink	95.55
			G221984	single bowl four hole sink	95.55

SINKS

		MODEL NUMBER	DESCRIPTION	LIST PRICE
2200 SERIES DROP-IN BAR/PREP SINK				
	<ul style="list-style-type: none">• drain opening size: 3 1/2"• drop-in with: integrated mounting rails• depth size: 5"• minimum cabinet size: 18"• weight: 5.30		G224562 single bowl two hole sink	78.70
	<ul style="list-style-type: none">• drain opening size: 2"• drop-in with: integrated mounting rails• depth size: 5"• minimum cabinet size: 18"• weight: 4.60		G2245622 single bowl two hole sink	78.70



All stainless steel sinks feature SoundSHIELD™, a sound-deadening system that offers exceptional noise reduction and quiet dependability.


Commercial Series Sinks

Durable 18- and 20-gauge stainless steel sinks for commercial applications – backed by a 5-year limited warranty.

- durable 18 or 20 gauge stainless steel
- includes mounting brackets



The following guidelines will assist you in ordering the items needed.











A Prefix:
The first letter of the prefix designates the type of sink.
H - Heavy – 18 gauge, 301 stainless
C - Commercial – 20 gauge, 301 stainless

B Additional letters:
Additional letters in the prefix represent the following:
DE – bowls of equal size
D – deep bowl
DEDL – extra-deep bowl on left
DEDR – extra-deep bowl on right











C Overall dimensions:
The overall dimensions of the sink are indicated by four numbers following the prefix. The first two numbers signify the length—from left to right. The last two numbers signify the width—from front to back.

D Faucet holes:
The third section of the model number represents the number of holes on the ledge.

		MODEL NUMBER	LIST PRICE
18 GAUGE STAINLESS STEEL SINKS			
	<ul style="list-style-type: none">• HDED-3322-4• 2-14" x 16" x 11"• 33" x 22"• 4-hole• 18 ga., 301 stainless 	22121	790.90
	<ul style="list-style-type: none">• HDEDL-3322-4• 1-14" x 16" x 11"• 1-14" x 16" x 7 1/4"• 33" x 22"• 4-hole• 18 ga., 301 stainless 	22123	692.10
	<ul style="list-style-type: none">• H-2522-3• 1-21" x 16" x 8"• 25" x 22"• 3-hole• 18 ga., 301 stainless 	22106	482.90
	<ul style="list-style-type: none">• H-1618• 1-14" x 16" x 11"• 16" x 18"• 18 ga., 301 stainless 	22124	454.55

SINKS

Commercial Series

		MODEL NUMBER	LIST PRICE
20 GAUGE STAINLESS STEEL SINKS			
	<ul style="list-style-type: none">• CDE-3322-4• 2-14" x 16" x 5 1/2"• Drain in rear• 33" x 22"• 4- hole• 20 ga., 301 stainless 	22129	348.35
*  ADA installation compatible			
	<ul style="list-style-type: none">• C-2417-2• 1-14" x 16" x 7"• Classroom sink• 24" x 17"• 2-hole• 20 ga., 301 stainless 	22128	305.30
	<ul style="list-style-type: none">• C-2417-2• 1-14" x 16" x 5 1/2" 	22132	293.70
	<ul style="list-style-type: none">• C-2522-4HL• 1-21" x 16" x 5 1/2"• Left rear drain• 25" x 22"• 4- hole• 20 ga., 301 stainless 	22130	276.90
	<ul style="list-style-type: none">• C-2522-4HR• Right rear drain 	22131	276.90
*  ADA installation compatible			

SINKS











BAA compliant

Custom Sink Accessories




Tasks in and around the sink are easier with Moen® custom sink accessories. Available in a variety of sizes for the perfect fit, these accessories protect the sink from tough tasks and are a great complement to Moen® stainless steel sinks.



		MODEL NUMBER	DESCRIPTION	LIST PRICE
STAINLESS STEEL SINK ACCESSORIES				
	<ul style="list-style-type: none">warranty: limited lifetime	22036	Stainless composite sink accessory	18.95
	<ul style="list-style-type: none">drop-in basket strainer with drain assembly: 3-1/2"includes: lock nut	22037	Satin stainless steel sink accessory	16.55
	<ul style="list-style-type: none">basket strainer with drain assembly: 2"	22174	Stainless steel sink accessory	8.55
	<ul style="list-style-type: none">u-channel 3" extention screw: 1 piece	22175	Stainless steel sink accessory	4.10
	<ul style="list-style-type: none">drop-in basket strainer: 3-1/2"	22194	Stainless steel sink accessory	5.95
	<ul style="list-style-type: none">sealtite drain assembly: 2"	22201	Stainless steel sink accessory	14.20
	<ul style="list-style-type: none">pivoting installation clip: 10 piecesuse with: integrated rail systems	22601	Sink installation clip	6.25
	<ul style="list-style-type: none">pivoting installation clip: 10 piecesuse with: integrated rail systemsextended length: accommodates counter thicknesses up to 1.75" thick	22602	Sink installation clip	8.70

Custom Sink Accessories










STAINLESS STEEL SINK ACCESSORIES (CONTINUED)

	• undermount bracket pack: 10 pieces	22650	Stainless steel sink accessory	12.10
	• u-channel clamp: 8 pieces	22684	Stainless steel sink accessory	3.65
	• u-channel clamp: 10 pieces	22681	Stainless steel sink accessory	4.45
	• u-channel clamp: 12 pieces	22682	Stainless steel sink accessory	5.30
	• hole cover: 1-1/2"	22897	Stainless steel sink accessory	1.05
	• finish: stainless			

CUSTOM BOTTOM GRIDS FOR STAINLESS STEEL SINK






	• features: stainless steel construction	GA716	Stainless bottom grid	98.50
	• fits bowl size: 21" x 16" center drain			
	• features: stainless steel construction	GA719	Stainless bottom grid	142.35
	• fits bowl size: 29" x 16" center drain			
	• features: stainless steel construction	GA726	Stainless bottom grid	69.25
	• fits bowl size: 14" x 16" center drain			
	• features: stainless steel construction	GA728	Stainless bottom grid	93.40
	• fits bowl size: 14" x 18" center drain			
	• features: stainless steel construction	GA746B	Stainless bottom grid	117.30
	• fits bowl size: 13" x 16.5" d-shaped rear drain			
	• features: stainless steel construction	GA748B	Stainless bottom grid	133.00
	• fits bowl size: 18" x 18" d-shaped rear drain			
	• features: stainless steel construction	GA749B	Stainless bottom grid	148.85
	• fits bowl size: 29" x 16" d-shaped rear drain			


Custom Sink Accessories

CUSTOM BOTTOM GRIDS FOR STAINLESS STEEL SINK (CONTINUED)				
	<ul style="list-style-type: none">• features: stainless steel construction• fits bowl size: 30" x 18" professional center drain	GA760	Stainless bottom grid	166.55
	<ul style="list-style-type: none">• features: stainless steel construction• fits bowl size: 13" x 18" professional center drain	GA763	Stainless bottom grid	123.10
	<ul style="list-style-type: none">• features: stainless steel construction• fits bowl size: 18" x 18" center drain	GA768	Stainless bottom grid	145.30
	<ul style="list-style-type: none">• features: stainless steel construction• fits bowl size: 28" x 16" rear drain	GA771	Stainless bottom grid	160.00
	<ul style="list-style-type: none">• features: stainless steel construction• fits bowl size: 13.6" x 16.6" rear drain	GA772	Stainless bottom grid	122.65
	<ul style="list-style-type: none">• features: stainless steel construction• fits bowl size: 29" x 16" professional rear drain	GA780B	Stainless bottom grid	162.70
	<ul style="list-style-type: none">• features: stainless steel construction• fits bowl size: 20" x 16" professional rear drain	GA781B	Stainless bottom grid	145.30
	<ul style="list-style-type: none">• features: stainless steel construction• fits bowl size: 12.5" x 16" professional rear drain	GA782B	Stainless bottom grid	123.10
	<ul style="list-style-type: none">• features: stainless steel construction• fits bowl size: 16" x 16" professional rear drain	GA785B	Stainless bottom grid	134.35

Stainless steel construction for all baskets and grids.

Custom Sink Accessories

CUSTOM RINSE BASKETS FOR STAINLESS STEEL SINK				
	<ul style="list-style-type: none">• features: stainless steel construction• fits bowl size: 14" x 16"	GA821	Stainless rinse basket	90.65
	<ul style="list-style-type: none">• features: stainless steel construction• fits bowl size: 13" x 16.5"	GA841	Stainless rinse basket	122.65
CUSTOM CUTTING BOARDS FOR STAINLESS STEEL SINK				
	<ul style="list-style-type: none">• fits bowl size: 14.75" diameter	GA915	Natural wood cutting board	127.10
	<ul style="list-style-type: none">• fits bowl size: 16" front-to-back bowl• 14" wide	GA922	Natural wood cutting board	109.25
	<ul style="list-style-type: none">• fits bowl size: 13" x 16.5"	GA944	Natural wood cutting board	159.70



GARBAGE DISPOSALS

Garbage Disposals

GX Series, GX PRO Series and Accessories

GX Series 1 HP Garbage Disposal / GXL1000c
Arbor® One-Handle Pull-Down Kitchen Faucet / 7594SRS

Please see [moen.com/consumer-support/warranty](https://www.moen.com/consumer-support/warranty)
for complete product warranty information.

GX SERIES Garbage Disposals

		MODEL NUMBER	LIST PRICE	CASE QTY
GX SERIES				
	<ul style="list-style-type: none"> • 1 horsepower, 2800 RPM, continuous feed • 7/8" dishwasher connection with 1.5" drain outlet • 13 lbs., 16" height • Includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 10 year Limited Warranty with In-Home Service 	GXL1000c	452.00	1
	<ul style="list-style-type: none"> • 1 horsepower, 2800 RPM, continuous feed • 7/8" dishwasher connection with 1.5" drain outlet • 13 lbs., 16" height • Includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 7 year Limited Warranty with In-Home Service 	GX100c	372.00	1
	<ul style="list-style-type: none"> • 3/4 horsepower, 2700 RPM, continuous feed • 7/8" dishwasher connection with 1.5" drain outlet • 12 lbs., 14-3/8" height • Includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 6 year Limited Warranty with In-Home Service 	GX75c	292.00	2
	<ul style="list-style-type: none"> • 3/4 horsepower, 2700 RPM, continuous feed • 7/8" dishwasher connection with 1.5" drain outlet • 10.25 lbs., 13-3/8" height • Includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 5 year Limited Warranty with In-Home Service 	GXS75c	238.70	2
	<ul style="list-style-type: none"> • 1/2 horsepower, 2600 RPM, continuous feed • 7/8" dishwasher connection with 1.5" drain outlet • 9.25 lbs., 13-3/8" height • Includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 4 year Limited Warranty with In-Home Service 	GX50c	172.00	2

NOTES



Universal Xpress Mount™ fits Moen and most existing 3-bolt mounting assemblies



High-speed VORTEX™ motor provides fast, powerful grinding



Continuous feed grinds as long as power is on



Permanent magnet motor designed to help reduce jamming



SoundSHIELD™ designed to provide sound deadening insulation





Pre-installed power cord is a savings over other models where cord must be purchased separately

GX PRO SERIES Garbage Disposals

		MODEL NUMBER	LIST PRICE	CASE QTY
GX PRO SERIES				
	<ul style="list-style-type: none"> • 1/2 horsepower, 2600 RPM, continuous feed • 7/8" dishwasher connection with 1.5" drain outlet • 8.50 lbs., 13-3/8" height • Includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 3 year Limited Warranty with In-Home Service 	GXP50c	133.25	2
	<ul style="list-style-type: none"> • 1/3 horsepower, 1900 RPM, continuous feed • 7/8" dishwasher connection with 1.5" drain outlet • 7.75 lbs., 13-3/8" height • Includes pre-installed power cord, removable splash guard, polished stainless steel sink flange with drain stopper, drain elbow and mounting assembly • 2 year Limited Warranty with In-Home Service 	GXP33c	113.25	2

GARBAGE DISPOSAL ACCESSORIES

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
AIR SWITCH BASE UNIT					
	<ul style="list-style-type: none"> • Installs into existing sink hole to operate disposer with plunger air switch • Ideal application for island countertops or where electrical switch is unavailable • No wiring connections or code restrictions. 	ARC-4200	62.50	N/A	1
AIR SWITCH BUTTON					
	<ul style="list-style-type: none"> • Use with: ARC-4200 • Color assortment available to match faucet and sink 	AS-4201-CH	21.00	Chrome	1
		AS-4201-SN	42.00	Satin Nickel	1
		AS-4201-BR	21.00	Polished Brass	1
		AS-4201-WH	12.50	White	1
		AS-4201-AL	12.50	Almond	1
		AS-4201-BIS	12.50	Biscuit	1

NOTES



Universal Xpress Mount™ fits Moen and most existing 3-bolt mounting assemblies



High-speed VORTEX™ motor provides fast, powerful grinding



Continuous feed grinds as long as power is on



Permanent magnet motor designed to help reduce jamming



SoundSHIELD™ designed to provide sound deadening insulation



Pre-installed power cord is a savings over other models where cord must be purchased separately



Bath and Shower Collections

Wynford™ One-Handle Bathroom Faucet / 4507
Wynford™ Moentrol® Shower / T5502
Wynford™ Towel Bar / YB5224
Wynford™ Towel Ring / YB5286
Wynford™ Drawer Pulls / YB9807
Wynford™ Shower Basket / YB5275
Coordinating Waterhill® Three-Globe Light / YB9863

Please see moen.com/consumer-support/warranty
for complete product warranty information.

Easily Change Your Style

The Moen® M•PACT® Common Valve system lets you upgrade the style of your faucet or shower as easily as changing a light bulb, saving you time, money and effort.*

Little Effort, Big Difference

With an M•PACT compatible fixture, you can upgrade your bath or shower faucets at any time and never touch the plumbing. All changes can be made above the deck or in front of the wall.

- Untwist your current fixture from the top to remove
- Choose any M•PACT style fixture you like
- Lock right into place

Upgrade Anytime

The system is available in a variety of attractive styles and elegant finishes. Change fixtures at any point while decorating, during construction or years down the road.

What Sets Moen Apart?

Our M•PACT Common Valve System allows the homeowner to completely upgrade the style of their lavatory or shower faucet without replacing any of the faucet plumbing.



The M•PACT Common Valve System is available in the following applications:

- Widespread lav faucets
- Roman tub faucets
- Wall mount lav faucets
- Tub/shower trim



The M•PACT Common Valve System is compatible with Moen bath and shower faucets featuring this logo.

Save Time With The Pro-Fit® Installation System

The Moen three-step Pro-Fit Installation System is the most innovative, simple way to mount bath accessories. The design helps reduce installation time to one-third that of standard bath accessories. Installation is as easy as 1-2-3.

- 1. DRILL IT!** Use the installation mounting template with built-in level.
- 2. SCREW IT!** Screw in the pre-attached fastener.
- 3. CLICK IT!** Press on the post until it locks into place.

It really is that simple! Plus, we've eliminated the set screw. Designed with input from professional installers, the Pro-Fit Installation System was made for faster installation and fewer call backs. And of course, there's the extra assurance of quality that comes with the Moen brand. *Available on select collections.*

The Pro-Fit System eliminates set screws for faster, more durable mounting. There's even a template with a built-in level.



YB8081 Pro-Fit Installation Template



DRILL IT! The innovative template has a built-in level for accurate drilling of pilot holes for both 18" and 24" towel bars or paper holders.



SCREW IT! Single screw mounting system uses pre-attached hollow wall anchor for a fast, solid installation.



CLICK IT! Locking tab clicks to hold the post firmly in place and eliminates the need for a set screw.

Roman Tub Valves. Versatile. Durable. Built To Perform.

Moen roman tub valve improvements are designed for faster, more secure mounting on a wider variety of tub decks. Plus, an expanded portfolio of connection options makes installation even easier for installers of all skill levels.

Key Features and Improvements

MORE!

Supply Connection Options

Moen also recognizes the increased use of PEX, cold expansion PEX and CPVC supply lines. Plumbers can now order valves designed to work directly with all types of piping—including copper. No other manufacturer offers more options.

NEW!

Dura-Grip® Mounting System

Robust engineered system where the mounting hardware components work together to prevent the valves and spout from moving after installation, while providing features that work with all types of surfaces (on both fixed and adjustable valves).

IMPROVED!


Standardized Drill Holes

Only one drill bit (1¼") is needed for all spout and handle holes to further speed and simplify installation.

Brass Test Plug

All models include a brass test plug for high-pressure testing after rough-in.

Fixed Roman Tub Valve



1. Robust, Pre-Soldered Design

Set to standard 10" centers.


2. Dura-Grip Mounting Hardware

Improved design works with all deck materials including wood, fiberglass, tile and stone.


3. Versatile

Fits tub decks from ⅛" to 1⅞" thick.

4. M•PACT® Common Valve System Compatible

Accepts all Moen roman tub trim kits. 

Adjustable Roman Tub Valve



1. No-Cut Adjustable Spout Shank

Loosen an expansion nut, extend and lock in place using the supplied metal tool.

2. Quick-Connect Flexible Hose

Braided PVC tube for easy connections.

3. 3⅞" Rough-In Deck Thickness

Adapts to decks from ⅛" to 2¾" thick—with an additional 1¼" of available adjustability to accommodate finish materials.

4. Dura-Grip Mounting System

Anti-rotation bracket and spout shank assembly provide secure installation to a variety of surfaces both above and below the deck.

5. M•PACT Common Valve System Compatible

Accepts all Moen roman tub trim kits. 
















All Moen products are backed by a Limited Lifetime Warranty.

See moen.com/consumer-support/warranty for complete product warranty information.

WEYMOUTH® Bathroom Faucets

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: one hole • supply line length: flexible • connection size: 3/8" • connection type: compression • drain assembly : push-button • drain assembly type: spring loaded pop-up   DURALAST®	PREMIUM				
	S42107	502.25	Chrome	3	
	S42107BN	772.65	Brushed Nickel	3	
	S42107NL	772.65	Polished Nickel	3	
	S42107ORB	833.65	Oil Rubbed Bronze	3	
TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod • valve sold separately   	PREMIUM				
	TS42108	533.30	Chrome	3	
	TS42108BN	809.15	Brushed Nickel	3	
	TS42108NL	809.15	Polished Nickel	3	
	TS42108ORB	873.00	Oil Rubbed Bronze	3	
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod • valve sold separately  	PREMIUM				
	TS42114	533.30	Chrome	3	
	TS42114BN	809.15	Brushed Nickel	3	
	TS42114NL	809.15	Polished Nickel	3	
	TS42114ORB	873.00	Oil Rubbed Bronze	3	
  DURALOCK® DURALAST®	9000 ♦	116.50	1/2" IPS	6	
 <ul style="list-style-type: none"> • description: finished handle cap kit • language: english version only 	221672	21.50	Chrome	12	
	221672BN	28.60	Brushed Nickel	12	
	221672NL	28.60	Polished Nickel	12	
	221672ORB	31.55	Oil Rubbed Bronze	12	

WEYMOUTH®

HOW TO ORDER A COMPLETE BATHROOM FAUCET



Trim
Part No.



Valve
Part No.



Complete
Faucet

NOTES

♦ Also available in bulk pack. See page 385.

Ⓜ Moen® **M•PACT®** Common Valve System












DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Due to California Energy Commission [CEC] regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

WEYMOUTH® Bathroom Faucets

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE WALLMOUNT BATHROOM FAUCET					
 <ul style="list-style-type: none">• application: three hole• spout reach: 7.84 "• center dimensions: 8" center• drain assembly : 140780 sold separately• valve sold separately   	PREMIUM				
	TS42106	545.65	Chrome	3	
	TS42106BN	766.55	Brushed Nickel	3	
	TS42106NL	766.55	Polished Nickel	3	
	TS42106ORB	827.05	Oil Rubbed Bronze	3	
 <ul style="list-style-type: none">• application: three hole• spout reach: 7.84 "• center dimensions: 8" center• drain assembly : 140780 sold separately• valve sold separately  	PREMIUM				
	TS42112	545.65	Chrome	3	
	TS42112BN	766.55	Brushed Nickel	3	
	TS42112NL	766.55	Polished Nickel	3	
	TS42112ORB	827.05	Oil Rubbed Bronze	3	
 <ul style="list-style-type: none">• application: three hole• center dimensions: 8" center• drain assembly : 140780 sold separately• includes: mounting brackets 	9700	164.75	1/2" CC	3	
 <ul style="list-style-type: none">• drain assembly : metal• drain assembly type: spring loaded pop-up	140780	55.85	Chrome	12	
	140780BN	77.90	Brushed Nickel	12	
	140780NL	77.20	Polished Nickel	12	
	140780ORB	88.00	Oil Rubbed Bronze	12	
 <ul style="list-style-type: none">• description: finished handle cap kit• language: english version only	221672	21.50	Chrome	12	
	221672BN	28.60	Brushed Nickel	12	
	221672NL	28.60	Polished Nickel	12	
	221672ORB	31.55	Oil Rubbed Bronze	12	

HOW TO ORDER A COMPLETE BATHROOM FAUCET















NOTES

 Moen® **M•PACT®** Common Valve System


Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

WEYMOUTH® Tub Fillers

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
FREESTANDING TUB FILLER					
 <ul style="list-style-type: none"> • application: two hole • center dimensions: 8" center • connection size: 3/4" • connection type: male • handshower functions: one-function • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spout reach: 9.00 " • valve sold separately  DURALAST®	PREMIUM				
	S22105 1,570.00 Chrome 1				
	S22105BN 2,276.50 Brushed Nickel 1				
 <ul style="list-style-type: none"> • application: two hole • center dimensions: 8" center • connection size: 3/4" • connection type: male • handshower functions: one-function • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spout reach: 9.00 " • valve sold separately  DURALAST®	PREMIUM				
	S22110 1,570.00 Chrome 1				
	S22110BN 2,276.50 Brushed Nickel 1				
 <ul style="list-style-type: none"> • description: floor mount tub filler risers • application: two hole • connection size: 3/4" • connection type: male 	PREMIUM				
	TS25105 655.00 Chrome 3				
	TS25105BN 949.75 Brushed Nickel 3				
 <ul style="list-style-type: none"> • description: double riser floor joist mounting kit • application: two hole • center dimensions: 8" center • quarter turn stops: included 	PREMIUM				
	TS50200 390.00 1/2" CC,NMPT 2				
 <ul style="list-style-type: none"> • description: double riser floor joist mounting kit • application: two hole • center dimensions: 8" center • quarter turn stops: included 	PREMIUM				
	TS50210 331.50 1/2" CC,NMPT 2				
 <ul style="list-style-type: none"> • description: finished handle cap kit • language: english version only 	221672 21.50 Chrome 12				
	221672BN 28.60 Brushed Nickel 12				
 <ul style="list-style-type: none"> • description: finish diverter handle cap kit 	221772 13.80 Chrome 12				
	221772BN 18.35 Brushed Nickel 12				

HOW TO ORDER A COMPLETE FLOORMOUNT TUB FILLER FAUCET

















NOTES


 Moen® **M•PACT®** Common Valve System
DURALAST® Duralast® Cartridge

WEYMOUTH® Roman Tub

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB				
  <ul style="list-style-type: none"> • application: three hole • spout reach: 8.10" • valve sold separately 	PREMIUM			
	TS22101	734.50	Chrome	3
	TS22101BN	1,039.65	Brushed Nickel	3
	TS22101NL	1,039.65	Polished Nickel	3
	TS22101ORB	1,121.60	Oil Rubbed Bronze	3
   <ul style="list-style-type: none"> • application: three hole • spout reach: 8.10" • valve sold separately 	PREMIUM			
	TS22103	734.50	Chrome	3
	TS22103BN	1,039.65	Brushed Nickel	3
	TS22103NL	1,039.65	Polished Nickel	3
	TS22103ORB	1,121.60	Oil Rubbed Bronze	3
  <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 3-3/8" rough deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included 	4792	135.50	1/2" CC	6
  <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 2- 3/4" rough deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included 	4793	156.75	1/2" CPVC,Crimp ring PEX	6
	4794	149.45	1/2" Crimp ring PEX,Cold Expansion PEX	6
  <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 1-7/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	4796	127.60	1/2" CC	6
	4797	130.10	1/2" CPVC,Crimp ring PEX	6
	4798	130.10	1/2" Crimp ring PEX,Cold Expansion PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200
 <ul style="list-style-type: none"> • description: finished handle cap kit • language: english version only 	221672	21.50	Chrome	12
	221672BN	28.60	Brushed Nickel	12
	221672NL	28.60	Polished Nickel	12
	221672ORB	31.55	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET


















NOTES


- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

WEYMOUTH® Roman Tub

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
 <ul style="list-style-type: none"> • application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm [7.6 L/min] max. • spray functions: one-function • spout reach: 8.10" • valve sold separately  		PREMIUM			
		TS21102	1,119.80	Chrome	3
		TS21102BN	1,949.25	Brushed Nickel	3
		TS21102NL	1,949.25	Polished Nickel	3
		TS21102ORB	2,103.05	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm [7.6 L/min] max. • spray functions: one-function • spout reach: 8.10" • valve sold separately  		PREMIUM			
		TS21104	1,119.80	Chrome	3
		TS21104BN	1,949.25	Brushed Nickel	3
		TS21104NL	1,949.25	Polished Nickel	3
		TS21104ORB	2,103.05	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included 		9792	305.25	1/2" CC	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included 		9793	312.40	1/2" CPVC, Crimp ring PEX	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 		9796	288.30	1/2" CC	6
		9797	289.70	1/2" CPVC, Crimp ring PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm [45.4 L/min] max. 		104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings [2] and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 		140715 ♦	10.15	1/2" PEX	200
 <ul style="list-style-type: none"> • description: finished handle cap kit • language: english version only 		221672	21.50	Chrome	12
		221672BN	28.60	Brushed Nickel	12
		221672NL	28.60	Polished Nickel	12
		221672ORB	31.55	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET















NOTES

- ♦ Also available in bulk pack. See page 385.
- Moeno **M•PACT**® Common Valve System


WEYMOUTH® 3/4" Thermostatic Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
EXACTTEMP® SHOWER ONLY					
 <ul style="list-style-type: none"> • showerhead functions: two-function • showerhead type: rainshower • showerhead size: 9" diameter spray head • showerhead flow rate: 2.5 gpm [9.5 L/min] max. • requires: separate volume control valve • valve sold separately 		PREMIUM			
		TS32112	800.70	Chrome	3
		TS32112BN	1,240.45	Brushed Nickel	3
		TS32112NL	1,240.45	Polished Nickel	3
		TS32112ORB	1,338.25	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included 		PREMIUM			
		S3371	479.80	3/4" IPS	6
 <ul style="list-style-type: none"> • description: volume control valve 		PREMIUM			
		S3600	121.95	3/4" IPS	12
 <ul style="list-style-type: none"> • description: finished handle cap kit • language: english version only 		221672	21.50	Chrome	12
		221672BN	28.60	Brushed Nickel	12
		221672NL	28.60	Polished Nickel	12
		221672ORB	31.55	Oil Rubbed Bronze	12

EXACTTEMP® VALVE ONLY					
 <ul style="list-style-type: none"> • requires: separate volume control valve • valve sold separately 		PREMIUM			
		TS32110	313.10	Chrome	3
		TS32110BN	460.75	Brushed Nickel	3
		TS32110NL	460.75	Polished Nickel	3
		TS32110ORB	497.05	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included 		PREMIUM			
		S3371	479.80	3/4" IPS	6
 <ul style="list-style-type: none"> • description: finished handle cap kit • language: english version only 		221672	21.50	Chrome	12
		221672BN	28.60	Brushed Nickel	12
		221672NL	28.60	Polished Nickel	12
		221672ORB	31.55	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE SHOWER FAUCET



NOTES

-  Moen® **M•PACT®** Common Valve System
-  Immersion® Rainshower

WEYMOUTH® 3/4" Thermostatic Showering, Transfer Valve Shower Spa Components

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
VOLUME CONTROL VALVE ONLY				
<div><ul style="list-style-type: none">valve sold separately<div></div></div>	PREMIUM			
	TS52104	162.50	Chrome	6
	TS52104BN	224.50	Brushed Nickel	6
	TS52104NL	224.50	Polished Nickel	6
	TS52104ORB	242.10	Oil Rubbed Bronze	6
<div><ul style="list-style-type: none">description: volume control valve<div></div></div>	PREMIUM			
	S3600	121.95	3/4" IPS	12
TRANSFER VALVE ONLY				
<div><ul style="list-style-type: none">valve sold separately<div></div></div>	PREMIUM			
	TS32205	233.00	Chrome	6
	TS32205BN	274.65	Brushed Nickel	6
	TS32205NL	274.65	Polished Nickel	6
	TS32205ORB	296.35	Oil Rubbed Bronze	6
<div><ul style="list-style-type: none">type of function: two independent one sharedmust be used with : Posi-Temp or Moentrol valve<div></div></div>	3372	162.15	1/2" CC	12
<div><ul style="list-style-type: none">type of function: two independent functionsmust be used with : Posi-Temp or Moentrol valve<div></div></div>	3375	162.15	1/2" CC	12
<div><ul style="list-style-type: none">description: finished arrow cap kit</div>	221673	14.60	Chrome	12
	221673BN	19.45	Brushed Nickel	12
	221673NL	19.45	Polished Nickel	12
	221673ORB	21.45	Oil Rubbed Bronze	12

WEYMOUTH®

HOW TO ORDER A COMPLETE TRANSFER VALVE
















NOTES


 Moen® M•PACT® Common Valve System

WEYMOUTH® Posi-Temp® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
 <ul style="list-style-type: none"> • showerhead functions: two-function • showerhead type: rainshower • showerhead size: 9" diameter spray head • showerhead flow rate: 2.5 gpm [9.5 L/min] max. • spout length: 6 3/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately  	PREMIUM				
		TS32104BN	844.65	Brushed Nickel	3
		TS32104	602.05	Chrome	3
		TS32104ORB	911.30	Oil Rubbed Bronze	3
		TS32104NL	844.65	Polished Nickel	3
 <ul style="list-style-type: none"> • showerhead functions: two-function • showerhead type: eco-performance rainshower • showerhead size: 9" diameter spray head • showerhead flow rate: 2.0 gpm [7.6 L/min] max. • spout length: 6 3/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately   	PREMIUM				
		TS32104EPBN	844.65	Brushed Nickel	3
		TS32104EP	602.05	Chrome	3
		TS32104EPORB	911.30	Oil Rubbed Bronze	3
		TS32104EPNL	844.65	Polished Nickel	3
 	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2520 ♦	112.90	1/2" CC	6
		2510 ♦	112.90	1/2" IPS	6
 	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6
	<ul style="list-style-type: none"> • description: finished handle cap kit • language: english version only 	221672	21.50	Chrome	12
		221672BN	28.60	Brushed Nickel	12
		221672NL	28.60	Polished Nickel	12
		221672ORB	31.55	Oil Rubbed Bronze	12
	<ul style="list-style-type: none"> • description: finished arrow cap kit 	221673	14.60	Chrome	12
		221673BN	19.45	Brushed Nickel	12
		221673NL	19.45	Polished Nickel	12
		221673ORB	21.45	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE SHOWER FAUCET



NOTES
















♦ Also available in bulk pack. See page 385.

Moën® **M•PACT®** Common Valve System


IMMERISION® Immersion® Rainshower

WEYMOUTH® Posi-Temp® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
 <ul style="list-style-type: none"> • showerhead functions: two-function • showerhead type: rainshower • showerhead size: 9" diameter spray head • showerhead flow rate: 2.5 gpm [9.5 L/min] max. • valve sold separately    IMMERSION®	PREMIUM				
		TS32102BN	720.65	Brushed Nickel	3
		TS32102	493.70	Chrome	3
		TS32102ORB	777.45	Oil Rubbed Bronze	3
		TS32102NL	720.65	Polished Nickel	3
 <ul style="list-style-type: none"> • showerhead functions: two-function • showerhead type: eco-performance rainshower • showerhead size: 9" diameter spray head • showerhead flow rate: 2.0 gpm [7.6 L/min] max. • valve sold separately     IMMERSION®	PREMIUM				
		TS32102EPBN	720.65	Brushed Nickel	3
		TS32102EP	493.70	Chrome	3
		TS32102EPORB	777.45	Oil Rubbed Bronze	3
		TS32102EPNL	720.65	Polished Nickel	3
 	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2520 ♦	112.90	1/2" CC	6
		2510 ♦	112.90	1/2" IPS	6
 	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6
	<ul style="list-style-type: none"> • description: finished handle cap kit • language: english version only 	221672	21.50	Chrome	12
		221672BN	28.60	Brushed Nickel	12
		221672NL	28.60	Polished Nickel	12
		221672ORB	31.55	Oil Rubbed Bronze	12
	<ul style="list-style-type: none"> • description: finished arrow cap kit 	221673	14.60	Chrome	12
		221673BN	19.45	Brushed Nickel	12
		221673NL	19.45	Polished Nickel	12
		221673ORB	21.45	Oil Rubbed Bronze	12

WEYMOUTH®










HOW TO ORDER A COMPLETE SHOWER FAUCET**NOTES**


♦ Also available in bulk pack. See page 385.


Moën® **M•PACT®** Common Valve System**IMMERSION®** Immersion® Rainshower

WEYMOUTH® Posi-Temp® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none"> valve sold separately  		PREMIUM			
		TS3210	258.90	Chrome	3
		TS3210BN	366.20	Brushed Nickel	3
		TS3210NL	366.20	Polished Nickel	3
		TS3210ORB	395.15	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included 		2520 ♦	112.90	1/2" CC	6
		2510 ♦	112.90	1/2" IPS	6
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included quarter turn stops: included 		2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6
 <ul style="list-style-type: none"> description: finished handle cap kit language: english version only 		221672	21.50	Chrome	12
		221672BN	28.60	Brushed Nickel	12
		221672NL	28.60	Polished Nickel	12
		221672ORB	31.55	Oil Rubbed Bronze	12
 <ul style="list-style-type: none"> description: finished arrow cap kit 		221673	14.60	Chrome	12
		221673BN	19.45	Brushed Nickel	12
		221673NL	19.45	Polished Nickel	12
		221673ORB	21.45	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE VALVE**NOTES**





- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System

WEYMOUTH® Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Weymouth® bath accessories perfectly match the style and finish of our Weymouth® faucets. Total coordination of the bath has never been easier.

For more information on ordering Weymouth® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

				5/8-in. Round Bar
MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY	
Chrome (CH)				
YB8401CH	82.10	Tank Lever	24	
YB8403CH	74.55	Double Robe Hook	24	
YB8405CH	13.75	Drawer Knob	48	
YB8407CH	25.70	Drawer Pull	48	
 YB8408CH	107.60	Pivoting Paper Holder	6	
YB8418CH	121.55	18-in. Towel Bar	6	
YB8424CH	131.15	24-in. Towel Bar	6	
YB8486CH	84.75	Towel Ring	6	
Brushed Nickel (BN)				
YB8401BN	93.45	Tank Lever	24	
YB8403BN	85.35	Double Robe Hook	24	
YB8405BN	15.60	Drawer Knob	48	
YB8407BN	27.55	Drawer Pull	48	
 YB8408BN	118.00	Pivoting Paper Holder	6	
YB8418BN	138.05	18-in. Towel Bar	6	
YB8424BN	148.80	24-in. Towel Bar	6	
YB8486BN	96.75	Towel Ring	6	
Polished Nickel (NL)				
YB8401NL	102.80	Tank Lever	24	
YB8403NL	93.95	Double Robe Hook	24	
YB8405NL	17.15	Drawer Knob	48	
YB8407NL	30.25	Drawer Pull	48	
 YB8408NL	129.80	Pivoting Paper Holder	6	
YB8418NL	151.95	18-in. Towel Bar	6	
YB8424NL	163.70	24-in. Towel Bar	6	
YB8486NL	106.45	Towel Ring	6	
Oil Rubbed Bronze (ORB)				
YB8401ORB	102.80	Tank Lever	24	
YB8403ORB	93.95	Double Robe Hook	24	
YB8405ORB	17.15	Drawer Knob	48	
YB8407ORB	30.25	Drawer Pull	48	
 YB8408ORB	129.80	Pivoting Paper Holder	6	
YB8418ORB	151.95	18-in. Towel Bar	6	
YB8424ORB	163.70	24-in. Towel Bar	6	
YB8486ORB	106.45	Towel Ring	6	



YB8401
Tank Lever



YB8403
Double Robe Hook



YB8405
Drawer Knob



YB8407
Drawer Pull



YB8408
Pivoting Paper Holder



YB8418
18-in. Towel Bar



















YB8424
24-in. Towel Bar




YB8486
Towel Ring

ARRIS® Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
	<ul style="list-style-type: none">• application: one hole• supply line length: flexible• connection size: 3/8"• connection type: compression• drain assembly : push-button• drain assembly type: spring loaded pop-up	PREMIUM			
		S43001	458.50	Chrome	3
		S43001BN	668.40	Brushed Nickel	3
  DURALAST®					
TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
	<ul style="list-style-type: none">• application: three hole• center dimensions: 8" - 16" center• drain assembly : metal• drain assembly type: lift rod• valve sold separately	PREMIUM			
		TS43002	496.45	Chrome	3
		TS43002BN	767.85	Brushed Nickel	3
  					
	<ul style="list-style-type: none">• application: three hole• center dimensions: 8" - 16" center• drain assembly : metal• drain assembly type: lift rod	9000 ♦	116.50	1/2" IPS	6
		 DURALOCK® DURALAST®			
TWO-HANDLE WALLMOUNT BATHROOM FAUCET					
	<ul style="list-style-type: none">• application: three hole• spout reach: 8.00 "• center dimensions: 8" center• drain assembly : 140780 sold separately• valve sold separately	PREMIUM			
		TS43003	508.10	Chrome	3
		TS43003BN	765.95	Brushed Nickel	3
  					
	<ul style="list-style-type: none">• application: three hole• center dimensions: 8" center• drain assembly : 140780 sold separately• includes: mounting brackets	9700	164.75	1/2" CC	3
					
	<ul style="list-style-type: none">• drain assembly : metal• drain assembly type: spring loaded pop-up	140780	55.85	Chrome	12
		140780BN	77.90	Brushed Nickel	12

HOW TO ORDER A COMPLETE BATHROOM FAUCET



NOTES

♦ Also available in bulk pack. See page 385.

 Moen® **M•PACT®** Common Valve System








DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).


ARRIS® Tub Fillers

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
FREESTANDING TUB FILLER					
	<ul style="list-style-type: none">• application: one hole• showerhead type: handshower• handshower functions: one-function• handshower flow rate: 2.0 gpm [7.6 L/min] max.• spout reach: 11.00"• valve sold separately  	PREMIUM			
		S93005	1,480.00	Chrome	1
		S93005BN	2,146.00	Brushed Nickel	1
	<ul style="list-style-type: none">• description: single riser floor joist mounting kit• application: one hole• quarter turn stops: included 	PREMIUM			
		TS50100	260.00	1/2" CC,NMPT	2
	<ul style="list-style-type: none">• description: single riser concrete mounting kit• application: one hole• quarter turn stops: included 	PREMIUM			
		TS50110	221.00	1/2" CC,NMPT	2

ARRIS®

HOW TO ORDER A COMPLETE FLOORMOUNT TUB FILLER














NOTES

 Moen® **M•PACT®** Common Valve System


ARRIS® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
  	<ul style="list-style-type: none"> • application: three hole • spout reach: 8.08" • valve sold separately 	PREMIUM			
		TS93003	646.65	Chrome	3
		TS93003BN	935.15	Brushed Nickel	3
 	<ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 3-3/8" rough deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included 	4792	135.50	1/2" CC	6
 	<ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 2- 3/4" rough deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included 	4793	156.75	1/2" CPVC,Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
 	<ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 1-7/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	4796	127.60	1/2" CC	6
		4797	130.10	1/2" CPVC,Crimp ring PEX	6
		4798	130.10	1/2" Crimp ring PEX, Cold Expansion PEX	6
	<ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
	<ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200

ARRIS®

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET














NOTES

- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System


ARRIS® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
	<ul style="list-style-type: none">• application: four hole• showerhead type: handshower• handshower flow rate: 2.0 gpm [7.6 L/min] max.• spray functions: one-function• spout reach: 8.08 "• valve sold separately  	PREMIUM			
		TS93004	987.20	Chrome	3
		TS93004BN	1,760.85	Brushed Nickel	3
	<ul style="list-style-type: none">• application: four hole• deck thickness: 1/8" to 2-5/8" rough deck• center dimensions: adjustable• non-adjustable spout shank: included• test plug: included 	9792	305.25	1/2" CC	6
	<ul style="list-style-type: none">• application: four hole• deck thickness: 1/8" to 2-5/8" rough deck• center dimensions: 10" - 24" center• non-adjustable spout shank: included• test plug: included 	9793	312.40	1/2" CPVC,Crimp ring PEX	6
	<ul style="list-style-type: none">• application: four hole• deck thickness: 1/8" to 2-5/8" rough deck• center dimensions: 10" center• non-adjustable spout shank: included• test plug: included 	9796	288.30	1/2" CC	6
		9797	289.70	1/2" CPVC,Crimp ring PEX	6
	<ul style="list-style-type: none">• description: high flow thermostatic mixing valve for roman tubs• ports: three• ASSE standard 1070: yes• flow rate: 12.0 gpm [45.4 L/min] max.	104465	173.00	1/2" CC	12
	<ul style="list-style-type: none">• description: PEX transition fittings [2] and clips• connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	140715 ♦	10.15	1/2" PEX	200

ARRIS®

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET

















NOTES


- ♦ Also available in bulk pack. See page 385.
- Moeno M•PACT® Common Valve System

ARRIS® 3/4" Thermostatic Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
EXACTTEMP® SHOWER ONLY					
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 10" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • requires: separate volume control valve • valve sold separately 		PREMIUM			
		TS33001	675.40	Chrome	3
		TS33001BN	1,054.25	Brushed Nickel	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included 		PREMIUM			
		S3371	479.80	3/4" IPS	6
 <ul style="list-style-type: none"> • description: volume control valve 		PREMIUM			
		S3600	121.95	3/4" IPS	12
EXACTTEMP® VALVE ONLY					
 <ul style="list-style-type: none"> • requires: separate volume control valve • valve sold separately 		PREMIUM			
		TS33002	257.40	Chrome	3
		TS33002BN	386.15	Brushed Nickel	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included 		PREMIUM			
		S3371	479.80	3/4" IPS	6
VOLUME CONTROL VALVE ONLY					
 <ul style="list-style-type: none"> • valve sold separately 		PREMIUM			
		TS33003	147.05	Chrome	6
		TS33003BN	214.55	Brushed Nickel	6
 <ul style="list-style-type: none"> • description: volume control valve 		PREMIUM			
		S3600	121.95	3/4" IPS	12

HOW TO ORDER A COMPLETE SHOWER FAUCET










NOTES

Moën® **M•PACT®** Common Valve System
 IMMERSION® Immersion® Rainshower

ARRIS® Transfer Valve Shower Spa Components

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TRANSFER VALVE ONLY					
 <ul style="list-style-type: none">valve sold separately  		PREMIUM			
		TS23005	216.50	Chrome	6
		TS23005BN	268.30	Brushed Nickel	6
 	<ul style="list-style-type: none">type of function: two independent one sharedmust be used with : Posi-Temp or Moentrol valve	3372	162.15	1/2" CC	12
 	<ul style="list-style-type: none">type of function: two independent functionsmust be used with : Posi-Temp or Moentrol valve	3375	162.15	1/2" CC	12

ARRIS®

HOW TO ORDER A COMPLETE TRANSFER VALVE














NOTES


 Moen® **M•PACT®** Common Valve System

ARRIS® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 10" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 6 3/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	  IMMERISION®	PREMIUM		
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 10" diameter spray head • showerhead flow rate: 2.0 gpm (7.6 L/min) max. • spout length: 6 3/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	   IMMERISION®	PREMIUM		
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 		2510 ♦	112.90 1/2" IPS	6
			2520 ♦	112.90 1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 		2570 ♦	137.05 1/2" CC	6
			2580 ♦	112.90 1/2" Crimp ring PEX	6
			2590 ♦	137.05 1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET



NOTES












♦ Also available in bulk pack. See page 385.

 Moen® **M•PACT®** Common Valve System

 Immerision® Rainshower


ARRIS® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: rainshower• showerhead size: 10" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• valve sold separately   IMMERISION®	PREMIUM			
		TS22002	468.90	Chrome	3
		TS22002BN	684.80	Brushed Nickel	3
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: eco-performance rainshower• showerhead size: 10" diameter spray head• showerhead flow rate: 2.0 gpm (7.6 L/min) max.• valve sold separately    IMMERISION®	PREMIUM			
		TS22002EP	468.90	Chrome	3
		TS22002EPBN	684.80	Brushed Nickel	3
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included• quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

ARRIS®

HOW TO ORDER A COMPLETE SHOWER FAUCET










NOTES

- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System
-  IMMERISION® Immersion® Rainshower

ARRIS® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none">valve sold separately  		PREMIUM			
		TS22001	240.60	Chrome	3
		TS22001BN	357.80	Brushed Nickel	3
 <ul style="list-style-type: none">ports: fouradjustable temp limit stop: included 		2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 <ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedquarter turn stops: included 		2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE



NOTES


- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

ARRIS® Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Arris® bath accessories perfectly match the style and finish of our Arris® faucets. Total coordination of the bath has never been easier.

For more information on ordering Arris® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	1/2-in. Round Bar	QTY
Chrome (CH)				
YB0801CH	72.45	Tank Lever		24
YB0803CH	69.60	Double Robe Hook		24
 YB0808CH	99.05	Pivoting Paper Holder		6
YB0818CH	114.65	18-in. Towel Bar		6
YB0824CH	123.75	24-in. Towel Bar		6
YB0886CH	80.05	Towel Ring		6
YB0892CH	199.65	Wallmount 5X Magnifying Mirror		3
Brushed Nickel (BN)				
YB0801BN	88.05	Tank Lever		24
YB0803BN	76.40	Double Robe Hook		24
 YB0808BN	108.95	Pivoting Paper Holder		6
YB0818BN	126.05	18-in. Towel Bar		6
YB0824BN	136.35	24-in. Towel Bar		6
YB0886BN	87.95	Towel Ring		6
YB0892BN	228.20	Wallmount 5X Magnifying Mirror		3

GRAB BARS

PERFECTLY MATCHED to Moen® Arris® faucets and bath accessories. ADA-compliant.



SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4-in. • Chrome (CH)			
YG0812CH	130.55	12-in. Designer Grab Bar	6
YG0818CH	136.40	18-in. Designer Grab Bar	6
YG0824CH	142.50	24-in. Designer Grab Bar	6
YG0836CH	162.25	36-in. Designer Grab Bar	6
YG0842CH	227.10	42-in. Designer Grab Bar	6
1-1/4-in. • Brushed Nickel (BN)			
YG0812BN	141.10	12-in. Designer Grab Bar	6
YG0818BN	147.85	18-in. Designer Grab Bar	6
YG0824BN	159.60	24-in. Designer Grab Bar	6
YG0836BN	179.70	36-in. Designer Grab Bar	6
YG0842BN	251.55	42-in. Designer Grab Bar	6



YB0801
Tank Lever



YB0803
Double Robe Hook



YB0808 
Pivoting Paper Holder



YB0818
18-in. Towel Bar



YB0824
24-in. Towel Bar



YB0886
Towel Ring



YG0892
Wallmount 5X
Magnifying Mirror



YG0824
24-in. length Designer Grab Bar













Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.


List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

WATERHILL® Bathroom Faucets

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET				
 <ul style="list-style-type: none"> • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: included • drain assembly : metal • drain assembly type: lift rod   DURALAST®	PREMIUM			
	S411	437.95	Chrome	3
	S411BN	671.10	Brushed Nickel	3
	S411NL	671.10	Polished Nickel	3
	S411ORB	723.90	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • description: vessel extension kit for s411 series • includes: 3" extensions • includes: grid drain cover • includes: parts to convert to grid drain 	PREMIUM			
	S115	132.20	Chrome	6
	S115BN	218.40	Brushed Nickel	6
	S115NL	218.40	Polished Nickel	6
	S115ORB	240.20	Oil Rubbed Bronze	6
TWO-HANDLE BATHROOM FAUCET				
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod • valve sold separately   	PREMIUM			
	TS418	515.95	Chrome	3
	TS418BN	782.85	Brushed Nickel	3
	TS418NL	782.85	Polished Nickel	3
	TS418ORB	844.65	Oil Rubbed Bronze	3
  DURALOCK® DURALAST®	9000 ♦	116.50	1/2" IPS	6

HOW TO ORDER A COMPLETE BATHROOM FAUCET



NOTES

♦ Also available in bulk pack. See page 385.

Moën® **M•PACT®** Common Valve System








DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

WATERHILL® Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE WALL MOUNT BATHROOM FAUCET					
   	<ul style="list-style-type: none">• application: three hole• spout reach: 8.16 "• center dimensions: 8" center• drain assembly : 140780 sold separately• valve sold separately	PREMIUM			
		TS416	528.00	Chrome	3
		TS416BN	780.90	Brushed Nickel	3
		TS416ORB	800.15	Oil Rubbed Bronze	3
 	<ul style="list-style-type: none">• application: three hole• center dimensions: 8" center• drain assembly : 140780 sold separately• includes: mounting brackets	9700	164.75	1/2" CC	3
	<ul style="list-style-type: none">• drain assembly : metal• drain assembly type: spring loaded pop-up	140780	55.85	Chrome	12
		140780BN	77.90	Brushed Nickel	12
		140780ORB	88.00	Oil Rubbed Bronze	12

WATERHILL®

HOW TO ORDER A COMPLETE BATHROOM FAUCET














NOTES


 Moen® **M•PACT®** Common Valve System

Due to California Energy Commission [CEC] regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

WATERHILL® Roman Tubs

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.












		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB FAUCET					
 <ul style="list-style-type: none"> • application: three hole • spout reach: 8.86" • valve sold separately  		PREMIUM			
		TS214	672.00	Chrome	3
		TS214BN	953.55	Brushed Nickel	3
		TS214NL	953.55	Polished Nickel	3
		TS214ORB	1,028.85	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 3-3/8" rough deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included 		4792	135.50	1/2" CC	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 2- 3/4" rough deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included 		4793	156.75	1/2" CPVC,Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 1-7/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 		4796	127.60	1/2" CC	6
		4797	130.10	1/2" CPVC,Crimp ring PEX	6
		4798	130.10	1/2" Crimp ring PEX, Cold Expansion PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 		104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 		140715 ♦	10.15	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET**NOTES**


- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

WATERHILL® Roman Tub

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB FAUCET INCLUDES HAND SHOWER					
 <ul style="list-style-type: none"> • application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 8.86" • valve sold separately  		PREMIUM			
		TS213	1,025.90	Chrome	3
		TS213BN	1,795.35	Brushed Nickel	3
		TS213NL	1,795.35	Polished Nickel	3
		TS213ORB	1,936.95	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included 		9792	305.25	1/2" CC	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included 		9793	312.40	1/2" CPVC, Crimp ring PEX	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 		9796	288.30	1/2" CC	6
		9797	289.70	1/2" CPVC, Crimp ring PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 		104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 		140715 ♦	10.15	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET













NOTES





- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

WATERHILL® 3/4" Thermostatic Showering


All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
EXACTTEMP® SHOWER ONLY					
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 10" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • requires: separate volume control valve • valve sold separately 		PREMIUM			
		TS3112	656.90	Chrome	3
		TS3112BN	1,005.85	Brushed Nickel	3
		TS3112NL	1,005.85	Polished Nickel	3
		TS3112ORB	1,085.25	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included 		PREMIUM			
		S3371	479.80	3/4" IPS	6
 <ul style="list-style-type: none"> • description: volume control valve 		PREMIUM			
		S3600	121.95	3/4" IPS	12

EXACTTEMP® SHOWER ONLY					
 <ul style="list-style-type: none"> • requires: separate volume control valve • valve sold separately 		PREMIUM			
		TS3110	250.30	Chrome	3
		TS3110BN	368.45	Brushed Nickel	3
		TS3110NL	368.45	Polished Nickel	3
		TS3110ORB	397.50	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included 		PREMIUM			
		S3371	479.80	3/4" IPS	6

VOLUME CONTROL					
 <ul style="list-style-type: none"> • valve sold separately 		PREMIUM			
		TS514	143.05	Chrome	6
		TS514BN	204.70	Brushed Nickel	6
		TS514NL	204.70	Polished Nickel	6
		TS514ORB	220.90	Oil Rubbed Bronze	6
 <ul style="list-style-type: none"> • description: volume control valve 		PREMIUM			
		S3600	121.95	3/4" IPS	12

HOW TO ORDER A COMPLETE SHOWER FAUCET

















NOTES

 Moen® **M•PACT®** Common Valve System
 Immersion® Rainshower

WATERHILL® Transfer Valve Shower Spa Component, Posi-Temp® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TRANSFER VALVE TRIM				
 <ul style="list-style-type: none"> valve sold separately  	PREMIUM			
	TS325	210.55	Chrome	6
	TS325BN	256.05	Brushed Nickel	6
	TS325NL	256.05	Polished Nickel	6
	TS325ORB	276.25	Oil Rubbed Bronze	6
	TS325WR	276.25	Wrought Iron	6
 <ul style="list-style-type: none"> type of function: two independent one shared must be used with : Posi-Temp or Moentrol valve 	3372	162.15	1/2" CC	12
 <ul style="list-style-type: none"> type of function: two independent functions must be used with : Posi-Temp or Moentrol valve 	3375	162.15	1/2" CC	12

POSI-TEMP® TUB/SHOWER				
 <ul style="list-style-type: none"> showerhead functions: one-function showerhead type: rainshower showerhead size: 10" diameter spray head showerhead flow rate: 2.5 gpm (9.5 L/min) max. spout length: 6 3/4" spout connection type: slip fit tub spout type: diverter valve sold separately   IMMERSION®	PREMIUM			
	TS314	546.00	Chrome	3
	TS314BN	777.00	Brushed Nickel	3
	TS314NL	777.00	Polished Nickel	3
	TS314ORB	838.20	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
	2520 ♦	112.90	1/2" CC	6
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
	2580 ♦	112.90	1/2" Crimp ring PEX	6
	2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TRANSFER VALVE



HOW TO ORDER A COMPLETE SHOWER FAUCET



NOTES















♦ Also available in bulk pack. See page 385.


 Moen® **M•PACT®** Common Valve System

IMMERSION® Immersion® Rainshower

WATERHILL® Posi-Temp® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 10" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately   IMMERSION®		PREMIUM			
		TS312	456.00	Chrome	3
		TS312BN	653.35	Brushed Nickel	3
		TS312NL	653.35	Polished Nickel	3
		TS312ORB	704.90	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 		2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 		2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6
POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none"> • valve sold separately  		PREMIUM			
		TS310	233.95	Chrome	3
		TS310BN	341.40	Brushed Nickel	3
		TS310NL	341.40	Polished Nickel	3
		TS310ORB	368.40	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 		2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 		2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET**HOW TO ORDER A COMPLETE VALVE****NOTES**

♦ Also available in bulk pack. See page 385.

 Moen® **M•PACT®** Common Valve System

 Immersion® Rainshower

WATERHILL® Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Waterhill® bath accessories perfectly match the style and finish of our Waterhill® faucets. Total coordination of the bath has never been easier.

For more information on ordering Waterhill® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	1/2-in. Round Bar QTY
Chrome (CH)			
YB9801CH	70.00	Tank Lever	3
YB9803CH	69.60	Double Robe Hook with Swivel Top	6
YB9805CH	13.75	Drawer Knob	48
YB9807CH	25.70	Drawer Pull	48
 YB9808CH	99.05	Pivoting Paper Holder	6
YB9818CH	114.65	18-in. Towel Bar	6
YB9824CH	123.75	24-in. Towel Bar	6
YB9886CH	80.05	Towel Ring	6
Brushed Nickel (BN)			
YB9801BN	88.00	Tank Lever	3
YB9803BN	76.40	Double Robe Hook with Swivel Top	6
YB9805BN	15.60	Drawer Knob	48
YB9807BN	27.55	Drawer Pull	48
 YB9808BN	108.95	Pivoting Paper Holder	6
YB9818BN	126.05	18-in. Towel Bar	6
YB9824BN	136.35	24-in. Towel Bar	6
YB9886BN	87.95	Towel Ring	6
Polished Nickel (NL)			
YB9801NL	93.60	Tank Lever	3
YB9803NL	83.95	Double Robe Hook with Swivel Top	6
 YB9808NL	119.85	Pivoting Paper Holder	6
YB9818NL	138.75	18-in. Towel Bar	6
YB9824NL	149.95	24-in. Towel Bar	6
YB9886NL	96.80	Towel Ring	6
Oil Rubbed Bronze (ORB)			
YB9801ORB	93.60	Tank Lever	3
YB9803ORB	83.95	Double Robe Hook with Swivel Top	6
YB9805ORB	17.15	Drawer Knob	48
YB9807ORB	30.25	Drawer Pull	48
 YB9808ORB	119.85	Pivoting Paper Holder	6
YB9818ORB	138.75	18-in. Towel Bar	6
YB9824ORB	149.95	24-in. Towel Bar	6
YB9886ORB	96.80	Towel Ring	6



YB9801
Tank Lever



YB9803
Double Robe Hook
with Swivel Top



YB9805
Drawer Knob
[Available in CH, BN
and ORB only]



YB9807
Drawer Pull
[Available in CH, BN
and ORB only]



YB9808
Pivoting Paper Holder



YB9818
18-in. Towel Bar



YB9824
24-in. Towel Bar



YB9886
Towel Ring

WATERHILL® Perfectly Matched Bath Accessories



LIGHTING

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB9861CH	144.75	One-Globe Light	2
YB9862CH	202.50	Two-Globe Light	2
YB9863CH	251.50	Three-Globe Light	2
YB9864CH	322.10	Four-Globe Light	2
Brushed Nickel (BN)			
YB9861BN	180.90	One-Globe Light	2
YB9862BN	253.15	Two-Globe Light	2
YB9863BN	314.50	Three-Globe Light	2
YB9864BN	402.60	Four-Globe Light	2
Oil Rubbed Bronze (ORB)			
YB9861ORB	180.90	One-Globe Light	2
YB9862ORB	253.15	Two-Globe Light	2
YB9863ORB	314.45	Three-Globe Light	2
YB9864ORB	402.60	Four-Globe Light	2
Replacement Globe			
YB9869	26.50	Replacement Globe Service Kit	3



YB9861
One-Globe Light



YB9862
Two-Globe Light



YB9863
Three-Globe Light



YB9864
Four-Globe Light














Bulbs not included.

All Waterhill® lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up).
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

90™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: sold separately • drain assembly : metal • drain assembly type: lift rod   DURALAST®		PREMIUM			
		S6700	391.85	Chrome	3
		S6700BN	646.90	Brushed Nickel	3
		DECKPLATE SOLD SEPARATELY			
		147204	24.30	Chrome	12
		147204BN	58.85	Brushed Nickel	12
 <ul style="list-style-type: none"> • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: sold separately • drain assembly : metal • drain assembly type: lift rod   DURALAST®		PREMIUM			
		S6705	489.80	Chrome	3
		S6705BN	808.60	Brushed Nickel	3
		DECKPLATE SOLD SEPARATELY			
		147204	24.30	Chrome	12
		147204BN	58.85	Brushed Nickel	12
 <ul style="list-style-type: none"> • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: sold separately • drain assembly : 140780 sold separately   DURALAST®		PREMIUM			
		S6711	548.45	Chrome	3
		S6711BN	826.95	Brushed Nickel	3
		DECKPLATE SOLD SEPARATELY			
		147204	24.30	Chrome	12
		147204BN	58.85	Brushed Nickel	12
 <ul style="list-style-type: none"> • description: vessel extension kit • included: parts to convert to grid drain • included: two extensions 		147556	127.95	Chrome	6
		147556BN	187.65	Brushed Nickel	6
 <ul style="list-style-type: none"> • drain assembly : metal • drain assembly type: spring loaded pop-up 		140780	55.85	Chrome	12
		140780BN	77.90	Brushed Nickel	12







NOTES








DURALAST® Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).


90™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE WIDESPREAD BATHROOM FAUCET				
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod • red/blue markings: included • valve sold separately   	PREMIUM			
	TS6720	350.80	Chrome	3
	TS6720BN	601.00	Brushed Nickel	3
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod  DURALOCK® DURALAST®	9000 ♦	116.50	1/2" IPS	6

TWO-HANDLE WALLMOUNT BATHROOM FAUCET				
 <ul style="list-style-type: none"> • application: three hole • spout reach: 6.33" • center dimensions: 8" center • drain assembly : 140780 sold separately • valve sold separately   	PREMIUM			
	TS6730	406.85	Chrome	3
	TS6730BN	678.70	Brushed Nickel	3
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" center • drain assembly : 140780 sold separately • includes: mounting brackets 	9700	164.75	1/2" CC	3
 <ul style="list-style-type: none"> • drain assembly : metal • drain assembly type: spring loaded pop-up 	140780	55.85	Chrome	12
	140780BN	77.90	Brushed Nickel	12

HOW TO ORDER A COMPLETE BATHROOM FAUCET



NOTES

♦ Also available in bulk pack. See page 385.







Ⓜ Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

90[°]™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	<ul style="list-style-type: none"> • application: three hole • spout reach: 7.63" • valve sold separately 	PREMIUM			
		TS903	481.15	Chrome	3
		TS903BN	685.15	Brushed Nickel	3
	<ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 3-3/8" rough deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included 	4792	135.50	1/2" CC	6
	<ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 2- 3/4" rough deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included 	4793	156.75	1/2" CPVC,Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
	<ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 1-7/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	4796	127.60	1/2" CC	6
		4797	130.10	1/2" CPVC,Crimp ring PEX	6
		4798	130.10	1/2" Crimp ring PEX, Cold Expansion PEX	6
	<ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
	<ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200












HOW TO ORDER A COMPLETE ROMAN TUB FAUCET




NOTES

- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER				
 <ul style="list-style-type: none"> • application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 7.63" • valve sold separately  	PREMIUM			
	TS904	749.40	Chrome	3
	TS904BN	1,257.30	Brushed Nickel	3
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included 	9792	305.25	1/2" CC	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included 	9793	312.40	1/2" CPVC,Crimp ring PEX	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	9796	288.30	1/2" CC	6
	9797	289.70	1/2" CPVC,Crimp ring PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET
















NOTES


- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

90°™ 3/4" Thermostatic Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
EXACTTEMP® SHOWER ONLY					
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm [9.5 L/min] max. • requires: separate volume control valve • valve sold separately 		PREMIUM			
		TS7115	502.60	Chrome	3
		TS7115BN	842.10	Brushed Nickel	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included 		PREMIUM			
		S3371	479.80	3/4" IPS	6
 <ul style="list-style-type: none"> • description: volume control valve 		PREMIUM			
		S3600	121.95	3/4" IPS	12
EXACTTEMP® VALVE ONLY					
 <ul style="list-style-type: none"> • requires: separate volume control valve • valve sold separately 		PREMIUM			
		TS3100	258.25	Chrome	3
		TS3100BN	390.70	Brushed Nickel	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included 		PREMIUM			
		S3371	479.80	3/4" IPS	6
VOLUME CONTROL VALVE ONLY					
 <ul style="list-style-type: none"> • valve sold separately 		PREMIUM			
		TS3300	119.20	Chrome	6
		TS3300BN	159.00	Chrome	6
 <ul style="list-style-type: none"> • description: volume control valve 		PREMIUM			
		S3600	121.95	3/4" IPS	12

HOW TO ORDER A COMPLETE SHOWER FAUCET


















NOTES

 Moen® **M•PACT®** Common Valve System
IMMERSION® Immersion® Rainshower

90°™ Transfer Valve Shower Spa Components

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TRANSFER VALVE ONLY				
 <ul style="list-style-type: none"> valve sold separately  	PREMIUM			
	TS4172	134.85	Chrome	6
	TS4172BN	182.20	Brushed Nickel	6
 <ul style="list-style-type: none"> type of function: two independent one shared must be used with : Posi-Temp or Moentrol valve 	3372	162.15	1/2" CC	12
 <ul style="list-style-type: none"> type of function: two independent functions must be used with : Posi-Temp or Moentrol valve 	3375	162.15	1/2" CC	12

MOENTROL® TUB/SHOWER				
  <ul style="list-style-type: none"> showerhead functions: one-function showerhead type: rainshower showerhead size: 6" diameter spray head showerhead flow rate: 2.5 gpm (9.5 L/min) max. spout length: 7 1/4" spout connection type: slip fit tub spout type: diverter valve sold separately   IMMERSION®	PREMIUM			
	TS3713	298.90	Chrome	3
	TS3713BN	680.20	Brushed Nickel	3
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included 	3510	154.75	1/2" IPS	6
	3520	154.75	1/2" CC	6
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included check stops: included stops: included 	3570 ♦	184.35	1/2" CC	6

HOW TO ORDER A COMPLETE TRANSFER VALVE



HOW TO ORDER A COMPLETE SHOWER FAUCET



NOTES















♦ Also available in bulk pack. See page 385.

 Moen® **M•PACT®** Common Valve System

IMMERSION® Immersion® Rainshower

90™ Moentrol® Tub/Showering


All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® SHOWER ONLY					
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately   IMMERSION®		PREMIUM			
		TS3715	220.15	Chrome	3
		TS3715BN	532.70	Brushed Nickel	3
 	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
 	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included • stops: included 	3570 ♦	184.35	1/2" CC	6
MOENTROL® VALVE ONLY					
  	<ul style="list-style-type: none"> • valve sold separately 	PREMIUM			
		TS3711	165.05	Chrome	3
		TS3711BN	411.00	Brushed Nickel	3
 	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
 	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included • stops: included 	3570 ♦	184.35	1/2" CC	6

HOW TO ORDER A COMPLETE VALVE




HOW TO ORDER A COMPLETE SHOWER FAUCET



NOTES















♦ Also available in bulk pack. See page 385.

 Moen® **M•PACT®** Common Valve System


 Immersion® Rainshower

90°™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 1/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately   IMMERSION®	PREMIUM				
	TS2713 259.85 Chrome 3				
	TS2713BN 481.40 Brushed Nickel 3				
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 1/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately    IMMERSION®	PREMIUM				
	TS2713EP 259.85 Chrome 3				
	TS2713EPBN 481.40 Brushed Nickel 3				
 <ul style="list-style-type: none"> • showerhead type: showerhead sold separately • spout length: 7 1/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately  	PREMIUM				
	TS2713NH 174.95 Chrome 3				
	TS2713NHBN 348.80 Brushed Nickel 3				
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦ 112.90 1/2" IPS 6				
	2520 ♦ 112.90 1/2" CC 6				
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦ 137.05 1/2" CC 6				
	2580 ♦ 112.90 1/2" Crimp ring PEX 6				
	2590 ♦ 137.05 1/2" IPS 6				

HOW TO ORDER A COMPLETE SHOWER FAUCET



NOTES















♦ Also available in bulk pack. See page 385.

 Moen® **M•PACT®** Common Valve System


 Immersion® Rainshower

90™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately 	  IMMERISION®	PREMIUM			
		TS2712	204.40	Chrome	3
		TS2712BN	378.65	Brushed Nickel	3
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately 	   IMMERISION®	PREMIUM			
		TS2712EP	204.40	Chrome	3
		TS2712EPBN	378.65	Brushed Nickel	3
 <ul style="list-style-type: none"> • showerhead type: showerhead sold separately • valve sold separately 	 	PREMIUM			
		TS2712NH	162.40	Chrome	3
		TS2712NHBN	300.85	Brushed Nickel	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 		2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 		2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6


HOW TO ORDER A COMPLETE SHOWER FAUCET



NOTES








♦ Also available in bulk pack. See page 385.

 Moen® **M•PACT®** Common Valve System

 Immersion® Rainshower

90°™ Posi-Temp® Showering


All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none">valve sold separately  		PREMIUM			
		TS2711	153.25	Chrome	3
		TS2711BN	283.80	Brushed Nickel	3
 <ul style="list-style-type: none">ports: fouradjustable temp limit stop: included 		2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 <ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedquarter turn stops: included 		2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE



NOTES

- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System


90[°]™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our 90[°]™ bath accessories perfectly match the style and finish of our 90[°]™ faucets. Total coordination of the bath has never been easier.

For more information on ordering 90[°]™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

		1-in. Rectangular Bar	
MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB8801CH	56.30	Tank Lever	24
YB8803CH	43.15	Robe Hook	24
YB8805CH	11.35	Drawer Knob	144
YB8807CH	22.75	Drawer Pull	144
YB8808CH	79.40	Pivoting Paper Holder	6
YB8818CH	91.35	18-in. Towel Bar	6
YB8824CH	94.65	24-in. Towel Bar	6
YB8886CH	63.80	Mini Towel Bar	6
Brushed Nickel (BN)			
YB8801BN	60.85	Tank Lever	24
YB8803BN	46.70	Single Robe Hook	24
YB8805BN	13.15	Drawer Knob	144
YB8807BN	24.55	Drawer Pull	144
YB8808BN	85.70	Pivoting Paper Holder	6
YB8818BN	98.65	18-in. Towel Bar	6
YB8824BN	102.30	24-in. Towel Bar	6
YB8886BN	68.65	Mini Towel Bar	6



GRAB BARS


PERFECTLY MATCHED to Moen® 90[°]™ faucets and bath accessories. ADA-compliant.



SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4-in. • Chrome (CH)			
YG8812CH	130.55	12-in. Designer Grab Bar	6
YG8818CH	136.40	18-in. Designer Grab Bar	6
YG8824CH	142.50	24-in. Designer Grab Bar	6
YG8836CH	162.25	36-in. Designer Grab Bar	6
YG8842CH	238.80	42-in. Designer Grab Bar	6
1-1/4-in. • Brushed Nickel (BN)			
YG8812BN	141.10	12-in. Designer Grab Bar	6
YG8818BN	147.85	18-in. Designer Grab Bar	6
YG8824BN	159.60	24-in. Designer Grab Bar	6
YG8836BN	179.70	36-in. Designer Grab Bar	6
YG8842BN	264.00	42-in. Designer Grab Bar	6



Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.



LIGHTING

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB8861CH	144.75	One-Globe Light	2
YB8862CH	202.50	Two-Globe Light	2
YB8863CH	251.50	Three-Globe Light	2
YB8864CH	322.10	Four-Globe Light	2
Brushed Nickel (BN)			
YB8861BN	180.90	One-Globe Light	2
YB8862BN	253.15	Two-Globe Light	2
YB8863BN	314.50	Three-Globe Light	2
YB8864BN	402.60	Four-Globe Light	2
Replacement Globe			
YB8869	26.50	Replacement Globe Service Kit	3




YB8861
One-Globe Light



YB8862
Two-Globe Light



YB8863
Three-Globe Light



YB8864
Four-Globe Light
















YB8869
Replacement Globe



Bulbs not included.

All 90™ lighting fixtures can be mounted facing either upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
<div>NEW!</div> 	<ul style="list-style-type: none">• application: one hole• supply line length: flexible• connection size: 3/8"• connection type: compression• drain assembly : metal• drain assembly type: lift rod• red/blue markings: included <div> DURALAST™</div>	PREMIUM			
		S8000	320.00	Chrome	3
<div>NEW!</div> 	<ul style="list-style-type: none">• application: one hole• supply line length: flexible• connection size: 3/8"• connection type: compression• drain assembly : metal• drain assembly type: lift rod• red/blue markings: included <div> DURALAST™</div>	PREMIUM			
		S8001	310.00	Chrome	3
TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
<div>NEW!</div> 	<ul style="list-style-type: none">• application: three hole• center dimensions: 8" - 16" center• drain assembly : metal• drain assembly type: lift rod• red/blue markings: included• valve sold separately <div></div>	PREMIUM			
		TS8002	342.10	Chrome	3
	<ul style="list-style-type: none">• application: three hole• center dimensions: 8" - 16" center• drain assembly : metal• drain assembly type: lift rod <div> DURALOCK® DURALAST™</div>	9000 ♦			
			116.50	1/2" IPS	6

HOW TO ORDER A COMPLETE WIDESPREAD BATHROOM FAUCET

NOTES





♦ Also available in bulk pack. See page 385.


Moën® **M•PACT®** Common Valve System

DURALOCK® Duralock® Quick Connections


DURALAST® Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 1/4" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately 	PREMIUM			
		TS8713	253.40	Chrome	3
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 1/4" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately 	PREMIUM			
		TS8713EP	253.40	Chrome	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6





HOW TO ORDER A COMPLETE SHOWER FAUCET**NOTES**

♦ Also available in bulk pack. See page 385.

 Moen® **M•PACT®** Common Valve System

 IMMERISION® Immersion® Rainshower








NEW! VIA™ Posi-Temp® Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve sold separately 	PREMIUM			
		TS8712	199.30	Chrome	3
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 6" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve sold separately 	PREMIUM			
		TS8712EP	199.30	Chrome	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET

NOTES


- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System
- IMMERISION® Immersion® Rainshower

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
<div><div><div>NEW!</div></div><div></div></div>	• valve sold separately	PREMIUM TS8711	149.45	Chrome	3
<div></div> <div></div>	• ports: four	2510 ♦	112.90	1/2" IPS	6
	• adjustable temp limit stop: included	2520 ♦	112.90	1/2" CC	6
<div></div> <div></div>	• ports: four	2570 ♦	137.05	1/2" CC	6
	• adjustable temp limit stop: included	2580 ♦	112.90	1/2" Crimp ring PEX	6
	• quarter turn stops: included	2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE



NOTES

- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System

NEW! VIA™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Via™ bath accessories perfectly match the style and finish of our Via™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Our Via™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB5003CH	41.70	Robe Hook	24
Pivoting YB5008CH	76.70	Pivoting Paper Holder	6
YB5012CH	82.95	12-in. Towel Bar	6
YB5018CH	88.25	18-in. Towel Bar	6
YB5024CH	91.45	24-in. Towel Bar	6
YB5086CH	61.65	Mini-Towel Bar	6

**NEW!**

YB5008
Pivoting
Paper Holder

**NEW!**

YB5003
Robe Hook

**NEW!**

YB5086
Mini-Towel Bar

**NEW!**

YB5012
12-in. Towel Bar

**NEW!**

YB5018
18-in. Towel Bar





**NEW!**




YB5024
24-in. Towel Bar

VIA™

ROTHBURY™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET				
 <ul style="list-style-type: none"> • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: included • drain assembly : metal • drain assembly type: spring loaded pop-up   DURALAST®	PREMIUM			
	S6202	391.85	Chrome	3
	S6202BN	646.90	Brushed Nickel	3
	S6202ORB	681.40	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • description: vessel extension kit • includes: parts to convert to grid drain • includes: two extensions 	A1616	114.90	Chrome	6
	A1616BN	164.50	Brushed Nickel	6
	A1616ORB	181.05	Oil Rubbed Bronze	6

TWO-HANDLE CENTERSET BATHROOM FAUCET				
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : metal • drain assembly type: lift rod  	PREMIUM			
	S6201	322.35	Chrome	3
	S6201BN	489.30	Brushed Nickel	3
	S6201ORB	515.40	Oil Rubbed Bronze	3














NOTES

DURALAST® Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

ROTHBURY™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
	<ul style="list-style-type: none">• application: three hole• center dimensions: 8" - 16" center• drain assembly : metal• drain assembly type: lift rod• valve sold separately	PREMIUM			
		TS6205	350.80	Chrome	3
		TS6205BN	601.00	Brushed Nickel	3
		TS6205ORB	633.15	Oil Rubbed Bronze	3
  					
	<ul style="list-style-type: none">• application: three hole• center dimensions: 8" - 16" center• drain assembly : metal• drain assembly type: lift rod	9000 ♦	116.50	1/2" IPS	6
		 DURALOCK® DURALAST®			
TWO-HANDLE WALLMOUNT BATHROOM FAUCET					
	<ul style="list-style-type: none">• application: three hole• spout reach: 6.54 "• center dimensions: 8" center• drain assembly : 140780 sold separately• valve sold separately	PREMIUM			
		TS6204	406.85	Chrome	3
		TS6204BN	678.70	Brushed Nickel	3
		TS6204ORB	714.80	Oil Rubbed Bronze	3
  					
	<ul style="list-style-type: none">• application: three hole• center dimensions: 8" center• drain assembly : 140780 sold separately• includes: mounting brackets	9700	164.75	1/2" CC	3
					
	<ul style="list-style-type: none">• drain assembly : metal• drain assembly type: spring loaded pop-up	140780	55.85	Chrome	12
		140780BN	77.90	Brushed Nickel	12
		140780ORB	88.00	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE BATHROOM FAUCET



NOTES

- ♦ Also available in bulk pack. See page 385.

Moën® **M•PACT®** Common Valve System












DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).


ROTHBURY™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
	<ul style="list-style-type: none">• application: three hole• spout reach: 8.14 "• valve sold separately	PREMIUM			
		TS923	505.25	Chrome	3
		TS923BN	719.40	Brushed Nickel	3
		TS923ORB	757.70	Oil Rubbed Bronze	3
					
	<ul style="list-style-type: none">• application: three hole• deck thickness: 1/8" to 3-3/8" rough deck• center dimensions: adjustable• adjustable spout shank: included• test plug: included	4792	135.50	1/2" CC	6
					
	<ul style="list-style-type: none">• application: three hole• deck thickness: 1/8" to 2- 3/4" rough deck• center dimensions: 10" - 24" center• adjustable spout shank: included• test plug: included	4793	156.75	1/2" CPVC,Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
					
	<ul style="list-style-type: none">• application: three hole• deck thickness: 1/8" to 1-7/8" rough deck• center dimensions: 10" center• non-adjustable spout shank: included• test plug: included	4796	127.60	1/2" CC	6
		4797	130.10	1/2" CPVC,Crimp ring PEX	6
		4798	130.10	1/2" Crimp ring PEX, Cold Expansion PEX	6
					
	<ul style="list-style-type: none">• description: high flow thermostatic mixing valve for roman tubs• ports: three• ASSE standard 1070: yes• flow rate: 12.0 gpm (45.4 L/min) max.	104465	173.00	1/2" CC	12
	<ul style="list-style-type: none">• description: PEX transition fittings (2) and clips• connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	140715 ♦	10.15	1/2" PEX	200

ROTHBURY™

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET














NOTES

♦ Also available in bulk pack. See page 385.


 Moen® **M•PACT®** Common Valve System

ROTHBURY™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER				
 <ul style="list-style-type: none"> • application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 8.14 " • valve sold separately  	PREMIUM			
	TS925	786.85	Chrome	3
	TS925BN	1,320.20	Brushed Nickel	3
	TS925ORB	1,390.60	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included 	9792	305.25	1/2" CC	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included 	9793	312.40	1/2" CPVC,Crimp ring PEX	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	9796	288.30	1/2" CC	6
	9797	289.70	1/2" CPVC,Crimp ring PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET




















NOTES


- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

ROTHBURY™ 3/4" Thermostatic Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
EXACTTEMP® SHOWER ONLY					
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: standard• showerhead size: 6" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• requires: separate volume control valve• valve sold separately   IMMERSION®	PREMIUM			
		TS8115	502.60	Chrome	3
		TS8115BN	842.10	Brushed Nickel	3
		TS8115ORB	886.90	Oil Rubbed Bronze	3
EXACTTEMP® VALVE ONLY					
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included• check stops: included 	PREMIUM			
		S3371	479.80	3/4" IPS	6
	<ul style="list-style-type: none">• description: volume control valve 	PREMIUM			
		S3600	121.95	3/4" IPS	12
EXACTTEMP® VALVE ONLY					
	<ul style="list-style-type: none">• requires: separate volume control valve• valve sold separately  	PREMIUM			
		TS3760	258.25	Chrome	3
		TS3760BN	390.70	Brushed Nickel	3
		TS3760ORB	411.55	Oil Rubbed Bronze	3
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included• check stops: included 	PREMIUM			
		S3371	479.80	3/4" IPS	6
VOLUME CONTROL VALVE ONLY					
	<ul style="list-style-type: none">• valve sold separately  	PREMIUM			
		TS3820	119.20	Chrome	6
		TS3820BN	159.00	Brushed Nickel	6
		TS3820ORB	167.45	Oil Rubbed Bronze	6
	<ul style="list-style-type: none">• description: volume control valve 	PREMIUM			
		S3600	121.95	3/4" IPS	12

HOW TO ORDER A COMPLETE SHOWER FAUCET

















NOTES

- Moen® **M•PACT®** Common Valve System
- IMMERSION® Immersion® Rainshower

ROTHBURY™ Transfer Valve Shower Spa Components

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TRANSFER VALVE ONLY					
 <ul style="list-style-type: none"> valve sold separately  	PREMIUM				
		TS5205	144.85	Chrome	6
		TS5205BN	193.65	Brushed Nickel	6
		TS5205ORB	204.00	Oil Rubbed Bronze	6
 <ul style="list-style-type: none"> type of function: two independent one shared must be used with : Posi-Temp or Moentrol valve 		3372	162.15	1/2" CC	12
 <ul style="list-style-type: none"> type of function: two independent functions must be used with : Posi-Temp or Moentrol valve 		3375	162.15	1/2" CC	12

MOENTROL® WITH TRANSFER VALVE					
 <ul style="list-style-type: none"> valve sold separately  	PREMIUM				
		TS4211	220.90	Chrome	3
		TS4211BN	302.45	Brushed Nickel	3
		TS4211ORB	318.60	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> ports: four; two outlets adjustable temp limit stop: included check stops: included type of function: two independent one shared not recommended: for tub spout application 		3320	260.10	1/2" IPS inlets/cc outlets	6
		3330	260.10	1/2" CC	6
 <ul style="list-style-type: none"> ports: four; two outlets adjustable temp limit stop: included check stops: included type of function: two independent functions not recommended: for tub spout application 		3350	260.10	1/2" CC	6

HOW TO ORDER A COMPLETE MOENTROL WITH TRANSFER VALVE



HOW TO ORDER A COMPLETE TRANSFER VALVE

















NOTES


 Moen® **M•PACT®** Common Valve System

ROTHBURY™ Moentrol® Tub/Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® TUB/SHOWER					
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: standard• showerhead size: 6-1/2" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• spout length: 7 5/8"• spout connection type: slip fit• tub spout type: diverter• valve sold separately  	PREMIUM			
		TS3213	313.80	Chrome	3
		TS3213BN	714.20	Brushed Nickel	3
		TS3213ORB	752.35	Oil Rubbed Bronze	3
		3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included• check stops: included• stops: included 	3570 ♦	184.35	1/2" CC	6
MOENTROL® SHOWER ONLY					
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: standard• showerhead size: 6-1/2" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• valve sold separately  	PREMIUM			
		TS3212	231.20	Chrome	3
		TS3212BN	559.25	Brushed Nickel	3
		TS3212ORB	589.15	Oil Rubbed Bronze	3
		3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included• check stops: included• stops: included 	3570 ♦	184.35	1/2" CC	6

HOW TO ORDER A COMPLETE SHOWER FAUCET










NOTES

- ♦ Also available in bulk pack. See page 385.
- Moentrol® **M•PACT®** Common Valve System

ROTHBURY™ Moentrol® Tub/Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® VALVE ONLY					
 <ul style="list-style-type: none">valve sold separately  		PREMIUM			
		TS3211	173.25	Chrome	3
		TS3211BN	431.55	Brushed Nickel	3
		TS3211ORB	454.60	Oil Rubbed Bronze	3
 <ul style="list-style-type: none">ports: fouradjustable temp limit stop: included 		3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
 <ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedcheck stops: includedstops: included 		3570 ♦	184.35	1/2" CC	6

ROTHBURY™

HOW TO ORDER A COMPLETE VALVE














NOTES


- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System

ROTHBURY™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 6-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 5/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	 	PREMIUM		
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 6-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 5/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	  	PREMIUM		
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 		2510 ♦	112.90 1/2" IPS	6
			2520 ♦	112.90 1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 		2570 ♦	137.05 1/2" CC	6
			2580 ♦	112.90 1/2" Crimp ring PEX	6
			2590 ♦	137.05 1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET











NOTES


- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

ROTHBURY™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 6-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately 	PREMIUM				
		TS2212	214.55	Chrome	3
		TS2212BN	397.65	Brushed Nickel	3
		TS2212ORB	418.75	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 6-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately 	PREMIUM				
		TS2212EP	214.55	Chrome	3
		TS2212EPBN	397.65	Brushed Nickel	3
		TS2212EPORB	418.75	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 		2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 		2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET










NOTES

- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

ROTHBURY™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none">valve sold separately  	PREMIUM				
	TS2211 160.95 Chrome 3				
	TS2211BN 297.95 Brushed Nickel 3				
	TS2211ORB 313.85 Oil Rubbed Bronze 3				
 	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: included	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedquarter turn stops: included	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE



NOTES




- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

ROTHBURY™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Rothbury™ bath accessories perfectly match the style and finish of our Rothbury™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Rothbury™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB8201CH	56.30	Tank Lever	24
YB8203CH	43.15	Double Robe Hook	24
YB8205CH	11.35	Drawer Knob	48
YB8207CH	22.75	Drawer Pull	48
 YB8208CH	79.40	Pivoting Paper Holder	6
YB8218CH	91.35	18-in. Towel Bar	6
YB8224CH	94.65	24-in. Towel Bar	6
YB8286CH	63.80	Mini-Towel Bar	6
Brushed Nickel (BN)			
YB8201BN	60.85	Tank Lever	24
YB8203BN	46.70	Double Robe Hook	24
YB8205BN	13.15	Drawer Knob	48
YB8207BN	24.55	Drawer Pull	48
 YB8208BN	85.70	Pivoting Paper Holder	6
YB8218BN	98.65	18-in. Towel Bar	6
YB8224BN	102.30	24-in. Towel Bar	6
YB8286BN	68.85	Mini-Towel Bar	6
Oil Rubbed Bronze (ORB)			
YB8201ORB	66.85	Tank Lever	24
YB8203ORB	51.35	Double Robe Hook	24
YB8205ORB	14.40	Drawer Knob	48
YB8207ORB	26.75	Drawer Pull	48
 YB8208ORB	94.30	Pivoting Paper Holder	6
YB8218ORB	108.55	18-in. Towel Bar	6
YB8224ORB	112.55	24-in. Towel Bar	6
YB8286ORB	75.75	Mini-Towel Bar	6



YB8201
Tank Lever




YB8203
Double Robe Hook



YB8205
Drawer Knob



YB8207
Drawer Pull



YB8208 
Pivoting Paper Holder



YB8218
18-in. Towel Bar



YB8224
24-in. Towel Bar



YB8286
Mini-Towel Bar

ROTHBURY™ Perfectly Matched Bath Accessories



LIGHTING

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB8261CH	144.75	One-Globe Light	2
YB8262CH	202.55	Two-Globe Light	2
YB8263CH	251.50	Three-Globe Light	2
Brushed Nickel (BN)			
YB8261BN	180.90	One-Globe Light	2
YB8262BN	253.15	Two-Globe Light	2
YB8263BN	314.45	Three-Globe Light	2
Oil Rubbed Bronze (ORB)			
YB8261ORB	180.90	One-Globe Light	2
YB8262ORB	253.15	Two-Globe Light	2
YB8263ORB	314.45	Three-Globe Light	2
Replacement Globe			
YB8269	26.50	Replacement Globe Service Kit	2



YB8261
One-Globe Light



YB8262
Two-Globe Light



YB8263
Three-Globe Light



YB8269
Replacement Globe










Bulbs not included.

All Rothbury™ lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up).

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

ICON™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET				
 <ul style="list-style-type: none">• application: one or three hole• supply line length: flexible• connection size: 3/8"• connection type: compression• deck plate: included• drain assembly : metal• drain assembly type: lift rod   DURALAST™	PREMIUM			
	S6500	341.15	Chrome	3
	S6500BN	563.30	Brushed Nickel	3
	A1717	127.60	Chrome	6
	A1717BN	182.85	Brushed Nickel	6
TWO-HANDLE CENTERSET BATHROOM FAUCET				
  	PREMIUM			
	S6510	280.70	Chrome	3
	S6510BN	426.00	Brushed Nickel	3














NOTES

DURALAST® Duralast® Cartridge


Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

ICON™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE WIDESPREAD BATHROOM FAUCET				
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod • valve sold separately   	PREMIUM			
	TS6520	293.25	Chrome	3
	TS6520BN	502.40	Brushed Nickel	3
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod  DURALOCK® DURALAST®	9000 ♦	116.50	1/2" IPS	6
TWO-HANDLE WALLMOUNT BATHROOM FAUCET				
 <ul style="list-style-type: none"> • application: three hole • spout reach: 7.19 " • center dimensions: 8" center • drain assembly : 140780 sold separately • valve sold separately    DURALAST®	PREMIUM			
	TS6530	334.25	Chrome	3
	TS6530BN	555.00	Brushed Nickel	3
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" center • drain assembly : 140780 sold separately • includes: mounting brackets  DURALAST®	9700	164.75	1/2" CC	3
 <ul style="list-style-type: none"> • drain assembly : metal • drain assembly type: spring loaded pop-up 	140780	55.85	Chrome	12
	140780BN	77.90	Brushed Nickel	12

HOW TO ORDER A COMPLETE BATHROOM FAUCET



NOTES

♦ Also available in bulk pack. See page 385.

Ⓜ Moen® **M•PACT®** Common Valve System












DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge


Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

ICON™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
 <ul style="list-style-type: none"> • application: three hole • spout reach: 7.88" • valve sold separately  		PREMIUM			
		TS963	409.95	Chrome	3
		TS963BN	583.65	Brushed Nickel	3
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 3-3/8" rough deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included 		4792	135.50	1/2" CC	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 2-3/4" rough deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included 		4793	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 1-7/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 		4796	127.60	1/2" CC	6
		4797	130.10	1/2" CPVC, Crimp ring PEX	6
		4798	130.10	1/2" Crimp ring PEX, Cold Expansion PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 		104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 		140715 ♦	10.15	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET














NOTES


- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

ICON™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER				
 <ul style="list-style-type: none"> • application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 7.88" • valve sold separately  	PREMIUM			
	TS964	638.55	Chrome	3
	TS964BN	1,071.30	Brushed Nickel	3
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included 	9792	305.25	1/2" CC	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included 	9793	312.40	1/2" CPVC,Crimp ring PEX	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	9796	288.30	1/2" CC	6
	9797	289.70	1/2" CPVC,Crimp ring PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET













NOTES

- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System


ICON™ 3/4" Thermostatic Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
EXACTTEMP® VALVE ONLY					
 <ul style="list-style-type: none">requires: separate volume control valvevalve sold separately  		PREMIUM			
		TS3900	258.25	Chrome	3
		TS3900BN	390.70	Brushed Nickel	3
 	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedcheck stops: included	PREMIUM			
		S3371	479.80	3/4" IPS	6
VOLUME CONTROL VALVE ONLY					
  	<ul style="list-style-type: none">valve sold separately	PREMIUM			
		TS3200	119.20	Chrome	6
		TS3200BN	159.00	Brushed Nickel	6
 	<ul style="list-style-type: none">description: volume control valve	PREMIUM			
		S3600	121.95	3/4" IPS	12

ICON™

HOW TO ORDER A COMPLETE VALVE










NOTES

 Moen® **M•PACT®** Common Valve System

ICON™ Moentrol® Transfer Valve Shower Spa Components

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® WITH TRANSFER VALVE					
 <ul style="list-style-type: none">valve sold separately  		PREMIUM			
		TS4112	179.30	Chrome	3
		TS4112BN	245.45	Brushed Nickel	3
 	<ul style="list-style-type: none">ports: four; two outletsadjustable temp limit stop: includedcheck stops: includedtype of function: two independent one sharednot recommended: for tub spout application	3320	260.10	1/2" IPS inlets/cc outlets	6
		3330	260.10	1/2" CC	6
 	<ul style="list-style-type: none">ports: four; two outletsadjustable temp limit stop: includedcheck stops: includedtype of function: two independent functionsnot recommended: for tub spout application	3350	260.10	1/2" CC	6

HOW TO ORDER A COMPLETE MOENTROL WITH TRANSFER VALVE















NOTES


 Moen® **M•PACT®** Common Valve System



ICON™ Moentrol® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.








		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® TUB/SHOWER					
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 1/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	PREMIUM				
	TS2156	250.45	Chrome	3	
	TS2156BN	544.25	Brushed Nickel	3	
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	3510	154.75	1/2" IPS	6	
	3520	154.75	1/2" CC	6	
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included • stops: included 	3570 ♦	184.35	1/2" CC	6	
MOENTROL® SHOWER ONLY					
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately 	PREMIUM				
	TS2155	184.55	Chrome	3	
	TS2155BN	426.15	Brushed Nickel	3	
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	3510	154.75	1/2" IPS	6	
	3520	154.75	1/2" CC	6	
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included • stops: included 	3570 ♦	184.35	1/2" CC	6	

HOW TO ORDER A COMPLETE VALVE**NOTES**


- ♦ Also available in bulk pack. See page 385.
- Moentrol® **M•PACT®** Common Valve System

ICON™ Moentrol® Showering


All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® VALVE ONLY					
 <ul style="list-style-type: none">valve sold separately  	PREMIUM				
	TS2154		138.35	Chrome	3
	TS2154BN		328.80	Brushed Nickel	3
 <ul style="list-style-type: none">ports: fouradjustable temp limit stop: included 	3510		154.75	1/2" IPS	6
	3520		154.75	1/2" CC	6
 <ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedcheck stops: includedstops: included 	3570 ♦		184.35	1/2" CC	6

HOW TO ORDER A COMPLETE VALVE














NOTES

- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System




ICON™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: standard• showerhead size: 5-7/8" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• spout length: 7 1/4"• spout connection type: slip fit• tub spout type: diverter• valve sold separately  	PREMIUM			
		TS2143	221.55	Chrome	3
		TS2143BN	410.20	Brushed Nickel	3
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: eco-performance showerhead• showerhead size: 5-7/8" diameter spray head• showerhead flow rate: 1.75 gpm (6.65 L/min) max.• spout length: 7 1/4"• spout connection type: slip fit• tub spout type: diverter• valve sold separately   	PREMIUM			
		TS2143EP	221.55	Chrome	3
		TS2143EPBN	410.20	Brushed Nickel	3
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included• quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET














NOTES


- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

ICON™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately  	PREMIUM				
	TS2142		174.10	Chrome	3
	TS2142BN		322.65	Brushed Nickel	3
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately   	PREMIUM				
	TS2142EP		174.10	Chrome	3
	TS2142EPBN		322.65	Brushed Nickel	3
 	• ports: four		2510 ♦	112.90 1/2" IPS	6
	• adjustable temp limit stop: included		2520 ♦	112.90 1/2" CC	6
 	• ports: four		2570 ♦	137.05 1/2" CC	6
	• adjustable temp limit stop: included		2580 ♦	112.90 1/2" Crimp ring PEX	6
	• quarter turn stops: included		2590 ♦	137.05 1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET










NOTES

- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System


ICON™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none">valve sold separately  		PREMIUM			
		TS2141	130.55	Chrome	3
		TS2141BN	241.80	Brushed Nickel	3
 <ul style="list-style-type: none">ports: fouradjustable temp limit stop: included 		2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 <ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedquarter turn stops: included 		2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

ICON™

HOW TO ORDER A COMPLETE VALVE



NOTES


- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System

ICON™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Icon™ bath accessories perfectly match the style and finish of our Icon™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Icon™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB5801CH	40.50	Tank Lever	24
YB5803CH	31.15	Double Robe Hook	24
YB5805CH	9.65	Drawer Knob	144
YB5807CH	19.15	Drawer Pull	144
 YB5808CH	57.05	Pivoting Paper Holder	6
YB5818CH	66.10	18-in. Towel Bar	6
YB5822CH	88.60	24-in. Double Towel Bar	6
YB5824CH	68.25	24-in. Towel Bar	6
YB5886CH	46.50	Towel Ring	6
YB5890CH	87.80	Vanity Shelf (20.3-in.W x 5.6-in.D x 3.4-in.H)	6

Brushed Nickel (BN)

YB5801BN	43.95	Tank Lever	24
YB5803BN	33.70	Double Robe Hook	24
YB5805BN	12.60	Drawer Knob	144
YB5807BN	23.35	Drawer Pull	144
 YB5808BN	61.90	Pivoting Paper Holder	6
YB5818BN	71.25	18-in. Towel Bar	6
YB5822BN	93.60	24-in. Double Towel Bar	6
YB5824BN	73.95	24-in. Towel Bar	6
YB5886BN	49.75	Towel Ring	6
YB5890BN	92.75	Vanity Shelf (20.3-in.W x 5.6-in.D x 3.4-in.H)	6



YB5801
Tank Lever



YB5803
Double Robe Hook



YB5805
Drawer Knob



YB5807
Drawer Pull



YB5808 
Pivoting Paper Holder



YB5818
18-in. Towel Bar



YB5822
24-in. Double Towel Bar



YB5824
24-in. Towel Bar



YB5886
Towel Ring














YB8081
Pro-Fit® Installation Mounting Template (See page 82 for more information about the Pro-Fit® Installation System.)



YB5890
Vanity Shelf

WYNFORD™ Bathroom Faucets

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
 	• application: one or three hole	4500	244.05	Chrome	3
	• supply line length: flexible	4500BN	363.55	Brushed Nickel	3
	• connection size: 3/8"	4500NL	363.55	Polished Nickel	3
	• connection type: compression	4500ORB	399.90	Oil Rubbed Bronze	3
	• deck plate: included				
	• drain assembly : metal				
	• drain assembly type: lift rod				
	  DURALAST™				
	Certified by IAPMO R&T				
	• application: one hole	4507	361.35	Chrome	3
	• supply line length: flexible	4507BN	528.25	Brushed Nickel	3
	• connection size: 3/8"	4507ORB	581.05	Oil Rubbed Bronze	3
	• connection type: compression				
	• drain assembly : 140780 sold separately				
	  DURALAST™				
	Certified by IAPMO R&T				
TWO-HANDLE CENTERSET BATHROOM FAUCET					
	• application: three hole	4505	232.50	Chrome	3
	• center dimensions: 4" center	4505BN	346.25	Brushed Nickel	3
	• connection size: 1/2"	4505NL	346.25	Polished Nickel	3
	• connection type: IPS	4505ORB	380.90	Oil Rubbed Bronze	3
	• drain assembly : metal				
	• drain assembly type: lift rod				
	 				
	Certified by IAPMO R&T				
	• drain assembly : metal	140780	55.85	Chrome	12
	• drain assembly type: spring loaded pop-up	140780BN	77.90	Brushed Nickel	12
		140780NL	77.20	Polished Nickel	12
		140780ORB	88.00	Oil Rubbed Bronze	12










NOTES


DURALAST® Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

WYNFORD™ Bathroom Faucets

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod • valve sold separately   		T4520	242.85	Chrome	3
		T4520BN	408.20	Brushed Nickel	3
		T4520NL	408.20	Polished Nickel	3
		T4520ORB	449.00	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod • valve sold separately  		T4524	247.70	Chrome	3
		T4524BN	416.35	Brushed Nickel	3
		T4524NL	416.35	Polished Nickel	3
		T4524ORB	458.00	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod  DURALOCK® DURALAST™		9000 ♦	116.50	1/2" IPS	6

HOW TO ORDER A COMPLETE BATHROOM FAUCET**NOTES**














♦ Also available in bulk pack. See page 385.

Ⓜ Moen® **M•PACT®** Common Valve System**DURALOCK®** Duralock® Quick Connections**DURALAST™** Duralast® Cartridge


Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

WYNFORD™ Roman Tubs

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
 <ul style="list-style-type: none"> • application: three hole • spout reach: 7.50" • valve sold separately  		T653	343.70	Chrome	3
		T653BN	480.35	Brushed Nickel	3
		T653NL	480.35	Polished Nickel	3
		T653ORB	528.35	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: three hole • spout reach: 7.50" • valve sold separately 		T657	350.55	Chrome	3
		T657BN	489.95	Brushed Nickel	3
		T657NL	489.95	Polished Nickel	3
		T657ORB	538.90	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 3-3/8" rough deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included 		4792	135.50	1/2" CC	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 2-3/4" rough deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included 		4793	156.75	1/2" CPVC, Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 1-7/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 		4796	127.60	1/2" CC	6
		4797	130.10	1/2" CPVC, Crimp ring PEX	6
		4798	130.10	1/2" Crimp ring PEX, Cold Expansion PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 		104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 		140715 ♦	10.15	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET
















NOTES


♦ Also available in bulk pack. See page 385.


Moën® **M•PACT**® Common Valve System

WYNFORD™ Roman Tubs

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.















		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
	<ul style="list-style-type: none"> • application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 7.50" • valve sold separately  	T654	535.45	Chrome	3
		T654BN	881.40	Brushed Nickel	3
		T654NL	881.40	Polished Nickel	3
		T654ORB	969.50	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 7.50" • valve sold separately 	T658	546.20	Chrome	3
		T658BN	899.05	Brushed Nickel	3
		T658ORB	988.90	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included 	9792	305.25	1/2" CC	6
	<ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included 	9793	312.40	1/2" CPVC,Crimp ring PEX	6
	<ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	9796	288.30	1/2" CC	6
		9797	289.70	1/2" CPVC,Crimp ring PEX	6
	<ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
	<ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200


HOW TO ORDER A COMPLETE ROMAN TUB FAUCET**NOTES**


- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System

WYNFORD™ Transfer Valve Shower Spa Components, Moentrol® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.




		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TRANSFER VALVE ONLY					
 <ul style="list-style-type: none"> valve sold separately  		T4511	100.40	Chrome	12
		T4511BN	134.90	Brushed Nickel	12
		T4511NL	134.90	Polished Nickel	12
		T4511ORB	148.40	Oil Rubbed Bronze	12
 <ul style="list-style-type: none"> type of function: two independent one shared must be used with : Posi-Temp or Moentrol valve 		3372	162.15	1/2" CC	12
 <ul style="list-style-type: none"> type of function: two independent functions must be used with : Posi-Temp or Moentrol valve 		3375	162.15	1/2" CC	12
MOENTROL® TUB/SHOWER					
 <ul style="list-style-type: none"> showerhead functions: one-function showerhead type: rainshower showerhead size: 7" diameter spray head showerhead flow rate: 2.5 gpm [9.5 L/min] max. spout length: 7 15/16" spout connection type: slip fit tub spout type: diverter valve sold separately  		T5503	234.85	Chrome	3
		T5503BN	457.10	Brushed Nickel	3
		T5503NL	457.10	Polished Nickel	3
		T5503ORB	502.80	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included 		3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included check stops: included stops: included 		3570 ♦	184.35	1/2" CC	6




HOW TO ORDER A COMPLETE VALVE**HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET****NOTES**


- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System

WYNFORD™ Moentrol® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® SHOWER ONLY					
	<ul style="list-style-type: none"> showerhead functions: one-function showerhead type: rainshower showerhead size: 7" diameter spray head showerhead flow rate: 2.5 gpm [9.5 L/min] max. valve sold separately 	T5502	173.05	Chrome	3
		T5502BN	358.00	Brushed Nickel	3
		T5502NL	358.00	Polished Nickel	3
		T5502ORB	393.80	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> ports: four adjustable temp limit stop: included 	3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
	<ul style="list-style-type: none"> ports: four adjustable temp limit stop: included check stops: included stops: included 	3570 ♦	184.35	1/2" CC	6






MOENTROL® VALVE ONLY					
	<ul style="list-style-type: none"> valve sold separately 	T5501	129.65	Chrome	3
		T5501BN	276.20	Brushed Nickel	3
		T5501NL	276.20	Polished Nickel	3
		T5501ORB	303.85	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> ports: four adjustable temp limit stop: included 	3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
	<ul style="list-style-type: none"> ports: four adjustable temp limit stop: included check stops: included stops: included 	3570 ♦	184.35	1/2" CC	6

HOW TO ORDER A COMPLETE VALVE**HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET****NOTES**


- ♦ Also available in bulk pack. See page 385.
- Moentrol® **M•PACT®** Common Valve System

WYNFORD™ Posi-Temp® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 15/16" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	T4503	185.65	Chrome	3
		T4503BN	337.45	Brushed Nickel	3
		T4503NL	337.45	Polished Nickel	3
		T4503ORB	371.35	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 15/16" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	T4503EP	185.65	Chrome	3
		T4503EPBN	337.45	Brushed Nickel	3
		T4503EPORB	371.35	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • spout length: 7 15/16" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	T4503NH	125.05	Chrome	3
		T4503NHBN	244.55	Brushed Nickel	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET








NOTES


- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

WYNFORD™ Posi-Temp® Showering

All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately 	T4502	145.95	Chrome	3
		T4502BN	265.45	Brushed Nickel	3
		T4502NL	265.45	Polished Nickel	3
		T4502ORB	291.95	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 5-7/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately 	T4502EP	145.95	Chrome	3
		T4502EPBN	265.45	Brushed Nickel	3
		T4502EPORB	291.95	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • valve sold separately 	T4502NH	116.10	Chrome	3
		T4502NHBN	210.85	Brushed Nickel	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET















NOTES

- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

WYNFORD™ Posi-Temp® Showering, Bidets


All Brushed Nickel and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none"> valve sold separately  		T4501	109.50	Chrome	3
		T4501BN	198.85	Brushed Nickel	3
		T4501NL	198.85	Polished Nickel	3
		T4501ORB	218.80	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included 		2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included quarter turn stops: included 		2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6
TWO-HANDLE BIDET					
 <ul style="list-style-type: none"> center dimensions: 8" - 16" center valve sold separately  		T5245	378.55	Chrome	3
		T5245BN	518.40	Brushed Nickel	3
		T5245ORB	570.25	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> center dimensions: 8" - 16" center  DURALOCK® DURALAST™		9265	239.95	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE



HOW TO ORDER A COMPLETE BIDET FAUCET



NOTES

♦ Also available in bulk pack. See page 385.

 Moen® **M•PACT®** Common Valve System

DURALOCK® Duralock™ Quick Connections

DURALAST® Duralast® Cartridge



WYNFORD™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Wynford™ bath accessories perfectly match the style and finish of our Wynford™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Wynford™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.











		3/4-in. x 3/8-in. Oval Bar		
MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY	
Chrome (CH)				
YB5201CH	30.65	Tank Lever	24	
YB5203CH	23.55	Double Robe Hook	24	
 YB5208CH	43.05	Pivoting Paper Holder	6	
YB5218CH	49.95	18-in. Towel Bar	6	
YB5222CH	66.90	24-in. Double Towel Bar	6	
YB5224CH	51.55	24-in. Towel Bar	6	
YB5286CH	35.10	Towel Ring	6	
YB5275CH	106.60	Corner Shower Basket	6	
Brushed Nickel (BN)				
YB5201BN	33.80	Tank Lever	24	
YB5203BN	25.95	Double Robe Hook	24	
 YB5208BN	47.60	Pivoting Paper Holder	6	
YB5218BN	54.90	18-in. Towel Bar	6	
YB5222BN	72.10	24-in. Double Towel Bar	6	
YB5224BN	56.85	24-in. Towel Bar	6	
YB5286BN	38.35	Towel Ring	6	
YB5275BN	121.95	Corner Shower Basket	6	
Polished Nickel (NL)				
YB5201NL	37.15	Tank Lever	24	
YB5203NL	28.55	Double Robe Hook	24	
 YB5208NL	52.40	Pivoting Paper Holder	6	
YB5218NL	60.40	18-in. Towel Bar	6	
YB5222NL	79.35	24-in. Double Towel Bar	6	
YB5224NL	62.60	24-in. Towel Bar	6	
YB5286NL	42.20	Towel Ring	6	
Oil Rubbed Bronze (ORB)				
YB5201ORB	37.15	Tank Lever	24	
YB5203ORB	28.55	Double Robe Hook	24	
 YB5208ORB	52.40	Pivoting Paper Holder	6	
YB5218ORB	60.40	18-in. Towel Bar	6	
YB5222ORB	79.35	24-in. Double Towel Bar	6	
YB5224ORB	62.60	24-in. Towel Bar	6	
YB5286ORB	42.20	Towel Ring	6	
Old World Bronze (OWB)				
YB5275OWB	132.20	Corner Shower Basket	6	










WYNFORD™

ALIGN® Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: included • drain assembly : metal • drain assembly type: lift rod   DURALAST®		6190	244.05	Chrome	3
		6190BN	363.55	Brushed Nickel	3
 <ul style="list-style-type: none"> • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: sold separately • drain assembly : metal • drain assembly type: lift rod • red/blue markings: included   DURALAST®		6191	237.60	Chrome	3
		6191BN	357.10	Brushed Nickel	3
		DECKPLATE SOLD SEPARATELY			
		172666	15.20	Chrome	20
		172666BN	18.90	Brushed Nickel	20
 <ul style="list-style-type: none"> • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: sold separately • drain assembly : 140780 sold separately   DURALAST®		6192	361.35	Chrome	3
		6192BN	528.25	Brushed Nickel	3
		DECKPLATE SOLD SEPARATELY			
		172666	15.20	Chrome	20
		172666BN	18.90	Brushed Nickel	20
 <ul style="list-style-type: none"> • drain assembly : metal • drain assembly type: spring loaded pop-up 		140780	55.85	Chrome	12
		140780BN	77.90	Brushed Nickel	12

TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod • valve sold separately   		T6193	242.85	Chrome	3
		T6193BN	408.20	Brushed Nickel	3
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod  DURALOCK® DURALAST®		9000 ♦	116.50	1/2" IPS	6












HOW TO ORDER A COMPLETE BATHROOM FAUCET**NOTES**


- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System
- DURALOCK®** Duralock® Quick Connections
- DURALAST®** Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

ALIGN® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.












	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB				
 <ul style="list-style-type: none"> • application: three hole • spout reach: 7.90" • valve sold separately  	T393	343.70	Chrome	3
	T393BN	480.35	Brushed Nickel	3
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 3-3/8" rough deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included 	4792	135.50	1/2" CC	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 2- 3/4" rough deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included 	4793	156.75	1/2" CPVC,Crimp ring PEX	6
	4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 1-7/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	4796	127.60	1/2" CC	6
	4797	130.10	1/2" CPVC,Crimp ring PEX	6
	4798	130.10	1/2" Crimp ring PEX, Cold Expansion PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	N/A or Unfinished	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	N/A or Unfinished	200


HOW TO ORDER A COMPLETE ROMAN TUB FAUCET**NOTES**


- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

ALIGN® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.















		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
	<ul style="list-style-type: none"> • application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 7.90" • valve sold separately  	T394	535.45	Chrome	3
		T394BN	881.40	Brushed Nickel	3
	<ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included 	9792	305.25	1/2" CC	6
	<ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included 	9793	312.40	1/2" CPVC, Crimp ring PEX	6
	<ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	9796	288.30	1/2" CC	6
		9797	289.70	1/2" CPVC, Crimp ring PEX	6
	<ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	N/A or Unfinished	12
	<ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	N/A or Unfinished	200


HOW TO ORDER A COMPLETE ROMAN TUB FAUCET**NOTES**

- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System


ALIGN® Transfer Valve Shower Spa Components

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TRANSFER VALVE ONLY					
 <ul style="list-style-type: none"> valve sold separately  		T4191	100.40	Chrome	12
		T4191BN	134.90	Brushed Nickel	12
 <ul style="list-style-type: none"> type of function: two independent one shared must be used with : Posi-Temp or Moentrol valve 		3372	162.15	1/2" CC	12
 <ul style="list-style-type: none"> type of function: two independent functions must be used with : Posi-Temp or Moentrol valve 		3375	162.15	1/2" CC	12
MOENTROL® TUB/SHOWER					
 <ul style="list-style-type: none"> showerhead functions: one-function showerhead type: rainshower showerhead size: 6" diameter spray head showerhead flow rate: 2.5 gpm (9.5 L/min) max. spout length: 7" spout connection type: slip fit tub spout type: diverter valve sold separately   IMMERSION®		T3293	234.85	Chrome	3
		T3293BN	457.10	Brushed Nickel	3
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included 		3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included check stops: included stops: included 		3570 ♦	184.35	1/2" CC	6












HOW TO ORDER A COMPLETE VALVE**HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET****NOTES**


♦ Also available in bulk pack. See page 385.

 Moen® **M•PACT®** Common Valve System Immersion® Rainshower

ALIGN® Moentrol® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® SHOWER ONLY					
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm [9.5 L/min] max. • valve sold separately 		T3292	173.05	Chrome	3
		T3292BN	358.00	Brushed Nickel	3
 	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
 	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included • stops: included 	3570 ♦	184.35	1/2" CC	6
MOENTROL® VALVE ONLY					
 <ul style="list-style-type: none"> • valve sold separately 		T3291	129.65	Chrome	3
		T3291BN	276.20	Brushed Nickel	3
 	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
 	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included • stops: included 	3570 ♦	184.35	1/2" CC	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET**HOW TO ORDER A COMPLETE VALVE FAUCET****NOTES**






♦ Also available in bulk pack. See page 385.


Ⓜ Moen® **M•PACT®** Common Valve System

IMMERISION® Immersion® Rainshower

ALIGN® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.











		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 3/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	T2193	185.65	Chrome	3
		T2193BN	337.45	Brushed Nickel	3
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 3/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	T2193EP	185.65	Chrome	3
		T2193EPBN	337.45	Brushed Nickel	3
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • spout length: 7 3/8" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	T2193NH	125.05	Chrome	3
		T2193NHBN	244.55	Brushed Nickel	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET**NOTES**


- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

ALIGN® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately 		T2192	145.95	Chrome	3
		T2192BN	265.45	Brushed Nickel	3
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-5/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately 		T2192EP	145.95	Chrome	3
		T2192EPBN	265.45	Brushed Nickel	3
 <ul style="list-style-type: none"> • showerhead type: showerhead sold separately • valve sold separately 		T2192NH	116.10	Chrome	3
		T2192NHBN	210.85	Brushed Nickel	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 		2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 		2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6













ALIGN®


HOW TO ORDER A COMPLETE SHOWER FAUCET**NOTES**

- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

ALIGN® Bidets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none"> valve sold separately  		T2191	109.50	Chrome	3
		T2191BN	198.85	Brushed Nickel	3
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included 		2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included quarter turn stops: included 		2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6
TWO-HANDLE BIDET					
 <ul style="list-style-type: none"> center dimensions: 8" - 16" center valve sold separately  		T5191	378.55	Chrome	3
		T5191BN	518.40	Brushed Nickel	3
 <ul style="list-style-type: none"> center dimensions: 8" - 16" center  DURALOCK® DURALAST®		9265	239.95	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE FAUCET**HOW TO ORDER A COMPLETE BIDET FAUCET****NOTES**

- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System
- DURALOCK®** Duralock® Quick Connections
- DURALAST®** Duralast® Cartridge

ALIGN® Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Align® bath accessories perfectly match the style and finish of our Align® faucets. Total coordination of the bath has never been easier.

For more information on ordering Align® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB0402CH	42.65	Swiveling Double Robe Hook	24
YB0403CH	23.55	Robe Hook	24
 YB0408CH	43.05	Pivoting Paper Holder	6
YB0409CH	36.65	Single-Post Paper Holder	6
YB0418CH	49.95	18-in. Towel Bar	6
YB0424CH	51.55	24-in. Towel Bar	6
YB0486CH	35.10	Mini-Towel Bar	6
Brushed Nickel (BN)			
YB0402BN	48.50	Swiveling Double Robe Hook	24
YB0403BN	25.95	Robe Hook	24
 YB0408BN	47.60	Pivoting Paper Holder	6
YB0409BN	40.30	Single-Post Paper Holder	6
YB0418BN	54.90	18-in. Towel Bar	6
YB0424BN	56.85	24-in. Towel Bar	6
YB0486BN	38.35	Mini-Towel Bar	6



YB0402
Swiveling Double Robe Hook



YB0403
Robe Hook



YB0408
Pivoting Paper Holder



YB0409
Single-Post Paper Holder

GRAB BARS

PERFECTLY MATCHED to Moen® Align® faucets and bath accessories. ADA-compliant.



SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4-in. • Chrome (CH)			
YG0412CH	83.80	12-in. Designer Grab Bar	6
YG0418CH	87.55	18-in. Designer Grab Bar	6
YG0424CH	91.40	24-in. Designer Grab Bar	6
YG0436CH	104.10	36-in. Designer Grab Bar	6
YG0442CH	152.75	42-in. Designer Grab Bar	6
1-1/4-in. • Brushed Nickel (BN)			
YG0412BN	101.25	12-in. Designer Grab Bar	6
YG0418BN	106.20	18-in. Designer Grab Bar	6
YG0424BN	114.55	24-in. Designer Grab Bar	6
YG0436BN	128.95	36-in. Designer Grab Bar	6
YG0442BN	190.95	42-in. Designer Grab Bar	6



YG0418
18-in. Towel Bar



YG0424
24-in. Towel Bar



YG0486
Mini-Towel Bar



YG0424
24-in. length Designer Grab Bar

ALIGN®















Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.


List price is per each [unless otherwise noted]. Product can be ordered by case quantity or individually.

VOSS™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: included • drain assembly : metal • drain assembly type: lift rod   DURALAST™		6903	244.05	Chrome	3
		6903BN	363.55	Brushed Nickel	3
		6903ORB	399.90	Oil Rubbed Bronze	3
TWO-HANDLE CENTERSET BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : metal • drain assembly type: lift rod  		6901	232.50	Chrome	3
		6901BN	346.25	Brushed Nickel	3
		6901ORB	380.90	Oil Rubbed Bronze	3
TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod • valve sold separately   		T6905	242.85	Chrome	3
		T6905BN	408.20	Brushed Nickel	3
		T6905ORB	449.00	Oil Rubbed Bronze	3
  DURALOCK® DURALAST™		9000 ♦	116.50	1/2" IPS	6

HOW TO ORDER A COMPLETE BATHROOM FAUCET



NOTES

- ♦ Also available in bulk pack. See page 385.
- Mo® **M•PACT®** Common Valve System








DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

VOSS™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE WALLMOUNT BATHROOM FAUCET					
 <ul style="list-style-type: none">• application: three hole• spout reach: 7.37 "• center dimensions: 8" center• drain assembly : 140780 sold separately• valve sold separately   		T6906	276.90	Chrome	3
		T6906BN	450.95	Brushed Nickel	3
		T6906ORB	496.15	Oil Rubbed Bronze	3
 <ul style="list-style-type: none">• application: three hole• center dimensions: 8" center• drain assembly : 140780 sold separately• includes: mounting brackets 		9700	164.75	1/2" CC	3
 <ul style="list-style-type: none">• drain assembly : metal• drain assembly type: spring loaded pop-up		140780	55.85	Chrome	12
		140780BN	77.90	Brushed Nickel	12
		140780ORB	88.00	Oil Rubbed Bronze	12

VOSS™

HOW TO ORDER A COMPLETE BATHROOM FAUCET














NOTES


 Moen® **M•PACT®** Common Valve System

Due to California Energy Commission [CEC] regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

VOSS™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.












	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB				
 <ul style="list-style-type: none"> • application: three hole • spout reach: 8.25" • valve sold separately  	T693	343.70	Chrome	3
	T693BN	480.35	Brushed Nickel	3
	T693ORB	528.35	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 3-3/8" rough deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included 	4792	135.50	1/2" CC	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 2- 3/4" rough deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included 	4793	156.75	1/2" CPVC,Crimp ring PEX	6
	4794	149.45	1/2" Crimp ring PEX,Cold Expansion PEX	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 1-7/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	4796	127.60	1/2" CC	6
	4797	130.10	1/2" CPVC,Crimp ring PEX	6
	4798	130.10	1/2" Crimp ring PEX,Cold Expansion PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET**NOTES**


- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

VOSS™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER					
 <ul style="list-style-type: none"> • application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 8.25" • valve sold separately  		T694	535.45	Chrome	3
		T694BN	881.40	Brushed Nickel	3
		T694ORB	969.50	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included 		9792	305.25	1/2" CC	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included 		9793	312.40	1/2" CPVC,Crimp ring PEX	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 		9796	288.30	1/2" CC	6
		9797	289.70	1/2" CPVC,Crimp ring PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 		104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 		140715 ♦	10.15	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET

















NOTES

- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT**® Common Valve System

VOSS™ Transfer Valve Shower Spa Components, Moentrol® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TRANSFER VALVE ONLY					
 <ul style="list-style-type: none"> valve sold separately  		T4611	100.40	Chrome	12
		T4611BN	134.90	Brushed Nickel	12
		T4611ORB	148.40	Oil Rubbed Bronze	12
 <ul style="list-style-type: none"> type of function: two independent one shared must be used with : Posi-Temp or Moentrol valve 		3372	162.15	1/2" CC	12
 <ul style="list-style-type: none"> type of function: two independent functions must be used with : Posi-Temp or Moentrol valve 		3375	162.15	1/2" CC	12

MOENTROL® TUB/SHOWER					
 <ul style="list-style-type: none"> showerhead functions: one-function showerhead type: rainshower showerhead size: 6" diameter spray head showerhead flow rate: 2.5 gpm (9.5 L/min) max. spout length: 7 15/16" spout connection type: slip fit tub spout type: diverter valve sold separately   IMMERISION®		T3693	234.85	Chrome	3
		T3693BN	457.10	Brushed Nickel	3
		T3693ORB	502.80	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included 		3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included check stops: included stops: included 		3570 ♦	184.35	1/2" CC	6

HOW TO ORDER A COMPLETE VALVE




HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



NOTES







♦ Also available in bulk pack. See page 385.

 Moen® **M•PACT®** Common Valve System


IMMERISION® Immersion® Rainshower

VOSS™ Moentrol® Showering


All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® SHOWER ONLY					
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 6" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately 		T3692	173.05	Chrome	3
		T3692BN	358.00	Brushed Nickel	3
		T3692ORB	393.80	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 		3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included • stops: included 		3570 ♦	184.35	1/2" CC	6
MOENTROL® VALVE ONLY					
 <ul style="list-style-type: none"> • valve sold separately 		T3691	129.65	Chrome	3
		T3691BN	276.20	Brushed Nickel	3
		T3691ORB	303.85	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 		3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included • stops: included 		3570 ♦	184.35	1/2" CC	6

HOW TO ORDER A COMPLETE VALVE



HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET








NOTES


- ♦ Also available in bulk pack. See page 385.
- Moentrol® M•PACT® Common Valve System

VOSS™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 4-1/16" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7 3/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	T2693	185.65	Chrome	3
		T2693BN	337.45	Brushed Nickel	3
		T2693ORB	371.35	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-1/16" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7 3/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	T2693EP	185.65	Chrome	3
		T2693EPBN	337.45	Brushed Nickel	3
		T2693EPORB	371.35	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • spout length: 7 3/4" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	T2693NH	125.05	Chrome	3
		T2693NHBN	244.55	Brushed Nickel	3
		T2693NHORB	269.00	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET








NOTES


- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

VOSS™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 4-1/16" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately 	T2692	145.95	Chrome	3
		T2692BN	265.45	Brushed Nickel	3
		T2692ORB	291.95	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-1/16" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately 	T2692EP	145.95	Chrome	3
		T2692EPBN	265.45	Brushed Nickel	3
		T2692EPORB	291.95	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • valve sold separately 	T2692NH	116.10	Chrome	3
		T2692NHBN	210.85	Brushed Nickel	3
		T2692NHORB	231.95	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET
















NOTES

- ♦ Also available in bulk pack. See page 385.
- Mo® **M•PACT**® Common Valve System

VOSS™ Posi-Temp® Showering, Bidets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none"> valve sold separately  		T2691	109.50	Chrome	3
		T2691BN	198.85	Brushed Nickel	3
		T2691ORB	218.80	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included 		2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included quarter turn stops: included 		2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6
TWO-HANDLE BIDET					
 <ul style="list-style-type: none"> center dimensions: 8" - 16" center valve sold separately  		T5269	378.55	Chrome	3
		T5269BN	518.40	Brushed Nickel	3
		T5269ORB	570.25	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> center dimensions: 8" - 16" center  DURALOCK® DURALAST™		9265	239.95	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE FAUCET**HOW TO ORDER A COMPLETE BIDET FAUCET****NOTES**

♦ Also available in bulk pack. See page 385.

Ⓜ Moen® **M•PACT®** Common Valve System**DURALOCK®** Duralock™ Quick Connections**DURALAST™** Duralast® Cartridge




VOSS™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Voss™ bath accessories perfectly match the style and finish of our Voss™ faucets.

Total coordination of the bath has never been easier.

For more information on ordering Voss™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	Rectangular Bar QTY
Chrome (CH)			
YB5101CH	30.65	Tank Lever	24
YB5103CH	23.55	Double Robe Hook	24
 YB5108CH	43.05	Pivoting Paper Holder	6
YB5118CH	49.95	18-in. Towel Bar	6
YB5124CH	51.55	24-in. Towel Bar	6
YB5170CH	33.50	Wallmount Hairdryer Holder	6
YB5186CH	35.10	Towel Ring	6
CSR2164CH	46.10	Adjustable-Length Curved Shower Rod Set	10
Brushed Nickel (BN)			
YB5101BN	33.80	Tank Lever	24
YB5103BN	25.95	Double Robe Hook	24
 YB5108BN	47.60	Pivoting Paper Holder	6
YB5118BN	54.90	18-in. Towel Bar	6
YB5124BN	56.85	24-in. Towel Bar	6
YB5170BN	35.95	Wallmount Hairdryer Holder	6
YB5186BN	38.35	Towel Ring	6
CSR2164BN	50.75	Adjustable-Length Curved Shower Rod Set	10
Oil Rubbed Bronze (ORB)			
YB5101ORB	37.15	Tank Lever	24
YB5103ORB	28.55	Double Robe Hook	24
 YB5108ORB	52.40	Pivoting Paper Holder	6
YB5118ORB	60.40	18-in. Towel Bar	6
YB5124ORB	62.60	24-in. Towel Bar	6
YB5170ORB	41.50	Wallmount Hairdryer Holder	6
YB5186ORB	42.20	Towel Ring	6
Old World Bronze (OWB)			
CSR2164OWB	58.05	Adjustable-Length Curved Shower Rod Set	10



YB5101
Tank Lever



YB5103
Double Robe Hook



YB5108
Pivoting Paper Holder



YB5118
18-in. Towel Bar



YB5124
24-in. Towel Bar



YB5170
Wallmount Hairdryer
Holder



YB5186
Towel Ring



CSR2164
Adjustable-Length
Curved Shower Rod Set

GRAB BARS

PERFECTLY MATCHED to Moen® Voss™ faucets and bath accessories. ADA-compliant.



SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4-in. • Chrome (CH)			
YG5112CH	83.80	12-in. Designer Grab Bar	6
YG5118CH	87.55	18-in. Designer Grab Bar	6
YG5124CH	91.40	24-in. Designer Grab Bar	6
1-1/4-in. • Brushed Nickel (BN)			
YG5112BN	101.25	12-in. Designer Grab Bar	6
YG5118BN	106.20	18-in. Designer Grab Bar	6
YG5124BN	114.55	24-in. Designer Grab Bar	6
1-1/4-in. • Oil Rubbed Bronze (ORB)			
YG5112ORB	111.40	12-in. Designer Grab Bar	6
YG5118ORB	116.80	18-in. Designer Grab Bar	6
YG5124ORB	126.05	24-in. Designer Grab Bar	6



YG5124
24-in. length Designer Grab Bar



Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each [unless otherwise noted]. Product can be ordered by case quantity or individually.

VOSS™ Perfectly Matched Bath Accessories



LIGHTING

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB5161CH	120.10	One-Globe Light	2
YB5162CH	168.05	Two-Globe Light	2
YB5163CH	208.65	Three-Globe Light	2
YB5164CH	267.25	Four-Globe Light	2
Brushed Nickel (BN)			
YB5161BN	150.15	One-Globe Light	2
YB5162BN	210.05	Two-Globe Light	2
YB5163BN	260.85	Three-Globe Light	2
YB5164BN	334.05	Four-Globe Light	2
Oil Rubbed Bronze (ORB)			
YB5161ORB	150.15	One-Globe Light	2
YB5162ORB	210.05	Two-Globe Light	2
YB5163ORB	260.85	Three-Globe Light	2
YB5164ORB	334.05	Four-Globe Light	2
Replacement Globe			
YB5169	22.00	Replacement Globe Service Kit	3













YB5161
One-Globe LightYB5162
Two-Globe LightYB5163
Three-Globe LightYB5164
Four-Globe LightYB5169
Replacement Globe

Bulbs not included.

All Voss™ lighting fixtures can be mounted facing either upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

KINGSLEY® Bathroom Faucets

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
    	<ul style="list-style-type: none"> • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: included • drain assembly : metal • drain assembly type: lift rod 	6102	244.05	Chrome	3
		6102BN	363.55	Brushed Nickel	3
		6102ORB	399.90	Oil Rubbed Bronze	3
		6102WR	399.90	Wrought Iron	3
		6102P	407.10	Polished Brass	3
	<ul style="list-style-type: none"> • description: vessel extension kit • includes: parts to convert to grid drain • includes: two extensions 	A1616	114.90	Chrome	6
		A1616BN	164.50	Brushed Nickel	6
		A1616ORB	181.05	Oil Rubbed Bronze	6
		A1616P	184.30	Polished Brass	6
		A1616WR	181.05	Wrought Iron	6
TWO-HANDLE CENTERSET BATHROOM FAUCET					
  	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : metal • drain assembly type: lift rod 	6101	232.50	Chrome	6
		6101BN	346.25	Brushed Nickel	6
		6101ORB	380.90	Oil Rubbed Bronze	6
  	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : metal • drain assembly type: lift rod 	6121	267.35	Chrome	3
		6121BN	398.15	Brushed Nickel	3
		6121ORB	438.00	Oil Rubbed Bronze	3
		6121WR	438.00	Wrought Iron	3
		6121P	446.00	Polished Brass	3


















NOTES


DURALAST® Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

KINGSLEY® Bathroom Faucets

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod • valve sold separately   		T6105	242.85	Chrome	3
		T6105BN	408.20	Brushed Nickel	3
		T6105ORB	449.00	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod • valve sold separately   		T6125	279.25	Chrome	3
		T6125BN	469.35	Brushed Nickel	3
		T6125ORB	516.30	Oil Rubbed Bronze	3
		T6125WR	516.30	Wrought Iron	3
		T6125P	528.45	Polished Brass	3
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod  DURALOCK® DURALAST®		9000 ♦	116.50	1/2" IPS	6
TWO-HANDLE WALLMOUNT BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: three hole • spout reach: 7.00 " • center dimensions: 8" center • drain assembly : 140780 sold separately • valve sold separately   		T6107	276.90	Chrome	3
		T6107BN	450.95	Brushed Nickel	3
		T6107ORB	496.15	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" center • drain assembly : 140780 sold separately • includes: mounting brackets 		9700	164.75	1/2" CC	3
 <ul style="list-style-type: none"> • drain assembly : metal • drain assembly type: spring loaded pop-up 		140780	55.85	Chrome	12
		140780BN	77.90	Brushed Nickel	12
		140780ORB	88.00	Oil Rubbed Bronze	12

HOW TO ORDER A COMPLETE BATHROOM FAUCET**NOTES**















♦ Also available in bulk pack. See page 385.

Mo® **M•PACT®** Common Valve System**DURALOCK®** Duralock® Quick Connections**DURALAST®** Duralast® Cartridge


Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

KINGSLEY® Bathroom Faucets

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB				
 <ul style="list-style-type: none"> • application: three hole • spout reach: 8.00" • valve sold separately  	T910	343.70	Chrome	3
	T910BN	480.35	Brushed Nickel	3
	T910ORB	528.35	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: three hole • spout reach: 9.00" • valve sold separately  	T920	395.30	Chrome	3
	T920BN	552.30	Brushed Nickel	3
	T920P	603.85	Polished Brass	3
	T920ORB	607.50	Oil Rubbed Bronze	3
	T920WR	607.50	Wrought Iron	3
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 3-3/8" rough deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included 	4792	135.50	1/2" CC	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 2- 3/4" rough deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included 	4793	156.75	1/2" CPVC,Crimp ring PEX	6
	4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 1-7/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	4796	127.60	1/2" CC	6
	4797	130.10	1/2" CPVC,Crimp ring PEX	6
	4798	130.10	1/2" Crimp ring PEX, Cold Expansion PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET

















NOTES

♦ Also available in bulk pack. See page 385.


Moën® **M•PACT®** Common Valve System


KINGSLEY® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER				
 <ul style="list-style-type: none"> • application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 8.13 " • valve sold separately  	T912	535.45	Chrome	3
	T912BN	881.40	Brushed Nickel	3
	T912ORB	969.50	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 9.00 " • valve sold separately  	T922	615.80	Chrome	3
	T922BN	1,013.60	Brushed Nickel	3
	T922ORB	1,114.95	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included 	9792	305.25	1/2" CC	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included 	9793	312.40	1/2" CPVC, Crimp ring PEX	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	9796	288.30	1/2" CC	6
	9797	289.70	1/2" CPVC, Crimp ring PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200











KINGSLEY®

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET**NOTES**

- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System

KINGSLEY® Moentrol Transfer Valve Shower Spa Components

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® WITH TRANSFER VALVE					
 <ul style="list-style-type: none"> valve sold separately  		T4111	150.30	Chrome	3
		T4111BN	201.85	Brushed Nickel	3
		T4111ORB	222.05	Oil Rubbed Bronze	3
		T4111P	222.95	Polished Brass	3
 	<ul style="list-style-type: none"> ports: four; two outlets adjustable temp limit stop: included check stops: included type of function: two independent one shared not recommended: for tub spout application 	3320	260.10	1/2" IPS inlets/cc outlets	6
		3330	260.10	1/2" CC	6
 	<ul style="list-style-type: none"> ports: four; two outlets adjustable temp limit stop: included check stops: included type of function: two independent functions not recommended: for tub spout application 	3350	260.10	1/2" CC	6
TRANSFER VALVE ONLY					
  	<ul style="list-style-type: none"> valve sold separately 	T4311	100.40	Chrome	6
		T4311BN	134.90	Brushed Nickel	6
		T4311ORB	148.40	Oil Rubbed Bronze	6
 	<ul style="list-style-type: none"> type of function: two independent one shared must be used with : Posi-Temp or Moentrol valve 	3372	162.15	1/2" CC	12
 	<ul style="list-style-type: none"> type of function: two independent functions must be used with : Posi-Temp or Moentrol valve 	3375	162.15	1/2" CC	12

HOW TO ORDER A COMPLETE MOENTROL WITH TRANSFER VALVE









NOTES


 Moen® **M•PACT®** Common Valve System

KINGSLEY® Moentrol® Showering

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® TUB/SHOWER					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	T3113	210.00	Chrome	3
		T3113BN	447.80	Brushed Nickel	3
		T3113ORB	492.50	Oil Rubbed Bronze	3
		T3113P	520.30	Polished Brass	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included • stops: included 	3570 ♦	184.35	1/2" CC	6








MOENTROL® SHOWER ONLY					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately 	T3112	154.80	Chrome	3
		T3112BN	350.60	Brushed Nickel	3
		T3112ORB	385.70	Oil Rubbed Bronze	3
		T3112P	407.55	Polished Brass	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included • stops: included 	3570 ♦	184.35	1/2" CC	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET**NOTES**

- ♦ Also available in bulk pack. See page 385.
- Moentrol® **M•PACT®** Common Valve System


KINGSLEY® Moentrol® Showering

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® VALVE ONLY					
 <ul style="list-style-type: none">valve sold separately  		T3111	116.00	Chrome	3
		T3111BN	270.60	Brushed Nickel	3
		T3111ORB	297.65	Oil Rubbed Bronze	3
		T3111P	314.40	Polished Brass	3
 	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: included	3510	154.75	1/2" IPS	6
		3520	154.75	1/2" CC	6
 	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedcheck stops: includedstops: included	3570 ♦	184.35	1/2" CC	6

KINGSLEY®

HOW TO ORDER A COMPLETE VALVE

















NOTES


- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System

KINGSLEY® Posi-Temp® Showering

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: standard• showerhead size: 4-3/8" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• spout length: 5 1/2"• spout connection type: slip fit• tub spout type: diverter• valve sold separately	T2113	185.65	Chrome	3
		T2113BN	337.45	Brushed Nickel	3
		T2113ORB	371.35	Oil Rubbed Bronze	3
		T2113WR	371.35	Wrought Iron	3
		T2113P	459.30	Polished Brass	3
 					
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: eco-performance showerhead• showerhead size: 4-3/8" diameter spray head• showerhead flow rate: 1.75 gpm (6.65 L/min) max.• spout length: 5 1/2"• spout connection type: slip fit• tub spout type: diverter• valve sold separately	T2113EP	185.65	Chrome	3
		T2113EPBN	337.45	Brushed Nickel	3
		T2113EPORB	371.35	Oil Rubbed Bronze	3
		T2113EPP	459.30	Polished Brass	3
		  			
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• spout length: 5 1/2"• spout connection type: slip fit• tub spout type: diverter• valve sold separately	T2113NH	125.05	Chrome	3
		T2113NHBN	244.55	Brushed Nickel	3
		T2113NHORB	269.00	Oil Rubbed Bronze	3
 					
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
					
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included• quarter turn stops: included	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6
					















KINGSLEY®


HOW TO ORDER A COMPLETE SHOWER FAUCET**NOTES**

- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

KINGSLEY® Posi-Temp® Showering

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.








		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately  		T2112	145.95	Chrome	3
		T2112BN	265.45	Brushed Nickel	3
		T2112ORB	291.95	Oil Rubbed Bronze	3
		T2112WR	291.95	Wrought Iron	3
		T2112P	372.10	Polished Brass	3
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately   		T2112EP	145.95	Chrome	3
		T2112EPBN	265.45	Brushed Nickel	3
		T2112EPORB	291.95	Oil Rubbed Bronze	3
		T2112EPP	372.10	Polished Brass	3
 <ul style="list-style-type: none"> • showerhead type: showerhead sold separately • valve sold separately  		T2112NH	116.10	Chrome	3
		T2112NHBN	210.85	Brushed Nickel	3
		T2112NHORB	231.95	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 		2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 		2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6






HOW TO ORDER A COMPLETE SHOWER FAUCET**NOTES**



- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

KINGSLEY® Bidets

All Brushed Nickel and Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none"> valve sold separately  		T2111	109.50	Chrome	3
		T2111BN	198.85	Brushed Nickel	3
		T2111ORB	218.80	Oil Rubbed Bronze	3
		T2111WR	218.80	Wrought Iron	3
		T2111P	295.80	Polished Brass	3
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included 		2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included quarter turn stops: included 		2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

TWO-HANDLE BIDET					
 <ul style="list-style-type: none"> center dimensions: 8" - 16" center valve sold separately  		T5210	378.55	Chrome	3
		T5210BN	518.40	Brushed Nickel	3
		T5210ORB	570.25	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> center dimensions: 8" - 16" center  DURALOCK® DURALAST®		9265	239.95	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE**HOW TO ORDER A COMPLETE BIDET FAUCET****NOTES**

♦ Also available in bulk pack. See page 385.

 Moen® **M•PACT®** Common Valve System**DURALOCK®** Duralock® Quick Connections**DURALAST®** Duralast® Cartridge

KINGSLEY® Perfectly Matched Bath Accessories

5/8-in. Round Bar

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Kingsley® bath accessories perfectly match the style and finish of our Kingsley® faucets. Total coordination of the bath has never been easier.

For more information on ordering Kingsley® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB5401CH	30.65	Tank Lever	24
YB5403CH	23.55	Double Robe Hook	24
YB5405CH	7.25	Drawer Knob	48
YB5407CH	14.50	Drawer Pull	48
 YB5408CH	43.05	Pivoting Paper Holder	6
YB5418CH	49.95	18-in. Towel Bar	6
YB5422CH	66.90	24-in. Double Towel Bar	6
YB5424CH	51.55	24-in. Towel Bar	6
YB5486CH	35.10	Towel Ring	6
 YB5488CH	77.75	Three Post Pivoting Paper Holder	6
YB5490CH	66.35	Vanity Shelf [22.75-in.W x 5.25-in.D x 2.9-in.H]	3
YB5494CH	167.35	Towel Shelf [26.8-in.W x 10-in.D x 6.4-in.H]	2
Brushed Nickel (BN)			
YB5401BN	33.80	Tank Lever	24
YB5403BN	25.95	Double Robe Hook	24
YB5405BN	9.15	Drawer Knob	48
YB5407BN	18.00	Drawer Pull	48
 YB5408BN	47.60	Pivoting Paper Holder	6
YB5418BN	54.90	18-in. Towel Bar	6
YB5422BN	72.10	24-in. Double Towel Bar	6
YB5424BN	56.85	24-in. Towel Bar	6
YB5486BN	38.35	Towel Ring	6
YB5490BN	71.40	Vanity Shelf [22.75-in.W x 5.25-in.D x 2.9-in.H]	3
YB5494BN	184.50	Towel Shelf [26.8-in.W x 10-in.D x 6.4-in.H]	2
Polished Brass (PB)			
YB5401PB	28.45	Tank Lever	24
YB5403PB	21.85	Double Robe Hook	6
 YB5408PB	40.00	Pivoting Paper Holder	6
YB5418PB	49.20	18-in. Towel Bar	6
YB5422PB	64.55	24-in. Double Towel Bar	6
YB5424PB	47.55	24-in. Towel Bar	6
YB5486PB	32.55	Towel Ring	6
Oil Rubbed Bronze (ORB)			
YB5401ORB	37.15	Tank Lever	24
YB5403ORB	28.55	Double Robe Hook	24
YB5405ORB	9.70	Cabinet Knob	48
YB5407ORB	19.60	Drawer Pull	48
 YB5408ORB	52.40	Pivoting Paper Holder	6
YB5418ORB	60.40	18-in. Towel Bar	6
YB5422ORB	79.35	24-in. Double Towel Bar	6
YB5424ORB	62.60	24-in. Towel Bar	6
YB5486ORB	42.20	Towel Ring	6
YB5490ORB	78.60	Vanity Shelf [22.75-in.W x 5.25-in.D x 2.9-in.H]	3
YB5494ORB	202.95	Towel Shelf [26.8-in.W x 10-in.D x 6.4-in.H]	2
Wrought Iron (WR)			
YB5401WR	37.15	Tank Lever	24
YB5403WR	28.55	Double Robe Hook	24
 YB5408WR	52.40	Pivoting Paper Holder	6
YB5418WR	60.40	18-in. Towel Bar	6
YB5422WR	79.35	24-in. Double Towel Bar	6
YB5424WR	62.60	24-in. Towel Bar	6
YB5486WR	42.20	Towel Ring	6
YB5490WR	78.60	Vanity Shelf [22.75-in.W x 5.25-in.D x 2.9-in.H]	3

KINGSLEY® Perfectly Matched Bath Accessories



YB5401
Tank Lever



YB5403
Double Robe Hook



YB5405
Drawer Knob
(Available in BN, CH and ORB only)



YB5407
Drawer Pull
(Available in BN, CH and ORB only)



YB5408
Pivoting Paper Holder



YB5418
18-in. Towel Bar



YB5422
24-in. Double Towel Bar



YB5424
24-in. Towel Bar



YB5486
Towel Ring



YB5488
Three Post Paper Holder
(Available in Chrome only)



YB5490
Vanity Shelf
(Not available in PB)



YB5494
Towel Shelf
(Available in BN, CH and ORB only)

GRAB BARS

PERFECTLY MATCHED to Moen® Kingsley® faucets and bath accessories. ADA-compliant.



SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4-in. • Chrome (CH)			
YG5412CH	83.80	12-in. Designer Grab Bar	3
YG5418CH	87.55	18-in. Designer Grab Bar	3
YG5424CH	91.40	24-in. Designer Grab Bar	3
YG5430CH	97.80	30-in. Designer Grab Bar	3
YG5436CH	104.10	36-in. Designer Grab Bar	3
YG5442CH	152.75	42-in. Designer Grab Bar	3
1-1/4-in. • Brushed Nickel (BN)			
YG5412BN	101.25	12-in. Designer Grab Bar	3
YG5418BN	106.20	18-in. Designer Grab Bar	3
YG5424BN	114.55	24-in. Designer Grab Bar	3
YG5430BN	119.30	30-in. Designer Grab Bar	3
YG5436BN	128.95	36-in. Designer Grab Bar	3
YG5442BN	190.95	42-in. Designer Grab Bar	3
1-1/4-in. • Oil Rubbed Bronze (ORB)			
YG5412ORB	111.40	12-in. Designer Grab Bar	3
YG5418ORB	116.80	18-in. Designer Grab Bar	3
YG5424ORB	126.05	24-in. Designer Grab Bar	3












YG5424
24-in. length
Designer Grab Bar




Complies with Americans with Disabilities Act (ADA) specifications.
SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

RIZON® Bathroom Faucets

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
	<ul style="list-style-type: none">• application: one or three hole• supply line length: flexible• connection size: 3/8"• connection type: compression• deck plate: sold separately• drain assembly: metal• drain assembly type: lift rod• red/blue markings: included   DURALAST™	6900	244.05	Chrome	3
		DECKPLATE SOLD SEPARATELY			
		165006	22.25	Chrome	20
TWO-HANDLE BATHROOM FAUCET					
	<ul style="list-style-type: none">• application: three hole• center dimensions: 8" - 16" center• drain assembly: metal• drain assembly type: lift rod• red/blue markings: included• valve sold separately   	T6920	242.85	Chrome	3
	<ul style="list-style-type: none">• application: three hole• center dimensions: 8" - 16" center• drain assembly: metal• drain assembly type: lift rod  DURALOCK® DURALAST®	9000 ♦	116.50	1/2" IPS	6

HOW TO ORDER A COMPLETE BATHROOM FAUCET



NOTES












♦ Also available in bulk pack. See page 385.

Ⓜ Moen® **M•PACT®** Common Valve System


DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB FAUCET				
 <ul style="list-style-type: none"> • application: three hole • spout reach: 7.68" • valve sold separately  	T935	343.70	Chrome	3
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 3-3/8" rough deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included 	4792	135.50	1/2" CC	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 2- 3/4" rough deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included 	4793 4794	156.75 149.45	1/2" CPVC,Crimp ring PEX 1/2" Crimp ring PEX, Cold Expansion PEX	6 6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 1-7/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	4796 4797 4798	127.60 130.10 130.10	1/2" CC 1/2" CPVC,Crimp ring PEX 1/2" Crimp ring PEX, Cold Expansion PEX	6 6 6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200












HOW TO ORDER A COMPLETE ROMAN TUB FAUCET




NOTES

- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

RIZON® Roman Tubs

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB FAUCET INCLUDES HAND SHOWER				
  	T936 <ul style="list-style-type: none">• application: four hole• showerhead type: handshower• handshower flow rate: 2.0 gpm (7.6 L/min) max.• spray functions: one-function• spout reach: 7.68 "• valve sold separately	535.45	Chrome	3
 	9792 <ul style="list-style-type: none">• application: four hole• deck thickness: 1/8" to 2-5/8" rough deck• center dimensions: adjustable• non-adjustable spout shank: included• test plug: included	305.25	1/2" CC	6
 	9793 <ul style="list-style-type: none">• application: four hole• deck thickness: 1/8" to 2-5/8" rough deck• center dimensions: 10" - 24" center• non-adjustable spout shank: included• test plug: included	312.40	1/2" CPVC,Crimp ring PEX	6
 	9796 <ul style="list-style-type: none">• application: four hole• deck thickness: 1/8" to 2-5/8" rough deck• center dimensions: 10" center• non-adjustable spout shank: included• test plug: included	288.30	1/2" CC	6
	9797 <ul style="list-style-type: none">• application: four hole• deck thickness: 1/8" to 2-5/8" rough deck• center dimensions: 10" center• non-adjustable spout shank: included• test plug: included	289.70	1/2" CPVC,Crimp ring PEX	6
	104465 <ul style="list-style-type: none">• description: high flow thermostatic mixing valve for roman tubs• ports: three• ASSE standard 1070: yes• flow rate: 12.0 gpm (45.4 L/min) max.	173.00	1/2" CC	12
	140715 ♦ <ul style="list-style-type: none">• description: PEX transition fittings (2) and clips• connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	10.15	1/2" PEX	200















HOW TO ORDER A COMPLETE ROMAN TUB FAUCET




NOTES

- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System


RIZON® Posi-Temp® Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 3.75" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately  	T2813	185.65	Chrome	3
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.75" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately   	T2813EP	185.65	Chrome	3
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately  	T2813NH	125.05	Chrome	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦ 2520 ♦	112.90 112.90	1/2" IPS 1/2" CC	6 6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦ 2580 ♦ 2590 ♦	137.05 112.90 137.05	1/2" CC 1/2" Crimp ring PEX 1/2" IPS	6 6 6











HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET




NOTES

- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System

RIZON® Posi-Temp® Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 3.75" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve sold separately 	T2812	145.95	Chrome	3
					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3.75" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve sold separately 	T2812EP	145.95	Chrome	3
					
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • red/blue markings: included • valve sold separately 	T2812NH	116.10	Chrome	3
					
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦ 2520 ♦	112.90 112.90	1/2" IPS 1/2" CC	6 6
					
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦ 2580 ♦ 2590 ♦	137.05 112.90 137.05	1/2" CC 1/2" Crimp ring PEX 1/2" IPS	6 6 6
					




HOW TO ORDER A COMPLETE SHOWER FAUCET



NOTES

- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

RIZON® Posi-Temp® Showering

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE TRIM					
	<ul style="list-style-type: none">valve sold separately	T2811	109.50	Chrome	3
	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: included	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedquarter turn stops: included	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE VALVE














NOTES


- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System



**DARTMOOR™ Bathroom Faucets**

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE BATHROOM FAUCET					
 	<ul style="list-style-type: none">• application: three hole• center dimensions: 4" center• connection size: 1/2"• connection type: IPS• drain assembly : metal• drain assembly type: lift rod	6802 ♦	168.65	Chrome	3
		6802BN	229.00	Brushed Nickel	3
		6802ORB	251.95	Oil Rubbed Bronze	3
  DURALAST™					
TWO-HANDLE BATHROOM FAUCET					
 	<ul style="list-style-type: none">• application: three hole• center dimensions: 8" - 16" center• drain assembly : metal• drain assembly type: lift rod• valve sold separately	T6805	176.60	Chrome	3
		T6805BN	259.80	Brushed Nickel	3
		T6805ORB	284.70	Oil Rubbed Bronze	3
  					
	<ul style="list-style-type: none">• application: three hole• center dimensions: 8" - 16" center• drain assembly : metal• drain assembly type: lift rod	9000 ♦	116.50	1/2" IPS	6
 DURALOCK® DURALAST™					













HOW TO ORDER A COMPLETE BATHROOM FAUCETTrim
Part No.Valve
Part No.Complete
Faucet**NOTES**


♦ Also available in bulk pack. See page 385.

Ⓜ Moen® **M•PACT®** Common Valve System**DURALOCK®** Duralock® Quick Connections**DURALAST™** Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.


















	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB FAUCET				
   	T683	284.35	Chrome	3
	T683BN	419.25	Brushed Nickel	3
	T683ORB	460.00	Oil Rubbed Bronze	3
 	4792	135.50	1/2" CC	6
 	4793 4794	156.75 149.45	1/2" CPVC, Crimp ring PEX 1/2" Crimp ring PEX, Cold Expansion PEX	6 6
 	4796 4797 4798	127.60 130.10 130.10	1/2" CC 1/2" CPVC, Crimp ring PEX 1/2" Crimp ring PEX, Cold Expansion PEX	6 6 6
	104465	173.00	1/2" CC	12
	140715 ♦	10.15	1/2" PEX	200


HOW TO ORDER A COMPLETE ROMAN TUB FAUCET**NOTES**

- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

**DARTMOOR™ Posi-Temp® Showering**

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.





		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
   	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 4" diameter spray head • showerhead flow rate: 2.5 gpm [9.5 L/min] max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately  	T2183 ♦	116.05	Chrome	3
		T2183BN	216.55	Brushed Nickel	3
		T2183ORB	237.20	Oil Rubbed Bronze	3
   	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • showerhead flow rate: 1.75 gpm [6.65 L/min] max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately   	T2183EP	116.05	Chrome	3
		T2183EPBN	216.55	Brushed Nickel	3
		T2183EPORB	237.20	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET**NOTES**


- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

NEW! DARTMOOR™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 4" diameter spray head • showerhead flow rate: 2.5 gpm [9.5 L/min] max. • valve sold separately 	T2182 ♦	82.90	Chrome	3
		T2182BN	166.65	Brushed Nickel	3
		T2182ORB	182.20	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • showerhead flow rate: 1.75 gpm [6.65 L/min] max. • valve sold separately 	T2182EP	82.90	Chrome	3
		T2182EPBN	166.65	Brushed Nickel	3
		T2182EPORB	182.20	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6








DARTMOOR™

HOW TO ORDER A COMPLETE SHOWER FAUCET**NOTES**

- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

NEW! **DARTMOOR™** Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE TRIM					
 NEW!	<ul style="list-style-type: none">valve sold separately  	T2181	65.70	Chrome	3
		T2181BN	136.80	Brushed Nickel	3
		T2181ORB	149.45	Oil Rubbed Bronze	3
 	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: included	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedquarter turn stops: included	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

DARTMOOR™

HOW TO ORDER A COMPLETE VALVE



NOTES

- ♦ Also available in bulk pack. See page 385.
- Mo Moen® **M•PACT®** Common Valve System



See page 82 for details.

NEW! DARTMOOR™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Dartmoor™ bath accessories perfectly match the style and finish of our Dartmoor™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Dartmoor™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2101CH	19.75	Tank Lever	24
YB2103CH	14.00	Double Robe Hook	24
YB2108CH	25.10	Paper Holder	6
YB2118CH	30.85	18-in. Towel Bar	6
YB2124CH	32.50	24-in. Towel Bar	6
YB2186CH	19.15	Towel Ring	6
Brushed Nickel (BN)			
YB2101BN	30.30	Tank Lever	24
YB2103BN	21.40	Double Robe Hook	24
YB2108BN	38.60	Paper Holder	6
YB2118BN	47.35	18-in. Towel Bar	6
YB2124BN	49.80	24-in. Towel Bar	6
YB2186BN	29.20	Towel Ring	6
Oil Rubbed Bronze (ORB)			
YB2101ORB	33.30	Tank Lever	24
YB2103ORB	23.55	Double Robe Hook	24
YB2108ORB	42.35	Paper Holder	6
YB2118ORB	52.10	18-in. Towel Bar	6
YB2124ORB	54.75	24-in. Towel Bar	6
YB2186ORB	32.25	Towel Ring	6



NEW!

YB2101
Tank Lever



NEW!

YB2103
Double Robe Hook



NEW!

YB2108
Paper Holder



NEW!

YB2118
18" Towel Bar



NEW!

YB2124
24" Towel Bar



NEW!

YB2186
Towel Ring











YB8081
Pro-Fit® Installation Mounting Template (See page 82 for more information about the Pro-Fit® Installation System.)

DARTMOOR™


NEW! **GLYDE™ Bathroom Faucets**

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE CENTERSET BATHROOM FAUCET					
 NEW!	<ul style="list-style-type: none">• application: three hole• center dimensions: 4" center• connection size: 1/2"• connection type: IPS• drain assembly : metal• drain assembly type: lift rod   DURALAST™	6172 ♦	168.65	Chrome	3
		6172BN	229.00	Brushed Nickel	3
TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
 NEW!	<ul style="list-style-type: none">• application: three hole• center dimensions: 8" - 16" center• drain assembly : metal• drain assembly type: lift rod• valve sold separately  	T6173	176.60	Chrome	3
		T6173BN	259.80	Brushed Nickel	3
	<ul style="list-style-type: none">• application: three hole• center dimensions: 8" - 16" center• drain assembly : metal• drain assembly type: lift rod  DURALOCK® DURALAST™	9000 ♦	116.50	1/2" IPS	6

GLYDE™












HOW TO ORDER A COMPLETE BATHROOM FAUCET




NOTES

- ♦ Also available in bulk pack. See page 385.
 -  Moen® **M•PACT®** Common Valve System
 - DURALOCK®** Duralock® Quick Connections
 - DURALAST™** Duralast® Cartridge
- Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.














	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB				
  	T373	284.35	Chrome	3
	T373BN	419.25	Brushed Nickel	3
 	4792	135.50	1/2" CC	6
 	4793 4794	156.75 149.45	1/2" CPVC, Crimp ring PEX 1/2" Crimp ring PEX, Cold Expansion PEX	6 6
 	4796 4797 4798	127.60 130.10 130.10	1/2" CC 1/2" CPVC, Crimp ring PEX 1/2" Crimp ring PEX, Cold Expansion PEX	6 6 6
	104465	173.00	1/2" CC	12
	140715 ♦	10.15	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET**NOTES**


- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

NEW! GLYDE™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
 	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-7/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately  	T2743 ♦	116.05	Chrome	3
		T2743BN	216.55	Brushed Nickel	3
 	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-7/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately   	T2743EP	116.05	Chrome	3
		T2743EPBN	216.55	Brushed Nickel	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6





GLYDE™


HOW TO ORDER A COMPLETE SHOWER FAUCET

NOTES

- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

NEW! GLYDE™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.








		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-7/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately 	T2742 ♦	82.90	Chrome	3
		T2742BN	166.65	Brushed Nickel	3
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-7/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately 	T2742EP	82.90	Chrome	3
		T2742EPBN	166.65	Brushed Nickel	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET**NOTES**

- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

NEW! GLYDE™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none">valve sold separately  		T2741	65.70	Chrome	3
		T2741BN	136.80	Brushed Nickel	3
 <ul style="list-style-type: none">ports: fouradjustable temp limit stop: included 		2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
 <ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedquarter turn stops: included 		2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

GLYDE™

HOW TO ORDER A COMPLETE VALVE



NOTES

- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System



See page 82 for details.

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Glyde™ bath accessories perfectly match the style and finish of our Glyde™ faucets. Total coordination of the bath has never been easier.

NEW! GLYDE™ Perfectly Matched Bath Accessories

For more information on ordering Glyde™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2303CH	13.65	Double Robe Hook	24
YB2308CH	24.40	Paper Holder	6
YB2318CH	30.05	18-in. Towel Bar	6
YB2324CH	31.65	24-in. Towel Bar	6
YB2386CH	18.65	Towel Ring	6
Brushed Nickel (BN)			
YB2303BN	20.85	Double Robe Hook	24
YB2308BN	37.55	Paper Holder	6
YB2318BN	46.10	18-in. Towel Bar	6
YB2324BN	48.45	24-in. Towel Bar	6
YB2386BN	28.45	Towel Ring	6



NEW!

YB2303
Double Robe Hook



NEW!

YB2308
Paper Holder



NEW!

YB2386
Towel Ring



NEW!

YB2318
18-in. Towel Bar



NEW!

YB2324
24-in. Towel Bar

















YB8081
Pro-Fit® Installation Mounting Template (See page 82 for more information about the Pro-Fit® Installation System.)

GLYDE™

BRANTFORD™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: included • drain assembly : metal • drain assembly type: lift rod   DURALAST®		6600 ♦	218.30	Chrome	3
		6600BN	285.65	Brushed Nickel	3
		6600ORB	314.20	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • description: vessel extension kit • includes: parts to convert to grid drain • includes: two 2.5" extensions 		A1717	127.60	Chrome	6
		A1717BN	182.85	Brushed Nickel	6
		A1717ORB	198.70	Oil Rubbed Bronze	6
TWO-HANDLE CENTERSET BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly: metal • drain assembly type: lift rod   DURALAST®		6610♦	157.20	Chrome	6
		6610BN	213.50	Brushed Nickel	6
		6610ORB	234.90	Oil Rubbed Bronze	6
TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly: metal • drain assembly type: lift rod • valve sold separately   		T6620	155.25	Chrome	3
		T6620BN	232.80	Brushed Nickel	3
		T6620ORB	256.00	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod  DURALOCK® DURALAST®		9000 ♦	116.50	1/2" IPS	6

HOW TO ORDER A COMPLETE BATHROOM FAUCET**NOTES**












♦ Also available in bulk pack. See page 385.

Ⓜ Moen® **M•PACT®** Common Valve System**DURALOCK®** Duralock® Quick Connections**DURALAST®** Duralast® Cartridge


Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

BRANTFORD™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE GARDEN TUB FAUCET					
  	<ul style="list-style-type: none"> • application: three hole • spout reach: 6.50" • valve sold separately 	T4943	191.25	Chrome	3
		T4943BN	249.60	Brushed Nickel	3
		T4943ORB	274.55	Oil Rubbed Bronze	3
 	<ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 3-3/8" rough deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included 	4792	135.50	1/2" CC	6
 	<ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 2- 3/4" rough deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included 	4793 4794	156.75 149.45	1/2" CPVC,Crimp ring PEX 1/2" Crimp ring PEX,Cold Expansion PEX	6 6
 	<ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 1-7/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	4796 4797 4798	127.60 130.10 130.10	1/2" CC 1/2" CPVC,Crimp ring PEX 1/2" Crimp ring PEX,Cold Expansion PEX	6 6 6
	<ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
	<ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200











BRANTFORD™

HOW TO ORDER A COMPLETE GARDEN TUB FAUCET**NOTES**

- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System


BRANTFORD™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB					
 	<ul style="list-style-type: none">• application: three hole• spout reach: 8.13 "• valve sold separately	T933	253.45	Chrome	3
		T933BN	379.20	Brushed Nickel	3
		T933ORB	417.15	Oil Rubbed Bronze	3
 	<ul style="list-style-type: none">• application: three hole• deck thickness: 1/8" to 3-3/8" rough deck• center dimensions: adjustable• adjustable spout shank: included• test plug: included	4792	135.50	1/2" CC	6
 	<ul style="list-style-type: none">• application: three hole• deck thickness: 1/8" to 2- 3/4" rough deck• center dimensions: 10" - 24" center• adjustable spout shank: included• test plug: included	4793	156.75	1/2" CPVC,Crimp ring PEX	6
		4794	149.45	1/2" Crimp ring PEX, Cold Expansion PEX	6
 	<ul style="list-style-type: none">• application: three hole• deck thickness: 1/8" to 1-7/8" rough deck• center dimensions: 10" center• non-adjustable spout shank: included• test plug: included	4796	127.60	1/2" CC	6
		4797	130.10	1/2" CPVC,Crimp ring PEX	6
		4798	130.10	1/2" Crimp ring PEX, Cold Expansion PEX	6
	<ul style="list-style-type: none">• description: high flow thermostatic mixing valve for roman tubs• ports: three• ASSE standard 1070: yes• flow rate: 12.0 gpm (45.4 L/min) max.	104465	173.00	1/2" CC	12
	<ul style="list-style-type: none">• description: PEX transition fittings (2) and clips• connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion	140715 ♦	10.15	1/2" PEX	200

BRANTFORD™

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET














NOTES


- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System

BRANTFORD™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER				
 <ul style="list-style-type: none"> • application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 8.13 " • valve sold separately  	T924	397.95	Chrome	3
	T924BN	504.15	Brushed Nickel	3
	T924ORB	554.55	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included 	9792	305.25	1/2" CC	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included 	9793	312.40	1/2" CPVC, Crimp ring PEX	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	9796	288.30	1/2" CC	6
	9797	289.70	1/2" CPVC, Crimp ring PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200






BRANTFORD™

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET**NOTES**

- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

BRANTFORD™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	T2153 ♦	98.65	Chrome	3
		T2153BN	192.35	Brushed Nickel	3
		T2153ORB	211.60	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • chrome sold in case qty only: no single pack • valve sold separately 	T62153EP ♦	84.65	Chrome	12
		T2153EPBN	192.35	Brushed Nickel	3
		T2153EPORB	211.60	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • chrome sold in case qty only: no single pack • valve sold separately 	T62153NH ♦	72.50	Chrome	12
		T2153NHBN	147.35	Brushed Nickel	3
		T2153NHORB	157.65	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6






BRANTFORD™

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET**NOTES**

- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

BRANTFORD™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately 	T2152 ♦	67.75	Chrome	3
		T2152BN	145.85	Brushed Nickel	3
		T2152ORB	160.35	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • chrome sold in case qty only: no single pack • valve sold separately 	T62152EP ♦	56.20	Chrome	12
		T2152EPBN	145.85	Brushed Nickel	3
		T2152EPORB	160.35	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • chrome sold in case qty only: no single pack • valve sold separately 	T62152NH ♦	53.45	Chrome	12
		T2152NHBN	125.05	Brushed Nickel	3
		T2152NHORB	137.50	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6












BRANTFORD™

HOW TO ORDER A COMPLETE SHOWER FAUCET**NOTES**


- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

BRANTFORD™ Posi-Temp® Showering, Bidets


All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
<div><div>NEW!</div></div>	<ul style="list-style-type: none">valve sold separately	T2150	87.80	Chrome	3
		T2150BN	154.10	Brushed Nickel	3
		T2150ORB	165.85	Oil Rubbed Bronze	3
<div> </div>	<ul style="list-style-type: none">valve sold separately	T2151	51.70	Chrome	3
		T2151BN	118.00	Brushed Nickel	3
		T2151ORB	129.80	Oil Rubbed Bronze	3
<div> </div>	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: included	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
<div> </div>	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedquarter turn stops: included	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6
TWO-HANDLE BIDET					
<div> </div>	<ul style="list-style-type: none">center dimensions: 8" - 16" centervalve sold separately	T5225	345.95	Chrome	3
		T5225BN	417.80	Brushed Nickel	3
		T5225ORB	459.55	Oil Rubbed Bronze	3
<div>  DURALOCK® DURALAST®</div>	<ul style="list-style-type: none">center dimensions: 8" - 16" center	9265	239.95	1/2" IPS	6

HOW TO ORDER A COMPLETE BIDET FAUCET



NOTES

- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT**® Common Valve System
- DURALOCK® Duralock® Quick Connections
- DURALAST® Duralast® Cartridge

BRANTFORD™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Brantford™ bath accessories perfectly match the style and finish of our Brantford™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Brantford™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
5/8-in. Round Bar			
Chrome (CH)			
YB2201CH	18.10	Tank Lever	6
YB2203CH	12.85	Double Robe Hook	24
YB2208CH	23.00	Paper Holder	6
YB2218CH	28.25	18-in. Towel Bar	6
YB2224CH	29.75	24-in. Towel Bar	6
YB2286CH	17.55	Towel Ring	6
Brushed Nickel (BN)			
YB2201BN	27.75	Tank Lever	6
YB2203BN	19.60	Double Robe Hook	24
YB2208BN	35.35	Paper Holder	6
YB2218BN	43.35	18-in. Towel Bar	6
YB2224BN	45.60	24-in. Towel Bar	6
YB2286BN	26.75	Towel Ring	6
Oil Rubbed Bronze (ORB)			
YB2201ORB	30.50	Tank Lever	6
YB2203ORB	21.60	Double Robe Hook	24
YB2208ORB	38.80	Paper Holder	6
YB2218ORB	47.70	18-in. Towel Bar	6
YB2224ORB	50.15	24-in. Towel Bar	6
YB2286ORB	29.55	Towel Ring	6



YB2201
Tank Lever



YB2203
Double Robe Hook



YB2208
Paper Holder



YB2218
18-in. Towel Bar



YB2224
24-in. Towel Bar



YB2286
Towel Ring

GRAB BARS

PERFECTLY MATCHED to Moen® Brantford™ faucets and bath accessories. ADA-compliant.



SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4-in. • Chrome (CH)			
YG2212CH	75.90	12-in. Designer Grab Bar	6
YG2218CH	80.25	18-in. Designer Grab Bar	6
YG2224CH	84.00	24-in. Designer Grab Bar	6
1-1/4-in. • Brushed Nickel (BN)			
YG2212BN	92.60	12-in. Designer Grab Bar	6
YG2218BN	97.25	18-in. Designer Grab Bar	6
YG2224BN	105.30	24-in. Designer Grab Bar	6
1-1/4-in. • Oil Rubbed Bronze (ORB)			
YG2212ORB	101.15	12-in. Designer Grab Bar	6
YG2218ORB	106.40	18-in. Designer Grab Bar	6
YG2224ORB	117.40	24-in. Designer Grab Bar	6



YB8081
Pro-Fit® Installation Mounting Template (See page 82 for more information about the Pro-Fit® Installation System.)



YG2224
24-in. length
Designer Grab Bar

BRANTFORD™



Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

BRANTFORD™ Perfectly Matched Bath Accessories**LIGHTING**

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2261CH	101.95	One-Globe Light	2
YB2262CH	142.65	Two-Globe Light	2
YB2263CH	177.15	Three-Globe Light	2
YB2264CH	226.90	Four-Globe Light	2
Brushed Nickel (BN)			
YB2261BN	127.40	One-Globe Light	2
YB2262BN	178.35	Two-Globe Light	2
YB2263BN	221.50	Three-Globe Light	2
YB2264BN	283.60	Four-Globe Light	2
Oil Rubbed Bronze (ORB)			
YB2261ORB	127.40	One-Globe Light	2
YB2262ORB	178.35	Two-Globe Light	2
YB2263ORB	221.50	Three-Globe Light	2
YB2264ORB	283.60	Four-Globe Light	2
Replacement Globe			
YB2269	19.05	Replacement Globe Service Kit	3















YB2261
One-Globe LightYB2262
Two-Globe LightYB2263
Three-Globe LightYB2264
Four-Globe LightYB2269
Replacement Globe

Bulbs not included.


All Brantford™ lighting fixtures can be mounted with globes either facing upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

EVA® Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET				
  <ul style="list-style-type: none"> • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: included • drain assembly : metal • drain assembly type: lift rod   DURALAST®	6400	218.30	Chrome	3
	6400BN	285.65	Brushed Nickel	3
	6400ORB	314.20	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • description: vessel extension kit • includes: parts to convert to grid drain • includes: two 2.5" extensions 	A1717	127.60	Chrome	6
	A1717BN	182.85	Brushed Nickel	6
	A1717ORB	198.70	Oil Rubbed Bronze	6
TWO-HANDLE CENTERSET BATHROOM FAUCET				
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : metal • drain assembly type: lift rod   DURALAST®	6410 ♦	157.20	Chrome	6
	6410BN	213.50	Brushed Nickel	6
	6410ORB	234.90	Oil Rubbed Bronze	6
TWO-HANDLE WIDESPREAD BATHROOM FAUCET				
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod • valve sold separately   	T6420	155.25	Chrome	3
	T6420BN	232.80	Brushed Nickel	3
	T6420ORB	256.00	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod  DURALOCK® DURALAST®	9000 ♦	116.50	1/2" IPS	6

HOW TO ORDER A COMPLETE BATHROOM FAUCET



NOTES












♦ Also available in bulk pack. See page 385.


Ⓜ Moen® **M•PACT®** Common Valve System**DURALOCK®** Duralock® Quick Connections**DURALAST®** Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

EVA® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.












	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB				
 <ul style="list-style-type: none"> • application: three hole • spout reach: 7.67" • valve sold separately  	T943	253.45	Chrome	3
	T943BN	379.20	Brushed Nickel	3
	T943ORB	417.15	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 3-3/8" rough deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included 	4792	135.50	1/2" CC	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 2- 3/4" rough deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included 	4793 4794	156.75 149.45	1/2" CPVC,Crimp ring PEX 1/2" Crimp ring PEX, Cold Expansion PEX	6 6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 1-7/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	4796 4797 4798	127.60 130.10 130.10	1/2" CC 1/2" CPVC,Crimp ring PEX 1/2" Crimp ring PEX, Cold Expansion PEX	6 6 6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200


HOW TO ORDER A COMPLETE ROMAN TUB FAUCET**NOTES**

- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

EVA® Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.






	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER				
 <ul style="list-style-type: none"> • application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 7.67" • valve sold separately  	T944	397.95	Chrome	3
	T944BN	504.15	Brushed Nickel	3
	T944ORB	554.55	Oil Rubbed Bronze	3
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included 	9792	305.25	1/2" CC	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included 	9793	312.40	1/2" CPVC, Crimp ring PEX	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	9796	288.30	1/2" CC	6
	9797	289.70	1/2" CPVC, Crimp ring PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET**NOTES**

- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

EVA® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.






		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately 	T2133 ♦	98.65	Chrome	3
		T2133BN	192.35	Brushed Nickel	3
		T2133ORB	211.60	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • chrome sold in case qty only: no single pack • valve sold separately 	T62133EP ♦	84.65	Chrome	12
		T2133EPBN	192.35	Brushed Nickel	3
		T2133EPORB	211.60	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • chrome sold in case qty only: no single pack • valve sold separately 	T62133NH ♦	72.50	Chrome	12
		T2133NHBN	147.35	Brushed Nickel	3
		T2133NHORB	157.65	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET**NOTES**

- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

EVA® Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately 	T2132 ♦	67.75	Chrome	3
		T2132BN	145.85	Brushed Nickel	3
		T2132ORB	160.35	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately 	T62132EP ♦	67.75	Chrome	12
		T2132EPBN	145.85	Brushed Nickel	3
		T2132EPORB	160.35	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • chrome sold in case qty only: no single pack • valve sold separately 	T62132NH ♦	53.45	Chrome	12
		T2132NHBN	125.05	Brushed Nickel	3
		T2132NHORB	137.50	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE SHOWER FAUCET
















NOTES


- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT**® Common Valve System

EVA® Posi-Temp® Showering, Bidets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
<div><div>NEW!</div></div>	<ul style="list-style-type: none">valve sold separately	T2130	87.80	Chrome	3
		T2130BN	154.10	Brushed Nickel	3
		T2130ORB	165.85	Oil Rubbed Bronze	3
<div><div></div></div>	<ul style="list-style-type: none">valve sold separately	T2131	51.70	Chrome	3
		T2131BN	118.00	Brushed Nickel	3
		T2131ORB	129.80	Oil Rubbed Bronze	3
<div><div></div></div>	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: included	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
<div><div></div></div>	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedquarter turn stops: included	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6
TWO-HANDLE BIDET					
<div><div></div></div>	<ul style="list-style-type: none">center dimensions: 8" - 16" centervalve sold separately	T5220	345.95	Chrome	3
		T5220BN	417.80	Brushed Nickel	3
		T5220ORB	459.55	Oil Rubbed Bronze	3
<div><div> DURALOCK® DURALAST®</div></div>	<ul style="list-style-type: none">center dimensions: 8" - 16" center	9265	239.95	1/2" IPS	6

HOW TO ORDER A COMPLETE BIDET FAUCET



NOTES

- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT**® Common Valve System
- DURALOCK® Duralock® Quick Connections
- DURALAST® Duralast® Cartridge

EVA® Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Eva® bath accessories perfectly match the style and finish of our Eva® faucets. Total coordination of the bath has never been easier.

For more information on ordering Eva® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
3/4-in. Elliptical Bar			
Chrome (CH)			
YB2801CH	18.10	Tank Lever	6
YB2803CH	12.85	Robe Hook	24
YB2808CH	23.00	Paper Holder	6
YB2818CH	28.25	18-in. Towel Bar	6
YB2824CH	29.75	24-in. Towel Bar	6
YB2886CH	17.55	Towel Ring	6
YB2894CH	143.95	Towel Shelf (26-in.W x 10.65-in.D x 7-in.H)	2
Brushed Nickel (BN)			
YB2801BN	27.75	Tank Lever	6
YB2803BN	19.60	Robe Hook	24
YB2808BN	35.35	Paper Holder	6
YB2818BN	43.35	18-in. Towel Bar	6
YB2824BN	45.60	24-in. Towel Bar	6
YB2886BN	26.75	Towel Ring	6
YB2894BN	157.90	Towel Shelf (26-in.W x 10.65-in.D x 7-in.H)	2
Oil Rubbed Bronze (ORB)			
YB2801ORB	30.50	Tank Lever	6
YB2803ORB	21.60	Robe Hook	24
YB2808ORB	38.80	Paper Holder	6
YB2818ORB	47.70	18-in. Towel Bar	6
YB2824ORB	50.15	24-in. Towel Bar	6
YB2886ORB	29.55	Towel Ring	6
YB2894ORB	173.70	Towel Shelf (26-in.W x 10.65-in.D x 7-in.H)	2



YB2801
Tank Lever



YB2803
Robe Hook



YB2808
Paper Holder



YB2824
24-in. Towel Bar



YB2886
Towel Ring



YB2818
18-in. Towel Bar



YB2894
Towel Shelf
(Does not work with Pro-Fit® Installation)



YB8081
Pro-Fit® Installation Mounting Template [See page 82 for more information about the Pro-Fit® Installation System.]



YG2824
24-in. length
Designer Grab Bar

GRAB BARS

PERFECTLY MATCHED to Moen® Eva® faucets and bath accessories. ADA-compliant.



SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4-in. • Chrome (CH)			
YG2812CH	75.90	12-in. Designer Grab Bar	6
YG2818CH	80.25	18-in. Designer Grab Bar	6
YG2824CH	84.00	24-in. Designer Grab Bar	6
1-1/4-in. • Brushed Nickel (BN)			
YG2812BN	92.60	12-in. Designer Grab Bar	6
YG2818BN	97.25	18-in. Designer Grab Bar	6
YG2824BN	105.30	24-in. Designer Grab Bar	6
1-1/4-in. • Oil Rubbed Bronze (ORB)			
YG2812ORB	101.15	12-in. Designer Grab Bar	6
YG2818ORB	106.40	18-in. Designer Grab Bar	6
YG2824ORB	117.40	24-in. Designer Grab Bar	6



Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

EVA® Perfectly Matched Bath Accessories



LIGHTING

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2861CH	101.95	One-Globe Light	2
YB2862CH	142.65	Two-Globe Light	2
YB2863CH	177.15	Three-Globe Light	2
YB2864CH	226.90	Four-Globe Light	2
Brushed Nickel (BN)			
YB2861BN	127.40	One-Globe Light	2
YB2862BN	178.35	Two-Globe Light	2
YB2863BN	221.50	Three-Globe Light	2
YB2864BN	283.60	Four-Globe Light	2
Oil Rubbed Bronze (ORB)			
YB2861ORB	127.40	One-Globe Light	2
YB2862ORB	178.35	Two-Globe Light	2
YB2863ORB	221.50	Three-Globe Light	2
YB2864ORB	283.60	Four-Globe Light	2
Replacement Globe			
YB2869	19.05	Replacement Globe Service Kit	3











YB2861
One-Globe LightYB2862
Two-Globe LightYB2863
Three-Globe LightYB2864
Four-Globe LightYB2869
Replacement Globe


Bulbs not included.

All Eva™ lighting fixtures can be mounted with globes either facing upward or downward.
List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

METHOD™ Bathroom Faucets

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: one or three hole • supply line length: flexible • connection size: 3/8" • connection type: compression • deck plate: included • drain assembly : metal • drain assembly type: lift rod   DURALAST™		6810 ♦	218.30	Chrome	3
		6810BN	285.65	Brushed Nickel	3
 <ul style="list-style-type: none"> • description: vessel extension kit • includes: parts to convert to grid drain 		A2020	126.45	Chrome	6
		A2020BN	181.10	Brushed Nickel	6
TWO-HANDLE WIDESPREAD BATHROOM FAUCET					
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod • valve sold separately   		T6820	155.25	Chrome	3
		T6820BN	232.80	Brushed Nickel	3
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • drain assembly : metal • drain assembly type: lift rod  DURALOCK® DURALAST™		9000 ♦	116.50	1/2" IPS	6

HOW TO ORDER A COMPLETE BATHROOM FAUCET**NOTES**












♦ Also available in bulk pack. See page 385.

Ⓜ Moen® **M•PACT®** Common Valve System**DURALOCK®** Duralock® Quick Connections**DURALAST™** Duralast® Cartridge


Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

METHOD™ Roman Tubs


All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB				
  	T986	253.45	Chrome	3
	T986BN	379.20	Brushed Nickel	3
 	4792	135.50	1/2" CC	6
 	4793	156.75	1/2" CPVC,Crimp ring PEX	6
	4794	149.45	1/2" Crimp ring PEX,Cold Expansion PEX	6
 	4796	127.60	1/2" CC	6
	4797	130.10	1/2" CPVC,Crimp ring PEX	6
	4798	130.10	1/2" Crimp ring PEX,Cold Expansion PEX	6
	104465	173.00	1/2" CC	12
	140715 ♦	10.15	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET















NOTES

- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System

METHOD™ Roman Tubs

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.














	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER				
 <ul style="list-style-type: none"> • application: four hole • showerhead type: handshower • handshower flow rate: 2.0 gpm (7.6 L/min) max. • spray functions: one-function • spout reach: 7.50" • valve sold separately  	T987	397.95	Chrome	3
	T987BN	504.15	Brushed Nickel	3
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: adjustable • non-adjustable spout shank: included • test plug: included 	9792	305.25	1/2" CC	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" - 24" center • non-adjustable spout shank: included • test plug: included 	9793	312.40	1/2" CPVC,Crimp ring PEX	6
 <ul style="list-style-type: none"> • application: four hole • deck thickness: 1/8" to 2-5/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	9796	288.30	1/2" CC	6
	9797	289.70	1/2" CPVC,Crimp ring PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200

HOW TO ORDER A COMPLETE ROMAN TUB FAUCET**NOTES**


- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT®** Common Valve System

METHOD™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER					
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: standard• showerhead size: 2-1/2" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• spout length: 5 7/8"• spout connection type: slip fit• tub spout type: diverter• valve sold separately  	T2803 ♦	98.65	Chrome	3
		T2803BN	192.35	Brushed Nickel	3
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: eco-performance showerhead• showerhead size: 2-1/2" diameter spray head• showerhead flow rate: 1.75 gpm (6.65 L/min) max.• spout length: 5 7/8"• spout connection type: slip fit• tub spout type: diverter• valve sold separately   	T62803EP ♦	84.65	Chrome	12
		T2803EPBN	192.35	Brushed Nickel	3
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• spout length: 5 7/8"• spout connection type: slip fit• tub spout type: diverter• valve sold separately 	T2803NH ♦	72.20	Chrome	3
		T2803NHBN	147.35	Brushed Nickel	3
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included 	2510 ♦	112.90	1/2" IPS	6
		2520 ♦	112.90	1/2" CC	6
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included• quarter turn stops: included 	2570 ♦	137.05	1/2" CC	6
		2580 ♦	112.90	1/2" Crimp ring PEX	6
		2590 ♦	137.05	1/2" IPS	6

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET








NOTES


- ♦ Also available in bulk pack. See page 385.
- Moeno M•PACT® Common Valve System

METHOD™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • valve sold separately 	T2802◆	67.75	Chrome	3
		T2802BN	145.85	Brushed Nickel	3
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • valve sold separately 	T62802EP ◆	56.20	Chrome	12
		T2802EPBN	145.85	Brushed Nickel	3
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • valve sold separately 	T2802NH ◆	57.80	Chrome	3
		T2802NHBN	125.05	Brushed Nickel	3
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	2510 ◆	112.90	1/2" IPS	6
		2520 ◆	112.90	1/2" CC	6
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 	2570 ◆	137.05	1/2" CC	6
		2580 ◆	112.90	1/2" Crimp ring PEX	6
		2590 ◆	137.05	1/2" IPS	6








METHOD™

HOW TO ORDER A COMPLETE SHOWER FAUCET**NOTES**

- ◆ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

METHOD™ Posi-Temp® Showering

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none">valve sold separately  		T2801 ◆	51.70	Chrome	3
		T2801BN	118.00	Brushed Nickel	3
 	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: included	2510 ◆	112.90	1/2" IPS	6
		2520 ◆	112.90	1/2" CC	6
 	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedquarter turn stops: included	2570 ◆	137.05	1/2" CC	6
		2580 ◆	112.90	1/2" Crimp ring PEX	6
		2590 ◆	137.05	1/2" IPS	6

METHOD™

HOW TO ORDER A COMPLETE VALVE FAUCET



NOTES



- ◆ Also available in bulk pack. See page 385.
- Moен® **M•PACT**® Common Valve System

METHOD™ Perfectly Matched Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Method™ bath accessories perfectly match the style and finish of our Method™ faucets. Total coordination of the bath has never been easier.

For more information on ordering Method™ bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
YB2401CH	18.10	Tank Lever	24
YB2403CH	12.85	Double Robe Hook	24
 YB2408CH	23.00	Pivoting Paper Holder	6
YB2418CH	28.25	18-in. Towel Bar	6
YB2422CH	52.40	18-in. Double Towel Bar	6
YB2424CH	29.75	24-in. Towel Bar	6
YB2486CH	17.55	Mini-Towel Bar	6
Brushed Nickel (BN)			
YB2401BN	27.75	Tank Lever	24
YB2403BN	19.60	Double Robe Hook	6
 YB2408BN	35.35	Pivoting Paper Holder	6
YB2418BN	43.35	18-in. Towel Bar	6
YB2422BN	66.70	18-in. Double Towel Bar	6
YB2424BN	45.60	24-in. Towel Bar	6
YB2486BN	26.75	Mini-Towel Bar	6

D-Shaped Bar



YB2401
Tank Lever



YB2403
Double Robe Hook



YB2408 
Pivoting Paper Holder



NEW!

YB2422
18-in. Double Towel Bar
(Does not work with Pro-Fit® Installation)



YB2418
18-in. Towel Bar



YB2424
24-in. Towel Bar



YB2486
Mini-Towel Bar


















YB8081
Pro-Fit® Installation Mounting Template (See page 82 for more information about the Pro-Fit® Installation System.)

METHOD™

CHATEAU® Bathroom Faucets









All Polished Brass faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ONE-HANDLE BATHROOM FAUCET					
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : drain not included 	L4601 ♦	125.95	Chrome	12
	 				
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : drain not included • red/blue markings: included 	L4605	125.95	Chrome	12
	 				
ONE-HANDLE BATHROOM FAUCET					
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : metal • drain assembly type: lift rod 	L4621 ♦ L4621BC L4621P ♦	155.55 186.70 263.30	Chrome Brushed Chrome Polished Brass	12 12 12
	 				
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • supply line length: 16" • connection size: 3/8" • connection type: compression • drain assembly : metal • drain assembly type: lift rod 	L4625 L4631BC	155.55 186.70	Chrome Brushed Chrome	6 6
	 				
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : metal • drain assembly type: lift rod • red/blue markings: included 	L4635 ♦	155.55	Chrome	12
	 				

NOTES

♦ Also available in bulk pack. See page 385.

CHATEAU® Bathroom Faucets

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE CENTERSET BATHROOM FAUCET				
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : metal • drain assembly type: lift rod  	4925 ♦	143.15	Chrome	12
	4925BC	182.85	Brushed Chrome	12
TWO-HANDLE WIDESPREAD BATHROOM FAUCET				
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • connection size: 1/2" • connection type: IPS • drain assembly : metal • drain assembly type: lift rod • includes: 9000 valve   DURALOCK®	4945	250.65	Chrome	6
	4962	231.85	Chrome	6
 <ul style="list-style-type: none"> • application: three hole • center dimensions: 8" - 16" center • connection size: 1/2" • connection type: IPS • drain assembly : metal • drain assembly type: lift rod • includes: 9000 valve  DURALOCK®				

NOTES













- ♦ Also available in bulk pack. See page 385.

DURALOCK® Duralock® Quick Connections


DURALAST® Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

CHATEAU® Bathroom Faucets














	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE GARDEN TUB				
 <ul style="list-style-type: none"> • application: three hole • connection size: 1/2" • connection type: IPS • spout reach: 7.00" • includes: 9000 valve • center dimensions: 8" - 16" center 	4902	175.30	Chrome	6
TWO-HANDLE GARDEN TUB				
 <ul style="list-style-type: none"> • application: three hole • spout reach: 7.00" • valve: sold separately  	T994 ♦	150.00	Chrome	6
  <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 3-3/8" rough deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included 	4792	135.50	1/2" CC	6
  <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 2- 3/4" rough deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included 	4793 4794	156.75 149.45	1/2" CPVC,Crimp ring PEX 1/2" Crimp ring PEX,Cold Expansion PEX	6 6
  <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 1-7/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	4796 4797 4798	127.60 130.10 130.10	1/2" CC 1/2" CPVC,Crimp ring PEX 1/2" Crimp ring PEX,Cold Expansion PEX	6 6 6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200

HOW TO ORDER A COMPLETE GARDEN TUB FAUCET




NOTES

- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB				
 <ul style="list-style-type: none"> • application: three hole • spout reach: 9.00" • valve sold separately  	T990 ♦	243.20	Chrome	6
	T990BC ♦	300.25	Brushed Chrome	6
 <ul style="list-style-type: none"> • application: three hole • spout reach: 9.00" • valve sold separately 	T999 ♦	189.50	Chrome	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 3-3/8" rough deck • center dimensions: adjustable • adjustable spout shank: included • test plug: included 	4792	135.50	1/2" CC	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 2- 3/4" rough deck • center dimensions: 10" - 24" center • adjustable spout shank: included • test plug: included 	4793	156.75	1/2" CPVC,Crimp ring PEX	6
	4794	149.45	1/2" Crimp ring PEX,Cold Expansion PEX	6
 <ul style="list-style-type: none"> • application: three hole • deck thickness: 1/8" to 1-7/8" rough deck • center dimensions: 10" center • non-adjustable spout shank: included • test plug: included 	4796	127.60	1/2" CC	6
	4797	130.10	1/2" CPVC,Crimp ring PEX	6
	4798	130.10	1/2" Crimp ring PEX,Cold Expansion PEX	6
 <ul style="list-style-type: none"> • description: high flow thermostatic mixing valve for roman tubs • ports: three • ASSE standard 1070: yes • flow rate: 12.0 gpm (45.4 L/min) max. 	104465	173.00	1/2" CC	12
 <ul style="list-style-type: none"> • description: PEX transition fittings (2) and clips • connections: adapts standard 1/2" PEX barb to 1/2" PEX cold expansion 	140715 ♦	10.15	1/2" PEX	200












HOW TO ORDER A COMPLETE ROMAN TUB FAUCET




NOTES

- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT**® Common Valve System

CHATEAU® Roman Tubs

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TWO-HANDLE ROMAN TUB WITH HANDSHOWER				
 <ul style="list-style-type: none">• application: four hole• showerhead type: handshower• handshower flow rate: 2.0 gpm (7.6 L/min) max.• spray functions: one-function• spout reach: 9.00 "• valve sold separately  	T991	361.75	Chrome	6
 <ul style="list-style-type: none">• application: four hole• deck thickness: 1/8" to 2-5/8" rough deck• center dimensions: adjustable• non-adjustable spout shank: included• test plug: included 	9792	305.25	1/2" CC	6
 <ul style="list-style-type: none">• application: four hole• deck thickness: 1/8" to 2-5/8" rough deck• center dimensions: 10" - 24" center• non-adjustable spout shank: included• test plug: included 	9793	312.40	1/2" CPVC,Crimp ring PEX	6
 	9796	288.30	1/2" CC	6
	9797	289.70	1/2" CPVC,Crimp ring PEX	6
	104465	173.00	1/2" CC	12
	140715 ♦	10.15	1/2" PEX	200







HOW TO ORDER A COMPLETE ROMAN TUB FAUCET














NOTES

- ♦ Also available in bulk pack. See page 385.
- Moën® **M•PACT**® Common Valve System


CHATEAU® Posi-Temp® Showering

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER				
 <ul style="list-style-type: none"> • ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • adjustable temp limit stop: included 	2353	164.80	Chrome	12
 <ul style="list-style-type: none"> • ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • adjustable temp limit stop: included • quarter turn stops: included 	2363	188.30	Chrome	12
 <ul style="list-style-type: none"> • ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • adjustable temp limit stop: included 	L2353	164.80	Chrome	6


CHATEAU® Posi-Temp® Showering

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® TUB/SHOWER (CONTINUED)				
	<ul style="list-style-type: none">• ports: four• connection size: 1/2"• connection type: CC• showerhead functions: one-function• showerhead type: eco-performance showerhead• showerhead size: 2-1/2" diameter spray head• showerhead flow rate: 1.75 gpm (6.65 L/min) max.• spout length: 5 1/2"• spout connection type: slip fit• tub spout type: diverter• red/blue markings: included• adjustable temp limit stop: included• quarter turn stops: included  	L2369EP	224.95 Chrome	3
POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: eco-performance showerhead• showerhead size: 2-1/2" diameter spray head• showerhead flow rate: 1.75 gpm (6.65 L/min) max.• spout length: 5 1/2"• spout connection type: slip fit• tub spout type: diverter• red/blue markings: included• valve sold separately   	TL2369EP	92.00 Chrome	6
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included 	2510 ♦ 2520 ♦	112.90 1/2" IPS 112.90 1/2" CC	6 6
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included• quarter turn stops: included 	2570 ♦ 2580 ♦ 2590 ♦	137.05 1/2" CC 112.90 1/2" Crimp ring PEX 137.05 1/2" IPS	6 6 6









HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET











NOTES

- ♦ Also available in bulk pack. See page 385.
-  Moen® **M•PACT®** Common Valve System

CHATEAU® Posi-Temp® Showering

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY				
 <ul style="list-style-type: none"> • ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • adjustable temp limit stop: included 	2352	144.20	Chrome	12
 <ul style="list-style-type: none"> • ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • adjustable temp limit stop: included 	L2352	144.20	Chrome	6
 <ul style="list-style-type: none"> • ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • adjustable temp limit stop: included • quarter turn stops: included 	L2362	167.65	Chrome	6
 <ul style="list-style-type: none"> • ports: four • connection size: 1/2" • connection type: CC • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • adjustable temp limit stop: included • quarter turn stops: included  	L2368EP	208.50	Chrome	3

CHATEAU® Posi-Temp® Showering

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® SHOWER ONLY (CONTINUED)				
 <ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: eco-performance showerhead• showerhead size: 2-1/2" diameter spray head• showerhead flow rate: 1.75 gpm (6.65 L/min) max.• red/blue markings: included• valve sold separately    <p>WaterSense EPA CHOICE Certified by IAPMO R&T</p>	TL2368EP	75.55	Chrome	6
 	• ports: four	2510 ♦	112.90 1/2" IPS	6
	• adjustable temp limit stop: included	2520 ♦	112.90 1/2" CC	6
 	• ports: four	2570 ♦	137.05 1/2" CC	6
	• adjustable temp limit stop: included	2580 ♦	112.90 1/2" Crimp ring PEX	6
	• quarter turn stops: included	2590 ♦	137.05 1/2" IPS	6

CHATEAU®










HOW TO ORDER A COMPLETE SHOWER FAUCET



NOTES

- ♦ Also available in bulk pack. See page 385.
- Moeno M•PACT® Common Valve System

CHATEAU® Posi-Temp® Showering






		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none"> • ports: four • connection size: 1/2" • connection type: CC • showerhead type: showerhead sold separately • red/blue markings: included • adjustable temp limit stop: included • quarter turn stops: included 		L2361	157.10	Chrome	6
POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none"> • red/blue markings: included • valve sold separately  		TL181	32.60	Chrome	12
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 		2510 ♦ 2520 ♦	112.90	1/2" IPS 1/2" CC	6 6
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • quarter turn stops: included 		2570 ♦ 2580 ♦ 2590 ♦	137.05	1/2" CC 1/2" Crimp ring PEX 1/2" IPS	6 6 6

HOW TO ORDER A COMPLETE VALVE FAUCET




NOTES

- ♦ Also available in bulk pack. See page 385.
- Ⓜ Moen® **M•PACT®** Common Valve System

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
THREE-HANDLE NON-PRESSURE BALANCED TUB/SHOWER				
	<ul style="list-style-type: none">• ports: four• connection size: 1/2"• connection type: CC; IPS• showerhead functions: one-function• showerhead type: standard• showerhead size: 2-1/2" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• spout length: 5 1/2"• spout connection type: IPS• tub spout type: non diverter DURALAST®	2995	189.20 Chrome	6
TWO-HANDLE NON-PRESSURE BALANCED TUB/SHOWER				
	<ul style="list-style-type: none">• ports: four• connection size: 1/2"• connection type: CC• showerhead functions: one-function• showerhead type: standard• showerhead size: 2-1/2" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• spout length: 5 1/2"• spout connection type: slip fit• tub spout type: diverter DURALAST®	2919	161.65 Chrome	6
	<ul style="list-style-type: none">• ports: four• connection size: 1/2"• connection type: IPS• showerhead functions: one-function• showerhead type: standard• showerhead size: 2-1/2" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• spout length: 5 1/2"• spout connection type: IPS• tub spout type: diverter DURALAST®	2982	161.65 Chrome	6
TWO-HANDLE BIDET				
	<ul style="list-style-type: none">• center dimensions: 8" - 16" center• valve sold separately	TL5265	213.45 Chrome	3
	<ul style="list-style-type: none">• center dimensions: 8" - 16" center DURALOCK®	9265	239.95 1/2" IPS	6

HOW TO ORDER A COMPLETE BIDET FAUCET



NOTES

- Moен® **M•PACT®** Common Valve System
- DURALOCK® Duralock® Quick Connections
- DURALAST® Duralast® Cartridge

MASON® Perfectly Matches Chateau® Bath Faucets

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Mason® bath accessories perfectly match the style and finish of our Chateau® faucets. Total coordination of the bath has never been easier.

For more information on ordering Mason® bath accessories or other matching Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
5/8-in. Round Bar			
Chrome (CH)			
YB8000CH	4.40	Mounting Posts (Pair)	50
YB8003CH	3.85	Double Robe Hook	50
YB8086CH	7.25	Towel Ring	50
YB8088CH	8.00	Double Paper Holder (3 Mounting Posts, rollers not included)	25
YB8094CH	3.65	24-in. Towel Bar Only	50
YB8098CH	3.15	18-in. Towel Bar Only	50
YB8099CH	1.55	Paper Holder (Roller only)	50
Brushed Chrome (BC)			
YB8000BC	5.60	Mounting Posts (Pair)	50
YB8003BC	4.90	Double Robe Hook	50
YB8086BC	9.60	Towel Ring	50
YB8094BC	4.70	24-in. Towel Bar Only	50
YB8098BC	4.00	18-in. Towel Bar Only	50
YB8099BC	2.65	Paper Holder (Roller only)	50
Satin Nickel (SN)			
YB8000SN	7.25	Mounting Posts (Pair)	50
YB8003SN	5.05	Double Robe Hook	50
YB8086SN	10.40	Towel Ring	50
YB8088SN	13.00	Double Paper Holder (3 Mounting Posts, rollers not included)	25
YB8094SN	6.05	24-in. Towel Bar Only	50
YB8098SN	4.80	18-in. Towel Bar Only	50
YB8099SN	2.30	Paper Holder (Roller only)	50
Old World Bronze (OWB)			
YB8000OWB	9.40	Mounting Posts (Pair)	50
YB8003OWB	5.70	Double Robe Hook	50
YB8086OWB	11.10	Towel Ring	50
YB8094OWB	7.45	24-in. Towel Bar Only	50
YB8098OWB	5.60	18-in. Towel Bar Only	50
YB8099OWB	1.95	Paper Holder (Roller only)	50
Miscellaneous			
YB8081	10.65	Pro-Fit® Installation Mounting Template	25



YB8003
Double Robe Hook



YB8099
Paper Holder (Roller only)
+
YB8000
Mounting Posts (Pair)



YB8098
18-in. Towel Bar (Bar only)
+
YB8000
Mounting Posts (Pair)



YB8094
24-in. Towel Bar (Bar only)
+
YB8000
Mounting Posts (Pair)



YB8086
Towel Ring



YB8088
Double Paper Holder
(3 Mounting Posts, rollers not included)
(Available in CH and SN only)



YB8081
Pro-Fit® Installation Mounting Template [See page 82 for more information about the Pro-Fit® Installation System.]

Lined area for notes.



Custom Showering Options

How-To-Order Vertical Spa and Showering Components

ioDIGITAL® Vertical Spa Controller / TS3420
Rainshower Showerhead / S6310
Shower Arm and Flange / S122


Please see moen.com/consumer-support/warranty
for complete product warranty information.

Create Your Own Custom Shower

Planning Your Shower

From the perfect, simple shower to your own customized vertical spa complete with body sprays, showerhead, handshower and rainshower, Moen provides versatile valves that let you create the exact showering experience you want.


To plan your shower, you'll start by creating your ideal configuration. For instance, will all your shower components be on a single wall, or would you like to have body sprays on one or two sides? Would you like to have a handshower on one side? Would you like a rainshower overhead? Do you want your shower to have both manual and digital controls? It's easy to consider all the possibilities at [moen.com/shower-planner](https://www.moen.com/shower-planner), where you can begin to build your shower with our digital tools.




RAINSHOWER



360° COVERAGE



CLASSIC



PREMIUM

ioDIGITAL®

Easy, Hassle-Free Installation



Vertical Spa installation example shown

- 1 Placement Flexibility**
Extremely versatile, the controller can be mounted in many different places up to 30 feet away from the valve.
- 2 Push-fit Connections**
Installation is quick and easy, no soldering or threading.
- 3 Electrical Box**
Compatible with standard 110v GFCI outlet.
- 4 Digital Valve**
Includes power cord and 30-foot data cable for maximum flexibility.

What Makes ioDIGITAL So Easy To Install?

- Only one valve required per system.
- All ioDIGITAL valves include push-fit connectors that work easily and quickly with traditional plumbing supply tubes (PEX, CPVC and copper).
- ioDIGITAL valves fit within a traditional 2" x 4" framed wall.
- ioDIGITAL valves plug into a standard 110v power outlet that can be located in a linen closet – up to 30 feet from the controller – for easier installation and retrofit flexibility.
- Adjusting the maximum temperature allowable is easily done on ioDIGITAL valves via a dial control. Such calibration of standard thermostatic cartridges is a more time consuming process.
- ioDIGITAL valves do not need ventilation, but they should be mounted in an interior wall to eliminate extreme temperature conditions.
- A minimum 14" x 30" access panel is required for the spa, and a minimum 14" x 16" access panel is required for the shower. ioDIGITAL valves must be installed with the front facing the access panel.


S3381 ioDIGITAL Shower Valve

- M•PACT® Common Valve System
- ½" push-fit connectors work with CC, PEX and CPVC
- Precise temperature and flow control
- Fits in standard 2" x 4" wall construction
- 30' data cable connects to ioDIGITAL controller
- Power cable included



S3384 ioDIGITAL Vertical Spa Valve

- Requires fewer trim components (handles/knobs) to install, and only one valve
- M•PACT Common Valve System
- ¾" inlet and ½" outlet push-fit connectors work with CC, PEX and CPVC
- 4 outlet ports
- Precise temperature and flow control
- Fits in standard 2" x 4" wall construction
- 30' data cable connects to ioDIGITAL controller
- Power cable included



The Moen ioDIGITAL system is certified to cUPC with applicable standards ASSE 1016 and ASME A112.18.1M/CSA B125.1 (shower valves), and UL1951. All ioDIGITAL system components are backed by a five-year limited warranty, and the finishes and mechanical components feature a Limited Lifetime Warranty.

Magnetix™ It's a Snap to Use™



Everyone who's ever used a handheld showerhead will see the appeal of Magnetix. With this innovation, a powerful magnetic dock easily releases the handshower for use while also securely snapping it back into place—even when eyes are closed. Since the magnet eliminates the need for a cradle, these handshowers also feature a more streamlined appearance and less clutter.

Not only is docking easier, but Magnetix handshowers also provide superior spray performance and exceptional water coverage.

In addition, they include a flexible, kink-free, 60" metal hose for greater reach in the tub or shower—allowing users to accomplish other tasks, such as bathing children, washing pets and cleaning the shower, with ease. Six high-performance spray options feature optimized pressure ranging from massage to combinations of soft and forceful full-rinse sprays to meet anyone's shower preference.

MAGNETIX™

Expose Your Customers to The Perfect Elements

There's no better way to start the day or wash off the day than by stepping into the perfect shower. The pulse of the water at just the right pressure and temperature not only refreshes the body but soothes the soul. Moen offers all the elements to create perfect experiences from the ideal shower to a custom, multi-function in-home spa.

Let it Rain!



We've Redefined Invigorating with Immersion® Rainshower Technology

Unlike rainshowers plagued by drooping spray and poor performance, our exclusive Immersion Rainshower Technology concentrates and magnifies the natural force of water to dramatically enhance your showering experience. Featured on every Moen Rainshower showerhead, Immersion channels water through a spoke design in the showerhead cavity. As a result, it delivers optimal water pressure and excellent coverage across the showerhead.

IMMERSION®

rainshower technology



Say
spAAHHHH

Flush-Mount and
Multi-Function Sprays
Provide the Ultimate Luxury



There's simply nothing like the blissful exhilaration of being surrounded by pulsating water. With a wider angle of pivot for more precise aim and more complete coverage, Moen flush-mount body sprays direct a vigorous flow of water at any, or every, inch of your body. And with our multi-function models, you can easily toggle between a soothing experience or invigorating massage that's fully adjustable.

Together with other components such as our Immersion Rainshower Technology and handshowers, our body sprays combine to create your own personal spa in a showcase shower.

As the #1 faucet brand in North America, Moen offers you the ultimate flexibility to create just about any showering experience you can imagine. You'll even find innovations that use water more efficiently without sacrificing performance.

Ask your design consultant to help you assemble the right products to match your idea of extraordinary. Or use our custom shower planner at www.moen.com/shower-planner.

ioDIGITAL® Showering


Must order Rough-In-Valve and Trim Pack separately.

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.


Due to Department of Energy regulations, plumbing manufacturers can no longer sell vertical spas packaged together as a single SKU. Moen has all the components necessary for you to build a custom vertical spa a la carte. And, we're making it easy for you to pull

together the sku numbers you need. Follow the charts below to order all the components in the former vertical spa package offered by Moen. To create your own custom vertical spa, see the options below or **visit www.moen.com/shower-planner**.


IO DIGITAL® TS295 Vertical Spa Components

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	ioDigital control	1	TS3420	846.85	TS3420BN	1,008.80	TS3420ORB	1,039.40
	ioDigital valve	1	S3384	1,766.65	S3384	1,766.65	S3384	1,766.65
	Rainshower	1	S6310	157.95	S6310BN	217.20	S6310ORB	228.05
	Shower arm & flange	1	S122	39.95	S122BN	82.60	S122ORB	90.85
	Body spray trim	4	A501	86.45 x 4	A501BN	108.10 x 4	A501ORB	118.90 x 4
	4-Function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50
				Total: \$3,461.80	Total: \$4,083.70	Total: \$4,234.20		

IO DIGITAL® TS296 Vertical Spa Components


Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	ioDigital control	1	TS3420	846.85	TS3420BN	1,008.80	TS3420ORB	1,039.40
	ioDigital valve	1	S3384	1,766.65	S3384	1,766.65	S3384	1,766.65
	Rainshower	1	S6310	157.95	S6310BN	217.20	S6310ORB	228.05
	Shower arm & flange	1	S122	39.95	S122BN	82.60	S122ORB	90.85
	Body spray trim*	4	TS1322	121.40 x 4	TS1322BN	171.10 x 4	TS1322ORB	193.10 x 4
	Body spray rough-in	4	S1300	82.80 x 4	S1300	82.80 x 4	S1300	82.80 x 4
	4-Function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50
				Total: \$3,932.80	Total: \$4,666.90	Total: \$4,862.20		

*TS1422 Multi-Function body sprays may also be used.


	Optional remote	1	SA340	\$220.50	SA340BL	\$220.50	SA340ORB	\$220.50
---	-----------------	---	-------	----------	---------	----------	----------	----------

ioDIGITAL® Shower/Spa Configurations


Must order Rough-In-Valve and Trim Pack separately.

**ioDIGITAL®****VERTICAL SPA CONFIGURATION-OPTION A**

	SKU#	TO ORDER...
A. (1) Shower arm & Flange	S113	See page 305
B. (1) Showerhead	S1311	See page 286
C. (1) Hand Shower	3861EP	See page 300
D. (1) Drop Ell	A725	See page 302
E. (4) Rough-in Body Spray Valves (behind the wall, not shown)	S1300	See page 304
E. (4) Body Spray Trims	TS1322*	See page 304
F. (1) Valve (behind the wall, not shown)	S3384	See page 258
F. (1) Controller	TS3420	See page 258
G. (1) Optional Remote (not shown)	SA340	See page 258

**ioDIGITAL®****VERTICAL SPA CONFIGURATION-OPTION B**

	SKU#	TO ORDER...
A. (2) Shower arms & Flanges	S113	See page 305
B. (2) Showerheads	S1311	See page 286
C. (4) Rough-in Body Spray Valves (behind the wall, not shown)	S1300	See page 304
C. (4) Body Spray Trims	TS1322*	See page 304
D. (1) Valve (behind the wall, not shown)	S3384	See page 258
D. (1) Controller	TS3420	See page 258
E. (1) Optional Remote (not shown)	SA340	See page 258

**ioDIGITAL®****VERTICAL SPA CONFIGURATION-OPTION C**

	SKU#	TO ORDER...
A. (2) Shower arm	226651	See page 306
A. (2) Shower arm Flanges	AT2199	See page 307
B. (2) Showerheads	S1311	See page 286
C. (1) Hand Shower	3861EP	See page 300
D. (1) Drop Ell	A725	See page 302
E. (1) Valve (behind the wall, not shown)	S3384	See page 258
E. (1) Controller	TS3420	See page 258
E. (1) Optional Remote (not shown)	SA340	See page 258

*TS1422 Multi-Function body sprays may also be used.

ioDIGITAL® Shower/Spa Configurations

Must order Rough-In-Valve and Trim Pack separately.

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

IODIGITAL® SHOWER ONLY



- ports: four outlets
- installation: fits standard 2x4 wall
- includes: 30 foot data cable

MODEL
NUMBER

LIST
PRICE FINISH/
CONNECTION

CASE
QTY

PREMIUM

S3384

1766.65

3/4" CC,CPVC, Inlet push-fit
connectors, Outlet push-fit,
Crimp ring PEX

1

IODIGITAL® VERTICAL SPA DIGITAL CONTROL



- showerhead type: showerhead sold separately
- features: precise flow rate control
- features: precise temperature control
- presets: four
- pause feature: included
- valve sold separately

PREMIUM

TS3420

846.85

Chrome

3

TS3420BN

1008.80

Brushed Nickel

3

TS3420ORB

1039.40

Oil Rubbed Bronze

3

IODIGITAL® REMOTE- OPTIONAL



- presets: four
- pause feature: included
- wall bracket: included

PREMIUM

SA340

220.50

Chrome

24

SA340BL

220.50

Black

24

IO DIGITAL® TS296 Vertical Spa Components

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	ioDigital control	1	TS3420	846.85	TS3420BN	1,008.80	TS3420ORB	1,039.40
	ioDigital valve	1	S3384	1,766.65	S3384	1,766.65	S3384	1,766.65
	Rainshower	1	S6310	157.95	S6310BN	217.20	S6310ORB	228.05
	Shower arm & flange	1	S122	39.95	S122BN	82.60	S122ORB	90.85
	Body spray trim*	4	TS1322	121.40 x 4	TS1322BN	171.10 x 4	TS1322ORB	193.10 x 4
	Body spray rough-in	4	S1300	82.80 x 4	S1300	82.80 x 4	S1300	82.80 x 4
	4-Function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50
				Total: \$3,932.80	Total: \$4,666.90		Total: \$4,862.20	

*TS1422 Multi-Function body sprays may also be used.

This ioDIGITAL® valve allows for 4 outlet ports (2 body sprays = 1 port)

Pair with the optional remote for the ultimate in shower technology. See page 260 - page 312 for showering accessory options.

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
ioDIGITAL® S3384	10.0	17.0	19.2	No	4 Components: Any combination of Showerheads, Handshowers, Bodysprays (Max 3 Bodysprays to any one outlet)

3/4" THERMOSTATIC SHOWERING

ExactTemp® 3/4" Thermostatic Valve and Showering

Due to Department of Energy regulations, plumbing manufacturers can no longer sell vertical spas packaged together as a single SKU. Moen has all the components necessary for you to build a custom vertical spa a la carte. And, we're making it easy for you to pull together the sku numbers you need. Follow the charts below to order all the components in the former vertical spa package offered by Moen. To create your own custom vertical spa, see the options below or **visit www.moen.com/shower-planner**.



EXACTTEMP® TS270 Vertical Spa Components

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	ExactTemp shower only trim	1	TS3400	401.70	TS3400BN	682.70	TS3400ORB	716.70
	ExactTemp valve	1	S3371	479.80	S3371	479.80	S3371	479.80
	Volume control trim	1	TS3600	99.80	TS3600BN	177.50	TS3600ORB	186.45
	Volume control valve	2	S3600	121.95 x 2	S3600	121.95 x 2	S3600	121.95 x 2
	4-Function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50
			Total: \$1,529.80		Total: \$2,159.95		Total: \$2,260.50	

EXACTTEMP® TS275 Vertical Spa Components

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	ExactTemp shower only trim	1	TS3400	401.70	TS3400BN	682.70	TS3400ORB	716.70
	ExactTemp valve	1	S3371	479.80	S3371	479.80	S3371	479.80
	Volume control trim	2	TS3600	99.80 x 2	TS3600BN	177.50 x 2	TS3600ORB	186.45 x 2
	Volume control valve	3	S3600	121.95 x 3	S3600	121.95 x 3	S3600	121.95 x 3
	Body spray	4	A501	86.45 x 4	A501BN	108.10 x 4	A501ORB	118.90 x 4
	4-Function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50
			Total: \$2,097.35		Total: \$2,891.80		Total: \$3,044.50	

EXACTTEMP® TS276 Vertical Spa Components

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	ExactTemp shower only trim	1	TS3400	401.70	TS3400BN	682.70	TS3400ORB	716.70
	ExactTemp valve	1	S3371	479.80	S3371	479.80	S3371	479.80
	Volume control trim	2	TS3600	99.80 x 2	TS3600BN	177.50 x 2	TS3600ORB	186.45 x 2
	Volume control valve	3	S3600	121.95 x 3	S3600	121.95 x 3	S3600	121.95 x 3
	Body spray trim*	4	TS1322	121.40 x 4	TS1322BN	171.10 x 4	TS1322ORB	193.10 x 4
	Body spray rough-in	4	S1300	82.80 x 4	S1300	82.80 x 4	S1300	82.80 x 4
	4-Function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50
			Total: \$2,568.35		Total: \$3,475.00		Total: \$3,672.50	

*TS1422 Multi-Function body sprays may also be used.


ExactTemp® 3/4" Thermostatic Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

Thermostatic — Dials in a pinpoint temperature that automatically adjusts to fluctuations in the water supply for a consistent shower, day after day.

Style — Select from a variety of ExactTemp® 3/4" thermostatic trim and individual volume control styles to fulfill your dream shower.


ExactTemp® offers complete design flexibility. Add up to four different types of spray outlets on up to three walls.



ExactTemp® 3/4" THERMOSTATIC

SHOWER/SPA CONFIGURATION-OPTION A

	SKU#	TO ORDER...
A. (1) Shower arm & Flange	S113	See page 305
B. (1) Showerhead	S6340	See page 288
C. (1) Hand Shower	S3879EP	See page 297
D. (1) Drop Ell	A721	See page 302
E. (2) Volume Control Valves (behind the wall, not shown)	S3600	See page 261
E. (2) Volume Controls Trims	TS3300	See page 264
F. (1) ExactTemp® Valve (behind the wall, not shown)	S3371	See page 261
F. (1) ExactTemp® Trim	TS3100	See page 264




ExactTemp® 3/4" THERMOSTATIC

SHOWER/SPA CONFIGURATION-OPTION B

	SKU#	TO ORDER...
A. (1) Shower arm & Flange	S113	See page 305
B. (1) Showerhead	S6340	See page 288
C. (1) Hand Shower	S3879EP	See page 297
D. (1) Drop Ell	A721	See page 302
E. (4) Rough-in Body Spray Valves (behind the wall, not shown)	S1300	See page 304
E. (4) Body Spray Trims*	TS1320	See page 304
F. (3) Volume Control Valves (behind the wall, not shown)	S3600	See page 261
F. (3) Volume Control Trims	TS3300	See page 264
G. (1) ExactTemp® Valve (behind the wall, not shown)	S3371	See page 261
G. (1) ExactTemp® Trim	TS3100	See page 264

*TS1422 Multi-Function body sprays may also be used.



ExactTemp® 3/4" THERMOSTATIC



SHOWER/SPA CONFIGURATION-OPTION C



	SKU#	TO ORDER...
A. (1) Shower arm & Flange	S113	See page 305
B. (2) Showerheads	S6340	See page 288
C. (1) Hand Shower	S3879EP	See page 297
D. (1) Drop Ell	A721	See page 302
E. (3) Volume Control Valves (behind the wall, not shown)	S3600	See page 261
E. (3) Volume Control Trims	TS3300	See page 264
F. (1) ExactTemp® Valve (behind the wall, not shown)	S3371	See page 261
F. (1) ExactTemp® Trim	TS3100	See page 264
G. (1) Shower arm	226651	See page 306
G. (1) Shower arm Flange	AT2199	See page 266



Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
3/4" ExactTemp® S3371	11.4	15.7	18.0	No	4 Components: Any combination of Showerheads, Handshowers and Bodysprays (4 Max)


ExactTemp® 3/4" Thermostatic Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
EXACTTEMP® SHOWER ONLY				
 <ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: rainshower • showerhead size: 7" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • requires: separate volume control valve • valve sold separately 	PREMIUM			
	TS3400	401.70	Chrome	3
	TS3400BN	682.70	Brushed Nickel	3
	TS3400ORB	716.70	Oil Rubbed Bronze	3

EXACTTEMP® VALVE ONLY				
 <ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • check stops: included 	PREMIUM			
	S3371	479.80	3/4" IPS	6

VOLUME CONTROL VALVE ONLY				
 <ul style="list-style-type: none"> • description: volume control valve 	PREMIUM			
	S3600	121.95	3/4" IPS	12

TWIN ELL				
 <ul style="list-style-type: none"> • description: twin ell • usage: with ExactTemp® and transfer valve tub/shower installations where needed 	128284			
		24.15	1/2" x 1/2" x 3/4" IPS	12


Diverter tub spout options on page 313 - 316.

Showering extension kits available on page 340.

Matching tub and shower drains available. See page 320.

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
3/4" ExactTemp S3371	11.4	15.7	18.0	No	4 Components: Any combination of Showerheads, Handshowers and Bodysprays (4 Max)

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET



NOTES

 Moen® **M•PACT®** Common Valve System
 Immersion® Rainshower


ExactTemp® 3/4" Thermostatic Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
WEYMOUTH® EXACTTEMP® VALVE ONLY					
	<ul style="list-style-type: none">requires: separate volume control valvevalve sold separately  	PREMIUM			
		TS32110	313.10	Chrome	3
		TS32110BN	460.75	Brushed Nickel	3
		TS32110NL	460.75	Polished Nickel	3
		TS32110ORB	497.05	Oil Rubbed Bronze	3
WEYMOUTH® VOLUME CONTROL VALVE ONLY					
	<ul style="list-style-type: none">valve sold separately  	PREMIUM			
		TS52104	162.50	Chrome	6
		TS52104BN	224.50	Brushed Nickel	6
		TS52104NL	224.50	Polished Nickel	6
		TS52104ORB	242.10	Oil Rubbed Bronze	6
ARRIS® EXACTTEMP® VALVE ONLY					
	<ul style="list-style-type: none">requires: separate volume control valvevalve sold separately  	PREMIUM			
		TS33002	257.40	Chrome	3
		TS33002BN	386.15	Brushed Nickel	3
ARRIS® VOLUME CONTROL VALVE ONLY					
	<ul style="list-style-type: none">valve sold separately  	PREMIUM			
		TS33003	147.05	Chrome	6
		TS33003BN	214.55	Brushed Nickel	6
WATERHILL® EXACTTEMP® VALVE ONLY					
	<ul style="list-style-type: none">requires: separate volume control valvevalve sold separately  	PREMIUM			
		TS3110	250.30	Chrome	3
		TS3110BN	368.45	Brushed Nickel	3
		TS3110NL	368.45	Polished Nickel	3
		TS3110ORB	397.50	Oil Rubbed Bronze	3
WATERHILL® VOLUME CONTROL ONLY					
	<ul style="list-style-type: none">valve sold separately  	PREMIUM			
		TS514	143.05	Chrome	6
		TS514BN	204.70	Brushed Nickel	6
		TS514NL	204.70	Polished Nickel	6
		TS514ORB	220.90	Oil Rubbed Bronze	6
90 DEGREE™ EXACTTEMP® VALVE ONLY					
	<ul style="list-style-type: none">requires: separate volume control valvevalve sold separately  	PREMIUM			
		TS3100	258.25	Chrome	3
		TS3100BN	390.70	Brushed Nickel	3
90 DEGREE™ VOLUME CONTROL ONLY					
	<ul style="list-style-type: none">valve sold separately  	PREMIUM			
		TS3300	119.20	Chrome	6
		TS3300BN	159.00	Chrome	6

HOW TO ORDER A COMPLETE FAUCET



NOTES


 Moen® **M•PACT®** Common Valve System

ExactTemp® 3/4" Thermostatic Showering Configurations

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ROTHBURY™  <ul style="list-style-type: none"> requires: separate volume control valve valve sold separately  	EXACTTEMP® VALVE ONLY	PREMIUM			
		TS3760	258.25	Chrome	3
		TS3760BN	390.70	Brushed Nickel	3
		TS37600RB	411.55	Oil Rubbed Bronze	3
ROTHBURY™  <ul style="list-style-type: none"> valve sold separately  	VOLUME CONTROL VALVE ONLY	PREMIUM			
		TS3820	119.20	Chrome	6
		TS3820BN	159.00	Brushed Nickel	6
		TS38200RB	167.45	Oil Rubbed Bronze	6
ICON™  <ul style="list-style-type: none"> requires: separate volume control valve valve sold separately  	EXACTTEMP® VALVE ONLY	PREMIUM			
		TS3900	258.25	Chrome	3
		TS3900BN	390.70	Brushed Nickel	3
ICON™  <ul style="list-style-type: none"> valve sold separately  	VOLUME CONTROL VALVE ONLY	PREMIUM			
		TS3200	119.20	Chrome	6
		TS3200BN	159.00	Brushed Nickel	6
MOEN®  <ul style="list-style-type: none"> requires: separate volume control valve valve sold separately  	EXACTTEMP® VALVE ONLY	PREMIUM			
		TS3411	193.20	Chrome	3
		TS3411BN	303.50	Brushed Nickel	3
		TS34110RB	318.75	Oil Rubbed Bronze	3
		TS3411WR	318.75	Wrought Iron	3
MOEN®  <ul style="list-style-type: none"> valve sold separately  	VOLUME CONTROL VALVE ONLY	PREMIUM			
		TS3600	99.80	Chrome	6
		TS3600BN	177.50	Brushed Nickel	6
		TS36000RB	186.45	Oil Rubbed Bronze	6
		TS3600WR	186.45	Wrought Iron	6


NOTES

 Moen® **M•PACT®** Common Valve System


MOENTROL® Multi-Function Showering Options

Due to Department of Energy regulations, plumbing manufacturers can no longer sell vertical spas packaged together as a single SKU. Moen has all the components necessary for you to build a custom vertical spa a la carte. And, we're making it easy for you to pull together the sku numbers you need. Follow the charts below to order all the components in the former vertical spa package offered by Moen. To create your own custom vertical spa, see the options below or [visit www.moen.com/shower-planner](http://www.moen.com/shower-planner).




ROTHBURY™ MOENTROL® MULTI-FUNCTION TS203 Vertical Spa Components								
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Rothbury multi-function Moentrol trim	1	TS4211	220.90	TS4211BN	302.45	TS4211ORB	318.60
	3-Function Moentrol valve	1	3330*	260.10	3330*	260.10	3330*	260.10
	Showerhead	1	S6335	123.85	S6335BN	168.65	S6335ORB	185.40
	Shower arm	1	10154	18.65	10154BN	33.40	10154ORB	36.75
	Shower arm flange	1	AT2199	7.20	AT2199BN	18.95	AT2199ORB	20.90
	Body spray	2	A501	86.45 x 2	A501BN	108.10 x 2	A501ORB	118.90 x 2
			Total: \$803.60		Total: \$999.75		Total: \$1,059.55	

*For 2-Function Moentrol Vertical Spa configurations, use 3350 valve.


ROTHBURY™ VERTICAL SPA with Showerhead and Handshower								
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Rothbury multi-function Moentrol trim	1	TS4211	220.90	TS4211BN	302.45	TS4211ORB	318.60
	3-Function Moentrol valve	1	3330*	260.10	3330*	260.10	3330*	260.10
	Showerhead	1	S6335	123.85	S6335BN	168.65	S6335ORB	185.40
	Shower arm	1	10154	18.65	10154BN	33.40	10154ORB	36.75
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50
	Shower arm flange	1	AT2199	7.20	AT2199BN	18.95	AT2199ORB	20.90
	4-Function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
			Total: \$935.30		Total: \$1,359.60		Total: \$1,455.40	

*For 2-Function Moentrol Vertical Spa configurations, use 3350 valve.


ICON™ MOENTROL® MULTI-FUNCTION TS283 Vertical Spa Components							
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	
	Icon multi-function Moentrol trim	1	TS4112	179.30	TS4112BN	245.45	
	3-Function Moentrol valve	1	3330*	260.10	3330*	260.10	
	Showerhead	1	S6312	102.75	S6312BN	122.15	
	Shower arm	1	10154	18.65	10154BN	33.40	
	Shower arm flange	1	AT2199	7.20	AT2199BN	18.95	
	Body spray	2	A501	86.45 x 2	A501BN	108.10 x 2	
			Total: \$740.90		Total: \$896.25		

*For 2-Function Moentrol Vertical Spa configurations, use 3350 valve.


Moentrol® Multi-Function Showering Options

ICON™ VERTICAL SPA with Showerhead and Handshower							
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	
	Icon multi-function Moentrol trim	1	TS4112	179.30	TS4112BN	245.45	
	3-Function Moentrol valve	1	3330*	260.10	3330*	260.10	
	Showerhead	1	S6312	102.75	S6312BN	122.15	
	Shower arm	1	10154	18.65	10154BN	33.40	
	Shower arm flange	1	AT2199	7.20	AT2199BN	18.95	
	Handheld shower with slide bar	1	3887EP	239.65	3887EPBN	476.15	
	Drop ell	1	A725	46.60	A725BN	65.90	
				Total: \$854.25	Total: \$1,222.10		

*For 2-Function Moentrol Vertical Spa configurations, use 3350 valve.

KINGSLEY® MOENTROL® MULTI-FUNCTION 263 Vertical Spa Components								
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Kingsley multi-function Moentrol trim	1	T4111	150.30	T4111BN	201.85	T4111ORB	222.05
	3-Function Moentrol valve	1	3330*	260.10	3330*	260.10	3330*	260.10
	Showerhead	1	6302	80.80	6302BN	126.20	6302ORB	138.85
	Shower arm	1	10154	18.65	10154BN	33.40	10154ORB	36.75
	Shower arm flange	1	AT2199	7.20	AT2199BN	18.95	AT2199ORB	20.90
	Body spray	2	A501	86.45 x 2	A501BN	108.10 x 2	A501ORB	118.90 x 2
				Total: \$689.95	Total: \$856.70		Total: \$916.45	

*For 2-Function Moentrol Vertical Spa configurations, use 3350 valve.


KINGSLEY® VERTICAL SPA with Showerhead and Handshower								
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Kingsley multi-function Moentrol trim	1	T4111	150.30	T4111BN	201.85	T4111ORB	222.05
	3-Function Moentrol valve	1	3330*	260.10	3330*	260.10	3330*	260.10
	Showerhead	1	6302	80.80	6302BN	126.20	6302ORB	138.85
	Shower arm	1	10154	18.65	10154BN	33.40	10154ORB	36.75
	Shower arm flange	1	AT2199	7.20	AT2199BN	18.95	AT2199ORB	20.90
	4-Function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50
				Total: \$821.65	Total: \$1,216.55		Total: \$1,312.30	

*For 2-Function Moentrol Vertical Spa configurations, use 3350 valve.

Moentrol® Multi-Function Showering Options

With Moentrol, creating your ideal shower is easy. This valve offers you volume and temperature control, which means you can adjust temperature and flow to your desired level without the worries of hot or cold surges.


Moentrol with built-in transfer valves allows the user to add a hand shower or body spray to showerhead to create an affordable, custom, multiple-outlet shower experience.



MOENTROL®

MULTI-FUNCTION CONFIGURATION-OPTION A

	SKU#	TO ORDER...
A. (1) Shower arm & Flange	S113	See page 305
B. (1) Showerhead	S1311	See page 286
C. (1) Hand Shower	3667EP	See page 298
D. (1) Drop Ell	A725	See page 302
E. (1) Moentrol® MF Valve (behind the wall, not shown)	3330	See page 266
E. (1) Moentrol® MF Trim	TS4211	See page 266









MOENTROL®

MULTI-FUNCTION CONFIGURATION-OPTION A

	SKU#	TO ORDER...
A. (2) Shower arms & Flanges	S113	See page 305
B. (2) Showerheads	S1311	See page 286
C. (1) Moentrol® MF Valve	3330	See page 266
C. (1) Moentrol® MF Trim	TS4211	See page 266

Moentrol® Multi-Function Showering Options

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® WITH TRANSFER VALVE					
 <ul style="list-style-type: none"> • ports: four; two outlets • adjustable temp limit stop: included • check stops: included • includes: volume control • type of function: two independent one shared • not recommended: for tub spout application 		3320	260.10	1/2" IPS inlets/cc outlets	6
 <ul style="list-style-type: none"> • ports: four; two outlets • adjustable temp limit stop: included • check stops: included • includes: volume control • type of function: two independent one shared • not recommended: for tub spout application 		3330	260.10	1/2" CC	6
 <ul style="list-style-type: none"> • ports: four; two outlets • adjustable temp limit stop: included • check stops: included • includes: volume control • type of function: 2 independent functions • not recommended: for tub spout application 		3350	260.10	1/2" CC	6

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
3-Function Moentrol 3320, 3330, 3350	*3.0	*4.2	*5.2	No	Showerhead, Handshower or Showerhead, 2 Bodysprays










*3-Function Moentrol flow is the total flow when used in the shared mode

NOTES


 Moen® **M•PACT®** Common Valve System

Moentrol® Multi-Function Showering Options

All Brushed Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ROTHBURY™ 	MOENTROL® WITH TRANSFER VALVE				
	<ul style="list-style-type: none"> showerhead type: showerhead sold separately valve sold separately 				
	 				
		PREMIUM			
		TS4211	220.90	Chrome	3
		TS4211BN	302.45	Brushed Nickel	3
		TS4211ORB	318.60	Oil Rubbed Bronze	3
ICON™ 	MOENTROL® WITH TRANSFER VALVE				
	<ul style="list-style-type: none"> showerhead type: showerhead sold separately valve sold separately 				
	 				
		PREMIUM			
		TS4112	179.30	Chrome	3
		TS4112BN	245.45	Brushed Nickel	3
KINGSLEY® 	MOENTROL® WITH TRANSFER VALVE				
	<ul style="list-style-type: none"> showerhead type: showerhead sold separately valve sold separately 				
	 				
		T4111	150.30	Chrome	3
		T4111BN	201.85	Brushed Nickel	3
		T4111ORB	222.05	Oil Rubbed Bronze	3
		T4111P	222.95	Polished Brass	3

HOW TO ORDER MOENTROL SHOWER WITH TRANSFER VALVE



NOTES


 Moen® **M•PACT®** Common Valve System

MOENTROL AND STANDARD Transfer Valve Showering Components

Due to Department of Energy regulations, plumbing manufacturers can no longer sell vertical spas packaged together as a single SKU. Moen has all the components necessary for you to build a custom vertical spa a la carte. And, we're making it easy for you to pull together the sku numbers you need. Follow the charts below to order all the components in the former vertical spa package offered by Moen. To create your own custom vertical spa, see the options below or **visit www.moen.com/shower-planner**.




90°™ MOENTROL® WITH TRANSFER VALVE Vertical Spa Components

Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price
	90° Moentrol shower trim	1	TS3715	220.15	TS3715BN	532.70
	Moentrol valve	1	3570	184.35	3570	184.35
	90° Transfer valve trim	1	TS4172	134.85	TS4172BN	182.20
	3-Function transfer valve	1	3372*	162.15	3372*	162.15
	90° Handshower with slide bar	1	S3879EP	274.75	S3879EPBN	551.25
	Drop ell	1	A721	59.55	A721BN	83.95
				Total: \$1,035.80	Total: \$1,696.60	

*For 2 discrete functions, use 3375 transfer valve.

ROTHBURY™ MOENTROL® WITH TRANSFER VALVE Vertical Spa Components


Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Rothbury Moentrol shower trim	1	TS3212	231.20	TS3212BN	559.25	TS3212ORB	589.15
	Moentrol valve	1	3570	184.35	3570	184.35	3570	184.35
	Rothbury transfer valve trim	1	TS5205	144.85	TS5205BN	193.65	TS5205ORB	204.00
	3-Function transfer valve	1	3372*	162.15	3372*	162.15	3372*	162.15
	Handshower with slide bar	1	3869EP	267.00	3869EPBN	530.30	3869EPORB	583.35
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50
				Total: \$1,036.15	Total: \$1,695.60		Total: \$1,795.50	

*For 2 discrete functions, use 3375 transfer valve.


Moentrol® Transfer Valve Showering Components

Use the three-function or two-function transfer valve with a Moentrol® or Posi-Temp® mixing valve to customize your shower by including hand showers, showerheads, or body sprays in addition to your tub/shower combo.

Now available in six matching trim suite styles or the neutral style that works well with any trim suite of your choice to add flexibility.

WYNFORD™ MOENTROL® WITH TRANSFER VALVE Vertical Spa Components									
NEW!	Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Wynford Moentrol shower trim		1	T5502	173.05	T5502BN	358.00	T5502ORB	393.80
	Moentrol valve		1	3570	184.35	3570	184.35	3570	184.35
	Transfer valve trim		1	T4511	100.40	T4511BN	134.90	T4511ORB	148.40
	3-Function transfer valve		1	3372*	162.15	3372*	162.15	3372*	162.15
	4-Function handheld shower with slide bar		1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell		1	A725	46.60	A725BN	65.90	A725ORB	72.50
*For 2 discrete functions, use 3375 transfer valve.				Total: \$924.55		Total: \$1,415.45		Total: \$1,522.35	

*For 2 discrete functions, use 3375 transfer valve.

ALIGN® MOENTROL® WITH TRANSFER VALVE Vertical Spa Components							
NEW!	Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price
	Align Moentrol shower trim		1	T3292	173.05	T3292BN	358.00
	Moentrol valve		1	3570	184.35	3570	184.35
	Transfer valve trim		1	T4191	100.40	T4191BN	134.90
	3-Function transfer valve		1	3372*	162.15	3372*	162.15
	Single Function handheld shower with slide bar		1	3887EP	239.65	3887EPBN	476.15
	Drop ell		1	A725	46.60	A725BN	65.90
				Total: \$906.20		Total: \$1,381.45	

*For 2 discrete functions, use 3375 transfer valve.

VOSS™ MOENTROL® WITH TRANSFER VALVE Vertical Spa Components								
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Voss Moentrol shower trim	1	T3692	173.05	T3692BN	358.00	T3692ORB	393.80
	Moentrol valve	1	3570	184.35	3570	184.35	3570	184.35
	Voss transfer valve trim	1	T4611	100.40	T4611BN	134.90	T4611ORB	148.40
	3-Function transfer valve	1	3372*	162.15	3372*	162.15	3372*	162.15
	4-Function handheld with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50
*For 2 discrete functions, use 3375 transfer valve.			Total: \$924.55		Total: \$1,415.45		Total: \$1,522.35	

*For 2 discrete functions, use 3375 transfer valve.


Moentrol® Transfer Valve Showering Components

Use the three-function or two-function transfer valve with a Moentrol® or Posi-Temp® mixing valve to customize your shower by including hand showers, showerheads, or body sprays in addition to your tub/shower combo.

Now available in six matching trim suite styles or the neutral style that works well with any trim suite of your choice to add flexibility.

KINGSLEY® MOENTROL® WITH TRANSFER VALVE Vertical Spa Components								
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Kingsley Moentrol shower trim	1	T3112	154.80	T3112BN	350.60	T3112ORB	385.70
	Moentrol valve	1	3570	184.35	3570	184.35	3570	184.35
	Kingsley transfer valve trim	1	T4311	100.40	T4311BN	134.90	T4311ORB	148.40
	3-Function transfer valve	1	3372*	162.15	3372*	162.15	3372*	162.15
	4-Function handshower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50
				Total: \$906.30	Total: \$1,408.05		Total: \$1,514.25	


*For 2 discrete functions, use 3375 transfer valve.



MOENTROL AND TRANSFER VALVE

SHOWER/SPA CONFIGURATION-OPTION A

	SKU#	TO ORDER...
A. (1) Shower arm & Flange	S113	See page 305
B. (1) Showerhead	S1311	See page 286
C. (1) Hand Shower with Slidebar	3667EP	See page 298
D. (1) Drop Ell	A725	See page 302
E. (1) Transfer Valve	3372	See page 271
(1) Transfer Valve Trim	TS5205	See page 275
F. (1) Moentrol® Valve	3520	See page 274
(1) Moentrol® Valve Trim	TS3211	See page 276














MOENTROL AND TRANSFER VALVE

SHOWER/SPA CONFIGURATION-OPTION A

	SKU#	TO ORDER...
A. (2) Shower arms & Flanges	S113	See page 305
B. (2) Showerheads	S1311	See page 286
C. (2) Hand Showers	3667EP	See page 298
D. (2) Drop Ells	A725	See page 302
E. (2) Transfer Valves	3372	See page 271
(2) Transfer Valve Trims	TS5205	See page 275
F. (2) Moentrol® Valves	3520	See page 274
(2) Moentrol® Valve Trims	TS3211	See page 276

Moentrol® Transfer Valve Showering Components

Must order Rough-In-Valve and Trim Pack separately.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
MOENTROL® VALVE ONLY					
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included includes: volume control 		3510	154.75	1/2" IPS	6
MOENTROL® VALVE ONLY					
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included check stops: included includes: volume control 		3520	154.75	1/2" CC	6
MOENTROL® VALVE ONLY					
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included check stops: included includes: volume control stops: included 		3570 ♦	184.35	1/2" CC	6
TRANSFER VALVE					
 <ul style="list-style-type: none"> type of function: two independent one shared must be used with: Posi-Temp® or Moentrol® valve 		3372	162.15	1/2" CC	12
TRANSFER VALVE					
 <ul style="list-style-type: none"> type of function: 2 independent functions must be used with: Posi-Temp® or Moentrol® valve 		3375	162.15	1/2" CC	12
TWIN ELL					
 <ul style="list-style-type: none"> description: twin ell usage: with ExactTemp® and transfer valve tub/shower installations where needed 		128284	24.15	1/2" x 1/2" x 3/4" IPS	12

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
Moentrol® 3520, 3510, 3570	3.5	5.0	6.3	Yes	Showerhead, Handshower or Showerhead, 2 Bodysprays

Use 3372 or 3375 in conjunction with either a Posi-Temp® or Moentrol® shower valve.

NOTES

♦ Also available in bulk pack. See page 385.

Moentrol® Moen® M•PACT® Common Valve System


Moentrol® Transfer Valve Showering Components

Must order Rough-In-Valve and Trim Pack separately.

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
90 DEGREE™					
	TRANSFER VALVE ONLY				
	• valve sold separately				
		PREMIUM			
		TS4172	134.85	Chrome	6
	TS4172BN	182.20	Brushed Nickel	6	
ROTHBURY™					
	TRANSFER VALVE ONLY				
	• valve sold separately				
		PREMIUM			
		TS5205	144.85	Chrome	6
	TS5205BN	193.65	Brushed Nickel	6	
	TS5205ORB	204.00	Oil Rubbed Bronze	6	
WYNFORD™					
	TRANSFER VALVE ONLY				
	• valve sold separately				
		T4511	100.40	Chrome	12
		T4511BN	134.90	Brushed Nickel	12
	T4511NL	134.90	Polished Nickel	12	
	T4511ORB	148.40	Oil Rubbed Bronze	12	
ALIGN®					
	TRANSFER VALVE ONLY				
	• valve sold separately				
		T4191	100.40	Chrome	12
		T4191BN	134.90	Brushed Nickel	12
VOSS™					
	TRANSFER VALVE ONLY				
	• valve sold separately				
		T4611	100.40	Chrome	12
		T4611BN	134.90	Brushed Nickel	12
	T4611ORB	148.40	Oil Rubbed Bronze	12	
KINGSLEY®					
	TRANSFER VALVE ONLY				
	• valve sold separately				
		T4311	100.40	Chrome	6
		T4311BN	134.90	Brushed Nickel	6
	T4311ORB	148.40	Oil Rubbed Bronze	6	
MOEN®					
	TRANSFER VALVE ONLY				
	• valve sold separately				
		T4171	99.80	Chrome	6
		T4171BN	134.15	Brushed Nickel	6
	T4171ORB	147.55	Oil Rubbed Bronze	6	

HOW TO ORDER MOENTROL SHOWER WITH TRANSFER VALVE




NOTES

 Moen® **M•PACT®** Common Valve System

Must order Rough-In-Valve and Trim Pack separately.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
90 DEGREE™					
	MOENTROL® VALVE ONLY				
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately	PREMIUM			
		TS3711	165.05	Chrome	3
		TS3711BN	411.00	Brushed Nickel	3
	 				
ROTHBURY™					
	MOENTROL® VALVE ONLY				
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately	PREMIUM			
		TS3211	173.25	Chrome	3
		TS3211BN	431.55	Brushed Nickel	3
		TS3211ORB	454.60	Oil Rubbed Bronze	3
	 				
ICON™					
	MOENTROL® VALVE ONLY				
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately	PREMIUM			
		TS2154	138.35	Chrome	3
		TS2154BN	328.80	Brushed Nickel	3
	 				
WYNFORD™					
	MOENTROL® VALVE ONLY				
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately	T5501	129.65	Chrome	3
		T5501BN	276.20	Brushed Nickel	3
		T5501NL	276.20	Polished Nickel	3
		T5501ORB	303.85	Oil Rubbed Bronze	3
	 				
ALIGN®					
	MOENTROL® VALVE ONLY				
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately	T3291	129.65	Chrome	3
		T3291BN	276.20	Brushed Nickel	3
	 				
VOSS™					
	MOENTROL® VALVE ONLY				
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately	T3691	129.65	Chrome	3
		T3691BN	276.20	Brushed Nickel	3
		T3691ORB	303.85	Oil Rubbed Bronze	3
	 				
KINGSLEY®					
	MOENTROL® VALVE ONLY				
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately	T3111	116.00	Chrome	3
		T3111BN	270.60	Brushed Nickel	3
		T3111ORB	297.65	Oil Rubbed Bronze	3
		T3111P	314.40	Polished Brass	3
	 				


NOTES

 Moen® **M•PACT®** Common Valve System


POSI-TEMP AND STANDARD Transfer Valve Showering Components

Due to Department of Energy regulations, plumbing manufacturers can no longer sell vertical spas packaged together as a single SKU. Moen has all the components necessary for you to build a custom vertical spa a la carte. And, we're making it easy for you to pull together the sku numbers you need. Follow the charts below to order all the components in the former vertical spa package offered by Moen. To create your own custom vertical spa, see the options below or **visit www.moen.com/shower-planner**.




WEYMOUTH® POSI-TEMP® WITH TRANSFER VALVE Vertical Spa Components										
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price	Polished Nickel	Polished Nickel List Price
	Weymouth Posi-Temp shower trim	1	TS32102	493.70	TS32102BN	720.65	TS32102ORB	777.45	TS32102NL	720.65
	Posi-Temp valve	1	2520	112.90	2520	112.90	2520	112.90	2520	112.90
	Weymouth transfer valve trim	1	TS32205	233.00	TS32205BN	274.65	TS32205ORB	296.35	TS32205NL	274.65
	3-Function transfer valve	1	3372*	162.15	3372*	162.15	3372*	162.15	3372*	162.15
	Handshower with slide bar	1	S12107EP	452.25	S12107EPBN	639.50	S12107EPORB	703.40	S12107EPNL	639.50
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50	A725NL	65.90
			Total: \$1,500.60		Total: \$1,975.75		Total: \$2,124.75		Total: \$1,975.75	

*For 2 discrete functions, use 3375 transfer valve.


ARRIS® POSI-TEMP® WITH TRANSFER VALVE Vertical Spa Components						
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price
	Arris Posi-Temp shower trim	1	TS22002	468.90	TS22002BN	684.80
	Posi-Temp valve	1	2520	112.90	2520	112.90
	Arris transfer valve trim	1	TS23005	216.50	TS23005BN	268.30
	3-Function transfer valve	1	3372*	162.15	3372*	162.15
	Handshower with slide bar	1	3887EP	239.65	3887EPBN	476.15
	Drop ell	1	A725	46.60	A725BN	65.90
			Total: \$1,246.70		Total: \$1,770.20	

*For 2 discrete functions, use 3375 transfer valve.

Posi-Temp® Transfer Valve Showering Components

WATERHILL® POSI-TEMP® WITH TRANSFER VALVE Vertical Spa Components										
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price	Polished Nickel	Polished Nickel List Price
	Waterhill Posi-Temp shower trim	1	TS312	456.00	TS312BN	653.35	TS312ORB	704.90	TS312NL	653.35
	Posi-Temp valve	1	2520	112.90	2520	112.90	2520	112.90	2520	112.90
	Waterhill transfer valve trim	1	TS325	210.55	TS325BN	256.05	TS325ORB	276.25	TS325NL	256.05
	3-Function transfer valve	1	3372*	162.15	3372*	162.15	3372*	162.15	3372*	162.15
	Single-Function Handshower with wall bracket	1	3861EP	235.40	3861EPBN	479.40	3861EPORB	528.80	3861EPNL	479.40
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50	A725NL	65.90
			Total: \$1,223.60		Total: \$1,729.75		Total: \$1,857.50		Total: \$1,729.75	

*For 2 discrete functions, use 3375 transfer valve.


90°™ POSI-TEMP® WITH TRANSFER VALVE Vertical Spa Components						
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price
	90° Posi-Temp shower trim	1	TS2712	204.40	TS2712BN	378.65
	Posi-Temp valve	1	2520	112.90	2520	112.90
	90° transfer valve trim	1	TS4172	134.85	TS4172BN	182.20
	3-Function transfer valve	1	3372*	162.15	3372*	162.15
	90° Handshower with slide bar	1	S3879EP	274.75	S3879EPBN	551.25
	Drop ell	1	A721	59.55	A721BN	83.95
			Total: \$948.60		Total: \$1,471.10	


*For 2 discrete functions, use 3375 transfer valve.


ROTHBURY™ POSI-TEMP® WITH TRANSFER VALVE Vertical Spa Components									
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price	
	Rothbury Posi-Temp shower trim	1	TS2212	214.55	TS2212BN	397.65	TS2212ORB	418.75	
	Posi-Temp valve	1	2520	112.90	2520	112.90	2520	112.90	
	Rothbury transfer valve trim	1	TS5205	144.85	TS5205BN	193.65	TS5205ORB	204.00	
	3-Function transfer valve	1	3372*	162.15	3372*	162.15	3372*	162.15	
	Handshower with slide bar	1	3869EP	267.00	3869EPBN	530.30	3869EPORB	583.35	
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50	
			Total: \$948.05		Total: \$1,462.55		Total: \$1,553.65		

*For 2 discrete functions, use 3375 transfer valve.

Posi-Temp® Transfer Valve Showering Components

WYNFORD™ POSI-TEMP® WITH TRANSFER VALVE Vertical Spa Components								
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Wynford Posi-Temp shower trim	1	T4502	145.95	T4502BN	265.45	T4502ORB	291.95
	Posi-Temp valve	1	2520	112.90	2520	112.90	2520	112.90
	Transfer valve trim	1	T4511	100.40	T4511BN	134.90	T4511ORB	148.40
	3-Function transfer valve	1	3372*	162.15	3372*	162.15	3372*	162.15
	4-Function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50
*For 2 discrete functions, use 3375 transfer valve.			Total: \$826.00		Total: \$1,251.45		Total: \$1,349.05	

ALIGN® POSI-TEMP® WITH TRANSFER VALVE Vertical Spa Components							
NEW!	Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price
	Align Posi-Temp shower trim	1	T2192	145.95	T2192BN	265.45	
	Posi-Temp valve	1	2520	112.90	2520	112.90	
	Transfer valve trim	1	T4191	100.40	T4191BN	134.90	
	3-Function transfer valve	1	3372*	162.15	3372*	162.15	
	Handheld shower with slide bar	1	3887EP	239.65	3887EPBN	476.15	
	Drop ell	1	A725	46.60	A725	65.90	
*For 2 discrete functions, use 3375 transfer valve.			Total: \$807.65		Total: \$1,217.45		


VOSS™ POSI-TEMP® WITH TRANSFER VALVE Vertical Spa Components								
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Voss Posi-Temp shower trim	1	T2692	145.95	T2692BN	265.45	T2692ORB	291.95
	Posi-Temp valve	1	2520	112.90	2520	112.90	2520	112.90
	Voss transfer valve trim	1	T4611	100.40	T4611BN	134.90	T4611ORB	148.40
	3-Function transfer valve	1	3372*	162.15	3372*	162.15	3372*	162.15
	4-Function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50
*For 2 discrete functions, use 3375 transfer valve.			Total: \$826.00		Total: \$1,251.45		Total: \$1,349.05	

KINGSLEY® POSI-TEMP® WITH TRANSFER VALVE Vertical Spa Components								
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Kingsley Posi-Temp shower trim	1	T2112	145.95	T2112BN	265.45	T2112ORB	291.95
	Posi-Temp valve	1	2520	112.90	2520	112.90	2520	112.90
	Kingsley transfer valve trim	1	T4311	100.40	T4311BN	134.90	T4311ORB	148.40
	3-Function transfer valve	1	3372*	162.15	3372*	162.15	3372*	162.15
	Handshower with slide bar	1	3869EP	267.00	3869EPBN	530.30	3869EPORB	583.35
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50
*For 2 discrete functions, use 3375 transfer valve.			Total: \$835.00		Total: \$1,271.60		Total: \$1,371.25	


Posi-Temp® Transfer Valve Showering Components

Use the three-function or two-function transfer valve with a Moentrol® or Posi-Temp® mixing valve to customize your shower by including hand showers, showerheads, or body sprays in addition to your tub/shower combo.

Now available in six matching trim suite styles or the neutral style that works well with any trim suite of your choice to add flexibility.

BRANTFORD™ POSI-TEMP® WITH TRANSFER VALVE Vertical Spa Components								
Product	Description	QTY.	Chrome	Chrome List Price	Brushed Nickel	Brushed Nickel List Price	Oil Rubbed Bronze	Oil Rubbed Bronze List Price
	Brantford Posi-Temp shower trim	1	T2152	67.75	T2152BN	145.85	T2152ORB	160.35
	Posi-Temp valve	1	2520	112.90	2520	112.90	2520	112.90
	Transfer valve trim	1	T4171	99.80	T4171BN	134.15	T4171ORB	147.55
	3-Function transfer valve	1	3372*	162.15	3372*	162.15	3372*	162.15
	4-Function handheld shower with slide bar	1	3667EP	258.00	3667EPBN	510.15	3667EPORB	561.15
	Drop ell	1	A725	46.60	A725BN	65.90	A725ORB	72.50
				Total: \$747.20	Total: \$1,131.10	Total: \$1,216.60		


*For 2 discrete functions, use 3375 transfer valve.



POSI-TEMP AND TRANSFER VALVE

CONFIGURATION-OPTION A

	SKU#	TO ORDER...
A. (1) Shower arm	226651	See page 306
A. (1) Flange	AT2199	See page 307
B. (1) Showerhead	S6310	See page 288
C. (1) Hand Shower	3887EP	See page 299
D. (1) Drop Ell	A725	See page 302
E. (1) Transfer Valve (behind wall not shown)	3375	See page 274
E. (1) Transfer Valve Trim	TS5205	See page 278
F. (1) Posi-Temp® Valve (behind wall not shown)	2520	See page 280
F. (1) Posi-Temp® Valve Trim	TS2211	See page 283





POSI-TEMP AND TRANSFER VALVE



CONFIGURATION-OPTION B



	SKU#	TO ORDER...
A. (2) Shower arms	226651	See page 306
A. (2) Flanges	AT2199	See page 307
B. (2) Showerheads	S6310	See page 288
C. (2) Hand Showers	3887EP	See page 299
D. (2) Drop Ells	A725	See page 302
E. (2) Transfer Valves (behind wall not shown)	3375	See page 274
E. (2) Transfer Valve Trims	TS5205	See page 278
F. (2) Posi-Temp® Valves (behind wall not shown)	2520	See page 280
F. (2) Posi-Temp® Valve Trims	TS2211	See page 283

Posi-Temp® Transfer Valve Showering Components


Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP® VALVE ONLY				
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included 	2520 ♦	112.90	1/2" CC	6
	2510 ♦	112.90	1/2" IPS	6

POSI-TEMP® VALVE ONLY				
 <ul style="list-style-type: none"> ports: four adjustable temp limit stop: included quarter turn stops: included 	2590 ♦	137.05	1/2" IPS	6
	2580 ♦	112.90	1/2" Crimp ring PEX	6
	2570 ♦	137.05	1/2" CC	6

TRANSFER VALVE				
 <ul style="list-style-type: none"> type of function: two independent one shared must be used with: Posi-Temp® or Moentrol® valve 	3372	162.15	1/2" CC	12


TRANSFER VALVE				
 <ul style="list-style-type: none"> type of function: 2 independent functions must be used with: Posi-Temp® or Moentrol® valve 	3375	162.15	1/2" CC	12

TWIN ELL				
 <ul style="list-style-type: none"> description: twin ell usage: with ExactTemp® and transfer valve tub/shower installations where needed 	128284	24.15	1/2" x 1/2" x 3/4" IPS	12

Valve	Flow Rate through shower port (GPM) @ 20 PSI	Flow Rate through shower port (GPM) @ 40 PSI	Flow Rate through shower port (GPM) @ 60 PSI	Used with 2- or 3-Function Transfer	Maximum Components
Posi-Temp® 3520, 3510, 3570	2.1	3.2	4.0	Yes	Showerhead, Handshower

Use 3372 or 3375 in conjunction with either a Posi-Temp® or Moentrol® shower valve.

HOW TO ORDER POSI-TEMP SHOWER WITH TRANSFER VALVE



NOTES

- ♦ Also available in bulk pack. See page 385.
- Moentrol® M•PACT® Common Valve System

Posi-Temp® Transfer Valve Showering Components

Must order Rough-In-Valve and Trim Pack separately.

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY	
WEYMOUTH®						
	TRANSFER VALVE ONLY					
	• valve sold separately					
	 	PREMIUM				
		TS32205	233.00	Chrome	6	
		TS32205BN	274.65	Brushed Nickel	6	
TS32205NL		274.65	Polished Nickel	6		
	TS32205ORB	296.35	Oil Rubbed Bronze	6		
ARRIS®						
	TRANSFER VALVE ONLY					
	• valve sold separately					
	 	PREMIUM				
		TS23005	216.50	Chrome	6	
		TS23005BN	268.30	Brushed Nickel	6	
WATERHILL®						
	TRANSFER VALVE ONLY					
	• valve sold separately					
	 	PREMIUM				
		TS325	210.55	Chrome	6	
		TS325BN	256.05	Brushed Nickel	6	
		TS325NL	256.05	Polished Nickel	6	
		TS325ORB	276.25	Oil Rubbed Bronze	6	
TS325WR		276.25	Wrought Iron	6		
90 DEGREE™						
	TRANSFER VALVE ONLY					
	• valve sold separately					
	 	PREMIUM				
		TS4172	134.85	Chrome	6	
		TS4172BN	182.20	Brushed Nickel	6	
ROTHBURY™						
	TRANSFER VALVE ONLY					
	• valve sold separately					
	 	PREMIUM				
		TS5205	144.85	Chrome	6	
		TS5205BN	193.65	Brushed Nickel	6	
TS5205ORB		204.00	Oil Rubbed Bronze	6		
WYNFORD™						
	TRANSFER VALVE ONLY					
	• valve sold separately					
	 	T4511	100.40	Chrome	12	
		T4511BN	134.90	Brushed Nickel	12	
		T4511NL	134.90	Polished Nickel	12	
T4511ORB		148.40	Oil Rubbed Bronze	12		
ALIGN®						
	TRANSFER VALVE ONLY					
	• valve sold separately					
	 	T4191	100.40	Chrome	12	
		T4191BN	134.90	Brushed Nickel	12	
		VOSS™				
		TRANSFER VALVE ONLY				
	• valve sold separately					
	 	T4611	100.40	Chrome	12	
		T4611BN	134.90	Brushed Nickel	12	
		T4611ORB	148.40	Oil Rubbed Bronze	12	
KINGSLEY®						
	TRANSFER VALVE ONLY					
	• valve sold separately					
	 	T4311	100.40	Chrome	6	
		T4311BN	134.90	Brushed Nickel	6	
		T4311ORB	148.40	Oil Rubbed Bronze	6	
MOEN®						
	TRANSFER VALVE ONLY					
	• valve sold separately					
	 	T4171	99.80	Chrome	6	
		T4171BN	134.15	Brushed Nickel	6	
		T4171ORB	147.55	Oil Rubbed Bronze	6	
NOTES						

NOTES

 Moen® M•PACT® Common Valve System

Posi-Temp® Transfer Valve Showering Components


Must order Rough-In-Valve and Trim Pack separately.

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
WEYMOUTH® POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately  	PREMIUM				
	TS3210		258.90	Chrome	3
	TS3210BN		366.20	Brushed Nickel	3
	TS3210NL		366.20	Polished Nickel	3
	TS3210ORB		395.15	Oil Rubbed Bronze	3
ARRIS® POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately  	PREMIUM				
	TS22001		240.60	Chrome	3
	TS22001BN		357.80	Brushed Nickel	3
WATERHILL® POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately  	PREMIUM				
	TS310		233.95	Chrome	3
	TS310BN		341.40	Brushed Nickel	3
	TS310NL		341.40	Polished Nickel	3
	TS310ORB		368.40	Oil Rubbed Bronze	3
90 DEGREE™ POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately  	PREMIUM				
	TS2711		153.25	Chrome	3
	TS2711BN		283.80	Brushed Nickel	3
VIA™ POSI-TEMP® VALVE ONLY					
 <div>NEW!</div> <ul style="list-style-type: none">• showerhead type: showerhead sold separately• red/blue markings: included• valve sold separately  	PREMIUM				
	TS8711		149.45	Chrome	3
ROTHBURY™ POSI-TEMP® VALVE ONLY					
 <ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately  	PREMIUM				
	TS2211		160.95	Chrome	3
	TS2211BN		297.95	Brushed Nickel	3
	TS2211ORB		313.85	Oil Rubbed Bronze	3

Use 3372 or 3375 in conjunction with either a Posi-Temp® or Moentrol® shower valve.

HOW TO ORDER POSI-TEMP SHOWER WITH TRANSFER VALVE



NOTES

 Moen® **M•PACT®** Common Valve System


Posi-Temp® Transfer Valve Showering Components

Must order Rough-In-Valve and Trim Pack separately.

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ICON™ POSI-TEMP® VALVE ONLY					
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately  	PREMIUM			
		TS2141130.55Chrome3			
		TS2141BN241.80Brushed Nickel3			
WYNFORD™ POSI-TEMP® VALVE ONLY					
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately  	T4501109.50Chrome3			
		T4501BN198.85Brushed Nickel3			
		T4501NL198.85Polished Nickel3			
		T4501ORB218.80Oil Rubbed Bronze3			
ALIGN® POSI-TEMP® VALVE ONLY					
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• red/blue markings: included• valve sold separately  	T2191109.50Chrome3			
		T2191BN198.85Brushed Nickel3			
VOSS™ POSI-TEMP® VALVE ONLY					
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately  	T2691109.50Chrome3			
		T2691BN198.85Brushed Nickel3			
		T2691ORB218.80Oil Rubbed Bronze3			
KINGSLEY® POSI-TEMP® VALVE ONLY					
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately  	T2111109.50Chrome3			
		T2111BN198.85Brushed Nickel3			
		T2111ORB218.80Oil Rubbed Bronze3			
		T2111WR218.80Wrought Iron3			
		T2111P295.80Polished Brass3			
GLYDE™ POSI-TEMP® VALVE ONLY					
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• valve sold separately 	T274165.70Chrome3			
		T2741BN136.80Brushed Nickel3			

HOW TO ORDER POSI-TEMP SHOWER WITH TRANSFER VALVE



NOTES


 Moen® **M•PACT®** Common Valve System

Posi-Temp® Transfer Valve Showering Components

Must order Rough-In-Valve and Trim Pack separately.
All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
DARTMOOR™	POSI-TEMP® VALVE ONLY				
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • valve sold separately 	T2181	65.70	Chrome	3
RIZON®	POSI-TEMP® VALVE ONLY				
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • red/blue markings: included • valve sold separately 	T2811	109.50	Chrome	3
BRANTFORD™	POSI-TEMP® VALVE ONLY				
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • valve sold separately 	T2151 T2151BN T2151ORB	51.70 118.00 129.80	Chrome Brushed Nickel Oil Rubbed Bronze	3 3 3
EVA®	POSI-TEMP® VALVE ONLY				
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • valve sold separately 	T2131 T2131BN T2131ORB	51.70 118.00 129.80	Chrome Brushed Nickel Oil Rubbed Bronze	3 3 3
METHOD™	POSI-TEMP® VALVE ONLY				
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • valve sold separately 	T2801 T2801BN	51.70 118.00	Chrome Brushed Nickel	3 3
CHATEAU®	POSI-TEMP® VALVE ONLY				
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • red/blue markings: included • valve sold separately 	TL181	32.60	Chrome	12

HOW TO ORDER POSI-TEMP SHOWER WITH TRANSFER VALVE












NOTES

 Moen® **M•PACT®** Common Valve System

Showerheads

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
SHOWER HEADS					
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPSshowerhead functions: two-functionshowerhead type: rainshowershowerhead size: 9" diameter spray headtype of function: concentrated rinse; full sprayflow rate: 2.5 gpm (9.5 L/min) max.	PREMIUM			
		S1311	379.70	Chrome	3
		S1311BN	518.25	Brushed Nickel	3
		S1311NL	518.25	Polished Nickel	3
		S1311ORB	570.00	Oil Rubbed Bronze	3
IMMERSION®					
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPSshowerhead functions: two-functionshowerhead type: eco-performance rainshowershowerhead size: 9" diameter spray headtype of function: concentrated rinse; full sprayflow rate: 2.0 gpm (7.6 L/min) max.	PREMIUM			
		S1311EP	379.70	Chrome	3
		S1311EPBN	518.25	Brushed Nickel	3
		S1311EPNL	518.25	Polished Nickel	3
		S1311EPORB	570.00	Oil Rubbed Bronze	3
 IMMERSION®					
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPSshowerhead functions: one-functionshowerhead type: rainshowershowerhead size: 10" diameter spray headtype of function: full sprayflow rate: 2.5 gpm (9.5 L/min) max.	PREMIUM			
		S112	355.95	Chrome	3
		S112BN	481.90	Brushed Nickel	3
		S112NL	530.05	Polished Nickel	3
		S112ORB	530.05	Oil Rubbed Bronze	3
S112WR	530.05	Wrought Iron	3		
IMMERSION®					
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPSshowerhead functions: one-functionshowerhead type: eco-performance rainshowershowerhead size: 10" diameter spray headtype of function: full sprayflow rate: 2.0 gpm (7.6 L/min) max.	PREMIUM			
		S112EP	355.95	Chrome	3
		S112EPBN	481.90	Brushed Nickel	3
		S112EPNL	530.05	Polished Nickel	3
		S112EPORB	530.05	Oil Rubbed Bronze	3
 IMMERSION®					
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPSshowerhead functions: two-functionshowerhead type: rainshowershowerhead size: 8" diameter spray headtype of function: concentrated rinse; full sprayflow rate: 2.5 gpm (9.5 L/min) max.	PREMIUM			
		S6320	247.50	Chrome	3
		S6320BN	388.90	Brushed Nickel	3
		S6320AZ	427.80	Antique Bronze	3
		S6320ORB	427.80	Oil Rubbed Bronze	3
IMMERSION®					
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPSshowerhead functions: two-functionshowerhead type: eco-performance rainshowershowerhead size: 8" diameter spray headtype of function: concentrated rinse; full sprayflow rate: 2.0 gpm (7.6 L/min) max.	PREMIUM			
		S6320EP	247.50	Chrome	3
		S6320EPBN	388.90	Brushed Nickel	3
		S6320EPORB	427.80	Oil Rubbed Bronze	3
 IMMERSION®					









NOTES

IMMERSSION® Immersion® Rainshower

Showerheads

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

SHOWERHEADS (CONTINUED)


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: two-function showerhead type: rainshower showerhead size: 8-1/2" diameter spray head type of function: combination; concentrated rinse; full rainshower flow rate: 2.5 gpm (9.5 L/min) max. 	PREMIUM			
		S6345	247.50	Chrome	3
		S6345BN	388.90	Brushed Nickel	3
IMMERISION®					
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: two-function showerhead type: eco-performance rainshower showerhead size: 8-1/2" diameter spray head type of function: combination; concentrated rinse; full rainshower flow rate: 2.0 gpm (7.6 L/min) max. 	PREMIUM			
		S6345EP	247.50	Chrome	3
		S6345EPBN	388.90	Brushed Nickel	3
		IMMERISION®			
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: rainshower showerhead size: 8" diameter spray head type of function: full spray flow rate: 2.5 gpm (9.5 L/min) max. 	PREMIUM			
		S6360	229.95	Chrome	3
		S6360BN	345.00	Brushed Nickel	3
		S6360ORB	380.10	Oil Rubbed Bronze	3
IMMERISION®					
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: eco-performance rainshower showerhead size: 8" diameter spray head type of function: full rainshower; full spray flow rate: 2.0 gpm (7.6 L/min) max. 	PREMIUM			
		S6360EP	229.95	Chrome	3
		S6360EPBN	345.00	Brushed Nickel	3
		S6360EPORB	380.10	Oil Rubbed Bronze	3
		IMMERISION®			
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: rainshower showerhead size: 7" diameter spray head type of function: full spray flow rate: 2.5 gpm (9.5 L/min) max. 	PREMIUM			
		S146	158.05	Chrome	3
		S146BN	217.25	Brushed Nickel	3
		S146ORB	228.25	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: eco-performance showerhead showerhead size: 7" diameter spray head type of function: full spray flow rate: 2.0 gpm (7.6 L/min) max. 	PREMIUM			
		S146EPBN	217.25	Brushed Nickel	3
		S146EPORB	228.25	Oil Rubbed Bronze	3

NOTES

IMMERISION® Immersion® Rainshower

Showerheads

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
SHOWERHEADS (CONTINUED)					
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPSshowerhead functions: one-functionshowerhead type: rainshowershowerhead size: 7" diameter spray headtype of function: full sprayflow rate: 2.5 gpm (9.5 L/min) max.	PREMIUM			
		S156	157.95	Chrome	3
IMMERISION®					
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPSshowerhead functions: one-functionshowerhead type: rainshowershowerhead size: 7" diameter spray headtype of function: full sprayflow rate: 2.5 gpm (9.5 L/min) max.	PREMIUM			
		S176	157.95	Chrome	3
		S176BN	217.20	Brushed Nickel	3
IMMERISION®					
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPSshowerhead functions: one-functionshowerhead type: eco-performance rainshowershowerhead size: 7" diameter spray headtype of function: full sprayflow rate: 2.0 gpm (7.6 L/min) max.	PREMIUM			
		S176EP	157.95	Chrome	3
		S176EPBN	217.20	Brushed Nickel	3
IMMERISION®					
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPSshowerhead functions: one-functionshowerhead type: rainshowershowerhead size: 7" diameter spray headtype of function: full sprayflow rate: 2.5 gpm (9.5 L/min) max.	PREMIUM			
		S6310	157.95	Chrome	3
		S6310NL	206.85	Polished Nickel	3
		S6310BN	217.20	Brushed Nickel	3
		S6310ORB	228.05	Oil Rubbed Bronze	3
		S6310WR	228.05	Wrought Iron	3
IMMERISION®					
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPSshowerhead functions: one-functionshowerhead type: eco-performance rainshowershowerhead size: 7" diameter spray headtype of function: full sprayflow rate: 2.0 gpm (7.6 L/min) max.	PREMIUM			
		S6310EP	157.95	Chrome	3
		S6310EPNL	206.85	Polished Nickel	3
		S6310EPBN	217.20	Brushed Nickel	3
		S6310EPORB	228.05	Oil Rubbed Bronze	3
IMMERISION®					
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPSshowerhead functions: one-functionshowerhead type: rainshowershowerhead size: 6" diameter spray headtype of function: full sprayflow rate: 2.5 gpm (9.5 L/min) max.	PREMIUM			
		S6340	157.95	Chrome	3
		S6340BN	217.20	Brushed Nickel	3
IMMERISION®					



IMMERISION®

















IMMERISION®

NOTES

IMMERISION® Immersion® Rainshower

Showerheads

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.









SHOWERHEADS (CONTINUED)		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
 <ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: eco-performance rainshower showerhead size: 6" diameter spray head type of function: full spray flow rate: 1.75 gpm (6.65 L/min) max.  	PREMIUM				
	S6340EP 157.95 Chrome 3				
	S6340EPBN 217.20 Brushed Nickel 3				
 <ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: eco-performance rainshower showerhead size: 6" diameter spray head type of function: full spray flow rate: 1.5 gpm (5.7 L/min) max.  	PREMIUM				
	S6340EP15 157.95 Chrome 3				
	S6340EP15BN 217.20 Brushed Nickel 3				
 <ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: eco-performance rainshower showerhead size: 6" diameter spray head type of function: full spray flow rate: 2.0 gpm (7.6 L/min) max.  	PREMIUM				
	S6340EP20 157.95 Chrome 3				
 <ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: rainshower showerhead size: 6" diameter spray head type of function: full spray flow rate: 2.5 gpm (9.5 L/min) max. 	PREMIUM				
	S6365 157.95 Chrome 3				
	S6365BN 217.20 Brushed Nickel 3				
	S6365ORB 228.05 Oil Rubbed Bronze 3				
 <ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: eco-performance rainshower showerhead size: 6" diameter spray head type of function: full spray flow rate: 2.0 gpm (7.6 L/min) max.  	PREMIUM				
	S6365EP 157.95 Chrome 3				
	S6365EPBN 217.20 Brushed Nickel 3				
	S6365EPORB 228.05 Oil Rubbed Bronze 3				

NOTES

IMMERISION® Immersion® Rainshower

Showerheads

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
SHOWERHEADS (CONTINUED)					
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 6-1/2" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. 	PREMIUM			
		S6335EP	123.85	Chrome	6
		S6335EPBN	168.65	Brushed Nickel	6
		S6335EPORB	185.40	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 6-1/2" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max. 	PREMIUM			
		S6335EP15	123.85	Chrome	6
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 6-1/2" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. 	PREMIUM			
		S6335	123.85	Chrome	6
		S6335BN	168.65	Brushed Nickel	6
		S6335ORB	185.40	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 5-7/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. 	PREMIUM			
		S6312	102.75	Chrome	12
		S6312BN	122.15	Brushed Nickel	12
		S6312NL	122.15	Polished Nickel	12
		S6312ORB	134.35	Oil Rubbed Bronze	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 5-7/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. 	PREMIUM			
		S6312EP	102.75	Chrome	12
		S6312EPBN	122.15	Brushed Nickel	12
		S6312EPNL	122.15	Polished Nickel	6
		S6312EPORB	134.35	Oil Rubbed Bronze	6









Showerheads

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

SHOWERHEADS (CONTINUED)		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: three-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • type of function: combination; concentrated rinse; full spray • flow rate: 1.75 gpm (6.65 L/min) max. 	3233EP	93.45	Chrome	12
		3233EPCBC	103.05	Chrome/Brushed Chrome	12
		3233EPBN	158.65	Brushed Nickel	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: four-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • type of function: combination; full spray; invigorating spray; targeted massage • flow rate: 2.5 gpm (9.5 L/min) max. 	3638	93.45	Chrome	12
		3638BN	158.65	Brushed Nickel	12
		3638ORB	174.55	Oil Rubbed Bronze	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: four-function • showerhead type: eco-performance showerhead • showerhead size: 4-3/8" diameter spray head • type of function: combination; full spray; invigorating spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. 	3638EP	93.45	Chrome	12
		3638EPBN	158.65	Brushed Nickel	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: five-function • showerhead type: standard • showerhead size: 4" diameter spray head • type of function: energizing spray; invigorating spray; refreshing spray; relaxing spray; targeted massage • flow rate: 2.5 gpm (9.5 L/min) max. 	3855	93.45	Chrome	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: five-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • type of function: energizing spray; invigorating spray; refreshing spray; relaxing spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. 	3855EP	93.45	Chrome	12







Showerheads

All Brushed Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
SHOWERHEADS (CONTINUED)					
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. 	6302	80.80	Chrome	12
		6302BN	126.20	Brushed Nickel	12
		6302AZ	138.85	Antique Bronze	12
		6302ORB	138.85	Oil Rubbed Bronze	12
		6302WR	138.85	Wrought Iron	12
		6302P	140.75	Polished Brass	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. 	6302EP	80.80	Chrome	12
		6302EPBN	126.20	Brushed Nickel	12
		6302EPORB	138.85	Oil Rubbed Bronze	12
		6302EPP	140.75	Polished Brass	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max. 	6302EP15	80.80	Chrome	12
		6302EP15BN	126.20	Brushed Nickel	12
		6302EP15ORB	138.85	Oil Rubbed Bronze	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. • carded packaging: yes 	CL6302	80.80	Chrome	12
		CL6302BN	126.20	Brushed Nickel	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • carded packaging: yes 	CL6302EP	80.80	Chrome	12
		CL6302EPBN	126.20	Brushed Nickel	12

Showerheads











All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

SHOWERHEADS (CONTINUED)		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: standard showerhead size: 4-1/16" diameter spray head type of function: full spray flow rate: 2.5 gpm (9.5 L/min) max. 	6325	79.85	Chrome	12
		6325BN	124.70	Brushed Nickel	12
		6325ORB	137.20	Oil Rubbed Bronze	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: eco-performance showerhead showerhead size: 4-1/16" diameter spray head type of function: full spray flow rate: 1.75 gpm (6.65 L/min) max. 	6325EP	79.85	Chrome	12
		6325EPBN	124.70	Brushed Nickel	12
		6325EPORB	137.20	Oil Rubbed Bronze	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: standard showerhead size: 3-5/8" diameter spray head type of function: full spray flow rate: 2.5 gpm (9.5 L/min) max. 	6399	79.85	Chrome	12
		6399BN	124.70	Brushed Nickel	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: eco-performance showerhead showerhead size: 3-5/8" diameter spray head type of function: full spray flow rate: 1.75 gpm (6.65 L/min) max. 	6399EP	79.85	Chrome	12
		6399EPBN	124.70	Brushed Nickel	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: five-function showerhead type: standard showerhead size: 4" diameter spray head type of function: energizing spray; invigorating spray; refreshing spray; relaxing spray; targeted massage flow rate: 2.5 gpm (9.5 L/min) max. carded packaging: yes 	CL26500	47.55	Chrome	12
		CL26500BN	77.65	Chrome	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: five-function showerhead type: eco-performance showerhead showerhead size: 4" diameter spray head type of function: energizing spray; invigorating spray; refreshing spray; relaxing spray; targeted massage flow rate: 2.0 gpm (7.6 L/min) max. carded packaging: yes 	CL26500EP	47.55	Chrome	12
		CL26500EPBN	77.65	Brushed Nickel	12













Showerheads

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
SHOWERHEADS (CONTINUED)					
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: standard showerhead size: 3-3/8" diameter spray head type of function: full spray flow rate: 2.5 gpm (9.5 L/min) max. 	6303	44.70	Chrome	12
		6303BN	68.45	Brushed Nickel	12
		6303ORB	75.30	Oil Rubbed Bronze	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: eco-performance showerhead showerhead size: 3-3/8" diameter spray head type of function: full spray flow rate: 1.75 gpm (6.65 L/min) max. 	6303EP	44.70	Chrome	12
		6303EPBN	68.45	Brushed Nickel	12
		6303EPORB	75.30	Oil Rubbed Bronze	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: eco-performance showerhead showerhead size: 3.5" diameter spray head type of function: full spray flow rate: 1.5 gpm (5.7 L/min) max. 	6313	44.70	Chrome	12
		6313BN	68.45	Brushed Nickel	12
		6313ORB	75.30	Oil Rubbed Bronze	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: standard showerhead size: 3-3/8" diameter spray head type of function: full spray flow rate: 2.5 gpm (9.5 L/min) max. carded packaging: yes 	CL6303	44.70	Chrome	12
		CL6303BN	66.75	Brushed Nickel	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: eco-performance showerhead showerhead size: 3-3/8" diameter spray head type of function: full spray flow rate: 1.75 gpm (6.65 L/min) max. carded packaging: yes 	CL6303EP	44.70	Chrome	12
		CL6303EPBN	68.45	Brushed Nickel	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS showerhead functions: one-function showerhead type: eco-performance showerhead showerhead size: 3.75" diameter spray head type of function: full spray flow rate: 1.75 gpm (6.65 L/min) max. 	6322EP	37.95	Chrome	12









Showerheads

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

SHOWER HEAD (CONTINUED)		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
 	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-7/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. 	6370	47.95	Chrome	12
		6370BN	73.40	Brushed Nickel	12
 	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-7/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. 	6370EP17	47.95	Chrome	12
		6370EP17BN	73.40	Brushed Nickel	12
 	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 4" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. 	6371	47.95	Chrome	12
		6371BN	73.40	Brushed Nickel	12
		6371ORB	80.80	Oil Rubbed Bronze	12
 	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. 	6371EP17	47.95	Chrome	12
		6371EP17BN	73.40	Brushed Nickel	12
		6371EP17ORB	80.80	Oil Rubbed Bronze	12






Showerheads

All Brushed Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
SHOWER HEAD (CONTINUED)					
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. 	6304	36.45	Chrome	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. 	6304EP	36.45	Chrome	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max. 	6300 6300BC 6300BN 6300P	31.30 37.60 47.85 55.85	Chrome Brushed Chrome Brushed Nickel Polished Brass	12 12 12 12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. 	6300EP 6300EPBN	31.30 47.85	Chrome Brushed Nickel	12 12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max. 	6300EP15	31.30	Chrome	12

Handheld Showers







All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
ANNEX™ SHOWER RAIL					
<div><div>NEW!</div></div>	<ul style="list-style-type: none">• application: no hole• connection size: 1/2"• connection type: IPS• showerhead type: showerhead sold separately	TS3661NH	445.00	Chrome	3
HANDHELD SHOWER WITH SLIDE BAR					
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: eco-performance handshower• showerhead size: 3" diameter spray head• type of function: full spray• flow rate: 2.0 gpm (7.6 L/min) max.• slide bar length: 30"• hose length: 69"• double check valve: included• slide bar: not to be used as a grab bar• drop ell: sold separately• use secure mount anchor: to meet hand grip requirements	PREMIUM			
		S12107EP	452.25	Chrome	6
		S12107EPBN	639.50	Brushed Nickel	6
		S12107EPNL	639.50	Polished Nickel	6
		S12107EPORB	703.40	Oil Rubbed Bronze	6
	<ul style="list-style-type: none">• showerhead functions: four-function• showerhead type: eco-performance handshower• showerhead size: 3-3/4" diameter spray head• type of function: drench; immerse; shine; soothe• flow rate: 2.0 gpm (7.6 L/min) max.• slide bar length: 30"• hose length: 69"• double check valve: included• slide bar: not to be used as a grab bar• drop ell: sold separately• use secure mount anchor: to meet hand grip requirements	PREMIUM			
		S3870EP	311.25	Chrome	6
		S3870EPBN	624.25	Brushed Nickel	6
		S3870EPORB	687.30	Oil Rubbed Bronze	6
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: eco-performance handshower• showerhead size: 3" diameter spray head• type of function: full spray• flow rate: 2.0 gpm (7.6 L/min) max.• slide bar length: 30"• hose length: 69"• double check valve: included• slide bar: not to be used as a grab bar• drop ell: sold separately• use secure mount anchor: to meet hand grip requirements	PREMIUM			
		S3879EP	274.75	Chrome	6
		S3879EPBN	551.25	Brushed Nickel	6
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: eco-performance handshower• showerhead size: 1-1/8" diameter spray head• type of function: full spray• flow rate: 1.75 gpm (6.65 L/min) max.• slide bar length: 30"• hose length: 69"• double check valve: included• slide bar: not to be used as a grab bar• drop ell: sold separately• use secure mount anchor: to meet hand grip requirements	PREMIUM			
		S3879EP17	274.75	Chrome	6
		S3879EP17BN	551.25	Brushed Nickel	6











Handheld Showers

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
HANDHELD SHOWER WITH SLIDE BAR (CONTINUED)					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 2" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • slide bar length: 30" • hose length: 69" • double check valve: included • slide bar: not to be used as a grab bar • drop ell: sold separately • use secure mount anchor: to meet hand grip requirements 	3869EP	267.00	Chrome	6
		3869EPBN	530.30	Brushed Nickel	6
		3869EPORB	583.35	Oil Rubbed Bronze	6
		3869EPWR	589.20	Wrought Iron	6
	<ul style="list-style-type: none"> • showerhead functions: four-function • showerhead type: eco-performance handshower • showerhead size: 4-3/8" diameter spray head • type of function: combination; full spray; invigorating spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. • slide bar length: 30" • hose length: 69" • double check valve: included • slide bar: not to be used as a grab bar • drop ell: sold separately • use secure mount anchor: to meet hand grip requirements 	3667EP	258.00	Chrome	6
		3667EPBN	510.15	Brushed Nickel	6
		3667EPORB	561.15	Oil Rubbed Bronze	6
		3669EP	258.00	Chrome	6
		3669EPBN	510.15	Brushed Nickel	6
		3669EPORB	561.15	Oil Rubbed Bronze	6
		3863EP17	258.00	Chrome	6
		3863EP17BN	535.55	Chrome	6






Handheld Showers

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
HANDHELD SHOWER WITH SLIDE BAR (CONTINUED)					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 1-1/8" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • slide bar length: 30" • hose length: 69" • double check valve: included • slide bar: not to be used as a grab bar • drop ell: sold separately • use secure mount anchor: to meet hand grip requirements 	3887EP	239.65	Chrome	6
		3887EPBN	476.15	Brushed Nickel	6
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 1-1/8" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • slide bar length: 30" • hose length: 69" • double check valve: included • slide bar: not to be used as a grab bar • drop ell: sold separately • use secure mount anchor: to meet hand grip requirements 	3887EP17	239.65	Chrome	6
		3887EP17BN	476.15	Brushed Nickel	6
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4-1/4" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • slide bar length: 24" • hose length: 59" • double check valve: included • slide bar: not to be used as a grab bar • drop ell: sold separately • use secure mount anchor: to meet hand grip requirements  <p>WaterSense Meets EPA Criteria Certified by IAPMO R&T</p>	3668EP	216.00	Chrome	6
		3668EPBN	312.60	Brushed Nickel	6
		3668EPORB	343.60	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 4" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • slide bar length: 24" • hose length: 59" • double check valve: included • slide bar: not to be used as a grab bar • drop ell: sold separately • use secure mount anchor: to meet hand grip requirements  <p>WaterSense Meets EPA Criteria Certified by IAPMO R&T</p>	3868EP	216.00	Chrome	6
		3868EPBN	312.60	Brushed Nickel	6
		3868EPORB	343.60	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • slide bar length: 24" • hose length: 59" • double check valve: included • slide bar: not to be used as a grab bar • drop ell: sold separately • use secure mount anchor: to meet hand grip requirements  <p>WaterSense Meets EPA Criteria Certified by IAPMO R&T</p>	3868EP17	216.00	Chrome	6
		3868EP17BN	312.60	Brushed Nickel	6
		3868EP17ORB	343.60	Oil Rubbed Bronze	6

Handheld Showers










All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
HANDHELD SHOWER WITH WALL MOUNTING BRACKET					
	<ul style="list-style-type: none"> • showerhead functions: four-function • showerhead type: eco-performance handshower • showerhead size: 4-3/8" diameter spray head • type of function: combination; full spray; invigorating spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. • hose length: 69" • double check valve: included • drop ell: sold separately 	3636EP	244.80	Chrome	6
		3636EPBN	465.95	Brushed Nickel	6
		3636EPORB	512.50	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • hose length: 69" • wall bracket: included • double check valve: included • drop ell: sold separately 	3861EP	235.40	Chrome	6
		3861EPBN	479.40	Brushed Nickel	6
		3861EPNL	479.40	Polished Nickel	6
		3861EPORB	528.80	Oil Rubbed Bronze	6
		3861EPWR	528.80	Wrought Iron	6
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 1-1/8" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • hose length: 69" • wall bracket: included • double check valve: included • drop ell: sold separately 	PREMIUM			
		S11705EP	223.85	Chrome	6
		S11705EPBN	324.45	Brushed Nickel	6
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • hose length: 59" • wall bracket: included • double check valve: included • drop ell: sold separately 	3865EP	176.20	Chrome	6
		3865EPBN	255.75	Brushed Nickel	6
		3865EPORB	281.40	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • hose length: 59" • double check valve: included • slide bar: not to be used as a grab bar • drop ell: sold separately 	3865EP17	176.20	Chrome	6
		3865EP17BN	255.75	Brushed Nickel	6
		3865EP17ORB	281.40	Oil Rubbed Bronze	6



Handheld Showers


All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

SHOWERHEAD		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
 	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: six-function • showerhead type: eco-performance handshower • showerhead size: 3.5" diameter spray head • type of function: combination • flow rate: 2.0 gpm (7.6 L/min) max. 	26100EP	59.95	Chrome	2
					
 	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: six-function • showerhead type: eco-performance handshower • showerhead size: 3.5" diameter spray head • type of function: combination • flow rate: 2.0 gpm (7.6 L/min) max. • Prepack of 12 	P26100EP	59.95	Chrome	12
					
 	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • showerhead functions: six-function • showerhead type: handshower • showerhead size: 3.5" diameter spray head • type of function: combination • flow rate: 2.0 gpm (7.6 L/min) max. 	26100EPSRN ●	73.30	Spot Resist Brushed Nickel	2
					

NOTES







Handheld Shower Accessories

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
DROP ELL					
	<ul style="list-style-type: none">• connection size: 1/2"• connection type: IPS• integral handshower cradle: included• pivots: to adjust angle of handshower	A755	119.10	Chrome	12
		A755BN	172.70	Brushed Nickel	12
		A755ORB	189.95	Oil Rubbed Bronze	12
	<ul style="list-style-type: none">• description: drop ell• connection size: 1/2"• connection type: IPS	A721	59.55	Chrome	12
		A721BN	83.95	Brushed Nickel	12
	<ul style="list-style-type: none">• description: drop ell• connection size: 1/2"• connection type: IPS	A725	46.60	Chrome	12
		A725BN	65.90	Brushed Nickel	12
		A725NL	65.90	Polished Nickel	12
		A725P	65.90	Polished Brass	12
		A725AZ	72.50	Antique Bronze	12
		A725ORB	72.50	Oil Rubbed Bronze	12
		A725WR	72.50	Wrought Iron	12
	<ul style="list-style-type: none">• description: twin ell• usage: with ExactTemp® and transfer valve tub/shower installations	128284	24.15	1/2" x 1/2" x 3/4" IPS	12
SHOWER ARM DIVERTER					
	<ul style="list-style-type: none">• connection size: 1/2"• connection type: IPS• type of function: two independent one shared• integral handshower cradle: included• metal construction• carded packaging: yes• pivots: to adjust angle of handshower	CL707	100.35	Chrome	12
		CL707BN	145.50	Brushed Nickel	12
		CL707ORB	160.10	Oil Rubbed Bronze	12
	<ul style="list-style-type: none">• connection size: 1/2"• connection type: IPS• type of function: two independent one shared• metal construction• carded packaging: yes	CL703	73.95	Chrome	12
		CL703BN	107.20	Brushed Nickel	12
		CL703ORB	117.95	Oil Rubbed Bronze	12
	<ul style="list-style-type: none">• connection size: 1/2"• connection type: IPS• type of function: two discrete• metal construction	A720	66.45	Chrome	12
		A720P	79.70	Polished Brass	12
		A720NL	87.65	Polished Nickel	12
		A720BN	90.30	Brushed Nickel	12
		A720AZ	99.30	Antique Bronze	12
		A720ORB	99.30	Oil Rubbed Bronze	12












Handheld Shower Accessories

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
SHOWER ARM CRADLE					
	• connection size: 1/2"	A701	43.35	Chrome	12
	• connection type: IPS	A701BN	62.80	Brushed Nickel	12
	• integral handshower cradle: included	A701ORB	69.05	Oil Rubbed Bronze	12
	• metal construction: yes				
• pivots: to adjust angle of handshower					
	• connection size: 1/2"	CLA701	43.35	Chrome	12
	• connection type: IPS	CLA701BN	62.80	Brushed Nickel	12
	• integral handshower cradle: included				
	• metal construction: yes				
• pivots: to adjust angle of handshower					
HANDSHOWER WALL BRACKET					
	• integral handshower cradle: included	114348	76.95	Chrome	12
	• metal construction: yes	114348NL	89.40	Polished Nickel	12
	• pivots: to adjust angle of handshower	114348P	98.00	Polished Brass	12
		114348BN	111.50	Chrome	12
		114348ORB	122.70	Oil Rubbed Bronze	12
		114348WR	122.70	Wrought Iron	12
	• integral handshower cradle: included	155694	21.35	Chrome	12
	• pivots: to adjust angle of handshower	155694BN	30.85	Brushed Nickel	12
		155694ORB	34.05	Oil Rubbed Bronze	12
	• integral handshower cradle: included	CL155694	21.35	Chrome	12
	• pivots: to adjust angle of handshower	CL155694BN	30.85	Brushed Nickel	12
	• description: SecureMount™ anchors	A750	38.50	N/A or Unfinished	24
	• use secure mount anchors: to meet hand grip requirements				

Body Sprays

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.







		MODEL NUMBER	LIST PRICE	FINISH/ DESCRIPTION	CASE QTY
MOSAIC™ BODY SPRAY					
	<ul style="list-style-type: none">• spray functions: one-function• showerhead type: standard• showerhead size: 3-1/4" diameter spray head• valve sold separately• flow rate: 2.0 gpm (7.6 L/min) max.• 1" extension kit available: 155656 	PREMIUM			
		TS1320	121.40	Chrome	6
		TS1320BN	171.10	Brushed Nickel	6
		TS1320NL	171.10	Polished Nickel	6
		TS1320ORB	193.10	Oil Rubbed Bronze	6
	<ul style="list-style-type: none">• spray functions: one-function• showerhead type: standard• showerhead size: 3-1/4" diameter spray head• valve sold separately• flow rate: 2.0 gpm (7.6 L/min) max.• 1" extension kit available: 155656 	PREMIUM			
		TS1322	121.40	Chrome	6
		TS1322BN	171.10	Brushed Nickel	6
		TS1322NL	171.10	Polished Nickel	6
		TS1322ORB	193.10	Oil Rubbed Bronze	6
	<ul style="list-style-type: none">• spray functions: two-function• showerhead size: 3-1/4" diameter spray head• valve sold separately• showerhead type: standard• flow rate: 2.0 gpm (7.6 L/min) max.• showerhead function: refreshing spray; targeted massage• 1" extension kit available: 155656 	PREMIUM			
		TS1420	187.75	Chrome	6
		TS1420BN	254.45	Brushed Nickel	6
		TS1420NL	254.45	Polished Nickel	6
		TS1420ORB	280.05	Oil Rubbed Bronze	6
	<ul style="list-style-type: none">• spray functions: two-function• showerhead size: 3-1/4" diameter spray head• valve sold separately• showerhead type: standard• flow rate: 2.0 gpm (7.6 L/min) max.• showerhead function: refreshing spray; targeted massage• 1" extension kit available: 155656 	PREMIUM			
		TS1422	187.75	Chrome	6
		TS1422BN	254.45	Brushed Nickel	6
		TS1422NL	254.45	Polished Nickel	6
		TS1422ORB	280.05	Oil Rubbed Bronze	6
BODY SPRAY ROUGH-IN					
		PREMIUM			
		S1300	82.80	1/2" CC,IPS	6
BODY SPRAY					
		A501	86.45	Chrome	12
		A501BN	108.10	Brushed Nickel	12
		A501NL	108.10	Polished Nickel	12
		A501P	108.10	Polished Brass	12
		A501AZ	118.90	Antique Bronze	12
		A501ORB	118.90	Oil Rubbed Bronze	12
		A501WR	118.90	Wrought Iron	12

NOTES

 Moen® **M•PACT®** Common Valve System
IMMERISION® Immersion® Rainshower








Shower Arms and Flanges

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
SHOWER ARMS & FLANGES					
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS length: 14" 	PREMIUM			
		S110	104.10	Chrome	6
		S110BN	126.00	Brushed Nickel	6
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS length: 14" 	PREMIUM			
		S113	104.10	Chrome	3
		S113BN	126.00	Brushed Nickel	3
		S113NL	126.00	Polished Nickel	3
		S113ORB	138.60	Oil Rubbed Bronze	3
		S113WR	138.60	Wrought Iron	3
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS length: 8" 	PREMIUM			
		S122	39.95	Chrome	6
		S122BN	82.60	Brushed Nickel	6
		S122ORB	90.85	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS length: 8" 	PREMIUM			
		S133	39.95	Chrome	6
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS length: 8" 	S133BN	82.60	Brushed Nickel	6
		PREMIUM			
		S143	39.95	Chrome	3
		S143BN	82.60	Brushed Nickel	3
		S143ORB	82.65	Oil Rubbed Bronze	3
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS length: 8" 	PREMIUM			
		S177	39.85	Chrome	6
		S177BN	82.60	Brushed Nickel	6







Shower Arms and Flanges

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
SHOWER ARMS & FLANGES (CONTINUED)					
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS length: 8" 	161951	86.25	Chrome	12
		161951BN	116.65	Brushed Nickel	12
		161951ORB	128.35	Oil Rubbed Bronze	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS length: 16" 	151380	65.80	Chrome	6
		151380BN	111.90	Brushed Nickel	6
		151380ORB	123.00	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS length: 12" 	226651	39.70	Chrome	6
		226651BN	77.10	Brushed Nickel	6
		226651NL	77.10	Polished Nickel	6
		226651AZ	84.75	Antique Bronze	6
		226651ORB	84.75	Oil Rubbed Bronze	6
		226651WR	84.75	Wrought Iron	6
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS length: 6" 	116651	12.85	Chrome	6
		116651BN	21.80	Brushed Nickel	6
		116651NL	21.80	Polished Nickel	6
		116651ORB	28.30	Oil Rubbed Bronze	6
		116651WR	28.30	Wrought Iron	6
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS length: 8" 	123815	25.35	Chrome	12
		123815BN	42.20	Brushed Nickel	12
		123815ORB	46.40	Oil Rubbed Bronze	12
		123815WR	46.40	Wrought Iron	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS length: 8" 	CL123815	32.50	Chrome	12
		CL123815BN	61.15	Brushed Nickel	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS length: 6" 	10154	18.65	Chrome	20
		10154BN	33.40	Brushed Nickel	20
		10154NL	33.40	Polished Nickel	20
		10154AZ	36.75	Antique Bronze	20
		10154ORB	36.75	Oil Rubbed Bronze	20
		10154WR	36.75	Wrought Iron	20







Shower Arms and Flanges

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
SHOWER ARMS & FLANGES (CONTINUED)					
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • length: 6" 	CL10154	25.85	Chrome	12
		CL10154BN	52.35	Brushed Nickel	12
	• tub and shower accent kit	AT2099	15.15	Chrome	12
		AT2099BN	38.55	Brushed Nickel	12
		AT2099P	40.80	Polished Brass	12
		AT2099ORB	42.40	Oil Rubbed Bronze	12
	• shower arm and flange	147572	10.35	Chrome	12
		147572BN	15.15	Brushed Nickel	12
	• shower arm and flange	164745	10.30	Chrome	20
		164745BN	15.05	Brushed Nickel	20
		164745ORB	19.55	Oil Rubbed Bronze	20
	• shower arm and flange	137488	7.20	Chrome	12
		137488BN	18.80	Brushed Nickel	12
	• shower arm and flange	AT2199	7.20	Chrome	12
		AT2199SLP	13.55	Brushed Platinum	12
		AT2199BN	18.95	Brushed Nickel	12
		AT2199NL	18.95	Polished Nickel	12
		AT2199P	20.05	Polished Brass	12
		AT2199AZ	20.90	Antique Bronze	12
		AT2199ORB	20.90	Oil Rubbed Bronze	12
		AT2199WR	20.90	Wrought Iron	12


Showering Accessories

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
REPLACEMENT HANDSHOWER					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 1-1/8" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included 	154305	121.95	Chrome	6
		154305BN	176.80	Brushed Nickel	6
		154305NL	187.75	Polished Nickel	6
		154305ORB	187.75	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> • showerhead functions: three-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: combination; concentrated rinse; full spray • flow rate: 1.75 gpm (6.65 L/min) max. • double check valve: included 	147913	119.70	Chrome	6
		147913BN	177.15	Brushed Nickel (BN)	6
	<ul style="list-style-type: none"> • showerhead functions: four-function • showerhead type: eco-performance handshower • showerhead size: 3-3/4" diameter spray head • type of function: combination; full spray; invigorating spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included 	160042	87.00	Chrome	6
		160042BN	126.20	Brushed Nickel	6
		160042ORB	138.80	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 3" diameter spray head • type of function: full spray • flow rate: 1.75 gpm (6.65 L/min) max. • double check valve: included 	147547	81.80	Chrome	6
		147547BN	120.00	Brushed Nickel	6
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 3" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included 	176257	81.80	Chrome	6
		176257BN	120.00	Brushed Nickel	6
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 2" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included 	176015	72.60	Chrome	12
		176015BN	105.20	Brushed Nickel	12
		176015ORB	115.80	Oil Rubbed Bronze	12
		176015P	142.90	Polished Brass	12
		176015WR	147.00	Wrought Iron	12

Showering Accessories

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

REPLACEMENT HANDSHOWER (CONTINUED)		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• showerhead functions: four-function	CL164928	67.55	Chrome	6
	• showerhead type: eco-performance handshower	CL164928BN	97.90	Brushed Nickel	6
	• showerhead size: 4-3/64" diameter spray head				
	• type of function: combination; full spray; invigorating spray; targeted massage				
	• flow rate: 2.0 gpm (7.6 L/min) max.				
	• double check valve: included				
	• showerhead functions: four-function	164927	65.90	Chrome	6
	• showerhead type: eco-performance handshower	164927BN	95.45	Brushed Nickel	6
	• showerhead size: 4-3/8" diameter spray head	164927ORB	107.70	Oil Rubbed Bronze	6
	• type of function: combination; full spray; invigorating spray; targeted massage				
	• flow rate: 2.0 gpm (7.6 L/min) max.				
	• double check valve: included				
	• showerhead functions: one-function	155891	64.95	Chrome	6
	• showerhead type: eco-performance handshower	155891BN	94.25	Brushed Nickel	6
	• showerhead size: 1-1/8" diameter spray head				
	• type of function: full spray				
	• flow rate: 1.75 gpm (6.65 L/min) max.				
	• double check valve: included				
	• showerhead function: one-function	155747	56.55	Chrome	6
	• showerhead type: eco-performance handshower	155747BN	82.05	Brushed Nickel	6
	• showerhead size: 4-3/64" diameter spray head	155747ORB	90.25	Oil Rubbed Bronze	6
	• type of function: full spray				
	• flow rate: 2.0 gpm (7.6 L/min) max.				
	• double check valve: included				
	• showerhead functions: one-function	157276	56.55	Chrome	6
	• showerhead type: eco-performance handshower	157276BN	82.05	Brushed Nickel	6
	• showerhead size: 4-3/64" diameter spray head	157276ORB	90.25	Oil Rubbed Bronze	6
	• type of function: full spray				
	• flow rate: 1.75 gpm (6.65 L/min) max.				
	• double check valve: included				






Showering Accessories

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
REPLACEMENT HANDSHOWER (CONTINUED)					
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4-3/64" diameter spray head • type of function: full spray • flow rate: 1.5 gpm (5.7 L/min) max. • double check valve: included 	157276EP15	56.55	Chrome	6
		157276EP15BN	82.05	Brushed Nickel	6
		157276EP15ORB	90.25	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 1-1/8" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included 	165212	56.55	Chrome	12
		165212BN	82.05	Brushed Nickel	12
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4-3/64" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included • carded packaging: yes 	CL155747	56.55	Chrome	6
		CL155747BN	82.05	Brushed Nickel	6
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4-3/64" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included 	164929	55.20	Chrome	6
		164929BN	80.05	Brushed Nickel	6
		164929ORB	90.25	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> • showerhead functions: five-function • showerhead type: eco-performance handshower • showerhead size: 4" diameter spray head • type of function: energizing spray; invigorating spray; refreshing spray; relaxing spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. 	180238	46.15	Chrome	6







Showering Accessories

All Brushed Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

REPLACEMENT SLIDE BAR		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	• length: 30"	154296	243.05	Chrome	6
	• slide bar: not to be used as a grab bar	154296BN	267.35	Brushed Nickel	6
		154296NL	294.10	Polished Nickel	6
		154296ORB	294.10	Oil Rubbed Bronze	6
	• length: 24"	155746	172.60	Chrome	6
	• slide bar: not to be used as a grab bar	155746BN	250.25	Brushed Nickel	6
		155746ORB	275.25	Oil Rubbed Bronze	6
	• length: 22"	A745	151.35	Chrome	6
	• slide bar: not to be used as a grab bar	A745BN	219.50	Brushed Nickel	6
	• length: 30"	A742	150.50	Chrome	6
	• slide bar: not to be used as a grab bar	A742BN	218.30	Brushed Nickel	6
	• length: 30"	A735	139.15	Chrome	6
	• slide bar: not to be used as a grab bar	A735CP	160.00	Chrome/Polished Brass	6
		A735BN	201.75	Brushed Nickel	6
		A735ORB	214.20	Oil Rubbed Bronze	6
		A735P	214.20	Polished Brass	6
		A735WR	214.20	Wrought Iron	6








Showering Accessories

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
SECURE-MOUNT™ ANCHOR					
	<ul style="list-style-type: none">description: secure mount anchorsuse secure mount anchors: to meet hand grip requirements	A750	38.50	N/A or Unfinished	24
SHOWER HOSE					
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPShose length: 80"metal construction: yes	A780	105.10	Chrome	20
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPShose length: 69"metal construction: yes	A726	89.15	Chrome	12
		A726AZ	164.95	Antique Bronze	12
		A726BR	164.95	Brown	12
		A726NL	159.15	Polished Nickel	24
		A726P	159.15	Polished Brass	24
		A726ST	159.15	Satine	24
		A726WR	101.50	Wrought Iron	6
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPShose length: 59"metal construction: yes	CL155748	33.00	Chrome	12
		CL155748BN	47.95	Brushed Nickel	12
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPShose length: 59"metal construction: yes	155748	33.00	Chrome	8
		155748BN	47.95	Brushed Nickel	8
SHOWER VACUUM BREAKER					
	<ul style="list-style-type: none">connection size: 1/2"connection type: IPS	A714	37.40	Chrome	24
		A714ST	54.25	Satine	24
		A714ORB	59.70	Oil Rubbed Bronze	12
		A714WR	59.70	Wrought Iron	12
		A714P	85.35	Polished Brass	12
		A714NL	93.85	Polished Nickel	24

Diverter Tub Spouts

All Brushed Nickel and Polished Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
DIVERTER TUB SPOUT					
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: slip fit • spout length: 7 1/8" • tub spout type: diverter 	PREMIUM			
		S144	153.50	Chrome	6
		S144BN	233.35	Brushed Nickel	6
		S144ORB	256.60	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: slip fit • spout length: 6 3/4" • tub spout type: diverter 	PREMIUM			
		S12104	137.70	Chrome	6
		S12104BN	218.10	Brushed Nickel	6
		S12104NL	220.25	Polished Nickel	6
		S12104ORB	239.90	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: slip fit • spout length: 7 3/8" • tub spout type: diverter 	PREMIUM			
		S11704	135.05	Chrome	6
		S11704BN	221.05	Brushed Nickel	6
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: slip fit • spout length: 7 1/4" • tub spout type: diverter 	PREMIUM			
		S3896	89.85	Chrome	6
		S3896BN	130.30	Chrome	6
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: slip fit • spout length: 6 3/4" • tub spout type: diverter 	PREMIUM			
		S114	121.60	Chrome	6
		S114BN	198.95	Brushed Nickel	6
		S114NL	198.95	Polished Nickel	6
		S114ORB	218.80	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • spout length: 7 1/4" • tub spout type: diverter 	PREMIUM			
		S3894	93.85	Chrome	6
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: slip fit • spout length: 7 5/8" • tub spout type: diverter 	PREMIUM			
		S3859	89.85	Chrome	6
		S3859BN	130.30	Brushed Nickel	6
		S3859AZ	143.25	Antique Bronze	6
		S3859ORB	143.25	Oil Rubbed Bronze	6








Diverter Tub Spouts

All Brushed Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
DIVERTER TUB SPOUT (CONTINUED)					
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS spout length: 5 1/2" tub spout type: diverter 	3809BN	86.85	Brushed Nickel	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: slip fit spout length: 5 1/2" tub spout type: diverter 	3929BC	78.85	Brushed Chrome	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: slip fit spout length: 7 1/4" tub spout type: diverter 	PREMIUM			
		S3840	75.20	Chrome	6
		S3840BN	116.50	Brushed Nickel	6
	<ul style="list-style-type: none"> connection size: 1/2" connection type: slip fit spout length: 5" tub spout type: diverter 	3807	68.75	Chrome	12
		3807CP	72.85	Chrome/Polished Brass	12
		3807BN	96.00	Brushed Nickel	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS spout length: 7 1/4" tub spout type: diverter 	3814	70.35	Chrome	6
		3814BN	102.10	Brushed Nickel	6
		3814ORB	112.30	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> connection size: 1/2" connection type: slip fit spout length: 7 1/4" tub spout type: diverter 	3857	69.00	Chrome	6
		3857BN	100.15	Brushed Nickel	6
		3857ORB	110.20	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS spout length: 5" tub spout type: diverter 	3806	68.75	Chrome	12
		3806W	103.10	Glacier	12

Diverter Tub Spouts

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

DIVERTER TUB SPOUT (CONTINUED)		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	<ul style="list-style-type: none"> connection size: 1/2" connection type: slip fit spout length: 7 3/4" tub spout type: diverter 	161955	67.90	Chrome	6
		161955BN	105.30	Brushed Nickel	6
		161955ORB	115.90	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> connection size: 1/2" connection type: slip fit spout length: 6 7/8" tub spout type: diverter 	125753	67.60	Chrome	12
		125753BN	104.85	Brushed Nickel	12
		125753ORB	115.25	Oil Rubbed Bronze	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: slip fit spout length: 7 15/16" tub spout type: diverter 	175385	67.60	Chrome	6
		175385BN	104.85	Brushed Nickel	6
		175385NL	104.85	Polished Nickel	6
		175385ORB	115.25	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> connection size: 1/2" connection type: CC spout length: 6 1/2" tub spout type: diverter 	3890	63.15	Chrome	12
		3890BN	91.60	Brushed Nickel	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: slip fit spout length: 5 1/2" tub spout type: diverter 	3808	62.65	Chrome	12
		3808BN	90.65	Brushed Nickel	12
		3808P	97.05	Polished Brass	12
		3808AZ	99.80	Antique Bronze	12
		3808ORB	99.80	Oil Rubbed Bronze	12
		3808WR	99.80	Wrought Iron	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: IPS spout length: 5 1/2" tub spout type: diverter 	3800	56.85	Chrome	12
		3801	56.85	Chrome	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: slip fit spout length: 5 7/8" tub spout type: diverter 	152027	56.05	Chrome	12
		152027BN	83.50	Brushed Nickel	12

Diverter Tub Spouts

All Brushed Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
DIVERTER TUB SPOUT (CONTINUED)					
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: slip fit • spout length: 6 1/2" • tub spout type: diverter 	3972	52.05	Chrome	12
		3972BN	80.70	Brushed Nickel	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • spout length: 7" • tub spout type: diverter 	3830	50.45	Chrome	12
		3830P	116.05	Polished Brass	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • spout length: 5 1/2" • tub spout type: diverter 	3911	50.30	Chrome	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: slip fit • spout length: 5 1/2" • tub spout type: diverter 	3960	50.30	Chrome	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: slip fit • spout length: 7" • tub spout type: diverter 	3853	50.10	Chrome	12
		3853BN	104.05	Brushed Nickel	12
		3853ORB	114.40	Oil Rubbed Bronze	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • spout length: 5 1/2" • tub spout type: diverter 	3926	47.55	Chrome	12
	<ul style="list-style-type: none"> • connection size: 1/2" • connection type: slip fit • spout length: 5 1/2" • tub spout type: diverter 	3931	47.55	Chrome	12





Non-Diverter Tub Spouts

All Brushed Nickel faucet components feature the Lifeshine® Non-Tarnish Finish.

NON-DIVERTER TUB SPOUT		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
	<ul style="list-style-type: none"> connection size: 1/2" connection type: slip fit spout length: 7 5/8" tub spout type: non diverter 	PREMIUM			
		S3860	88.40	Chrome	6
		S3860BN	128.20	Brushed Nickel	6
		S3860ORB	140.95	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> connection size: 1/2" spout length: 7 1/4" tub spout type: non diverter 	PREMIUM			
		S3898	88.40	Chrome	6
		S3898BN	128.20	Brushed Nickel	6
	<ul style="list-style-type: none"> connection size: 1/2" connection type: slip fit spout length: 7 1/4" tub spout type: non diverter 	3858	61.95	Chrome	6
		3858BN	89.95	Brushed Nickel	6
		3858ORB	98.95	Oil Rubbed Bronze	6
	<ul style="list-style-type: none"> connection size: 1/2" connection type: slip fit spout length: 7 1/4" tub spout type: non diverter 	PREMIUM			
		S3842	60.55	Chrome	6
		S3842BN	93.70	Brushed Nickel	6
	<ul style="list-style-type: none"> connection size: 1/2" connection type: slip fit spout length: 6 1/2" tub spout type: non diverter 	3892	51.50	Chrome	12
		3892BN	79.60	Brushed Nickel	12
	<ul style="list-style-type: none"> connection size: 1/2" connection type: slip fit spout length: 5 1/2" tub spout type: non diverter 	3959	49.00	Chrome	12








Non-Diverter Tub Spouts

All Brushed Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
NON-DIVERTER TUB SPOUT (CONTINUED)					
 <ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • spout length: 7" • tub spout type: non diverter 		3828	42.10	Chrome	12
	 <ul style="list-style-type: none"> • connection size: 1/2" • connection type: slip fit • spout length: 7" • tub spout type: non diverter 	3829	42.10	Chrome	12
		3829BC	69.80	Brushed Chrome	12
		3829BN	96.70	Brushed Nickel	12
		3829P	96.70	Polished Brass	12
		3829ORB	106.40	Oil Rubbed Bronze	12
 <ul style="list-style-type: none"> • connection size: 1/2" • connection type: IPS • spout length: 5" • tub spout type: non diverter 		3804	21.35	Chrome	12
		3804CBN	29.25	Classic Brushed Nickel	12
 <ul style="list-style-type: none"> • connection size: 1/2" • connection type: slip fit • spout length: 5" • tub spout type: non diverter 		3805	21.35	Chrome	12

Bath Tub Drains









All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TUBING TUB/SHOWER DRAIN COVERS					
	<ul style="list-style-type: none">• connection size: 1 1/2"• connection type: threaded shoe• tubing type: 20 gauge brass• fits tubs: 14 - 16"• type of tee: cast brass	90410	115.70	Chrome	10
		90410BN	185.15	Brushed Nickel	10
		90410ORB	203.65	Oil Rubbed Bronze	10
	<ul style="list-style-type: none">• connection size: 1 1/2"• connection type: threaded shoe• tubing type: 17 gauge brass• fits tubs: 24"• type of tee: cast brass	90480	130.80	Chrome	8
		90480BN	206.25	Brushed Nickel	8
		90480ORB	218.05	Oil Rubbed Bronze	8
	<ul style="list-style-type: none">• connection size: 1 1/2"• connection type: threaded shoe• tubing type: white pvc• fits tubs: 14 - 16"	90530	44.90	Chrome	10
	<ul style="list-style-type: none">• top & bottom ells: schedule 40 abs• thread size: 1-1/2"	140680	12.10	N/A or Unfinished	12
		140690	13.55	N/A or Unfinished	12
 	<ul style="list-style-type: none">• connection size: 1 1/2"• connection type: male IPS; threaded shoe	T90331	30.60	Chrome	12
		T90331BC	93.70	Brushed Chrome	12
		T90331BN	96.45	Brushed Nickel	12
		T90331NL	96.45	Polished Nickel	12
		T90331AZ	106.15	Antique Bronze	12
		T90331ORB	106.15	Oil Rubbed Bronze	12
		T90331P	106.15	Polished Brass	12
		T90331WR	106.15	Wrought Iron	12
HARDWARE KIT					
	<ul style="list-style-type: none">• conversion bar kit• converts 2-hole top ell to accommodate 1-hole face plate	142538	4.85	N/A or Unfinished	180

NOTES

Bath Tub Drains

All Brushed Nickel, Polished Nickel and Polished Brass faucet components feature the Lifeshine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
TUB/SHOWER DRAIN COVERS					
	• drain size: fits in 3" diameter drains	101663P	24.75	Polished Brass	12
		101663BN	27.10	Brushed Nickel	12
		101663NL	27.10	Brushed Nickel	12
		101663AZ	29.85	Antique Bronze	12
		101663ORB	29.85	Oil Rubbed Bronze	12
		101663WR	29.85	Wrought Iron	12
	• drain size: mounts on 2-5/8" centers	101664BN	33.70	Brushed Nickel	12
		101664NL	33.70	Polished Nickel	12
		101664P	33.70	Polished Brass	1
		101664AZ	37.10	Antique Bronze	12
		101664ORB	37.10	Oil Rubbed Bronze	12
		101664WR	37.10	Wrought Iron	12
	• drain size: mounts on 3-3/8" centers	102763BN	33.70	Brushed Nickel	12
		102763NL	33.70	Polished Nickel	12
		102763P	33.70	Polished Brass	1
		102763AZ	37.10	Antique Bronze	12
		102763ORB	37.10	Oil Rubbed Bronze	12
		102763WR	37.10	Wrought Iron	12
LAVATORY WASTE ASSEMBLIES					
	Lavatory drain assembly	10790	97.55	Chrome	12
	• all metal	99500	129.25	Polished Brass	12
	Lavatory drain assembly	131553	62.95	Chrome	12
	• spring loaded push button	131553BN	94.25	Brushed Nickel	12
	• with overflow	131553NL	94.25	Polished Nickel	12
		131553ORB	106.05	Oil Rubbed Bronze	12
	Lavatory drain assembly	140780	55.85	Chrome	12
	• ideal for vessel sinks	140780BN	77.90	Brushed Nickel	12
	• spring loaded push button	140780NL	77.20	Polished Nickel	12
	• without overflow	140780ORB	88.00	Oil Rubbed Bronze	12
		140780P	107.50	Polished Brass	12
	Grid drain without overflow	123816	44.25	Chrome	12
		123816BN	69.80	Brushed Nickel	12
		123816ORB	68.10	Oil Rubbed Bronze	12
	Lavatory drain assembly, non-metallic	14526	11.65	Chrome	1
	Lavatory drain assembly, non-metallic plug, metal seat	96497	18.70	Chrome	1
	Lavatory drain assembly, non-metallic plug, metal seat	96107	17.55	Chrome (Carded)	18

Coordinating Bath Accessories

Iso™ Robe Hook / DN0703CH

Iso™ 24-in. Double Towel Bar / DN0722CH

Please see [moen.com/consumer-support/warranty](https://www.moen.com/consumer-support/warranty)
for complete product warranty information.



RETREAT® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Retreat® bath accessories coordinate with most transitional faucet styles.

Bath accessory part numbers are included in the MF36 for reference purposes only.

For more information on ordering Retreat® bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
DN8303CH	13.75	Robe Hook	24
 DN8308CH	26.35	Pivoting Paper Holder	3
DN8318CH	26.90	18-in. Towel Bar	3
DN8322CH	44.50	24-in. Double Towel Bar	3
DN8324CH	29.15	24-in. Towel Bar	3
DN8386CH	19.05	Towel Ring	3
DN8390CH	49.70	Vanity Shelf (22-in.W x 5.9-in.D x 2.6-in.H)	3
Brushed Nickel (BN)			
DN8303BN	15.35	Robe Hook	24
 DN8308BN	29.35	Pivoting Paper Holder	3
DN8318BN	30.10	18-in. Towel Bar	3
DN8322BN	49.70	24-in. Double Towel Bar	3
DN8324BN	32.65	24-in. Towel Bar	3
DN8386BN	21.25	Towel Ring	3
DN8390BN	55.45	Vanity Shelf (22-in.W x 5.9-in.D x 2.6-in.H)	3



DN8303
Robe Hook



DN8308 
Pivoting Paper Holder



DN8318
18-in. Towel Bar



DN8322
24-in. Double Towel Bar



DN8324
24-in. Towel Bar



DN8386
Towel Ring



DN8390
Vanity Shelf

ISO™ Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our Iso™ bath accessories coordinate with most modern faucet styles.

Bath accessory part numbers are included in the MF36 for reference purposes only.

For more information on ordering Iso™ bath accessories or other Moen® bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

MODEL NUMBER	LIST PRICE		DESCRIPTION	QTY
	EACH			
Chrome (CH)				
DN0703CH	18.05		Robe Hook	12
DN0705CH	7.80		Drawer Knob	144
DN0707CH	15.50		Drawer Pull	144
DN0708CH	38.35		Pivoting Paper Holder	3
DN0709CH	32.70		Single-Post Paper Holder	3
DN0718CH	35.35		18-in. Towel Bar	3
DN0722CH	57.60		24-in. Double Towel Bar	3
DN0724CH	38.35		24-in. Towel Bar	3
DN0786CH	24.90		Towel Ring	3
DN0790CH	64.50		Vanity Shelf (20.4-in.W x 5.4-in.D x 2.6-in.H)	3
DN0792CH	93.15		Mirror With Pivoting Decorative Hardware (25.7-in.W x 2.2-in.D x 22-in.H)	3
DN0794CH	151.00		Towel Shelf (27-in.W x 10.7-in.D x 6.4-in.H)	2
Brushed Nickel (BN)				
DN0703BN	20.30		Robe Hook	24
DN0705BN	9.05		Drawer Knob	144
DN0707BN	16.75		Drawer Pull	144
DN0708BN	43.20		Pivoting Paper Holder	3
DN0709BN	36.55		Single-Post Paper Holder	3
DN0718BN	39.70		18-in. Towel Bar	3
DN0722BN	64.70		24-in. Double Towel Bar	3
DN0724BN	43.20		24-in. Towel Bar	3
DN0786BN	28.05		Towel Ring	3
DN0790BN	72.55		Vanity Shelf (20.4-in.W x 5.4-in.D x 2.6-in.H)	3
DN0792BN	104.90		Mirror With Pivoting Decorative Hardware (25.7-in.W x 2.2-in.D x 22-in.H)	3
DN0794BN	163.30		Towel Shelf (27-in.W x 10.7-in.D x 6.4-in.H)	2



DN0703
Robe Hook



DN0705
Drawer Knob



DN0707
Drawer Pull



DN0708
Pivoting Paper Holder



DN0709
Single-Post Paper Holder



DN0718
18-in. Towel Bar



DN0722
24-in. Double Towel Bar



DN0724
24-in. Towel Bar



DN0786
Towel Ring



DN0790
Vanity Shelf




DN0794
Towel Shelf



DN0792
Mirror with Pivoting Decorative Hardware

COORDINATING
ACCESSORIES

ISO™ Coordinating Bath Accessories



LIGHTING

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
DN0761CH	104.50	One-Globe Light	2
DN0762CH	149.10	Two-Globe Light	2
DN0763CH	182.85	Three-Globe Light	2
DN0764CH	234.25	Four-Globe Light	2
Brushed Nickel (BN)			
DN0761BN	131.55	One-Globe Light	2
DN0762BN	184.15	Two-Globe Light	2
DN0763BN	228.65	Three-Globe Light	2
DN0764BN	292.80	Four-Globe Light	2
Replacement Globe			
DN0769	19.30	Replacement Globe Service Kit	3



Bulbs not included.

All lighting fixtures can be mounted facing either upward or downward.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

GRAB BARS



SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors. Sold separately.

Poly-bagged

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
1-1/4-in. • Chrome (CH)			
YG0712CH	60.10	12-in. Designer Grab Bar	6
YG0718CH	63.35	18-in. Designer Grab Bar	6
YG0724CH	66.60	24-in. Designer Grab Bar	6
YG0736CH	75.85	36-in. Designer Grab Bar	6
YG0742CH	111.50	42-in. Designer Grab Bar	6
1-1/4-in. • Brushed Nickel (BN)			
YG0712BN	67.35	12-in. Designer Grab Bar	6
YG0718BN	70.95	18-in. Designer Grab Bar	6
YG0724BN	74.60	24-in. Designer Grab Bar	6
YG0736BN	84.95	36-in. Designer Grab Bar	6
YG0742BN	125.65	42-in. Designer Grab Bar	6



Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

MOEN® Coordinating Bath Accessories

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our shower rods perfectly coordinate with style and finish of our faucets. Total coordination of the bath has never been easier.

Bath accessory part numbers are included in the MF36 for reference purposes only.

For more information on ordering bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen® sales representative, or visit us at **www.moen.com**.

CURVED SHOWER RODS AC

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
CSR2160CH	46.10	Adjustable Curved Shower Rod	10
CSR2164CH	46.10	Adjustable Curved Shower Rod	10
CSR2165CH	36.50	5-ft. Curved Shower Rod	10
DN2141CH	62.60	Adjustable Curved Shower Rod	2
Brushed Nickel (BN)			
CSR2160BN	50.75	Adjustable Curved Shower Rod	10
CSR2164BN	50.75	Adjustable Curved Shower Rod	10
CSR2165BN	39.05	5-ft. Curved Shower Rod	10
DN2141BN	68.20	Adjustable Curved Shower Rod	2
Old World Bronze (OWB)			
CSR2160OWB	58.05	Adjustable Curved Shower Rod	10
CSR2164OWB	58.05	Adjustable Curved Shower Rod	10
CSR2165OWB	46.95	5-ft. Curved Shower Rod	10
DN2141OWB	79.40	Adjustable Curved Shower Rod	2



CSR2160
Adjustable-Length Curved
Shower Rod Set



CSR2165
5-ft. Curved
Shower Rod Set



CSR2164
Adjustable-Length Curved
Shower Rod Set



DN2141
Adjustable-Length Curved
Shower Rod Set

COORDINATING
ACCESSORIES

TENSION RODS

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
TR1000CH	31.35	Tension Rods	3
Brushed Nickel (BN)			
TR1000BN	31.35	Tension Rods	3
Old World Bronze (OWB)			
TR1000OWB	31.35	Tension Rods	3



TR1000
Tension Rod

SHOWER RINGS

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
SR2100CH	11.25	Shower Curtain Rings	25
Brushed Nickel (BN)			
SR2100BN	12.90	Shower Curtain Rings	25
Old World Bronze (OWB)			
SR2100OWB	13.10	Shower Curtain Rings	25



SR2100
Shower Curtain Rings


The SecureMount™ System

Install Grab Bars Anywhere on the Wall!

SecureMount Grab Bars and SecureMount Anchors make it possible to quickly and easily install a grab bar with or without studs.

Did you know:

- 16" grab bars can mount directly into studs because the standard stud size is 16" on center.
- 18", 24", 36", and 42" grab bars will often need an anchoring system when mounted into drywall, as an alternative to stud or wood block installation.



The SecureMount System—Easy, Secure Install ... Anywhere on the Wall!™



SecureMount Grab Bars

The unique flange makes it easy to connect to the stud at multiple points, at any angle!

SecureMount Anchors

Precision engineered for optimal bracing behind the wall, SecureMount Anchors allow for easy grab bar installation—with no studs required—anywhere on the wall.

SecureMount System


The SecureMount System is the ultimate in easy, secure grab bar installation. Plus it provides stylish designs and choices in finishes and features.

SecureMount Anchors Are Versatile

Installs anywhere on the wall and can be used with all Moen, Moen Home Care®, and virtually all other grab bars. Mount securely to a variety of substrates*:

- ½" Drywall
- ½" Drywall with tile
- ½" Drywall with marble
- ⅝" Fiberglass tub surround
- ⅝" Drywall
- ⅝" Drywall with tile
- ⅝" Drywall with marble

*Including multiple layers up to 1½" thick



300 lb. weight capacity when securely installed per instructions. Limited Lifetime Warranty. Independently tested by CSA and NAHB laboratories to exceed ADA, ASTM, ANSI and CSA standards.

Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

Moen makes it easy to coordinate the entire style and look of the bathroom. Our bath accessories coordinate with the style and finish of our faucets. Total coordination of the bath has never been easier.

For more information on ordering Moen bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

GRAB BARS WITH ACCESSORIES



SecureMount™ Grab Bars are manufactured with an innovative flange design that makes it easy to connect to the stud at multiple points.

To install grab bars securely without studs, use SecureMount™ Anchors.

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
LR2350DCH	53.75	24-in. Grab Bar with Towel Bar	3
LR2352DCH	53.75	8-in. Grab Bar with Paper Holder	3
LR2354DCH	53.75	9-in. Grab Bar with Corner Shelf	3
LR2356DCH	53.75	16-in. Grab Bar with Shelf	3
Brushed Nickel (BN)			
LR2350DBN	55.90	24-in. Grab Bar with Towel Bar	3
LR2352DBN	55.90	8-in. Grab Bar with Paper Holder	3
LR2354DBN	55.90	9-in. Grab Bar with Corner Shelf	3
LR2356DBN	55.90	16-in. Grab Bar with Shelf	3
Old World Bronze (OWB)			
LR2350DOWB	59.25	24-in. Grab Bar with Towel Bar	3
LR2352DOWB	59.25	8-in. Grab Bar with Paper Holder	3
LR2354DOWB	59.25	9-in. Grab Bar with Corner Shelf	3
LR2356DOWB	59.25	16-in. Grab Bar with Shelf	3

SECUREMOUNT™

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Chrome (CH)			
SMA1000CH	29.40	SecureMount™ Anchor - 1 Pair	24
SMA1001CH	26.15	SecureMount™ Anchor - 10 Pairs	10
Old World Bronze (OWB)			
SMA1000OWB	29.40	SecureMount™ Anchor - 1 Pair	24



LR2350D
24-in. Designer Grab Bar with Towel Bar



LR2352D
Designer Grab Bar with Paper Holder



LR2354D
Designer Grab Bar with Corner Shelf



LR2356D
16-in. Designer Grab Bar with Shelf



SMA1000 & SMA1001
SecureMount™ Anchor

COORDINATING
ACCESSORIES



Complies with Americans with Disabilities Act (ADA) specifications. SecureMount™ Grab Bars are tested to withstand 500 lb. pull when securely installed per instructions.

List price is per each (unless otherwise noted). Product can be ordered by case quantity or individually.

COORDINATING
ACCESSORIES



Moen® bath accessories CANNOT be combined with Moen® faucet parts on a Purchase Order.

For more information on ordering bath safety furniture or other matching bath accessories, contact Moen Bath Accessory Customer Service at **800-882-0116**, contact your local Moen sales representative, or visit us at **www.moen.com**.

BATH SAFETY FURNITURE

MODEL NUMBER	LIST PRICE EACH	DESCRIPTION	QTY
Glacier (GLC)			
DN7025	47.95	Shower Seat	2
DN7065	117.40	Transfer Bench	2
Old World Bronze (OWB)			
DN7110WB	425.80	Teak Folding Shower Seat	2
Stainless (SL)			
DN7110	367.05	Teak Folding Shower Seat	2



DN7025
Adjustable Shower Seat



DN7110
Teak Folding Shower Seat



DN7065
Tool-Free Transfer Bench




MOEN GENUINE PARTS

Moen Genuine Replacement Parts

Please see [moen.com/consumer-support/warranty](https://www.moen.com/consumer-support/warranty) for complete product warranty information.

Merchandising Solutions

All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.










		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
CARDED PARTS – SHOWERING					
	<ul style="list-style-type: none"> • 6" shower arm and flange • connection size: 1/2" • connection type: IPS 	CL10154	25.20	Chrome	12
		CL10154BN	52.35	Brushed Nickel	12
	<ul style="list-style-type: none"> • 8" shower arm and flange • connection size: 1/2" • connection type: IPS 	CL123815	32.50	Chrome	12
		CL123815BN	61.15	Brushed Nickel	12
	<ul style="list-style-type: none"> • handshower wall bracket • integral handshower cradle: included • pivots to adjust angle of handshower 	CL155694	21.35	Chrome	12
		CL155694BN	30.85	Brushed Nickel	12
	<ul style="list-style-type: none"> • handshower hose • connection size: 1/2" • connection type: IPS • hose length: 59" • metal construction: yes 	CL155748	33.00	Chrome	12
		CL155748BN	47.95	Brushed Nickel	12
	<ul style="list-style-type: none"> • replacement handshower • showerhead functions: one-function • showerhead type: eco-performance handshower • showerhead size: 4-3/64" diameter spray head • type of function: full spray • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included 	CL155747	56.55	Chrome	6
		CL155747BN	82.05	Brushed Nickel	6
	<ul style="list-style-type: none"> • replacement handshower • showerhead functions: four-function • showerhead type: eco-performance handshower • showerhead size: 4-3/64" diameter spray head • type of function: combination; full spray; invigorating spray; targeted massage • flow rate: 2.0 gpm (7.6 L/min) max. • double check valve: included 	CL164928	67.55	Chrome	6
		CL164928BN	97.90	Brushed Nickel	6
	<ul style="list-style-type: none"> • showerhead functions: five-function • showerhead connection size: 1/2" • connection type: IPS • showerhead type: standard • showerhead size: 4" diameter spray head • type of function: energizing spray; invigorating spray; refreshing spray; relaxing spray; targeted, massage • flow rate: 2.5 gpm (9.5 L/min) max • EP flow rate: 2.0 gpm (7.6 L/min) max 	CL26500	47.55	Chrome	12
		CL26500BN	77.65	Brushed Nickel	12
		CL26500EP	47.65	Chrome	12
		CL26500EPBN	77.65	Brushed Nickel	12
	<ul style="list-style-type: none"> • showerhead functions: one-function • connection size: 1/2" • connection type: IPS • showerhead type: standard • showerhead size: 4-3/8" diameter spray head • type of function: full spray • flow rate: 2.5 gpm (9.5 L/min) max • EP flow rate: 2.0 gpm (7.6 L/min) max 	CL6302	80.80	Chrome	12
		CL6302BN	126.20	Brushed Nickel	12
		CL6302EP	80.80	Chrome	12
		CL6302EPBN	126.20	Brushed Nickel	12

For a complete listing of replacement parts, see page 343-384.

Merchandising Solutions








All Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

GENUINE PARTS

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
CARDED PARTS – SHOWERING (CONTINUED)					
	• showerhead functions: one-function	CL6303	44.70	Chrome	12
	• connection size: 1/2"	CL6303BN	68.45	Brushed Nickel	12
	• connection type: IPS	CL6303EP	44.70	Chrome	12
	• showerhead type: standard	CL6303EPBN	68.45	Brushed Nickel	12
	• showerhead size: 3-3/8" diameter spray head				
	• type of function: full spray				
	• flow rate: 2.5 gpm (9.5 L/min) max				
	• EP flow rate: 2.0 gpm (7.6 L/min) max				
	• shower arm diverter	CL703	73.95	Chrome	12
	• connection size: 1/2"	CL703BN	107.20	Brushed Nickel	12
	• connection type: IPS	CL703ORB	117.95	Oil Rubbed Bronze	12
	• type of function: two independent 1 shared				
	• metal construction				
	• shower arm diverter	CL707	100.35	Chrome	12
	• connection size: 1/2"	CL707BN	145.50	Brushed Nickel	12
	• connection type: IPS	CL707ORB	160.10	Oil Rubbed Bronze	12
	• type of function: two independent 1 shared				
	• integral handshower cradle: included				
	• metal construction				
	• pivots to adjust angle of handshower				
	• shower arm cradle	CLA701	43.35	Chrome	12
	• connection size: 1/2"	CLA701BN	62.80	Brushed Nickel	12
	• connection type: IPS				
	• integral handshower cradle: included				
	• metal construction: yes				
	• pivots to adjust angle of handshower				
CARDED PARTS – MOEN® GENUINE REPLACEMENT CARTRIDGES					
	1200® cartridge Single-handle replacement cartridge, brass	1200	44.95	Carded	18
	1225® cartridge Single-handle replacement cartridge	1225	29.20	Carded	36
	1224® cartridge Two-handle replacement cartridge (hot or cold)	1224	15.20	Carded	18
	1248® cartridge Two-handle replacement cartridge for high flow roman tubs (hot or cold)	1248	15.20	Carded	18
	1234® cartridge Two-handle Duralast® cartridge for two-handle lavatory and kitchen faucets (hot or cold)	1234	14.70	Carded	18









For a complete listing of replacement parts, see page 343-384.

Merchandising Solutions

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
CARDED PARTS - CARTRIDGES (CONTINUED)					
	1258® cartridge Two-handle Duralast® cartridge for two-handle roman tub faucets (hot or cold)	1258	14.70	Carded	18
	1222® cartridge Single-handle replacement cartridge, Posi-Temp®	1222	77.45	Carded	18
	1255® cartridge Single-handle Duralast® cartridge • includes plastic retaining nut	1255	29.95	Carded	18
	Cartridge repair kit for 1222/1222B Posi-Temp® single-handle tub/shower	98040	14.80	Carded	18
	Retainer clips for 1200 and 1225 single-handle cartridges	96365	8.05	Carded	36
	Cartridge puller for 1200, 1222 & 1225 single-handle cartridges	104421	50.65	Carded	36
	Spout o-ring kit Order in multiples of 12	96778 117	8.45 5.70	Carded Bulk (12 pcs)	36 72










For a complete listing of replacement parts, see page 343-384.

Merchandising Solutions








		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY	
CARDER PARTS – HANDLES						
0		Handle kit, Chateau® single-handle lav, clear knob with cap	96782	27.30	Carded	18
		Handle kit, Chateau® single-handle tub/shower, clear knob with cap	98039	27.30	Carded	18
		Handle cap, Chateau® single-handle lav and non-pressure-balancing shower	98032	10.35	Carded	18
0		Handle kit, Posi-Temp® single-handle tub/shower with cap	100710	20.20	Carded	18
		Handle kit, Chateau® two-handle lav, kitchen, and tub/shower, clear handles with caps, quantity 2	98026	30.65	Carded	12
		Handle caps, Touch Control two-handle lav, kitchen, bar, and tub/shower	101205	10.15	Carded	18
CARDER PARTS – AERATORS						
		Aerator, 2.2 gpm, male thread	3919	13.70	Chrome (Carded)	18
		Aerator, 2.2 gpm, female thread	3924	13.70	Chrome (Carded)	18
		Aerator, Swing-n-Spray®, 2.2 gpm	20200	47.20	Chrome (Carded)	18

GENUINE PARTS









For a complete listing of replacement parts, see page 343-384.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
MOEN® GENUINE REPLACEMENT CARTRIDGES					
	1200® cartridge	1200	44.95	Carded	18
	Single-handle replacement cartridge, brass	1200B	44.95	Bulk (12 pcs.)	144
	Single-handle replacement cartridge, brass, order in multiples of 12				
	1225® cartridge	1225	29.20	Carded	36
	Single-handle replacement cartridge	1225B	29.20	Bulk (12 pcs.)	144
	Single-handle replacement cartridge, order in multiples of 12				
	1224® cartridge	1224	15.20	Carded	18
	Two-handle replacement cartridge (hot or cold)	1224B	15.20	Bulk (12 pcs.)	144
	Two-handle replacement cartridge (hot or cold), order in multiples of 12				
	Two-handle replacement cartridge, for 4997 valve prior to 6/00	14891	16.85	-	60
	1248® cartridge	1248	15.20	Carded	18
	Two-handle replacement cartridge for high flow Roman tubs, order in multiples of 12	1248B	15.20	Bulk (12 pcs.)	144
	1234® cartridge	1234	14.70	Carded	18
	Two-handle Duralast® cartridge for two-handle lavatory and kitchen faucets				
	1258® cartridge	1258	14.70	Carded	18
	Two-handle Duralast® cartridge for two-handle roman tub faucets				
	1222® cartridge	1222	77.45	Carded	18
	Single-handle replacement cartridge, Posi-Temp®	1222B	77.45	Bulk (6 pcs.)	72
	Single-handle replacement cartridge, Posi-Temp®, order in multiples of 6				
	• repair kit 96988				
	Brass Posi-Temp® cartridge	1222HD	91.95	-	18
	• single-handle replacement cartridge				
	• graphite composite pressure-balancing spool design				
	1255® cartridge	1255	29.95	Carded	18
	Single-handle Duralast® cartridge				
	• includes plastic retaining nut				











For a complete listing of replacement parts, see page 343-384.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
CARTRIDGE REPAIR KIT					
	Cartridge repair kit for 1222/1222B Posi-Temp® single-handle tub/shower	98040	14.80	Carded	18
		96988	16.60	-	100
	Moen® silicone oil for Posi-Temp® balancing spools	140676	5.20	-	96
	Moen® silicone grease for cartridges and o-rings	99915	0.20	-	2500
CARTRIDGE RETAINER CLIPS					
	Retainer clips for 1200 and 1225 single-handle cartridges	96365	8.05	Carded	36
	Retainer clips for Posi-Temp® single-handle tub/shower	96914	5.55	-	500
TOOLS					
	Cartridge puller for 1200, 1222 & 1225 single-handle cartridges	104421	50.65	Carded	36
	Cartridge retainer removal tool for 1224, 1248 two-handle cartridge	14272	5.95	-	150
O-RING KIT					
	Spout o-ring kit	96778	8.45	Carded	36
	Order in multiples of 12	117	5.70	Bulk (12 pcs)	72

For a complete listing of replacement parts, see page 343-384.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
REPLACEMENT HANDLES AND CAPS					
	Handle kit, Chateau® single-handle lav, clear knob with cap	96782	27.50	Carded	18
		96791	27.30	-	-
	Handle kit, Chateau® single-handle tub/shower, clear knob with cap	98039	27.30	Carded	18
		96797	27.30	-	150
	Handle kit, Chateau® single-handle lav with Duralast™	150627	27.30	-	50
	Handle cap kit, Chateau® single-handle lav and non-pressure-balancing shower	98032	10.35	Carded	18
		91751	10.35	-	1,000
	Handle kit, Posi-Temp® single-handle tub/shower with cap	100710	20.20	Carded	18
	Handle kit, less cap , Posi-Temp® single-handle tub/shower	94514	10.75	-	150
	Handle kit, Chateau® two-handle lav, kitchen, and tub/shower, clear handles with caps, quantity 2	98026	30.65	Carded	12
	Lever handle cap, Chateau® single-handle kitchen	96790	27.30	Chrome	1
	Handle caps, Chateau® two-handle lav, kitchen, bar, and tub/shower	13382	10.15	-	300
	Handle caps, Touch Control two-handle lav, kitchen, bar, and tub/shower	101205	10.15	Carded	18

For a complete listing of replacement parts, see page 343-384.





		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
ECO-PERFORMANCE AERATOR INSERTS					
	Aerator flow restrictor, 1.5 gpm • aerated flow • fits Chateau®, Castleby®, Villeta® Eva®, Brantford™, Level®, Monticello®, Kingsley®, Waterhill® and Vestige® lavatory or kitchen faucets	116711	6.50	-	500
	Aerator flow restrictor, 1.0 gpm • aerated flow • fits Chateau®, Castleby®, Villeta®, Eva®, Brantford™, Level®, Monticello®, Kingsley®, Waterhill® and Vestige® lavatory or kitchen faucets	216721	6.55	-	100
	Aerator flow restrictor, 1.5 gpm • laminar flow • for use on all Icon™ and Divine® lavatory faucets	316711	6.55	-	200
	Aerator flow restrictor, 0.5 gpm • laminar flow • for use on Arris™, Align™ and Icon™ lavatory faucets	175083	6.55	-	50
	Aerator flow restrictor, 1.0 gpm • laminar flow • for use on Arris™, Align™ and Icon™ lavatory faucets	175084	6.55	-	50
	Aerator flow restrictor, 1.5 gpm • laminar flow • for use on Felicity®, Savvy®, Organic™, Waterhill® and Tres Chic™ lavatory faucets	416711	6.55	-	200
	Aerator flow restrictor, 0.5 gpm • rosetta spray • fits Chateau®, Castleby®, Villeta®, Eva®, Brantford™, Level®, Monticello®, Kingsley®, and Vestige® lavatory or kitchen faucets	516711	6.55	-	500
	Aerator flow restrictor, 0.5 gpm • vandal proof • fits Chateau® lavs • removal tool included	52016	19.30	-	24
	Aerator flow restrictor, 1.5 gpm • aerated flow • fits Weymouth® lavatory faucets	154289	6.80	-	20
	Aerator Jr., 0.5 gpm • aerated flow • fits Rothbury™ wall mount, Eva® and Brantford™ single-handle, and Method® lavatory faucets	154364	6.55	-	100

For a complete listing of replacement parts, see page 343-384.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
ECO-PERFORMANCE AERATOR INSERTS (CONTINUED)					
	Aerator flow restrictor, 1.0 gpm • aerated flow • fits Rothbury™ wall mount, Eva® and Brantford™ single-handle, and Method® lavatory faucets	163847	9.85	-	100
	Aerator flow restrictor, 1.5 gpm • aerated flow • fits Rothbury™ wall mount, Eva® and Brantford™ single-handle, and Method® lavatory faucets	143326	11.60	-	100
	Aerator flow restrictor, 0.5 gpm • aerated flow • fits Rothbury™ single-handle, two-handle and widespreads, and Voss™ lavatory faucets	165018	6.55	-	12
	Aerator flow restrictor, 1.5 gpm • aerated flow • fits Rothbury™ single-handle, two-handle and widespreads, and Voss™ lavatory faucets	137401	12.55	-	12
	Aerator flow restrictor, 1.0 gpm • aerated flow • fits Rothbury™ single-handle, two-handle and widespreads, and Voss™ lavatory faucets	316721	9.85	-	12
AERATORS					
	Aerator, 2.2 gpm, male thread	3919	13.70	Chrome (Carded)	18
	Aerator, 2.2 gpm, female thread	3924	13.70	Chrome (Carded)	18
SWIVEL-SPRAY AERATORS					
	Aerator, Swing-n-Spray®, 2.2 gpm	20200	47.20	Chrome (Carded)	18
PULLOUT/PULLDOWN HOSE MANAGEMENT SYSTEM					
	Pullout/pulldown hose management system • system helps prevent hose and weight from getting caught on under sink obstructions • easy to install • ships fully assembled • sleeve can be cut to accommodate different cabinet sizes • compatible with all Moen® kitchen pulldown and pullout single-handle sidemount SKUs (excludes Aberdeen)	159060	17.70	Chrome	6







For a complete listing of replacement parts, see page 343-384.

All Brushed Nickel, Polished Brass and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
SIDE SPRAY SERVICE AND ADAPTER KITS					
	Side spray plug service kit • plug hose outlet to eliminate quick connect system kitchen side spray	143530	8.40	-	144
	Side spray adapter kit • for faucets with external threads • converts side spray outlet to quick-connect	168665	25.75	-	50
	Side spray adapter kit • for faucets with internal threads • converts side spray outlet to quick-connect	168666	16.40	-	50
DRAIN PLUG & SEAT					
	Lavatory drain plug and threaded seat assembly • non-metallic • works with metal drain body 10790 only	10709	11.85	Chrome	84
		10709BC	16.55	Brushed Chrome	20
		10709BN	37.00	Brushed Nickel	20
		10709NL	40.65	Polished Nickel	20
		10709ORB	40.75	Oil Rubbed Bronze	20
		10709WR	40.75	Wrought Iron	20
		99596	34.65	Polished Brass	12






For a complete listing of replacement parts, see page 343-384.

All Brushed Nickel, Polished Brass and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
EXTENSION KITS					
	Thick deck extension kit for widespread valve bodies, model 9000/69000	175709	103.85	-	1
	Thick deck extension kit for valves with 1/2" threaded mounting shanks	100818	32.55	-	20
HANDLE EXTENSION KITS					
	1" handle extension kit, Posi-Temp® single-handle tub/shower	96945	35.00	Chrome	100
		96945BN	50.15	Brushed Nickel	9
		96858	50.05	Polished Brass	1
		96945WR	55.15	Wrought Iron*	9
		96955	42.60	Chrome	1
	2" handle extension kit, Posi-Temp® single-handle tub/shower				
	2" handle extension kit to correct deep rough-in	96868	61.45	Polished Brass	1
<i>*Wrought iron can be used with Oil Rubbed Bronze finish</i>					
	1" handle extension kit, Moentrol® single-handle tub/shower	137347	36.95	Chrome	9
		137347NL	43.85	Polished Nickel	9
		137347P	58.85	Polished Brass	9
		137347BN	60.10	Brushed Nickel	9
		137347WR	66.15	Wrought Iron*	9
<i>*Wrought iron can be used with Oil Rubbed Bronze finish</i>					
	1" handle extension kit, Legend® & Chateau® single-handle tub/shower	10399	34.60	Chrome	36
	Roman tub stem extension • adapts to all 3-hole roman tub valves	106378	17.95	Chrome	1






For a complete listing of replacement parts, see page 343-384.

All Brushed Nickel, Polished Brass and Polished Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

	MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY	
ADJUSTABLE TEMPERATURE LIMIT STOPS					
	Moentrol® Stop tube with adjustable temperature limit stop Moentrol® single-handle tub/shower	10066	23.20	Chrome	125
		10066BN	32.85	Brushed Nickel	20
		10066WR	36.20	Wrought Iron*	20
		10066P	41.30	Polished Brass	1
		10066NL	33.35	Polished Nickel	20
<i>*Wrought Iron can be used with Oil Rubbed Bronze finish</i>					
	Posi-Temp® Adjustable temperature limit stop, Posi-Temp®	96987	9.00	Chrome	20
		96987BN	12.65	Brushed Nickel	20
		96987NL	12.75	Polished Nickel	20
		96987WR	13.95	Wrought Iron*	20
		15972	17.85	Polished Brass	1
<i>*Wrought Iron can be used with Oil Rubbed Bronze finish</i>					
	Temperature limit stop kit, Posi-Temp® single-handle tub/shower	106479	4.35	-	1
	Push-button diverter plug	101100	29.00	-	1
	Moentrol® Adapter for standard 1H tub/shower valves to use Moentrol® trim • attaches to standard valves to fit today's Moentrol® trim	145058	16.80	-	50

FFor a complete listing of replacement parts, see page 343-384.

All Polished Brass and Brushed Nickel faucet components feature the LifeShine® Non-Tarnish Finish.

		MODEL NUMBER	LIST PRICE	DESCRIPTION	CASE QTY
COVER PLATES FOR THE BATH					
	Remodeling cover plate, for two- and three-handle tub/showers • fits all single-handle tub/showers with 7" escutcheon	1920	58.05	Chrome	6
		1920BN	84.85	Brushed Nickel	6
		1920ORB	104.15	Oil Rubbed Bronze	6
		1920P	107.65	Polished Brass	6
	Remodel cover plate • Fits Posi-Temp® valves	178755	65.20	Chrome	8
		178755BN	94.60	Brushed Nickel	8
		178755ORB	100.45	Oil Rubbed Bronze	8
	Moenique service kit, single-handle tub/shower with 3960 tub spout • Handle not included	14292	200.55	Chrome	1
LAVATORY CONVERSION KIT - KNOB TO LEVER HANDLE					
	Handle conversion kit, knob to lever; Chateau® single-handle lav - Models prior to April 2003	100679	56.00	Chrome	12
TUB/SHOWER CONVERSION KITS - KNOB TO LEVER HANDLE					
	Lever handle kit, Chateau® and Moentrol® single-handle tub/shower	100224	19.00	Chrome	1

For a complete listing of replacement parts, see page 343-384.

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
116P	75.15	Polished Brass	Handle cap kit
117	5.70	N/A or Unfinished	O-ring kit
150	60.15	Chrome	Escutcheon
162	92.00	Chrome	Escutcheon
162BN	127.65	Brushed Nickel	Escutcheon extension kit
162ORB	140.45	Oil Rubbed Bronze	Escutcheon adjuster kit
163BN	14.15	Brushed Nickel (BN)	Escutcheon screws
163PM	11.85	Platinum	Escutcheon screws
163W	10.65	Glacier	Escutcheon screws
163WR	15.55	Wrought Iron	Escutcheon screws
171	53.50	Chrome	Escutcheon
199P	95.85	Polished Brass	Escutcheon
221	51.00	Chrome	Escutcheon
416	137.95	Chrome	Handle skirt
416P	159.70	Polished Brass	Handle skirt
441	53.65	Chrome	Escutcheon
739	109.85	Chrome	Spout kit
785	18.10	N/A or Unfinished	Hardware kit
883	3.60	N/A or Unfinished	Retainer clip, lavatory & tub/shower
1185	10.10	Chrome	Drain seat
1193BN	57.95	Brushed Nickel	Diverter trim ring
1193NL	61.70	Polished Nickel	Diverter trim ring
1193WR	63.75	Wrought Iron	Diverter trim ring
1198	45.50	N/A or Unfinished	Push button diverter
1200	44.95	N/A or Unfinished	1 handle replacement cartridge, brass
1200B	44.95	N/A or Unfinished	Cartridge
1207	6.80	Chrome	Stop tube kit
1222	77.45	N/A or Unfinished	Cartridge
1224	15.20	N/A or Unfinished	2 handle replacement cartridge (hot or cold)
1225	29.20	N/A or Unfinished	1 handle replacement cartridge
1231	7.60	N/A or Unfinished	Cartridge
1234	14.70	N/A or Unfinished	Cartridge
1248	15.20	N/A or Unfinished	2 handle replacement cartridge, high flow Roman tub for 4999 valve
1248B	15.20	N/A or Unfinished	Cartridge
1255	29.95	N/A or Unfinished	Cartridge
1258	14.70	N/A or Unfinished	Cartridge
1306	22.50	Chrome	Handle cover
1371	92.90	N/A or Unfinished	Valve body
1373	97.40	N/A or Unfinished	Valve body
1380	299.95	Chrome	diverter spouts
1380P	405.95	Polished Brass	diverter spouts
1381	260.00	Chrome	diverter spouts
1381P	381.25	Polished Brass	diverter spouts
1394	45.15	Chrome	Extension kit
1411	20.05	Chrome	Escutcheon
1411BC	23.15	Brushed Chrome	Escutcheon
1411BN	23.15	Brushed Nickel (BN)	Escutcheon
1411NL	30.90	Polished Nickel	Escutcheon
1411ORB	30.90	Oil Rubbed Bronze	Escutcheon
1411P	30.90	Polished Brass	Escutcheon
1411WR	30.90	Wrought Iron	Escutcheon
1417	48.00	Chrome	Roman tub hand shower elbow
1417BN	68.25	Brushed Nickel (BN)	Roman tub hand shower elbow
1417NL	98.80	Polished Nickel	Roman tub hand shower elbow

Part Number	List Price	Finish	Description
1417ORB	75.15	Oil Rubbed Bronze	Roman tub hand shower elbow
1417P	86.65	Polished Brass	Roman tub hand shower elbow
1417WR	75.15	Wrought Iron	Roman tub hand shower elbow
1423	96.40	N/A or Unfinished	Balancing spool
1512	8.20	Chrome	Plug button kit
1512BC	9.60	Brushed Chrome	Plug button kit
1512BN	11.50	Brushed Nickel	Plug button kit
1512NL	12.65	Polished Nickel	Plug button kit
1512ORB	12.65	Oil Rubbed Bronze	Plug button kit
1512P	12.65	Polished Brass	Plug button kit
1512WR	12.65	Wrought Iron	Plug button kit
1694	58.90	Chrome	Collar & nut kit
1694W	85.35	Glacier	Collar & nut kit
1700W	15.05	Glacier	Aerator
1723	106.15	Chrome	Handle kit
1818	137.70	Chrome	Handle kit
1826W	46.30	Glacier	Drain plug & seat
1883	15.35	N/A or Unfinished	Retainer clip
1918	11.20	Chrome	Handle cap, 7385 & 87810 series
1918S	17.35	Sand	Handle cap kit
1918V	17.35	Ivory	Handle cap kit
1918W	17.35	Glacier	Handle cap kit
1920BN	84.85	Brushed Nickel	Remodeling cover plate
1920ORB	104.15	Oil Rubbed Bronze	Deck plate
1920P	107.65	Polished Brass	Remodeling cover plate
1921	68.80	Chrome	Handle kit
1921S	77.95	Sand	Handle kit
1921V	73.55	Ivory	Handle kit
1921W	73.55	Glacier	Handle kit
1931	86.70	Chrome	Spout receptor kit
1931S	99.95	Sand	Spout receptor kit
1931V	99.95	Ivory	Spout receptor kit
1931W	99.95	Glacier	Spout receptor kit
1933	23.00	Chrome	Escutcheon
1933BL	26.05	Matte Black	Escutcheon
1933S	26.05	Sand	Escutcheon
1933SL	25.35	Stainless	Escutcheon
1933V	26.05	Ivory	Escutcheon
1933W	26.05	Glacier	Escutcheon
1935	25.70	Chrome	Escutcheon
1935BC	29.55	Brushed Chrome	Escutcheon
1935S	41.00	Sand	Escutcheon
1935SL	37.30	Stainless	Escutcheon
1935V	37.30	Ivory	Escutcheon
1935W	37.30	Glacier	Escutcheon
1959	32.55	Chrome	Collar
1964W	97.05	Glacier	Handle kit
1972W	17.35	Glacier	Handle cover
2011	16.20	Chrome	Lift rod kit
2011BN	23.50	Brushed Nickel	Lift rod kit
2011P	24.95	Polished Brass	Lift rod kit
2019W	83.50	Glacier	Dispenser pump and head assemb
2021	97.85	Chrome	Handle kit
2060	113.95	N/A or Unfinished	Cartridge
2084P	35.15	Polished Brass	Aerator kit
2186	13.45	Chrome	Stream straightener
2186BN	19.40	Brushed Nickel	Stream straightener
2186P	14.60	Polished Brass	Stream straightener
2186WR	21.45	Wrought Iron	Stream straightener
2187	19.40	Chrome	Spout escutcheon

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
2187BN	36.45	Brushed Nickel	Spout escutcheon
2187P	37.90	Polished Brass	Spout escutcheon
2197	170.90	Chrome	diverter spouts
2197BN	299.05	Brushed Nickel	Roman tub spout kit
2197P	299.05	Polished Brass	diverter spouts
2198	13.40	Chrome	Handle escutcheon
2198CSL	20.55	Classic Stainless (CSL)	Escutcheon
2198P	21.40	Polished Brass	Handle escutcheon
2198SL	20.55	Stainless	Handle escutcheon
3233EP	93.45	Chrome	three-function 4" diameter spray head eco-performance showerhead
3233EPBN	158.65	Brushed Nickel	three-function 4" diameter spray head eco-performance showerhead
3233EPCBC	103.05	Chrome/Brushed Chrome	three-function 4" diameter spray head eco-performance showerhead
3636EP	244.80	Chrome	eco-performance handshower handheld shower
3636EPBN	465.95	Brushed Nickel	eco-performance handshower handheld shower
3636EPORB	512.50	Oil Rubbed Bronze	handheld shower
3638	93.45	Chrome	four-function 4-3/8" diameter spray head standard showerhead
3638BN	158.65	Brushed Nickel	four-function 4-3/8" diameter spray head standard showerhead
3638EP	93.45	Chrome	four-function 4-3/8" diameter spray head eco-performance showerhead
3638EPBN	158.65	Brushed Nickel	four-function 4-3/8" diameter spray head eco-performance showerhead
3638ORB	174.55	Oil Rubbed Bronze	four-function 4-3/8" diameter spray head standard showerhead
3667EP	258.00	Chrome	eco-performance handshower handheld shower
3667EPBN	510.15	Brushed Nickel	eco-performance handshower handheld shower
3667EPORB	561.15	Oil Rubbed Bronze	eco-performance handshower handheld shower
3668EP	216.00	Chrome	eco-performance handshower handheld shower
3668EPBN	312.60	Brushed Nickel	eco-performance handshower handheld shower
3668EPORB	343.60	Oil Rubbed Bronze	eco-performance handshower handheld shower
3669EP	258.00	Chrome	eco-performance handshower handheld shower
3669EPBN	510.15	Brushed Nickel	eco-performance handshower handheld shower
3669EPORB	561.15	Oil Rubbed Bronze	eco-performance handshower handheld shower

Part Number	List Price	Finish	Description
3737	68.60	Chrome	Diverter tub spout
3737BN	99.55	Brushed Nickel	Diverter tub spout
3737ORB	109.50	Oil Rubbed Bronze	Diverter tub spout
3800	56.85	Chrome	diverter spouts
3801	56.85	Chrome	diverter spouts
3803P	144.85	Polished Brass	diverter spouts
3804	21.35	Chrome	nondiverter spouts
3804CBN	29.25	Classic Brushed Nickel	nondiverter spouts
3805	21.35	Chrome	nondiverter spouts
3806	68.75	Chrome	diverter spouts
3806CBN	37.50	Classic Brushed Nickel (CBN)	Spout kit
3806W	103.10	Glacier	diverter spouts
3807	68.75	Chrome	diverter spouts
3807BN	96.00	Brushed Nickel	diverter spouts
3807CP	72.85	Chrome/Polished Brass	diverter spouts
3808	62.65	Chrome	diverter spouts
3808AZ	99.80	Antique Bronze	diverter spouts
3808BN	90.65	Brushed Nickel	diverter spouts
3808ORB	99.80	Oil Rubbed Bronze	diverter spouts
3808P	97.05	Polished Brass	diverter spouts
3808WR	99.80	Wrought Iron	diverter spouts
3809BN	86.85	Brushed Nickel	diverter spouts
3810PM	65.10	Platinum	diverter spouts line list items
3814	70.35	Chrome	diverter spouts
3814BN	102.10	Brushed Nickel	diverter spouts
3814ORB	112.30	Oil Rubbed Bronze	diverter spouts
3828	42.10	Chrome	nondiverter spouts
3829	42.10	Chrome	nondiverter spouts
3829BC	69.80	Brushed Chrome	nondiverter spouts
3829BN	96.70	Brushed Nickel	nondiverter spouts
3829ORB	106.40	Oil Rubbed Bronze	nondiverter spouts
3829P	96.70	Polished Brass	nondiverter spouts
3830	50.45	Chrome	diverter spouts
3830P	116.05	Polished Brass	diverter spouts
3853	50.10	Chrome	diverter spouts
3853BN	104.05	Brushed Nickel	diverter spouts
3853ORB	114.40	Oil Rubbed Bronze	diverter spouts
3855	93.45	Chrome	five-function 4" diameter spray head standard showerhead
3855EP	93.45	Chrome	five-function 4" diameter spray head eco-performance showerhead
3857	69.00	Chrome	diverter spouts
3857BN	100.15	Brushed Nickel	diverter spouts
3857ORB	110.20	Oil Rubbed Bronze	diverter spouts
3858	61.95	Chrome	nondiverter spouts
3858BN	89.95	Brushed Nickel	nondiverter spouts
3858ORB	98.95	Oil Rubbed Bronze	nondiverter spouts
3861EP	235.40	Chrome	eco-performance showerhead handheld shower
3861EPBN	479.40	Brushed Nickel	eco-performance showerhead handheld shower
3861EPNL	479.40	Polished Nickel	eco-performance handshower handheld shower
3861EPORB	528.80	Oil Rubbed Bronze	eco-performance showerhead handheld shower

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
3861EPWR	528.80	Wrought Iron	eco-performance handshower handheld shower
3865EP	176.20	Chrome	eco-performance handshower handheld shower
3865EPBN	255.75	Brushed Nickel	eco-performance showerhead handheld shower
3865EPORB	281.40	Oil Rubbed Bronze	eco-performance handshower handheld shower
3868EP	216.00	Chrome	eco-performance showerhead handheld shower
3868EPBN	312.60	Brushed Nickel	eco-performance showerhead handheld shower
3868EPORB	343.60	Oil Rubbed Bronze	eco-performance handshower handheld shower
3869EP	267.00	Chrome	eco-performance handshower handheld shower
3869EPBN	530.30	Brushed Nickel	eco-performance handshower handheld shower
3869EPORB	583.35	Oil Rubbed Bronze	eco-performance handshower handheld shower
3869EPWR	589.20	Wrought Iron	eco-performance handshower handheld shower
3887EP	239.65	Chrome	eco-performance handshower handheld shower
3887EPBN	476.15	Brushed Nickel	eco-performance handshower handheld shower
3890	63.15	Chrome	diverter spouts
3890BN	91.60	Brushed Nickel	diverter spouts
3892	51.50	Chrome	nondiverter spouts
3892BN	79.60	Brushed Nickel	nondiverter spouts
3911	50.30	Chrome	diverter spouts
3919	13.70	Chrome	Aerator, 2.2 gpm, male thread
3919BN	19.35	Brushed Nickel (BN)	Aerator
3919CSL	19.35	Classic Stainless	Aerator kit
3919ORB	21.35	Oil Rubbed Bronze	Aerator
3919P	34.25	Polished Brass	Aerator
3919SLP	17.05	Chrome	Aerator
3919W	31.60	Glacier	Aerator
3919WR	21.35	Wrought Iron	Aerator
3924	13.70	Chrome	Aerator
3924P	34.25	Polished Brass	Aerator
3926	47.55	Chrome	diverter spouts
3929BC	78.85	Brushed Chrome	diverter spouts
3931	47.55	Chrome	diverter spouts
3942	93.45	Chrome	Soap Dispenser
3942BL	102.85	Matte Black	Soap Dispenser
3942CSL	112.20	Classic Stainless	Soap Dispenser
3942SRS	112.20	Spot Resist Stainless	Soap Dispenser
3942V	102.85	Ivory	Soap Dispenser
3942W	102.85	Glacier	Soap Dispenser
3944	93.45	Chrome	Soap Dispenser
3944CSL	112.20	Classic Stainless	Soap Dispenser
3944ORB	117.80	Oil Rubbed Bronze	Soap Dispenser

Part Number	List Price	Finish	Description
3944SRS	112.20	Spot Resist Stainless	Soap Dispenser
3959	49.00	Chrome	nondiverter spouts
3960	50.30	Chrome	diverter spouts
3971	24.50	Chrome	Diverter tub spout
3971BN	35.50	Brushed Nickel	Diverter tub spout
3972	52.05	Chrome	diverter spouts
3972BN	80.70	Brushed Nickel	diverter spouts
4000	11.65	N/A or Unfinished	Cartridge
6300	31.30	Chrome	one-function 2-1/2" diameter spray head standard showerhead
6300BC	37.60	Brushed Chrome	one-function 2-1/2" diameter spray head standard showerhead
6300BN	47.85	Brushed Nickel	one-function 2-1/2" diameter spray head standard showerhead
6300EP	31.30	Chrome	one-function 2-1/2" diameter spray head eco-performance showerhead showerhead
6300EPBN	47.85	Brushed Nickel	one-function 2-1/2" diameter spray head eco-performance showerhead showerhead
6300P	55.85	Polished Brass	one-function 2-1/2" diameter spray head standard showerhead
6302	80.80	Chrome	one-function 4-3/8" diameter spray head standard showerhead
6302AZ	138.85	Antique Bronze	one-function 4-3/8" diameter spray head standard showerhead
6302BN	126.20	Brushed Nickel	one-function 4-3/8" diameter spray head standard showerhead
6302EP	80.80	Chrome	one-function 4-3/8" diameter spray head eco-performance showerhead showerhead
6302EPBN	126.20	Brushed Nickel	one-function 4-3/8" diameter spray head eco-performance showerhead showerhead
6302EPORB	138.85	Oil Rubbed Bronze	one-function 4-3/8" diameter spray head eco-performance showerhead showerhead
6302EPP	140.75	Polished Brass	one-function 4-3/8" diameter spray head eco-performance showerhead showerhead
6302ORB	138.85	Oil Rubbed Bronze	one-function 4-3/8" diameter spray head standard showerhead
6302P	140.75	Polished Brass	one-function 4-3/8" diameter spray head standard showerhead
6302WR	138.85	Wrought Iron	one-function 4-3/8" diameter spray head standard showerhead
6303	44.70	Chrome	one-function 3-3/8" diameter spray head standard showerhead
6303BN	68.45	Brushed Nickel	one-function 3-3/8" diameter spray head standard showerhead
6303EP	44.70	Chrome	one-function 3-3/8" diameter spray head eco-performance showerhead showerhead

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
6303EPBN	68.45	Brushed Nickel	one-function 3-3/8" diameter spray head eco-performance showerhead
6303EPORB	75.30	Oil Rubbed Bronze	one-function 3-3/8" diameter spray head eco-performance showerhead
6303ORB	75.30	Oil Rubbed Bronze	one-function 3-3/8" diameter spray head standard showerhead
6304	36.45	Chrome	one-function 2-1/2" diameter spray head standard showerhead
6304EP	36.45	Chrome	one-function 2-1/2" diameter spray head eco-performance showerhead
6313	44.70	Chrome	one-function 3.5" diameter spray head eco-performance showerhead
6313BN	68.45	Brushed Nickel	one-function 3.5" diameter spray head eco-performance showerhead
6313ORB	75.30	Oil Rubbed Bronze	one-function 3.5" diameter spray head eco-performance showerhead
6322EP	37.95	Chrome	one-function 3.75" diameter spray head eco-performance showerhead
6325	79.85	Chrome	one-function 4-1/16" diameter spray head standard showerhead
6325BN	124.70	Brushed Nickel	one-function 4-1/16" diameter spray head standard showerhead
6325EP	79.85	Chrome	one-function 4-1/16" diameter spray head eco-performance showerhead
6325EPBN	124.70	Brushed Nickel	one-function 4-1/16" diameter spray head eco-performance showerhead
6325EPORB	137.20	Oil Rubbed Bronze	one-function 4-1/16" diameter spray head eco-performance showerhead
6325ORB	137.20	Oil Rubbed Bronze	one-function 4-1/16" diameter spray head standard showerhead
6399	79.85	Chrome	one-function 3-5/8" diameter spray head standard showerhead
6399BN	124.70	Brushed Nickel	one-function 3-5/8" diameter spray head standard showerhead
6399EP	79.85	Chrome	one-function 3-5/8" diameter spray head eco-performance showerhead
6399EPBN	124.70	Brushed Nickel	one-function 3-5/8" diameter spray head eco-performance showerhead
9001	91.60	N/A or Unfinished	MicroTech 9000 replacement filter for PureTouch AquaSuite, quantity 1

Part Number	List Price	Finish	Description
9601	51.80	N/A or Unfinished	ChoiceFlo 9600 replacement filter for Chateau with ChoiceFlo, Sip, and AquaSuite Series 9600/9602/9500/9502
9602	51.80	N/A or Unfinished	ChoiceFlo 9600 replacement filter for Chateau with ChoiceFlo, Sip, and AquaSuite Series 9600/9602/9500/9502
10048	16.25	N/A or Unfinished	Liquid dispenser bottle
10066	23.20	Chrome	Stop tube kit
10066BN	32.85	Brushed Nickel (BN)	Stop tube kit
10066NL	33.35	Polished Nickel	Stop tube kit
10066P	41.30	Polished Brass	Stop tube kit
10066W	32.00	Glacier	Stop tube kit
10066WR	36.20	Wrought Iron	Stop tube kit
10089	9.55	Chrome	Stop tube, Legend & Chateau 1 handle tub/shower, knob handle
10099	3.85	N/A or Unfinished	Diverter kit
10116	3.95	Chrome	Plug button kit
10154	18.65	Chrome	6" shower arm
10154AZ	36.75	Antique Bronze	6" shower arm
10154BN	33.40	Brushed Nickel	6" shower arm
10154BRB	31.80	Mediterranean Bronze	Shower arm
10154CBN	19.15	Classic Brushed Nickel (CBN)	Shower arm kit
10154NL	33.40	Polished Nickel	6" shower arm
10154ORB	36.75	Oil Rubbed Bronze	6" shower arm
10154P	35.45	Polished Brass	6" shower arm
10154SLP	29.65	Brushed Platinum	6" shower arm
10154WR	36.75	Wrought Iron	6" shower arm
10399	34.60	Chrome	Handle extension kit
10510	23.20	Chrome	Stop tube kit
10644	15.15	N/A or Unfinished	Diverter tub spout repair kit
10709	11.85	Chrome	Drain plug & seat
10709BC	16.55	Brushed Chrome	Drain plug & seat
10709BN	37.00	Brushed Nickel	Drain plug & seat
10709NL	40.65	Polished Nickel	Drain plug
10709ORB	40.75	Oil Rubbed Bronze	Drain plug & seat
10709PM	20.75	Platinum	Drain plug & seat
10709ST	37.30	Satine	Drain plug & seat
10709WR	40.75	Wrought Iron	Drain plug & seat
10790	97.55	Chrome	Lavatory drain assembly
10927	38.10	Chrome	Handle kit
11484	31.45	Polished Brass	Escutcheon
11751	122.90	Chrome	Spout kit
11854	10.20	N/A or Unfinished	Handle screw
11896	12.55	N/A or Unfinished	Flow restrictor kit
11926	34.35	N/A or Unfinished	Hardware kit
11977	4.20	Chrome	Plug button, Traditional handle
11985	5.95	N/A or Unfinished	Pivot rod, 50/50 drain assembly
11997	4.40	N/A or Unfinished	Hardware kit
12314	19.15	Chrome	Drain plug
12318	40.15	N/A or Unfinished	Check stop
12343	8.30	Chrome	Stem extension kit
12537	6.40	N/A or Unfinished	Gasket
12539	8.90	N/A or Unfinished	Escutcheon nut
12541	6.10	N/A or Unfinished	Gasket
12550	13.85	N/A or Unfinished	Hardware kit
12570	15.15	N/A or Unfinished	Hardware kit
12573	7.00	N/A or Unfinished	Bushing

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
12574	9.00	N/A or Unfinished	Plaster ground
12639	10.60	N/A or Unfinished	Stop valve
12648	3.30	N/A or Unfinished	Screw kit
12661	17.35	N/A or Unfinished	Hardware kit
12689	14.60	N/A or Unfinished	Pivot rod
12694	7.85	Chrome	Lift rod kit
12694BC	11.80	Brushed Chrome	Lift rod kit
12694BN	18.75	Brushed Nickel	Lift rod kit
12715	34.35	N/A or Unfinished	Hardware kit
12884	118.95	Chrome	Spout kit
13291	49.55	Chrome	Handle kit
13323	51.00	Chrome	Escutcheon
13382	10.15	N/A or Unfinished	Handle insert kit
13393	49.10	Chrome	Handle kit
13401	10.80	N/A or Unfinished	Cartridge nut
13409	20.75	Chrome	Spout cap kit
13462	8.25	N/A or Unfinished	Handle adapter kit
13463	10.65	N/A or Unfinished	Stem extension, Boutique & Chateau widespread Roman tub
13499	35.95	Chrome	Handle kit
13577	27.85	N/A or Unfinished	Ground joint union & nut
13678	8.30	N/A or Unfinished	Hardware kit
13723	72.55	Chrome	Spout kit
13731	31.70	Chrome	Spout cap kit
13769	30.75	Chrome	Escutcheon
13774	11.80	Chrome	Wall tube
13797	14.60	N/A or Unfinished	Cartridge nut
13805	17.45	N/A or Unfinished	Hardware kit
13903	4.20	N/A or Unfinished	Set screw kit
13979	30.70	N/A or Unfinished	Ground joints
14272	5.95	N/A or Unfinished	Cartridge retainer removal tool, 2 handle cartridge
14289	10.60	N/A or Unfinished	Handle screw
14290	64.10	Chrome	Handle kit
14291	7.00	N/A or Unfinished	Spout and handle insert
14292	200.55	N/A or Unfinished	Spout kit
14349	20.20	Chrome	Escutcheon
14371	50.85	N/A or Unfinished	Hardware kit
14373	15.75	N/A or Unfinished	Hose kit
14526	11.95	Chrome	Lavatory drain assembly
14582	31.50	Chrome	Spout escutcheon
14582BN	49.20	Brushed Nickel	Spout escutcheon
14666	94.45	Chrome	Handle hub
14671	94.45	Chrome	Handle hub
14691	112.25	Chrome	Handle hub
14693	140.35	Polished Brass	Handle hub
14699	6.95	N/A or Unfinished	Retainer pivot nut, 1 handle kitchen, lever handle
14705	49.75	Chrome	replacement handle knob insert
14707	49.95	Polished Brass	replacement handle knob insert
14708	49.75	Glacier	replacement handle knob insert
14725	33.90	Chrome	replacement handle knob insert
14732	25.30	Chrome	Handle kit
14735	34.05	Polished Brass	replacement handle knob insert
14740	34.05	Glacier	replacement handle knob insert
14855	10.10	N/A or Unfinished	Hose kit
14891	16.85	N/A or Unfinished	Cartridge
14913	12.95	Chrome	Stream straightener

Part Number	List Price	Finish	Description
14913BN	18.35	Brushed Nickel (BN)	Aerator
14913BRB	16.45	Mediterranean Bronze	Aerator
14913ORB	20.25	Oil Rubbed Bronze	Stream straightener
14913WR	20.25	Wrought Iron	Stream straightener
14949	3.95	N/A or Unfinished	Gasket
14960	15.70	N/A or Unfinished	Diverter kit
14986	6.65	N/A or Unfinished	Cartridge nut
15253	8.25	N/A or Unfinished	Cartridge repair kit
15528	9.90	Chrome	Escutcheon screws, 1 handle tub/shower, quantity 2
15972	17.85	Polished Brass	Stop tube kit
15973	49.75	Chrome	Spout escutcheon
15973P	75.45	Polished Brass	Spout escutcheon
16015	5.75	N/A or Unfinished	Pivot rod seat
16090	32.55	Chrome	Escutcheon, Chateau 1 handle tub/shower
16098	105.20	Polished Brass	Escutcheon
16331	41.45	N/A or Unfinished	Hardware kit
16355	42.55	N/A or Unfinished	Valve body
16921SL	46.10	Stainless	Escutcheon
22001	15.45	N/A or Unfinished	Cut-out template
22002	15.45	N/A or Unfinished	Cut-out template
22036	18.95	Stainless	composite sink accessories
22037	16.55	Satin	stainless steel sink accessory
22174	8.55	Stainless	stainless steel sink accessory
22175	4.10	N/A or Unfinished	Stainless steel sink accessory
22188	28.20	N/A or Unfinished	Screw kit
22194	5.95	N/A or Unfinished	Stainless steel sink accessory
22201	14.20	N/A or Unfinished	Stainless steel sink accessory
22502	15.45	N/A or Unfinished	Cut-out template
22504	15.45	N/A or Unfinished	Cut-out template
22505	15.45	N/A or Unfinished	Cut-out template
22506	15.45	N/A or Unfinished	Cut-out template
22507	15.45	N/A or Unfinished	Cut-out template
22508	15.45	N/A or Unfinished	Cut-out template
22509	15.45	N/A or Unfinished	Cut-out template
22510	16.55	N/A or Unfinished	Cut-out template
22511	15.45	N/A or Unfinished	Sink template
22512	16.55	N/A or Unfinished	Sink template
22514	15.45	N/A or Unfinished	Sink template
22515	16.55	N/A or Unfinished	Sink template
22516	15.45	N/A or Unfinished	Sink template
22517	15.45	N/A or Unfinished	Sink template
22518	15.45	N/A or Unfinished	Sink template
22519	15.45	N/A or Unfinished	Sink template
22520	15.45	N/A or Unfinished	Cut-out template
22521	15.45	N/A or Unfinished	Cut-out template
22522	15.45	N/A or Unfinished	Cut-out template
22523	15.45	N/A or Unfinished	Cut-out template
22524	15.45	N/A or Unfinished	Cut-out template
22525	15.45	N/A or Unfinished	Cut-out template
22526	15.45	N/A or Unfinished	Template kit
22527	15.45	N/A or Unfinished	Template kit
22537	15.45	N/A or Unfinished	Cut-out template
22538	15.45	N/A or Unfinished	Cut-out template
22539	15.45	N/A or Unfinished	Cut-out template
22540	15.45	N/A or Unfinished	Cut-out template
22541	15.45	N/A or Unfinished	Cut-out template

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
22542	15.45	N/A or Unfinished	Cut-out template
22543	15.45	N/A or Unfinished	Cut-out template
22601	6.25	N/A or Unfinished	Sink installation clip
22602	8.70	N/A or Unfinished	Sink installation clip
22617	2.05	N/A or Unfinished	Service kit
22650	12.10	N/A or Unfinished	Stainless steel sink accessory
22681	4.45	N/A or Unfinished	Stainless steel sink accessory
22682	5.30	N/A or Unfinished	Stainless steel sink accessory
22684	3.65	N/A or Unfinished	Stainless steel sink accessory
22747	16.80	N/A or Unfinished	Stainless steel sink accessory
22897	1.05	N/A or Unfinished	Stainless steel sink accessory
24066BRB	153.50	Mediterranean Bronze	four-function 4" diameter spray head standard showerhead
26015BRB	164.15	Mediterranean Bronze	handheld shower
26100	60.60	Chrome	six-function 3.5" diameter spray head handshower showerhead
26100EP	71.40	Chrome	six-function 3.5" diameter spray head eco-performance handshower showerhead
26100EPSRN	89.95	Spot Resist Brushed Nickel	six-function 3.5" diameter spray head handshower showerhead
26100SRN	74.00	Spot Resist Brushed Nickel	six-function 3.5" diameter spray head handshower showerhead
59899	65.85	Chrome	Spray nozzle
90274	13.35	N/A or Unfinished	Adapters, widespread wing handle, quantity 2
90276	3.60	N/A or Unfinished	Handle adapter kit
90410	115.70	Chrome	tub/shower drain covers
90410BN	185.15	Brushed Nickel	line list items
90410ORB	203.65	Oil Rubbed Bronze	tub/shower drain covers
90462	27.25	Chrome	Face plate kit
90467	13.70	Chrome	Grid drain cover
90471	21.65	Chrome	Face plate kit
90478	9.15	Chrome	Screw kit
90478BN	32.40	Brushed Nickel	Screw kit
90478NL	12.65	Polished Nickel	Screw kit
90478ORB	35.65	Oil Rubbed Bronze	Screw kit
90478P	13.70	Polished Brass	Screw kit
90480BN	206.25	Brushed Nickel	tub/shower drain covers
90480ORB	218.05	Oil Rubbed Bronze	tub/shower drain covers
90481	13.50	N/A or Unfinished	Gasket
90483	22.75	N/A or Unfinished	Tub drain assembly
90530	44.90	Chrome	tub/shower drain covers
91110	54.45	Chrome	Handle extension kit
91192	26.95	N/A or Unfinished	Diverter kit for single handle kitchen faucets
91244	26.30	N/A or Unfinished	Handle kit
91751	10.35	N/A or Unfinished	Knob insert kit, Chateau 1 handle lav, non-pressure balancing shower, white & chrome insert
91888	52.90	Chrome	volume control
92183	54.25	Chrome	Escutcheon
92309	19.80	N/A or Unfinished	Pivot nut
92455	7.50	N/A or Unfinished	Extension kit
93248	58.95	Polished Brass	Escutcheon

Part Number	List Price	Finish	Description
93944	29.35	Chrome	Handle hub kit
93959	12.60	N/A or Unfinished	Hardware kit for 7100/7400/7600 series kitchen
93960	14.50	N/A or Unfinished	Pivot nut
93964	21.50	N/A or Unfinished	Support plate with gasket
93970	8.15	Chrome	Handle insert kit
93971	64.30	Chrome	Handle kit
93973	70.15	Chrome	Spout kit
93980	27.70	N/A or Unfinished	Handle mechanism kit
93988	82.50	Chrome	Spout kit
93988V	107.75	Ivory	Spout kit
93988W	103.90	Glacier	Spout kit
93989	65.80	Chrome	Handle kit
93989V	75.30	Ivory	Handle kit
93989W	75.30	Glacier	Handle kit
93990	12.65	Chrome	Dome
93990NL	19.75	Polished Nickel	Dome
93990V	14.65	Ivory	Dome
93990W	14.65	Glacier	Dome
93990WR	21.75	Wrought Iron	Dome
93995	47.95	Chrome	Escutcheon
94146	9.45	N/A or Unfinished	Cartridge nut
94184	122.50	Chrome	Spout kit
94435	34.25	Chrome	Escutcheon
94435P	47.50	Polished Brass	Escutcheon
94435S	47.50	Sand	Escutcheon
94435SL	44.90	Stainless	Escutcheon
94435V	47.50	Ivory	Escutcheon
94435W	47.50	Glacier	Escutcheon
94513	110.25	Polished Brass	Escutcheon
94514	10.75	N/A or Unfinished	Handle kit
94543	25.20	N/A or Unfinished	Stem extension, Chateau 3 handle tub/shower diverter knob
94680	27.95	Glacier	Lift rod kit
94716	13.10	Glacier	Stream straightener
94740	30.20	Chrome	Handle kit
94741	51.45	Polished Brass	Handle kit
94743	35.90	Glacier	Handle kit
94746	9.45	N/A or Unfinished	Handle adapter kit
94750	12.95	Chrome	Handle collar
94753	19.40	Glacier	Handle collar
94770	5.35	Chrome	Plug button & set screw
94773	22.35	N/A or Unfinished	Stem extension kit
94786	3.95	N/A or Unfinished	Handle adapter kit
94791	4.30	N/A or Unfinished	Handle screw
94794	37.55	N/A or Unfinished	Hardware kit
94831	66.25	N/A or Unfinished	Diverter kit
94854	45.15	N/A or Unfinished	Cartridge
94873	17.90	N/A or Unfinished	Check valve kit, OneTouch
94986	49.15	Chrome	Escutcheon
94988	106.75	Polished Brass	Escutcheon
94996	3.95	N/A or Unfinished	O-ring kit
94998	48.40	N/A or Unfinished	Hose kit
95602	34.35	Chrome	Handle hub kit
95602W	52.90	Glacier	Handle hub kit
95603	47.75	Polished Brass	Handle hub kit
95606	23.80	Chrome	Handle hub kit
95606PM	27.35	Platinum	Handle hub kit
95606ST	36.65	Satine	Handle hub kit
95607	36.65	Polished Brass	Handle hub kit
95612	34.35	Chrome	Handle hub kit
95612P	47.75	Polished Brass	Handle hub kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
95626	34.35	Chrome	Handle hub kit
95626BN	49.85	Brushed Nickel	Handle kit
95626ORB	52.90	Oil Rubbed Bronze	Handle kit
95626P	52.90	Polished Brass	Handle kit
96107	17.55	N/A or Unfinished	Lavatory drain assembly
96217	44.00	Chrome	Wall tube
96365	8.05	N/A or Unfinished	Retainer clips for 1200 and 1225 single handle cartridges
96469	68.75	Chrome	Dispenser pump and head assemb
96497	18.70	Chrome	Lavatory drain assembly
96519	20.40	N/A or Unfinished	Diverter kit
96557	29.40	Chrome	Handle kit
96706	6.80	Chrome	Stop tube kit
96778	8.45	N/A or Unfinished	Spout o-ring kit
96782	27.30	N/A or Unfinished	Handle kit
96790	27.30	Chrome	Handle kit
96791	27.30	N/A or Unfinished	Handle kit
96792	27.20	N/A or Unfinished	Handle kit
96795	32.00	Chrome	Handle kit
96797	27.30	N/A or Unfinished	Knob handle kit, Chateau 1 handle tub/shower, clear knob with white & chrome insert
96798	27.20	N/A or Unfinished	Handle kit
96804	8.55	N/A or Unfinished	Hardware kit, 1 handle lav knob
96806	8.55	N/A or Unfinished	Hardware kit, 1 handle tub/shower knob
96858	50.05	Polished Brass	Handle extension kit
96868	61.45	Polished Brass	Handle extension kit
96884	27.35	N/A or Unfinished	Handle insert kit
96885	45.80	Chrome	Escutcheon
96914	5.55	N/A or Unfinished	Retainer clip, Posi-Temp 1 handle tub/shower
96945	35.00	Chrome	Handle extension kit
96945BN	50.15	Brushed Nickel (BN)	Handle extension kit
96945WR	55.15	Wrought Iron	Handle extension kit
96955	42.60	Chrome	Handle extension kit
96987	9.00	Chrome	Stop tube, Posi-Temp 1 handle tub/shower
96987BN	12.65	Brushed Nickel (BN)	Stop tube kit
96987NL	12.75	Polished Nickel	Stop tube kit
96987WR	13.95	Wrought Iron	Stop tube kit
97147	4.45	N/A or Unfinished	Hardware kit
97273	5.25	N/A or Unfinished	Hot/cold indicator kit
97274	4.45	N/A or Unfinished	Red & blue washer kit, Monticello lever handle
97344	11.60	N/A or Unfinished	Stem extension kit, Monticello 2 handle tub/shower, quantity 2
97361	8.55	Chrome	Handle escutcheon
97362	13.30	Polished Brass	Handle escutcheon
97371	6.15	N/A or Unfinished	Handle adapter kit
97372	52.15	Chrome	replacement handle knob insert
97372W	60.15	Glacier	replacement handle knob insert
97373	60.15	Polished Brass	replacement handle knob insert
97376	70.65	Porcelain/Chrome	replacement handle knob insert
97377	78.50	Porcelain/Polished Brass	replacement handle knob insert

Part Number	List Price	Finish	Description
97434	111.95	Porcelain/Chrome	replacement handle knob insert
97435	111.95	Porcelain/Polished Brass	replacement handle knob insert
97446	104.90	Chrome	replacement handle knob insert
97447	111.95	Polished Brass	replacement handle knob insert
97462	35.65	Chrome	replacement handle knob insert
97462ORB	58.50	Oil Rubbed Bronze	replacement handle knob insert
97462PM	41.30	Platinum	replacement handle knob insert
97462W	41.30	Glacier	replacement handle knob insert
97463	41.05	Polished Brass	replacement handle knob insert
97466	41.05	Porcelain/Chrome	replacement handle knob insert
97467	41.05	Porcelain/Polished Brass	replacement handle knob insert
97476ORB	18.20	Oil Rubbed Bronze	Aerator
97476SL	16.55	Stainless	Aerator
97476V	34.90	Ivory	Aerator
97479	18.70	N/A or Unfinished	Stem extension kit
97491	52.05	Chrome	Escutcheon
97491BN	71.50	Brushed Nickel (BN)	Escutcheon
97491ORB	78.65	Oil Rubbed Bronze	Escutcheon
97491WR	78.65	Wrought Iron	Escutcheon
97492	109.85	Polished Brass	Escutcheon
97535	4.30	N/A or Unfinished	Cartridge nut
97540	59.25	Chrome	Spout kit
97544	2.45	N/A or Unfinished	O-ring kit
97547	35.55	Chrome	Handle escutcheon
97548	39.75	Polished Brass	Handle escutcheon
97556	21.40	N/A or Unfinished	Handle adapter kit, Monticello centerset, mini widespread, & Roman tub, hot and cold
97557ORB	85.55	Oil Rubbed Bronze	replacement handle knob insert
97557W	60.15	Glacier	replacement handle knob insert
97558	60.15	Polished Brass	replacement handle knob insert
97559	61.60	Porcelain/Chrome	replacement handle knob insert
97560	71.35	Porcelain/Polished Brass	replacement handle knob insert
97564	4.25	N/A or Unfinished	Gasket
97565	52.05	N/A or Unfinished	Hardware kit
97577BN	71.50	Brushed Nickel (BN)	Escutcheon
97577ORB	78.65	Oil Rubbed Bronze	Escutcheon
97577WR	78.65	Wrought Iron	Escutcheon
97578	109.85	Polished Brass	Escutcheon
97582	52.05	Chrome	Escutcheon
97583	109.85	Polished Brass	Escutcheon
97800	6.80	N/A or Unfinished	Plaster ground
97996	8.40	N/A or Unfinished	Escutcheon decal
98026	30.65	N/A or Unfinished	Handle kit
98032	10.35	N/A or Unfinished	Handle insert kit
98035	25.55	N/A or Unfinished	Handle kit
98036	10.75	N/A or Unfinished	Handle insert kit
98037	25.55	N/A or Unfinished	Handle kit
98039	27.30	N/A or Unfinished	Handle kit

Moen Genuine Parts

Listed in numerical order

SUGGESTED LIST PRICES

Part Number	List Price	Finish	Description
98055	83.05	N/A or Unfinished	Hose kit
98077BN	70.60	Oil Rubbed Bronze	Lift rod kit
98077ORB	77.70	Oil Rubbed Bronze	Lift rod kit
98079	23.70	N/A or Unfinished	Hardware kit
98082	39.25	N/A or Unfinished	Pivot rod
98133	8.15	Polished Brass	Plug button kit
98213	5.00	N/A or Unfinished	Gasket
98317	8.05	N/A or Unfinished	Hose weight
98430	11.90	N/A or Unfinished	Escutcheon gasket
98576	20.95	Chrome	Escutcheon
98576W	31.45	Glacier	Escutcheon
98577	39.75	Polished Brass	Escutcheon
99460	12.95	Polished Brass	Stream straightener
99479	18.00	N/A or Unfinished	Cartridge nut
99497	39.15	Polished Brass	Stop tube kit
99498	12.90	Polished Brass	Escutcheon screws
99503	49.20	Polished Brass	Handle extension kit
99511	33.80	Polished Brass	Lift rod kit
99547	20.25	Polished Brass	Plug button kit
99570	254.30	N/A or Unfinished	Vacuum breaker kit
99573	37.45	Polished Brass	Spout escutcheon
99596	34.65	Polished Brass	Drain plug & seat
99712	10.65	Chrome	Handle cap kit
99892	6.50	N/A or Unfinished	Set screw kit
100000	9.75	N/A or Unfinished	O-ring kit
100005	17.35	Chrome	Hose guide
100005CSL	18.85	Classic Stainless	Hose guide
100005SL	18.85	Stainless	Hose guide
100005SLP	18.85	Brushed Platinum	Hose guide
100005V	21.60	Ivory	Hose guide
100006	16.50	Glacier	Hose guide
100007	21.60	Sand	Hose guide
100008	17.40	N/A or Unfinished	Hardware kit
100009	151.85	Chrome	Spout kit
100009P	227.70	Polished Brass	Spout kit
100009S	227.70	Sand	Spout kit
100009SL	220.05	Stainless	Spout kit
100009V	220.05	Ivory	Spout kit
100009W	220.05	Glacier	Spout kit
100011	25.20	Chrome	Escutcheon
100011P	36.20	Polished Brass	Escutcheon
100011S	36.20	Sand	Escutcheon
100011SL	35.00	Stainless	Escutcheon
100011V	36.20	Ivory	Escutcheon
100011W	36.20	Glacier	Escutcheon
100012	35.55	Chrome	Handle kit
100012BL	53.35	Matte Black	Handle kit
100012P	53.35	Polished Brass	Handle kit
100012S	53.35	Sand	Handle kit
100012SL	51.60	Stainless	Handle kit
100012V	53.35	Ivory	Handle kit
100012W	53.35	Glacier	Handle kit
100014	18.85	Chrome	Dome
100014ORB	28.70	Oil Rubbed Bronze	Dome
100014P	28.00	Polished Brass	Dome
100014S	28.70	Sand	Dome
100014SL	26.10	Stainless	Dome
100014V	28.70	Ivory	Dome
100014W	28.70	Glacier	Dome
100015	22.85	N/A or Unfinished	Support plate with gasket
100016	78.10	Chrome	Spout kit
100016P	117.10	Polished Brass	Spout kit
100016S	117.10	Sand	Spout kit

Part Number	List Price	Finish	Description
100016SL	113.20	Stainless	Spout kit
100016V	117.10	Ivory	Spout kit
100016W	117.10	Glacier	Spout kit
100017	66.00	Chrome	Escutcheon
100017BL	84.95	Matte Black	Dome
100017P	93.40	Polished Brass	Escutcheon
100017SL	87.00	Stainless	Dome
100017V	89.05	Ivory	Escutcheon
100021	15.40	Chrome	Handle cap & temperature indicator kit for 7400 series kitchen faucets
100021S	17.60	Sand	Handle cap kit
100021SLP	17.30	Brushed Platinum	Handle cap kit
100021V	17.60	Ivory	Handle cap kit
100021W	17.60	Glacier	Handle cap kit
100023	30.65	Chrome	Handle cap kit
100024	9.30	N/A or Unfinished	Stop tube kit
100024BN	15.75	Brushed Nickel	Stop tube kit
100040	107.30	N/A or Unfinished	Cartridge
100106	27.95	Polished Brass	Hose guide
100109	10.40	N/A or Unfinished	Plug button kit for 7600 series kitchen faucets
100109BLW	11.80	N/A or Unfinished	Plug button kit
100109WBL	11.80	N/A or Unfinished	Plug button kit
100110	13.10	N/A or Unfinished	installation tool
100112	14.95	Chrome	Aerator, 2.2 gpm, Monticello large, male thread
100112P	36.40	Polished Brass	Aerator
100112S	34.70	Sand	Aerator
100112W	33.40	Glacier	Aerator
100113	18.30	Chrome	Aerator
100113P	28.20	Polished Brass	Aerator
100113PM	21.00	Platinum	Aerator
100113S	28.20	Sand	Aerator
100113SL	26.45	Stainless [SL]	Aerator
100113V	28.20	Ivory	Aerator
100113W	28.20	Glacier	Aerator
100118	8.20	Chrome	Handle skirt
100118W	10.75	Glacier	Handle skirt
100119	42.20	N/A or Unfinished	Hose kit
100131	14.95	Chrome	Lift rod kit
100138	33.85	N/A or Unfinished	Handle adapter kit
100139	83.70	Chrome	Handle kit
100139P	136.65	Polished Brass	Handle kit
100140	18.10	N/A or Unfinished	Grip ring
100141NL	140.50	Polished Nickel	Handle kit
100141P	140.45	Polished Brass	Handle kit
100142P	70.90	Polished Brass	Escutcheon
100142W	66.40	Glacier	Escutcheon
100150	42.65	Chrome	Handle kit
100150BL	61.85	Matte Black	Handle kit
100150CSL	127.05	Classic Stainless [CSL]	Handle kit
100150S	61.85	Sand	Handle kit
100150SL	61.85	Stainless	Handle kit
100150V	59.60	Ivory	Handle kit
100150W	59.60	Glacier	Handle kit
100151	25.05	Chrome	Escutcheon
100151BL	28.45	Matte Black	Escutcheon
100151CSL	28.45	Classic Stainless [CSL]	Escutcheon
100151S	28.45	Sand	Escutcheon
100151SL	30.30	Stainless	Escutcheon
100151W	28.45	Glacier	Escutcheon

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
100152	89.70	Chrome	Spout receptor kit
100152BL	100.70	Matte Black	Spout receptor kit
100152CSL	160.45	Classic Stainless (CSL)	Spout receptor kit
100152S	104.45	Sand	Spout receptor kit
100152SL	126.80	Stainless	Spout receptor kit
100152W	107.10	Glacier	Spout receptor kit
100154	43.85	Chrome	Handle kit
100154CSL	60.90	Classic Stainless (CSL)	Handle kit
100154S	61.40	Sand	Handle kit
100154SL	63.65	Stainless	Handle kit
100154W	61.40	Glacier	Handle kit
100155	16.30	Chrome	Handle cap kit
100155CSL	19.95	Classic Stainless (CSL)	Handle cap kit
100155S	23.65	Sand	Handle cap kit
100155SL	23.65	Stainless	Handle cap kit
100155V	22.85	Ivory	Handle cap kit
100155W	22.85	Glacier	Handle cap kit
100169P	148.55	Polished Brass	Spout kit
100169W	148.55	Glacier	Spout kit
100173W	34.15	Glacier	Handle kit
100202	10.60	N/A or Unfinished	Handle adapter kit
100205	7.80	N/A or Unfinished	Set screw kit
100211W	39.40	Glacier	Hardware kit
100214	16.15	N/A or Unfinished	Handle adapter kit
100223	7.15	N/A or Unfinished	Handle adapter & brake kit, Chateau & Moentrol lever 1 handle tub/shower
100224	19.00	Chrome	Handle kit
100224P	29.40	Polished Brass	Handle kit
100226	35.50	Chrome	Handle cap & screw
100227	71.30	Chrome	Spout nut kit
100228	34.35	Chrome	Escutcheon
100230	52.15	Chrome	Spout hub kit
100232	37.00	Chrome	Handle hub
100233	38.00	Chrome	Handle hub
100242	6.00	N/A or Unfinished	Handle insert kit
100250	13.20	Chrome	Spout cap
100251	2.60	N/A or Unfinished	Washer
100254	61.50	Chrome	Spout kit
100255	18.00	N/A or Unfinished	Diverter kit
100261	40.35	Chrome	Escutcheon
100263	9.95	N/A or Unfinished	Handle cap & screw
100265	17.95	N/A or Unfinished	Handle cap & screw
100266	36.40	Chrome	Handle kit
100270	5.00	N/A or Unfinished	Handle connector
100283	1.65	N/A or Unfinished	Gasket
100290	14.50	Chrome	Aerator
100311	14.20	N/A or Unfinished	Handle adapter kit
100332	9.20	N/A or Unfinished	Hot/cold indicator kit
100429	6.00	Chrome	Handle adapter kit
100433	46.50	Chrome	Escutcheon
100433BL	55.10	Matte Black	Escutcheon
100433CSL	66.10	Classic Stainless (CSL)	Escutcheon
100433S	53.45	Sand	Escutcheon
100433SL	51.20	Stainless	Escutcheon
100433SRS	72.70	Spot Resist Stainless	Escutcheon
100433W	53.45	Glacier	Escutcheon
100439	12.95	Chrome	Dome kit
100439BL	75.80	Matte Black	Dome kit
100439S	14.20	Sand	Dome kit

Part Number	List Price	Finish	Description
100439SL	20.75	Stainless	Dome kit
100439V	14.65	Ivory	Dome kit
100439W	14.20	Glacier	Dome kit
100440	27.45	N/A or Unfinished	Handle hardware kit, pullout kitchens
100444	21.40	N/A or Unfinished	Quarter turn connector & screen washer
100513	25.85	Chrome	Soap dispenser pump
100538	7.45	N/A or Unfinished	Spout plug
100539	12.25	N/A or Unfinished	Mounting kit
100541	24.50	N/A or Unfinished	Handle adapter kit
100552	78.90	Chrome	Handle hub kit
100552ORB	125.90	Oil Rubbed Bronze	Handle hub kit
100552P	122.30	Polished Brass	Handle hub kit
100552SL	114.40	Stainless	Handle hub kit
100553	78.90	Chrome	Handle hub kit
100553ORB	125.90	Oil Rubbed Bronze	Handle hub kit
100553P	122.30	Polished Brass	Handle hub kit
100553SL	114.40	Stainless	Handle hub kit
100556	32.10	Chrome	Handle hub kit
100556BN	46.55	Brushed Nickel	Handle hub kit
100556P	51.30	Polished Brass	Handle hub kit
100556PM	36.95	Platinum	Handle hub kit
100556ST	51.30	Satine	Handle hub kit
100556W	51.30	Glacier	Handle hub kit
100557	37.10	Chrome	Handle hub kit
100557P	57.20	Polished Brass	Handle hub kit
100558	36.85	Chrome	Handle hub kit
100558P	56.75	Polished Brass	Handle hub kit
100558SL	53.45	Stainless	Handle hub kit
100558W	56.75	Chrome	Handle hub kit
100559	41.85	Chrome	Handle hub kit
100559P	64.50	Polished Brass	Handle hub kit
100561	10.90	N/A or Unfinished	Handle adapter, hot and cold, Monticello bar, centerset, mini widespread
100562	4.25	N/A or Unfinished	Handle adapter, Monticello widespread lav & bidet
100563	4.20	N/A or Unfinished	Handle adapter, Monticello 2 handle tub/shower, 2 handle kitchen, & Roman tub
100566	11.80	N/A or Unfinished	Small chassis for Monticello bar, centerset, mini widespread
100593	110.90	N/A or Unfinished	Vacuum breaker kit
100602	103.70	N/A or Unfinished	Vacuum breaker kit
100615	30.05	Chrome	Escutcheon
100616	50.55	Chrome	Spout kit
100621	53.80	Chrome	Handle kit
100621BC	64.60	Brushed Chrome	Handle kit
100624	53.80	Chrome	Handle kit
100624BC	64.60	Brushed Chrome	Handle kit
100625	25.55	Chrome	Escutcheon
100626	36.95	Chrome	Bar spout & spout nut
100649	117.95	Chrome	Spout kit
100649BC	141.40	Brushed Chrome	Spout kit
100649P	182.75	Polished Brass	Spout kit
100650	12.00	Chrome	Escutcheon
100650BC	14.60	Brushed Chrome	Escutcheon
100650P	18.75	Polished Brass	Escutcheon
100652	135.10	Chrome	Roman tub spout kit
100652BC	162.20	Brushed Chrome	Roman tub spout kit
100652P	209.45	Polished Brass	Roman tub spout kit
100654	148.75	Chrome	Roman tub diverter spout
100654BC	171.05	Brushed Chrome	Roman tub spout kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
100655	31.30	Chrome	Diverter rod kit
100655BC	35.90	Brushed Chrome	Diverter rod kit
100656	114.85	Chrome	Garden tub spout
100657	23.80	Chrome	Handle kit
100657BC	28.45	Brushed Chrome	Handle kit
100657P	36.80	Polished Brass	Handle kit
100657W	33.25	Glacier	Handle kit
100665	32.95	Polished Brass	Spout kit
100667	117.95	Polished Brass	Spout kit
100675	129.45	Polished Brass	Spout kit
100676	36.25	N/A or Unfinished	Valve body
100679	56.00	Chrome	Handle kit
100683	5.50	N/A or Unfinished	Gasket
100695	35.10	N/A or Unfinished	Handle kit
100702	29.60	N/A or Unfinished	Shank kit
100707	11.80	Chrome	Lift rod kit
100710	20.20	N/A or Unfinished	Knob handle kit, Posi-Temp 1 handle tub/shower, with white & chrome insert
100736	9.20	N/A or Unfinished	Hardware kit
100742	39.80	N/A or Unfinished	Valve body
100743	39.80	N/A or Unfinished	Valve body
100746	20.45	Chrome	Handle kit
100746ORB	30.20	Oil Rubbed Bronze	Handle kit
100746SRS	25.35	Spot Resist Stainless	Handle kit
100816	23.25	N/A or Unfinished	Extension kit
100817	29.70	N/A or Unfinished	Shank kit
100818	32.55	N/A or Unfinished	Extension kit
100820	66.75	Chrome	Spout kit
100820SRS	83.85	Spot Resist Stainless	Spout kit
100895	23.20	Chrome	Handle kit
100895SRS	29.10	Spot Resist Stainless	Handle kit
100896	70.65	Chrome	Spout kit
100896ORB	114.30	Oil Rubbed Bronze	Spout kit
100896SRS	93.05	Spot Resist Stainless	Spout kit
100928	23.80	Chrome	Handle kit
100928ORB	36.15	Oil Rubbed Bronze	Handle kit
100928SRS	29.85	Spot Resist Stainless	Handle kit
100955	7.10	N/A or Unfinished	Cartridge nut
100957	21.95	Chrome	Escutcheon
100957ORB	28.70	Oil Rubbed Bronze	Escutcheon
100957SRS	25.30	Spot Resist Stainless	Escutcheon
100961	118.05	Chrome	Spout kit
100961ORB	175.65	Oil Rubbed Bronze	Spout kit
100961SRS	146.90	Spot Resist Stainless	Spout kit
100998	16.10	Chrome	Escutcheon
101010	13.70	Chrome	Aerator
101010BC	17.05	Brushed Chrome (BC)	Aerator
101010BN	19.35	Brushed Nickel (BN)	Aerator
101010ORB	21.35	Bronze - Oil Rubbed (ORB)	Aerator
101010P	21.35	Polished Brass (PB)	Aerator
101010W	10.05	Glacier	Aerator
101010WR	21.35	Wrought Iron (WR)	Aerator
101012BN	16.55	Brushed Nickel (BN)	Aerator
101013	15.75	Chrome	Aerator

Part Number	List Price	Finish	Description
101013BN	32.80	Brushed Nickel (BN)	Aerator
101013P	32.80	Polished Brass (PB)	Aerator
101023	21.40	Chrome	Aerator
101023BN	30.30	Brushed Nickel (BN)	Aerator
101023CSL	30.95	Classic Stainless	Aerator kit
101023NL	30.65	Nickel (NL)	Aerator
101023ORB	33.35	Bronze - Oil Rubbed (ORB)	Aerator
101023WR	33.35	Wrought Iron (WR)	Aerator
101029	14.80	Chrome	Aerator
101029BN	22.10	Brushed Nickel (BN)	Aerator
101029CSL	21.55	Classic Stainless	Aerator
101029NL	22.30	Nickel (NL)	Aerator
101029ORB	24.35	Bronze - Oil Rubbed (ORB)	Aerator
101029SRS	20.80	Spot Resist Stainless	Aerator
101029WR	24.35	Wrought Iron (WR)	Aerator
101035	14.95	Chrome	Aerator
101035P	36.40	Polished Brass (PB)	Aerator
101036	14.60	Chrome	Aerator
101039	12.25	N/A or Unfinished	Hardware kit
101040	12.80	Chrome	Aerator
101040BN	18.40	Brushed Nickel (BN)	Aerator
101040ORB	20.30	Bronze - Oil Rubbed (ORB)	Aerator
101040WR	20.30	Wrought Iron (WR)	Aerator
101046	16.30	Chrome	Aerator
101046BN	23.60	Brushed Nickel (BN)	Aerator
101046ORB	25.95	Bronze - Oil Rubbed (ORB)	Aerator
101046P	25.95	Polished Brass	Aerator kit
101046WR	25.95	Wrought Iron (WR)	Aerator kit
101048	17.85	Chrome	Aerator
101050	16.65	Chrome	Aerator
101053	10.65	Chrome	Aerator
101053BN	20.55	Brushed Nickel	Aerator
101064	29.60	Chrome	Handle kit
101064BN	43.55	Brushed Nickel	Handle kit
101064ORB	53.35	Oil Rubbed Bronze	Handle kit
101076	4.90	Chrome	Aerator
101077	12.35	Chrome	Aerator
101077CSL	15.20	Classic Stainless	Aerator
101077ORB	20.75	Oil Rubbed Bronze	Aerator
101077SRS	14.65	Spot Resist Stainless	Aerator
101099	5.95	N/A or Unfinished	Handle connector, spacer, screw & washer, Loop handle kitchens
101100	29.00	N/A or Unfinished	Push-button diverter plug
101116	50.10	Chrome	Aerator
101117	21.65	Chrome	Aerator kit
101117CSL	21.65	Classic Stainless	Aerator kit
101118	15.15	Chrome	Aerator
101119	15.40	Chrome	Aerator kit
101119CSL	22.30	Classic Stainless	Aerator kit
101119ORB	24.50	Oil Rubbed Bronze	Aerator kit
101120	17.95	Chrome	Aerator kit
101120ORB	28.65	Oil Rubbed Bronze	Aerator kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
101120SRS	26.05	Spot Resist Stainless	Aerator kit
101140	29.95	Chrome	Handle kit
101140BN	41.90	Brushed Nickel	Handle kit
101140NL	41.90	Polished Nickel	Handle kit
101140ORB	46.10	Oil Rubbed Bronze	Handle kit
101199	6.40	N/A or Unfinished	Screen washer, pullout spout hose
101205	10.15	N/A or Unfinished	Handle insert kit
101237	7.50	N/A or Unfinished	Cup seal & diverter gate, 3800 tub spout
101246	78.25	Chrome	Spout receptor kit
101246BL	64.30	Matte Black	Spout receptor kit
101246SL	86.05	Stainless	Spout receptor kit
101246V	64.30	Ivory	Spout receptor kit
101246W	64.30	Glacier	Spout receptor kit
101249	15.15	Chrome	Handle collar & nut kit, OneTouch
101249S	23.30	Sand	Collar & nut kit
101249SL	21.95	Stainless	Collar & nut kit
101249V	23.30	Ivory	Collar & nut kit
101249W	23.30	Glacier	Collar & nut kit
101257	13.70	Chrome	Pullout spout aerator kit
101310	19.40	Chrome	Lever handle kit, Chateau 1 handle lav
101406	17.05	Chrome	Lift rod kit
101406BN	24.35	Brushed Nickel	Lift rod kit
101407	28.70	N/A or Unfinished	Handle insert kit
101408	23.00	Chrome	Handle kit
101410	49.70	Chrome	Handle kit
101412	26.50	Chrome	Handle kit
101414P	221.90	Polished Brass	Roman tub spout kit
101418	34.10	N/A or Unfinished	Spout cap kit
101420	21.50	N/A or Unfinished	Spout cap kit
101424	13.40	N/A or Unfinished	Handle insert kit
101475	5.15	Chrome	Hose guide
101482	6.95	N/A or Unfinished	Pivot nut
101483	47.65	Chrome	Collar & nut kit
101483W	52.35	Glacier	Collar & nut kit
101484	86.70	Chrome	Spout receptor kit
101484BC	104.05	Brushed Chrome	Spout receptor kit
101484SL	122.50	Stainless	Spout receptor kit
101484V	97.40	Ivory	Spout receptor kit
101484W	97.40	Glacier	Spout receptor kit
101652	30.20	Chrome	Tub drain assembly
101653	29.60	Chrome	Tub drain assembly
101663AZ	29.85	Antique Bronze	tub/shower drain covers
101663BN	27.10	Brushed Nickel	tub/shower drain covers
101663NL	27.10	Brushed Nickel	tub/shower drain covers
101663ORB	29.85	Oil Rubbed Bronze	tub/shower drain covers
101663P	24.75	Polished Brass	tub/shower drain covers
101663WR	29.85	Wrought Iron	tub/shower drain covers
101664AZ	37.10	Antique Bronze	tub/shower drain covers
101664BN	33.70	Brushed Nickel	tub/shower drain covers
101664NL	33.70	Polished Nickel	tub/shower drain covers
101664ORB	37.10	Oil Rubbed Bronze	tub/shower drain covers
101664P	33.70	Polished Brass	tub/shower drain covers
101664WR	37.10	Wrought Iron	tub/shower drain covers
101707	17.05	N/A or Unfinished	Vacuum breaker hub assembly
101708	66.05	N/A or Unfinished	Hose kit
101869	22.90	N/A or Unfinished	Hardware kit
101871	103.15	Chrome	Spout kit
101871SL	124.40	Stainless	Spout kit
101871V	144.40	Ivory	Spout kit

Part Number	List Price	Finish	Description
101878	31.80	Chrome	Aerator
101878P	42.40	Polished Brass	Aerator
101878SL	39.80	Stainless	Aerator
101878V	40.55	Ivory	Aerator
101879	6.30	N/A or Unfinished	Spout retaining ring kit, Monticello & Traditional 2 handle bar
101906SL	40.55	Stainless	Accent ring
101906V	44.65	Ivory	Accent ring
101907	32.05	Chrome	Escutcheon
101951	17.35	N/A or Unfinished	Diverter kit
101952	22.30	N/A or Unfinished	Hardware kit
101956	18.10	N/A or Unfinished	Stem extension kit
101957	15.60	N/A or Unfinished	Lever handle mechanism kit
101964	20.90	Chrome	Aerator kit
101964BN	30.30	Brushed Nickel	Aerator kit
101964NL	30.65	Polished Nickel	Aerator kit
101964ORB	33.35	Oil Rubbed Bronze	Aerator kit
101974	25.20	Chrome	Escutcheon
101974NL	42.90	Polished Nickel	Escutcheon
101974P	39.10	Polished Brass	Escutcheon
101975	4.35	N/A or Unfinished	Posi-Temp test plug
102160	61.80	Chrome	handle cap
102161	63.00	Polished Brass	handle cap
102562	11.10	Chrome	Stop tube kit
102562BN	18.50	Brushed Nickel	Stop tube kit
102563	45.35	Chrome	Escutcheon
102564	50.85	Chrome	Handle kit
102564P	80.50	Polished Brass	Handle kit
102564W	63.25	Glacier	Handle kit
102565	36.85	Chrome	Handle kit
102565BC	45.05	Brushed Chrome	Handle kit
102565P	64.60	Polished Brass	Handle kit
102565SL	54.50	Stainless	Handle kit
102565V	98.10	Ivory	Handle kit
102565W	47.70	Glacier	Handle kit
102566	7.85	Chrome	Collar
102566BN	29.80	Brushed Nickel	Collar
102566P	30.50	Polished Brass	Collar
102566W	16.05	Glacier	Collar
102567	4.35	Chrome	Ring shield
102567BN	10.85	Brushed Nickel	Collar
102567P	10.45	Polished Brass	Ring shield
102568	15.80	N/A or Unfinished	Lever handle mechanism kit, Villeta 1 handle lav
102569	5.50	N/A or Unfinished	Gasket
102570	32.00	Chrome	Lift rod kit
102570P	41.10	Polished Brass	Lift rod kit
102763AZ	37.10	Antique Bronze	tub/shower drain covers line list items
102763BN	33.70	Brushed Nickel	tub/shower drain covers
102763NL	33.70	Polished Nickel	tub/shower drain covers
102763ORB	37.10	Oil Rubbed Bronze	tub/shower drain covers
102763P	33.70	Polished Brass	tub/shower drain covers
102763WR	37.10	Wrought Iron	tub/shower drain covers
103432	5.20	N/A or Unfinished	Spout retainer kit
103433P	189.90	Polished Brass	Spout hub kit
103437	5.35	N/A or Unfinished	Handle connector, spacer, screw & washer, Integra
103441V	31.95	Ivory	Aerator
103442	34.00	N/A or Unfinished	Pivot nut
103443	11.85	Chrome	Handle stop kit
103454	65.90	Chrome	Handle kit
103454BN	95.45	Brushed Nickel	Handle kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
103454NL	101.40	Polished Nickel	Handle kit
103454ORB	101.40	Oil Rubbed Bronze	Handle kit
103454P	101.40	Polished Brass	Handle kit
103454WR	101.40	Wrought Iron	Handle kit
103455	67.45	Chrome	Spray nozzle
103455BN	94.20	Brushed Nickel	Spray nozzle
103455ORB	99.95	Oil Rubbed Bronze	Spray nozzle
103455P	99.95	Polished Brass	Spray nozzle
103455WR	99.95	Wrought Iron	Spray nozzle
103456	23.45	N/A or Unfinished	Handle adapter kit, widespread lav & bidet, M-PACT
103457NL	47.70	Polished Nickel	Escutcheon
103459	18.10	Chrome	Drain plug, M-PACT
103459AZ	27.85	Antique Bronze	Drain plug & seat
103459BN	25.30	Brushed Nickel	Drain plug & seat
103459NL	30.75	Polished Nickel	Drain plug & seat
103459ORB	27.85	Oil Rubbed Bronze	Drain plug & seat
103459P	28.00	Polished Brass	Drain plug & seat
103459WR	27.85	Wrought Iron	Drain plug & seat
103460	8.45	N/A or Unfinished	O-ring kit
103461	29.40	Chrome	Spout escutcheon
103461P	39.75	Polished Brass	Spout escutcheon
103462	9.85	N/A or Unfinished	Installation tool, M-PACT mini widespread & widespread
103463	33.75	Chrome	Spout escutcheon
103463BN	46.05	Brushed Nickel	Spout escutcheon
103463P	45.40	Polished Brass	Spout escutcheon
103463W	42.50	Glacier	Spout escutcheon
103464	18.60	Chrome	Lift rod kit
103464BN	26.90	Brushed Nickel	Lift rod kit
103464P	28.60	Polished Brass	Lift rod kit
103465	6.80	N/A or Unfinished	Set screw kit
103466	5.20	N/A or Unfinished	O-ring kit
103468	133.45	Chrome	Spout kit
103468BN	193.55	Brushed Nickel	Spout kit
103468P	205.55	Polished Brass	Spout kit
103469	48.70	N/A or Unfinished	Hose kit
103470	54.85	Chrome	Escutcheon
103470BN	77.65	Brushed Nickel	Escutcheon
103470NL	82.50	Polished Nickel	Escutcheon
103470P	75.00	Polished Brass	Escutcheon
103470WR	85.30	Wrought Iron	Escutcheon
103674	239.85	N/A or Unfinished	Cartridge
103675	33.25	Chrome	Handle shell
103675BL	46.45	Matte Black	Handle shell
103675BN	48.10	Brushed Nickel	Handle shell
103675NL	49.75	Polished Nickel	Handle shell
103675ORB	52.90	Oil Rubbed Bronze	Handle shell
103675P	51.35	Polished Brass	Handle shell
103675V	46.45	Ivory	Handle shell
103675WR	52.90	Wrought Iron	Handle shell
103678	18.55	Chrome	Escutcheon
103678BN	27.50	Brushed Nickel	Escutcheon
103678NL	28.35	Polished Nickel	Escutcheon
103678ORB	30.30	Oil Rubbed Bronze	Escutcheon
103678P	30.40	Polished Brass	Escutcheon
103678WR	30.30	Wrought Iron	Escutcheon
103681	50.00	Chrome	Handle shell
103681BL	34.25	Matte Black	Handle shell
103681P	72.55	Polished Brass	Handle shell
103681V	34.25	Ivory	Handle shell
103682NL	35.25	Polished Nickel	Escutcheon

Part Number	List Price	Finish	Description
103685	30.50	N/A or Unfinished	Retainer nut
103686	18.00	N/A or Unfinished	Check stop
103687	57.80	N/A or Unfinished	Check stop
103688	25.90	N/A or Unfinished	Thermostatic cartridge parts
103689	28.05	N/A or Unfinished	Temperature limit stop kit
103690	15.20	N/A or Unfinished	Handle adapter kit
103691	3.90	N/A or Unfinished	Screw kit
103692	22.45	N/A or Unfinished	Retainer nut
103694	10.15	N/A or Unfinished	Hardware kit
103744	8.75	N/A or Unfinished	Escutcheon clip & washer
103745	57.70	Chrome	Handle escutcheon
103745P	88.75	Polished Brass	Handle escutcheon
103759	9.55	N/A or Unfinished	Hardware kit
103760	81.00	Chrome	Spout escutcheon
103760P	92.30	Polished Brass	Spout escutcheon
104212	10.80	N/A or Unfinished	Aerator removal tool
104213	171.00	Chrome	Spout kit
104213P	263.35	Polished Brass	Spout kit
104214BL	74.45	Matte Black	Spout shell
104214V	74.45	Ivory	Spout shell
104215	23.30	Chrome	Lift rod kit
104215NL	39.30	Polished Nickel	Lift rod kit
104217	8.70	Chrome	Aerator
104218	9.25	N/A or Unfinished	O-ring kit
104221	27.10	N/A or Unfinished	Handle shell
104221BL	37.55	Matte Black	Handle shell
104221V	37.55	Ivory	Handle shell
104222	16.00	Chrome	Handle kit
104222NL	98.45	Polished Nickel	Handle kit
104224	9.40	N/A or Unfinished	Handle adapter kit
104225	9.65	N/A or Unfinished	Hardware kit
104226	52.85	Chrome	Spout shell
104226BL	80.65	Matte Black	Spout shell
104226V	80.65	Ivory	Spout shell
104228	13.80	Chrome	Aerator
104229	41.90	Chrome	Spout nut kit
104229NL	64.55	Polished Nickel	Spout nut kit
104229P	64.55	Polished Brass	Spout nut kit
104230	16.60	Chrome	Handle escutcheon
104230NL	28.40	Polished Nickel	Handle escutcheon
104230P	25.20	Polished Brass	Handle escutcheon
104231	30.60	Chrome	Handle shell
104231BL	47.10	Matte Black	Handle shell
104231V	35.90	Ivory	Handle shell
104232	18.60	Chrome	Handle kit
104233	6.40	N/A or Unfinished	Handle adapter kit
104235	15.55	Chrome	Hose guide
104235CP	17.20	Chrome	Hose guide
104235ORB	24.55	Oil Rubbed Bronze	Hose guide
104235P	20.90	Polished Brass	Hose guide
104241	19.20	Chrome	Diverter tub spout repair kit
104241NL	24.25	Polished Nickel	Diverter tub spout repair kit
104247	6.50	N/A or Unfinished	Escutcheon screws
104248	6.70	N/A or Unfinished	Handle adapter kit
104249P	21.25	Polished Brass	Stop tube kit
104407	14.10	N/A or Unfinished	Handle housing kit
104409	4.50	N/A or Unfinished	Handle adapter kit
104410	84.00	Chrome	Handle kit
104410NL	143.00	Polished Nickel	Handle kit
104411	3.85	N/A or Unfinished	Set screw kit
104416	56.50	Polished Brass	Spout hub kit
104416BL	87.05	Matte Black	Spout hub kit
104416V	87.05	Ivory	Spout hub kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
104419	6.50	N/A or Unfinished	Plug button kit
104420	8.40	N/A or Unfinished	Gasket
104445	206.95	Chrome	Roman tub spout kit
104445NL	266.60	Polished Nickel	Roman tub spout kit
105046	49.70	N/A or Unfinished	installation tool
105320	127.30	N/A or Unfinished	Handle extension kit
105895BL	34.80	Matte Black	air gap
105895CSL	48.05	Classic Stainless	air gap
105895ORB	50.45	Oil Rubbed Bronze	air gap
105895SRS	45.05	Spot Resist Stainless	air gap
105896	7.85	N/A or Unfinished	Hardware kit
105897	30.50	Chrome	Shower escutcheon
105899	36.10	Chrome	Handle kit
106322	10.05	N/A or Unfinished	Hardware kit
106324	25.95	N/A or Unfinished	T-connector
106376	20.25	Chrome	Handshower bracket
106378	17.95	N/A or Unfinished	Stem extension kit
106479	4.35	N/A or Unfinished	Temperature limit stop kit, Posi-Temp 1 handle tub/shower
107106	10.15	N/A or Unfinished	Plug button kit
107794W	76.70	Glacier	Spout hub kit
109110	20.80	N/A or Unfinished	Hardware kit
109248	66.05	N/A or Unfinished	Hose kit
110301W	23.30	Glacier	Lift rod kit
110307	4.60	N/A or Unfinished	Cartridge nut
110308NL	49.65	Polished Nickel	Handle hub kit
110308P	49.15	Polished Brass	Handle hub kit
110312NL	20.95	Polished Nickel	Spout nut kit
110314NL	66.90	Polished Nickel	Spout kit
111881	23.30	Chrome	Handle kit
111881BC	28.00	Brushed Chrome	Handle kit
111881P	36.25	Polished Brass	Handle kit
111881W	32.70	Glacier	Handle kit
113173	9.20	N/A or Unfinished	Mounting kit
113957	5.20	Chrome	Plug button & set screw
113958	5.55	N/A or Unfinished	Gasket
113959	7.00	Chrome	Dome kit
113959BN	16.15	Brushed Nickel	Dome kit
113959ORB	18.50	Oil Rubbed Bronze	Dome kit
113959P	11.00	Polished Brass	Dome kit
113959W	9.65	Glacier	Dome kit
113959WR	18.50	Wrought Iron	Dome kit
113973	20.20	Chrome	Handle kit
113974	6.95	N/A or Unfinished	Gasket kit
114295	16.25	N/A or Unfinished	Hardware kit
114299	31.80	N/A or Unfinished	Hose kit
114302	9.45	Chrome	Handle escutcheon
114302SL	15.20	Stainless	Handle escutcheon
114303	6.85	N/A or Unfinished	Cartridge nut
114304	35.70	Chrome	Handle kit
114304CSL	51.90	Classic Stainless	Handle kit
114304ORB	74.00	Oil Rubbed Bronze	Handle kit
114304SL	51.90	Stainless	Handle kit
114304V	50.00	Ivory	Handle kit
114305	13.85	Chrome	Handle hub
114305CSL	20.25	Classic Stainless	Handle hub
114305ORB	36.10	Oil Rubbed Bronze	Handle hub
114305SL	20.25	Stainless	Handle hub
114305V	20.25	Ivory	Handle hub
114306	17.05	N/A or Unfinished	Hardware kit
114307	19.75	N/A or Unfinished	Hose kit, Aberdeen 7590 series

Part Number	List Price	Finish	Description
114308	12.10	N/A or Unfinished	Stem extension kit
114309	34.35	Chrome	Handle hub kit
114309SL	53.10	Stainless	Handle hub kit
114310	24.60	Chrome	Handle insert kit
114310SL	37.05	Stainless	Handle insert kit
114311	7.35	N/A or Unfinished	Screen washer
114324	17.70	Chrome	Handle cap kit
114324AZ	28.05	Antique Bronze	Handle cap kit
114324BN	25.60	Brushed Nickel	Handle cap kit
114324ORB	28.05	Oil Rubbed Bronze	Handle cap kit
114324P	24.50	Polished Brass	Handle cap kit
114324SRS	24.70	Spot Resist Stainless	Handle cap kit
114324W	4.10	White	Cap kit
114324WR	28.05	Wrought Iron	Handle cap kit
114328	24.75	Chrome	Lift rod kit
114328BN	36.10	Brushed Nickel	Lift rod kit
114328ORB	39.80	Oil Rubbed Bronze	Lift rod kit
114328P	38.60	Polished Brass	Lift rod kit
114328WR	39.80	Wrought Iron	Lift rod kit
114331	16.70	Chrome	Handle hub kit
114331BN	23.60	Brushed Nickel (BN)	Handle hub
114331ORB	25.95	Oil Rubbed Bronze	Handle hub kit
114331P	26.25	Polished Brass	Handle hub kit
114331WR	25.95	Wrought Iron	Handle hub kit
114332	12.80	Chrome	Aerator
114332BN	18.40	Brushed Nickel (BN)	Aerator
114332ORB	20.30	Oil Rubbed Bronze	Aerator
114332P	19.60	Polished Brass	Aerator
114332WR	20.30	Wrought Iron	Aerator
114333	5.80	N/A or Unfinished	Gasket
114334	14.50	Chrome	Lift rod kit
114334BN	21.05	Brushed Nickel (BN)	Lift rod kit
114334ORB	22.40	Oil Rubbed Bronze	Lift rod kit
114334P	22.40	Polished Brass	Lift rod kit
114334WR	22.40	Wrought Iron	Lift rod kit
114336	9.25	Chrome	Handle insert kit
114336CSL	16.60	Classic Stainless	Handle insert kit
114336ORB	18.30	Oil Rubbed Bronze	Handle insert kit
114336SRS	19.25	Spot Resist Stainless	Handle kit
114337	61.45	Chrome	Handle hub kit
114337BN	89.30	Brushed Nickel (BN)	Handle kit
114337NL	90.75	Polished Nickel	Handle kit
114337ORB	98.20	Oil Rubbed Bronze	Handle hub kit
114337P	86.90	Polished Brass	Handle hub kit
114337WR	98.20	Wrought Iron	Handle hub kit
114338	206.80	Chrome	Roman tub spout kit
114338BN	237.80	Brushed Nickel (BN)	Spout kit
114338ORB	318.50	Oil Rubbed Bronze	Roman tub spout kit
114338P	318.50	Polished Brass	Roman tub spout kit
114339	204.15	Chrome	Roman tub spout kit
114339BN	237.95	Brushed Nickel (BN)	Spout kit
114339ORB	314.35	Oil Rubbed Bronze	Roman tub spout kit
114339P	314.35	Polished Brass	Roman tub spout kit
114339WR	314.35	Wrought Iron	Roman tub spout kit
114340	10.20	Chrome	Diverter rod kit
114340BN	25.30	Brushed Nickel (BN)	Lift rod kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
114340ORB	27.20	Oil Rubbed Bronze	Diverter rod kit
114340P	27.20	Polished Brass	Diverter rod kit
114340WR	27.20	Wrought Iron	Diverter rod kit
114343	14.20	N/A or Unfinished	Handle cap & screw
114343BN	20.60	Brushed Nickel	Handle cap & screw
114343NL	22.10	Polished Nickel	Handle cap kit
114343ORB	22.65	Oil Rubbed Bronze	Handle cap & screw
114343P	22.10	Polished Brass	Handle cap & screw
114343WR	22.65	Wrought Iron	Handle cap & screw
114344	22.85	Chrome	Handle hub
114344BN	33.15	Brushed Nickel (BN)	Handle hub
114344ORB	36.50	Oil Rubbed Bronze	Handle hub
114344P	35.40	Polished Brass	Handle hub
114344WR	36.50	Wrought Iron	Handle hub
114346	25.05	Chrome	Handle hub
114346BN	36.45	Brushed Nickel (BN)	Handle kit
114346NL	38.85	Polished Nickel	Handle kit
114346ORB	40.05	Oil Rubbed Bronze	Handle hub
114346P	38.85	Polished Brass	Handle hub
114346WR	40.05	Wrought Iron	Handle hub
114347	24.60	Chrome	Handle hub
114347NL	38.25	Polished Nickel	Handle hub kit
114348	76.95	Chrome	handshower bracket line list items
114348BN	111.50	Chrome	handshower bracket line list items
114348NL	89.40	Polished Nickel	line list items
114348ORB	122.70	Oil Rubbed Bronze	handshower bracket line list items
114348P	98.00	Polished Brass	handshower bracket line list items
114348WR	122.70	Wrought Iron	handshower bracket line list items
114350	18.75	Chrome	Lift rod kit
114351	32.80	Chrome	Handle hub
114351WR	51.85	Wrought Iron	Handle hub
114384	6.30	N/A or Unfinished	Retainer ring kit
114385	16.25	N/A or Unfinished	Liquid dispenser bottle
114386	6.60	N/A or Unfinished	Hardware kit
114387	13.10	N/A or Unfinished	Gasket
114621	31.05	Chrome	Handle insert kit
115000	26.90	N/A or Unfinished	Knob handle kit, Posi-Temp 82683
115001	103.85	N/A or Unfinished	Extension kit
115006	3.60	N/A or Unfinished	Screw kit
115007	13.70	Chrome	Spout hub kit
115010	56.65	N/A or Unfinished	Spout kit
115017	60.15	N/A or Unfinished	Handle insert kit
115018	41.15	N/A or Unfinished	Handle insert kit
115020BN	28.85	Brushed Nickel	Lift rod kit
115020P	31.80	Polished Brass	Lift rod kit
115022	34.65	Chrome	Handle kit
115023	6.25	Chrome	Handle cap kit
115023SL	9.55	Stainless	Handle cap kit
115026	12.85	N/A or Unfinished	Handle adapter kit
115026BN	19.30	Brushed Nickel	Handle adapter kit
115026P	20.00	Polished Brass	Handle adapter kit
115027	11.50	Chrome	Lift rod kit
115027BN	16.00	Brushed Nickel	Lift rod kit
115029	17.35	Chrome	Handle hub
115029BN	26.15	Brushed Nickel	Handle hub
115029P	26.15	Polished Brass	Handle hub
115029SLP	19.70	Brushed Platinum	Handle hub

Part Number	List Price	Finish	Description
115030	22.40	Chrome	Handle kit
115030SLP	24.50	Brushed Platinum	Handle kit
115031	11.30	Chrome	Handle hub kit
115032	11.70	Chrome	Handle hub kit
115033	17.00	N/A or Unfinished	Porcelain handle insert
115034	10.65	Chrome	handle cp kit
115034BC	12.80	Brushed Chrome	Handle cap kit
115034BN	15.40	Brushed Nickel	Handle cap kit
115035	6.85	Chrome	Handle hub
115036	22.55	Chrome	Handle kit
115037	9.75	Chrome	Spout cap kit
115038	7.15	N/A or Unfinished	Bearing washer kit
115039	50.75	Chrome	Spout kit
115039P	72.30	Polished Brass	Spout kit
115040	12.25	Chrome	Hose guide
115040P	24.75	Polished Brass	Hose guide
115040SL	17.35	Stainless	Hose guide
115041	23.55	Chrome	Escutcheon & gasket kit
115041P	34.25	Polished Brass	Escutcheon & gasket kit
115042SL	52.00	Stainless	Escutcheon & gasket kit
115043	46.80	Chrome	Spout kit
115043CP	52.05	Chrome	Spout kit
115044P	229.90	Polished Brass	Spout kit
115045	8.25	Chrome	Aerator
115045P	12.30	Polished Brass	Aerator
115045SL	12.80	Stainless	Aerator
115046	35.95	Chrome	Handle kit
115047	51.75	Chrome	Spout kit
115049	30.60	Chrome	Escutcheon with hose guide
115051	25.75	Chrome	Handle hub
115051BN	37.35	Brushed Nickel	Handle hub
115055	10.60	Chrome	Handle cap & screw
115055BN	14.80	Brushed Nickel	Handle cap & screw
115055CBN	9.80	Classic Brushed Nickel (CBN)	Handle cap screw
115056	22.10	Chrome	Handle kit
115057	4.70	Chrome	Gasket
115058	5.10	Chrome	Gasket
115060	23.40	Chrome	Handle kit
115060SLP	25.55	Brushed Platinum	Handle kit
115061	7.00	N/A or Unfinished	Bearing washer kit
115062	4.35	N/A or Unfinished	Gasket
115063	38.30	Chrome	Handle kit
115063BN	59.45	Brushed Nickel	Handle kit
115063P	59.45	Polished Brass	Handle kit
115066	6.85	Chrome	Handle insert kit
115066P	11.60	Polished Brass	Handle insert kit
115067	30.60	N/A or Unfinished	Spout cap kit
115071	20.75	Chrome	Handshower bracket
115072	27.95	N/A or Unfinished	Hardware kit
115073	10.80	N/A or Unfinished	Hardware kit
115077	70.40	Chrome	Vacuum breaker kit
115335	102.25	Chrome	Spout kit
115335BN	148.20	Brushed Nickel (BN)	Spout kit
115335ORB	157.35	Oil Rubbed Bronze	Spout kit
115335P	157.35	Polished Brass	Spout kit
115335WR	157.35	Wrought Iron	Spout kit
115336	25.05	N/A or Unfinished	Handle kit
116379	27.05	N/A or Unfinished	Retainer nut
116604	36.50	Chrome	Handle hub
116604BN	52.90	Brushed Nickel	Handle hub
116604NL	51.65	Polished Nickel	Handle hub

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
116604ORB	58.15	Oil Rubbed Bronze	Handle hub
116604WR	58.15	Wrought Iron	Handle hub
116606	35.35	Chrome	Shower escutcheon
116606BN	51.20	Brushed Nickel	Shower escutcheon
116606NL	49.95	Polished Nickel	Shower escutcheon
116606ORB	56.35	Oil Rubbed Bronze	Shower escutcheon
116606WR	56.35	Wrought Iron	Shower escutcheon
116610	7.50	N/A or Unfinished	Handle adapter kit
116616	26.35	Chrome	Handle cover
116616BN	38.25	Brushed Nickel	Handle cover
116616NL	38.25	Polished Nickel	Handle cover
116616ORB	42.15	Oil Rubbed Bronze	Handle cover
116616WR	42.15	Wrought Iron	Handle cover
116618	14.80	Chrome	Aerator
116618BN	22.10	Brushed Nickel	Aerator
116618CSL	22.10	Classic Stainless	Aerator
116618NL	22.30	Polished Nickel	Aerator
116618ORB	24.35	Oil Rubbed Bronze	Aerator
116618SRS	21.40	Spot Resist Stainless	Aerator
116618WR	24.35	Wrought Iron	Aerator
116619	17.45	Chrome	Lift rod kit
116619BN	36.95	Brushed Nickel	Lift rod kit
116619NL	40.65	Polished Nickel	Lift rod kit
116619ORB	40.65	Oil Rubbed Bronze	Lift rod kit
116619WR	40.65	Wrought Iron	Lift rod kit
116620	21.75	Chrome	Spout hub kit
116620BN	31.60	Brushed Nickel	Spout hub kit
116620NL	31.60	Polished Nickel	Spout hub kit
116620ORB	34.65	Oil Rubbed Bronze	Spout hub kit
116620WR	34.65	Wrought Iron	Spout hub kit
116622	30.85	Chrome	Escutcheon
116622BN	44.75	Brushed Nickel	Escutcheon
116622NL	44.75	Polished Nickel	Escutcheon
116622ORB	49.30	Oil Rubbed Bronze	Escutcheon
116622WR	49.30	Wrought Iron	Escutcheon
116623	16.55	N/A or Unfinished	Retainer ring kit
116626	59.05	Chrome	Spout kit
116626BN	84.25	Brushed Nickel	Spout kit
116626NL	85.35	Polished Nickel	Spout kit
116626ORB	92.80	Oil Rubbed Bronze	Spout kit
116626WR	92.80	Wrought Iron	Spout kit
116627	16.95	Chrome	Spout escutcheon
116627BN	24.55	Brushed Nickel	Spout escutcheon
116627NL	25.60	Polished Nickel	Spout escutcheon
116627ORB	27.05	Oil Rubbed Bronze	Spout escutcheon
116627WR	27.05	Wrought Iron	Spout escutcheon
116628	13.45	Chrome	Handle kit
116628BN	19.40	Brushed Nickel	Handle kit
116628NL	19.40	Polished Nickel	Handle kit
116628ORB	21.45	Oil Rubbed Bronze	Handle kit
116628SRS	18.75	Chrome	Handle kit
116628WR	21.45	Wrought Iron	Handle kit
116629	46.45	Chrome	Handle hub
116629BN	88.80	Brushed Nickel	Handle hub
116629NL	88.80	Polished Nickel	Handle hub
116629ORB	96.30	Oil Rubbed Bronze	Handle hub
116629SRS	80.70	Spot Resist Stainless	Handle hub kit
116629WR	96.30	Wrought Iron	Handle hub
116630	110.55	Chrome	Spout cap
116630BN	160.30	Brushed Nickel	Spout cap
116630NL	176.30	Polished Nickel	Spout cap
116630ORB	176.30	Oil Rubbed Bronze	Spout cap

Part Number	List Price	Finish	Description
116630WR	176.30	Wrought Iron	Spout cap
116631	84.20	Chrome	Roman tub spout kit
116631BN	152.30	Brushed Nickel	Roman tub spout kit
116631NL	167.50	Polished Nickel	Roman tub spout kit
116631ORB	167.50	Oil Rubbed Bronze	Roman tub spout kit
116631WR	167.50	Wrought Iron	Roman tub spout kit
116632	39.15	Chrome	Stream straightener
116632BN	56.85	Brushed Nickel	Stream straightener
116632NL	62.55	Polished Nickel	Stream straightener
116632ORB	62.55	Oil Rubbed Bronze	Stream straightener
116632WR	62.55	Wrought Iron	Stream straightener
116633	48.25	Chrome	Spout escutcheon
116633BN	72.75	Brushed Nickel	Spout escutcheon
116633NL	71.00	Polished Nickel	Spout escutcheon
116633ORB	80.05	Oil Rubbed Bronze	Spout escutcheon
116633WR	80.05	Wrought Iron	Spout escutcheon
116634CSL	20.85	Classic Stainless	Aerator kit
116634NL	21.05	Polished Nickel	Aerator
116635	13.45	Chrome	Diverter rod kit
116635BN	28.35	Brushed Nickel	Diverter rod kit
116635NL	31.10	Polished Nickel	Diverter rod kit
116635ORB	31.10	Oil Rubbed Bronze	Diverter rod kit
116635WR	31.10	Wrought Iron	Diverter rod kit
116636	97.00	Chrome	Diverter spout cap
116636BN	140.70	Brushed Nickel	Diverter spout cap
116636ORB	154.75	Oil Rubbed Bronze	Diverter spout cap
116636WR	154.75	Wrought Iron	Diverter spout cap
116638	33.15	Chrome	Handle kit
116638ORB	51.60	Oil Rubbed Bronze	Handle kit
116638WR	51.60	Wrought Iron	Handle kit
116639	54.05	Chrome	Escutcheon
116639ORB	86.15	Oil Rubbed Bronze	Escutcheon
116639WR	86.15	Wrought Iron	Escutcheon
116640	73.50	Chrome	Spout cap
116640NL	117.15	Polished Nickel	Spout cap
116640ORB	117.15	Oil Rubbed Bronze	Spout cap
116640SL	106.55	Stainless	Spout cap
116640SRS	102.95	Spot Resist Stainless	Spout cap
116640WR	117.15	Wrought Iron	Spout cap
116641	59.45	Chrome	Spout kit
116641ORB	106.15	Oil Rubbed Bronze	Spout kit
116641SRS	85.20	Spot Resist Stainless	Spout kit
116641WR	106.15	Wrought Iron	Spout kit
116642	47.50	Chrome	Spout escutcheon
116642ORB	78.30	Oil Rubbed Bronze	Spout escutcheon
116642SRS	68.80	Spot Resist Stainless	Spout escutcheon
116642WR	78.30	Wrought Iron	Spout escutcheon
116644	43.05	Chrome	Spout cap
116644CSL	63.90	Classic Stainless	Spout cap kit
116644ORB	70.15	Oil Rubbed Bronze	Spout cap
116644SRS	61.70	Spot Resist Stainless	Spout cap
116644WR	70.15	Wrought Iron	Spout cap
116645	194.50	Chrome	Spout kit
116645ORB	285.15	Oil Rubbed Bronze	Spout kit
116645SRS	238.45	Spot Resist Stainless	Spout kit
116645WR	285.15	Wrought Iron	Spout kit
116646	51.00	Chrome	Handle hub kit
116646BN	74.05	Brushed Nickel	Handle hub kit
116646NL	81.40	Polished Nickel	Handle hub kit
116646ORB	81.40	Oil Rubbed Bronze	Handle hub kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
116646SRS	74.90	Spot Resist Stainless	Handle hub kit
116646WR	81.40	Wrought Iron	Handle hub kit
116647	50.95	Chrome	Handle hub kit
116647BN	73.95	Brushed Nickel	Handle hub kit
116647NL	81.30	Polished Nickel	Handle hub kit
116647ORB	81.30	Oil Rubbed Bronze	Handle hub kit
116647SRS	74.80	Spot Resist Stainless	Handle hub kit
116647WR	81.30	Wrought Iron	Handle hub kit
116648	17.35	Chrome	Lift rod kit
116648BN	34.10	Brushed Nickel	Lift rod kit
116648NL	37.50	Polished Nickel	Lift rod kit
116648ORB	37.50	Oil Rubbed Bronze	Lift rod kit
116648WR	37.50	Wrought Iron	Lift rod kit
116649	25.85	Chrome	Spout cap
116649BN	36.85	Brushed Nickel	Spout cap
116649NL	37.35	Polished Nickel	Spout cap
116649ORB	40.55	Oil Rubbed Bronze	Spout cap
116649WR	40.55	Wrought Iron	Spout cap
116651	12.85	Chrome	6" straight shower arm
116651BN	21.80	Brushed Nickel	6" straight shower arm
116651NL	21.80	Polished Nickel	6" straight shower arm
116651ORB	28.30	Oil Rubbed Bronze	6" straight shower arm
116651WR	28.30	Wrought Iron	6" straight shower arm
116653	6.40	N/A or Unfinished	Posi-Temp handle adapter kit
116662P	19.85	Polished Brass	Diverter rod kit
116664	136.85	Chrome	Spout kit
116664BN	198.45	Brushed Nickel	Spout kit
116664ORB	210.75	Oil Rubbed Bronze	Spout kit
116664P	166.95	Polished Brass	Spout kit
116664WR	210.75	Wrought Iron	Spout kit
116665	231.70	Chrome	Roman tub spout kit
116665BN	335.95	Brushed Nickel	Roman tub spout kit
116665ORB	356.80	Oil Rubbed Bronze	Roman tub spout kit
116665P	371.25	Polished Brass	Roman tub spout kit
116665WR	355.25	Wrought Iron	Roman tub spout kit
116666	281.80	Chrome	Roman tub spout kit
116666BN	361.10	Brushed Nickel	Roman tub spout kit
116666ORB	397.10	Oil Rubbed Bronze	Roman tub spout kit
116666P	398.00	Polished Brass	Roman tub spout kit
116666WR	397.10	Wrought Iron	Roman tub spout kit
116667	14.95	Chrome	Diverter rod kit
116667BN	21.65	Brushed Nickel	Diverter rod kit
116667ORB	23.00	Oil Rubbed Bronze	Diverter rod kit
116667P	23.00	Polished Brass	Diverter rod kit
116667WR	23.00	Wrought Iron	Diverter rod kit
116670	58.30	Chrome	Hot handle kit
116670NL	77.80	Polished Nickel	Hot handle kit
116670ORB	85.50	Oil Rubbed Bronze	Hot handle kit
116670SL	77.80	Stainless	Hot handle kit
116670SRS	77.80	Spot Resist Stainless	Hot handle kit
116670WR	85.50	Wrought Iron	Hot handle kit
116671	58.30	Chrome	Cold handle kit
116671NL	77.80	Polished Nickel	Cold handle kit
116671ORB	85.50	Oil Rubbed Bronze	Cold handle kit
116671SL	77.80	Stainless	Cold handle kit
116671SRS	77.80	Spot Resist Stainless	Cold handle kit
116671WR	85.50	Wrought Iron	Cold handle kit
116672	24.45	Chrome	Handle escutcheon
116672ORB	37.50	Oil Rubbed Bronze	Handle escutcheon

Part Number	List Price	Finish	Description
116672SRS	31.40	Spot Resist Stainless	Handle escutcheon
116672WR	37.50	Wrought Iron	Handle escutcheon
116673	75.55	Chrome	Spout escutcheon
116673CSL	109.55	Classic Stainless	Spout escutcheon
116673ORB	120.55	Oil Rubbed Bronze	Spout escutcheon
116673SRS	100.80	Spot Resist Stainless	Spout escutcheon
116673WR	120.55	Wrought Iron	Spout escutcheon
116683BN	47.75	Brushed Nickel	Handle insert kit
116691BN	70.95	Brushed Nickel	Handle kit
116692BN	40.50	Brushed Nickel	Lift rod kit
116694BN	25.65	Brushed Nickel	Spout cap
116696	50.30	Chrome	Hose kit
116698	23.55	N/A or Unfinished	Hardware kit
116699	47.10	Chrome	Spout escutcheon
116699BN	70.05	Brushed Nickel	Spout escutcheon
116699NL	71.00	Polished Nickel	Spout escutcheon
116699ORB	77.05	Oil Rubbed Bronze	Spout escutcheon
116699WR	77.05	Wrought Iron	Spout escutcheon
116711	6.50	N/A or Unfinished	Flow restrictor kit
116712	7.75	N/A or Unfinished	Flow restrictor kit
116713	42.90	Chrome	Handle kit
116713BN	60.75	Brushed Nickel	Handle kit
116713BRB	76.90	Mediterranean Bronze	Handle kit
116713CBN	41.25	Classic Brushed Nickel	Handle kit
116714	16.85	Chrome	Spout cap
116716	19.25	Chrome	Handle kit
116718	52.15	Chrome	Deck plate
116718CSL	75.60	Classic Stainless	Deck plate
116718ORB	83.20	Oil Rubbed Bronze	Deck plate
116719	31.10	N/A or Unfinished	Cartridge
116720	5.40	N/A or Unfinished	Gasket
116721	31.10	Stainless	Aerator kit
116722	16.80	Chrome	Handle insert kit
116723	16.10	Chrome	Handle kit_hot
116726	17.25	Chrome	Escutcheon & gasket kit
116726ORB	27.30	Oil Rubbed Bronze	Escutcheon & gasket kit
116726SL	24.75	Stainless	Escutcheon & gasket kit
116726SRS	23.95	Spot Resist Stainless	Escutcheon & gasket kit
116727	29.35	Chrome	Handle kit
116728	34.75	Chrome	Handle kit
116728CSL	50.30	Classic Stainless	Handle kit
116728ORB	55.20	Oil Rubbed Bronze	Handle kit
116728SL	50.30	Stainless	Handle kit
116730	42.20	N/A or Unfinished	Hardware kit
116731	6.55	N/A or Unfinished	Bearing washer kit
116732	41.30	Chrome	Soap dispenser
116732SL	59.95	Stainless	Soap dispenser
116733	7.60	Chrome	Lift rod kit
116737	13.80	Chrome	Handle insert kit
116738	17.60	Chrome	Handle insert kit
116742	49.50	Chrome	Showerhead kit
116743	29.00	Chrome	Handle hub kit
116953	38.70	Chrome	Hot handle kit
116953BN	59.50	Brushed Nickel (BN)	Hot handle kit
116953ORB	65.45	Oil Rubbed Bronze	Handle kit
116953P	59.95	Polished Brass (PB)	Hot handle kit
116953WR	65.45	Wrought Iron (WR)	Hot handle kit
116954	38.70	Chrome	Cold handle kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
116954BN	59.50	Brushed Nickel (BN)	Cold handle kit
116954ORB	65.45	Oil Rubbed Bronze	Handle kit
116954P	59.95	Polished Brass (PB)	Cold handle kit
116954WR	65.45	Wrought Iron (WR)	Cold handle kit
117000	3.95	N/A or Unfinished	Handle insert kit
117033	9.80	N/A or Unfinished	Gasket
117347	16.55	Chrome	Diverter rod kit
117347BN	24.05	Brushed Nickel	Diverter rod kit
117347P	25.60	Polished Brass	Diverter rod kit
117348	228.00	Chrome	Roman tub spout kit
117348BN	330.55	Brushed Nickel	Roman tub spout kit
117348P	353.45	Polished Brass	Roman tub spout kit
117349	28.80	Chrome	Spout escutcheon
117349BN	41.75	Brushed Nickel	Spout escutcheon
117349P	44.85	Polished Brass	Spout escutcheon
117350	305.55	Chrome	Roman tub spout kit
117350P	473.45	Polished Brass	Roman tub spout kit
117351P	24.25	Polished Brass	Diverter rod kit
117351W	23.20	Glacier	Diverter rod kit
117352	427.55	Chrome	Roman tub spout kit
117352P	317.20	Polished Brass	Roman tub spout kit
117352W	374.10	Glacier	Roman tub spout kit
117654	11.55	Chrome	Diverter rod kit
117654P	18.70	Polished Brass	Diverter rod kit
117657SL	54.25	Stainless	Handle kit
117658	49.90	Chrome	Spout kit
117659	10.30	Chrome	Aerator kit
117660	35.05	Chrome	Handle kit
117660SL	54.25	Stainless	Handle kit
117864	35.35	Chrome	Handle kit
117874	55.25	Chrome	Spout receptor kit
117947	26.15	Chrome	Handle kit
117948	34.50	Chrome	Handle kit
118228	29.35	Chrome	Handle hub kit
118229BN	25.75	Brushed Nickel	Handle insert kit
118230	9.35	Chrome	Handle shell
118230BN	13.50	Brushed Nickel	Handle shell
118231	25.90	Chrome	Handle kit
118231BN	35.85	Brushed Nickel	Handle kit
118232	25.90	Chrome	Handle kit
118232BN	35.85	Brushed Nickel	Handle kit
118238	27.05	Chrome	Handle kit
118238BN	38.00	Brushed Nickel	Handle kit
118239	16.30	Chrome	Aerator
118239BN	23.60	Brushed Nickel	Aerator
118239ORB	25.95	Oil Rubbed Bronze	Aerator
118239P	25.30	Polished Brass	Aerator
118239WR	25.95	Wrought Iron	Aerator
118240	8.40	Chrome	Handle cap kit
118240BN	31.45	Brushed Nickel	Handle cap kit
118240ORB	38.30	Oil Rubbed Bronze	Handle cap kit
118240P	23.30	Polished Brass	Handle cap kit
118240WR	38.30	Wrought Iron	Handle cap kit
118241	8.45	Chrome	Handle cap kit
118242	28.00	Chrome	Handle kit
118242BN	43.20	Brushed Nickel	Handle kit
118242ORB	47.60	Oil Rubbed Bronze	Handle kit
118242P	36.20	Polished Brass	Handle kit
118242WR	47.60	Wrought Iron	Handle kit
118243	5.35	Chrome	Plug button kit
118243BN	10.85	Brushed Nickel	Plug button kit
118243ORB	11.90	Oil Rubbed Bronze	Plug button kit

Part Number	List Price	Finish	Description
118243P	12.35	Polished Brass	Plug button kit
118243WR	11.90	Wrought Iron	Plug button kit
118244	15.90	Chrome	Lift rod kit
118244BN	23.15	Brushed Nickel	Lift rod kit
118244ORB	25.35	Oil Rubbed Bronze	Lift rod kit
118244P	32.20	Polished Brass	Lift rod kit
118244WR	25.35	Wrought Iron	Lift rod kit
118245	9.40	N/A or Unfinished	Hardware kit
118296	64.20	N/A or Unfinished	Handle kit
118296CSL	93.05	Classic Stainless	Handle kit
118296ORB	102.40	Oil Rubbed Bronze	Handle kit
118297	10.80	N/A or Unfinished	Handle mechanism kit
118298	34.90	N/A or Unfinished	Wand kit
118298ORB	53.55	Oil Rubbed Bronze	Wand kit
118298SRS	48.70	Spot Resist Stainless	Wand kit
118299	56.00	N/A or Unfinished	Spout kit
118299CSL	81.25	Classic Stainless	Spout kit
118299ORB	89.40	Oil Rubbed Bronze	Spout kit
118302	53.45	Chrome	Spout hub kit
118302CSL	77.65	Classic Stainless	Spout nut kit
118302ORB	85.30	Oil Rubbed Bronze	Spout hub kit
118302S	77.70	Sand	Spout hub kit
118302V	75.75	Ivory	Spout hub kit
118303	20.30	N/A or Unfinished	Hardware kit
118304	7.90	N/A or Unfinished	O-ring kit
118305	11.75	N/A or Unfinished	installation tool
118306	3.65	N/A or Unfinished	Hot/cold indicator kit
118881	30.15	Chrome	Escutcheon
118881BN	43.70	Brushed Nickel	Escutcheon
118881ORB	48.10	Oil Rubbed Bronze	Escutcheon
118881P	33.85	Polished Brass	Deck plate
118881WR	48.10	Wrought Iron	Escutcheon
118882	17.30	Chrome	Escutcheon
118882BN	25.90	Brushed Nickel	Escutcheon
118882ORB	28.45	Oil Rubbed Bronze	Escutcheon
118882P	34.70	Polished Brass	Escutcheon
118882WR	28.45	Wrought Iron	Escutcheon
122553	36.55	Chrome	Lift rod kit
122553BN	53.65	Brushed Nickel	Lift rod kit
122553ORB	59.05	Oil Rubbed Bronze	Lift rod kit
122554	162.70	Chrome	Spout kit
122554BN	235.85	Brushed Nickel	Spout kit
122555	68.75	Chrome	Handle kit
122555BN	96.00	Brushed Nickel	Handle kit
122555ORB	105.65	Oil Rubbed Bronze	Handle kit
122556	5.35	N/A or Unfinished	O-ring kit
122557	161.80	Chrome	Spout kit
122557BN	243.40	Brushed Nickel	Spout kit
122557ORB	267.80	Oil Rubbed Bronze	Spout kit
122558	52.70	Chrome	Handle kit
122558BN	79.35	Brushed Nickel	Handle kit
122558ORB	87.30	Oil Rubbed Bronze	Handle kit
122559	54.05	Chrome	Handle kit
122559BN	81.35	Brushed Nickel	Handle kit
122559ORB	87.30	Oil Rubbed Bronze	Handle kit
122560	17.85	Chrome	Aerator kit
122561	41.65	Chrome	Shower escutcheon
122561BN	78.10	Brushed Nickel	Shower escutcheon
122561ORB	81.60	Oil Rubbed Bronze	Shower escutcheon
122562	77.20	Chrome	Escutcheon
122562BN	114.80	Brushed Nickel	Escutcheon
122562ORB	126.30	Oil Rubbed Bronze	Escutcheon
122563	91.15	Chrome	Handle kit

Moen Genuine Parts

Listed in numerical order

SUGGESTED LIST PRICES

Part Number	List Price	Finish	Description
122563BN	135.50	Brushed Nickel	Handle kit
122563ORB	149.10	Oil Rubbed Bronze	Handle kit
122564	116.65	Chrome	Handle kit
122564BN	169.05	Brushed Nickel	Handle kit
122564ORB	185.95	Oil Rubbed Bronze	Handle kit
122566	13.25	N/A or Unfinished	Handle adapter kit
122567	15.05	N/A or Unfinished	Handle adapter kit
122569	13.85	N/A or Unfinished	Screw kit
122570	7.40	N/A or Unfinished	Hardware kit
122576	24.50	Chrome	Diverter kit
122576BN	35.50	Brushed Nickel	Diverter kit
122576ORB	39.00	Oil Rubbed Bronze	Diverter kit
122577	340.50	Chrome	Roman tub diverter spout
122577BN	493.75	Brushed Nickel	Roman tub diverter spout
122577ORB	543.15	Oil Rubbed Bronze	Roman tub diverter spout
123227	6.65	N/A or Unfinished	Gasket
123244	36.50	Chrome	Deck plate
123244ORB	56.80	Oil Rubbed Bronze	Escutcheon & gasket kit
123244SL	51.70	Stainless	Deck plate
123244V	44.05	Ivory	Deck plate
123244W	53.10	Glacier	Deck plate
123245	43.65	Chrome	Escutcheon & gasket kit
123245ORB	69.65	Oil Rubbed Bronze	Escutcheon
123246	4.55	Chrome	Hardware kit
123247	83.25	Chrome	Spout kit
123247CSL	120.75	Classic Stainless	Spout kit
123247ORB	132.85	Oil Rubbed Bronze	Spout kit
123247SRS	120.75	Spot Resist Stainless	Spout kit
123249	27.85	Chrome	Handle kit
123249ORB	44.40	Oil Rubbed Bronze	Handle kit
123249W	53.10	Glacier	Handle kit
123250	10.55	Chrome	Dome
123250ORB	39.50	Oil Rubbed Bronze	Dome
123250W	14.65	Glacier	Dome
123251	27.70	Chrome	Handle kit
123251ORB	44.15	Oil Rubbed Bronze	Handle kit
123340	34.70	Chrome	Hot handle kit
123340SL	53.65	Stainless	Hot handle kit
123341	34.70	Chrome	Cold handle kit
123341SL	53.65	Stainless	Cold handle kit
123342	6.70	N/A or Unfinished	Gasket
123343	25.65	Chrome	Escutcheon
123345	307.45	Chrome	Roman tub spout kit
123345BN	445.85	Brushed Nickel	Roman tub spout kit
123345ORB	490.45	Oil Rubbed Bronze	Roman tub spout kit
123346	23.50	Chrome	Handshower escutcheon
123346BN	34.95	Brushed Nickel	Handshower escutcheon
123346ORB	38.45	Oil Rubbed Bronze	Handshower escutcheon
123347	117.60	Chrome	Handheld shower
123347BN	174.75	Brushed Nickel	Handheld shower
123347ORB	192.25	Oil Rubbed Bronze	Handheld shower
123349	38.00	Chrome	Escutcheon
123349BN	51.75	Brushed Nickel	Escutcheon
123349ORB	56.85	Oil Rubbed Bronze	Escutcheon
123351	83.70	Chrome	Handle kit
123351BN	118.25	Brushed Nickel	Handle kit
123351ORB	130.10	Oil Rubbed Bronze	Handle kit
123352	87.25	Chrome	Escutcheon
123352BN	126.65	Brushed Nickel	Escutcheon
123352ORB	139.35	Oil Rubbed Bronze	Escutcheon
123353	57.80	N/A or Unfinished	Hardware kit
123353BN	83.85	Brushed Nickel	Hardware kit
123353ORB	92.20	Oil Rubbed Bronze	Hardware kit

Part Number	List Price	Finish	Description
123354	68.15	Chrome	Handshower bracket
123354BN	98.75	Brushed Nickel	Handshower bracket
123354NH	374.95	Chrome	Handshower bracket
123354NHBN	520.30	Brushed Nickel	Handshower bracket
123354NHORB	520.30	Oil Rubbed Bronze	Handshower bracket
123354ORB	108.65	Oil Rubbed Bronze	Handshower bracket
123355	90.95	Chrome	Handle kit
123355BN	131.95	Brushed Nickel	Handle kit
123355ORB	145.10	Oil Rubbed Bronze	Handle kit
123663	6.95	N/A or Unfinished	Gasket
123664	32.85	Chrome	Handle kit
123799	11.10	Chrome	Handle cap kit
123804	23.25	Chrome	Lift rod kit
123804BN	35.75	Brushed Nickel	Lift rod kit
123807	15.55	Chrome	Stream straightener kit
123807BN	25.60	Brushed Nickel	Stream straightener kit
123807CSL	20.15	Classic Stainless	Stream straightener kit
123807SRS	13.45	Spot Resist Stainless	Stream straightener
123809	19.05	Chrome	Set screw kit
123814	33.40	Chrome	Hardware kit
123815	25.35	Chrome	8" shower arm
123815BN	42.20	Brushed Nickel	8" shower arm
123815ORB	46.40	Oil Rubbed Bronze	8" shower arm
123815WR	46.40	Wrought Iron	8" shower arm
123816	44.25	Chrome	drainage
123816BN	69.80	Brushed Nickel	drainage
123816ORB	68.10	Oil Rubbed Bronze	drainage
124652	10.70	N/A or Unfinished	Hardware kit
124657	61.20	Chrome	Spout kit
124657ORB	103.60	Oil Rubbed Bronze	Spout kit
124657SRS	94.20	Spot Resist Stainless	Spout kit
124658	46.05	Chrome	Wand kit
124658ORB	75.15	Oil Rubbed Bronze	Wand kit
124660	34.70	Chrome	Spout hub kit
124660ORB	56.50	Oil Rubbed Bronze	Spout hub kit
124660SRS	51.45	Spot Resist Stainless	Spout hub kit
124661	28.30	N/A or Unfinished	Hardware kit
124662	64.90	N/A or Unfinished	Hose kit
124663	90.40	Chrome	Spout receptor kit
124663ORB	152.85	Oil Rubbed Bronze	Spout receptor kit
124663W	126.50	Glacier	Spout receptor kit
124664	83.85	Chrome	Wand kit
124664CSL	137.80	Classic Stainless (CSL)	WAND KIT, 7545 CSL
124664ORB	147.15	Oil Rubbed Bronze	Wand kit
124664SL	133.80	Stainless	Wand kit
124664SRS	137.80	Spot Resist Stainless	Wand kit
124664W	121.75	Glacier	Wand kit
124665	7.90	N/A or Unfinished	Bearing washer kit
124737	32.75	Chrome	Handle kit
124737SL	50.55	Stainless	Handle kit
124737W	45.80	Glacier	Handle kit
124738	73.50	Chrome	Wand kit
124738CSL	54.25	Classic Stainless	Wand kit
124738SL	113.00	Stainless	Wand kit
124738W	102.75	Glacier	Wand kit
124823	57.15	Chrome	Spout receptor kit
124823SL	88.10	Stainless	Spout receptor kit
124823W	80.10	Glacier	Spout receptor kit
124854	28.05	Chrome	Handle kit
124855	114.30	Chrome	Spout kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
124855SL	165.70	Stainless	Spout kit
125752	31.95	Chrome	Grid drain cover
125752BN	48.75	Brushed Nickel	Grid drain cover
125752P	70.55	Polished Brass	Grid drain cover
125753	67.60	Chrome	diverter spouts
125753BN	104.85	Brushed Nickel	diverter spouts
125753ORB	115.25	Oil Rubbed Bronze	diverter spouts
125754	37.30	Chrome	Handle kit
125754BN	59.10	Brushed Nickel	Handle kit
125754ORB	65.00	Oil Rubbed Bronze	Handle kit
125755	49.80	Chrome	Shower escutcheon
125755BN	79.15	Brushed Nickel	Shower escutcheon
125755ORB	87.05	Oil Rubbed Bronze	Shower escutcheon
125756	78.30	Chrome	Handle kit
125756BN	121.55	Brushed Nickel	Handle kit
125756ORB	133.65	Oil Rubbed Bronze	Handle kit
125756SRS	117.45	Spot Resist Stainless	Handle kit
125757	17.05	Chrome	Lift rod kit
125757BN	27.20	Brushed Nickel	Lift rod kit
125757ORB	29.90	Oil Rubbed Bronze	Lift rod kit
125758	16.25	Chrome	Spout cap
125758BN	27.90	Brushed Nickel	Spout cap
125758ORB	30.70	Oil Rubbed Bronze	Spout cap
125759	115.35	Chrome	Spout kit
125759BN	178.65	Brushed Nickel	Spout kit
125759ORB	196.55	Oil Rubbed Bronze	Spout kit
125760	222.60	Chrome	Roman tub spout kit
125760BN	345.05	Brushed Nickel	Roman tub spout kit
125760ORB	379.50	Oil Rubbed Bronze	Roman tub spout kit
125761	11.45	Chrome	Diverter rod kit
125761BN	17.25	Brushed Nickel	Diverter rod kit
125761ORB	18.90	Oil Rubbed Bronze	Diverter rod kit
125762	42.55	Chrome	Spout cap kit
125762BN	66.05	Brushed Nickel	Spout cap kit
125762ORB	72.65	Oil Rubbed Bronze	Spout cap kit
125763	230.75	Chrome	Roman tub diverter spout
125763BN	344.60	Brushed Nickel	Roman tub diverter spout
125763ORB	379.15	Oil Rubbed Bronze	Roman tub diverter spout
125764	61.60	Chrome	Hot handle kit
125764BN	92.00	Brushed Nickel	Hot handle kit
125764CSL	92.00	Classic Brushed Nickel	Hot handle kit
125764ORB	101.20	Oil Rubbed Bronze	Hot handle kit
125764SRS	92.00	Spot Resist Stainless	Hot handle kit
125765	61.60	Chrome	Cold handle kit
125765BN	92.00	Brushed Nickel	Cold handle kit
125765CSL	92.00	Classic Brushed Nickel	Cold handle kit
125765ORB	101.20	Oil Rubbed Bronze	Cold handle kit
125765SRS	92.00	Spot Resist Stainless	Cold handle kit
125766	15.40	Chrome	Lift rod kit
125766BN	23.80	Brushed Nickel	Lift rod kit
125766ORB	26.20	Oil Rubbed Bronze	Lift rod kit
125795	23.80	Chrome	Handle kit
125796	9.45	N/A or Unfinished	installation tool
125857	84.60	Chrome	Spout receptor kit
125979	33.25	N/A or Unfinished	Hot/cold indicator kit
125989	14.25	N/A or Unfinished	Hose weight
125999	5.60	N/A or Unfinished	Hot/cold indicator kit
126955	34.25	Chrome	Handle kit
126956	16.10	Chrome	Hose guide
126958	40.20	Chrome	Escutcheon

Part Number	List Price	Finish	Description
126964	10.30	Chrome	Dome kit
126964BC	35.15	Brushed Chrome	Dome kit
126964V	40.00	Ivory	Dome kit
126964W	39.50	Glacier	Dome kit
126970	75.45	Chrome	Spout kit
126971	31.10	Chrome	Handle kit
126971BC	38.85	Brushed Chrome	Handle kit
126971V	44.15	Ivory	Handle kit
126971W	43.70	Glacier	Handle kit
127683	37.95	N/A or Unfinished	Filter manifold kit
127684	17.60	N/A or Unfinished	Battery kit
127685	43.85	N/A or Unfinished	Hardware kit
127686	6.65	N/A or Unfinished	Screw kit
127687	42.35	Chrome	Handle kit
127688	13.70	N/A or Unfinished	Spout nut kit
127689	12.45	N/A or Unfinished	O-ring kit
127690	6.30	N/A or Unfinished	Aerator kit
127691	12.75	N/A or Unfinished	Diverter kit
127694	22.90	N/A or Unfinished	Handle kit
127695	87.60	Chrome	Spout kit
127745	28.30	Chrome	Spout tip and escutcheon with
127745CSL	43.60	Classic Stainless (CSL)	Spout escutcheon
127745ORB	48.00	Oil Rubbed Bronze	Spout tip and escutcheon with
127745W	39.70	Glacier	Spout tip and escutcheon with
127746	77.35	Chrome	Handle hub kit
127746CSL	112.20	Classic Stainless (CSL)	Handle hub kit
127746ORB	123.35	Oil Rubbed Bronze	Handle hub kit
127746W	89.45	Glacier	Handle hub kit
128284	24.15	N/A or Unfinished	twin ell
128864	100.20	Chrome	Spout kit
128864BN	148.70	Brushed Nickel	Spout kit
128864ORB	163.55	Oil Rubbed Bronze	Spout kit
128865	19.85	Chrome	Lift rod kit
128865BN	30.65	Brushed Nickel	Lift rod kit
128865ORB	33.80	Oil Rubbed Bronze	Lift rod kit
128866	47.60	Chrome	Handle kit
128866BN	73.05	Brushed Nickel	Handle kit
128866ORB	80.40	Oil Rubbed Bronze	Handle kit
128867	48.70	Chrome	Handle kit
128867BN	74.65	Brushed Nickel	Handle kit
128867ORB	82.25	Oil Rubbed Bronze	Handle kit
128868	48.70	Chrome	Handle kit
128868BN	74.65	Brushed Nickel	Handle kit
128868ORB	82.25	Oil Rubbed Bronze	Handle kit
128869	6.65	N/A or Unfinished	Gasket
128870	45.40	Chrome	Escutcheon
128870BN	67.25	Brushed Nickel	Escutcheon
128870ORB	74.05	Oil Rubbed Bronze	Escutcheon
128871	44.25	Chrome	Handle kit
128871BN	68.25	Brushed Nickel	Handle kit
128871ORB	75.15	Oil Rubbed Bronze	Handle kit
128873	29.00	Chrome	Lift rod kit
128873BN	43.15	Brushed Nickel	Lift rod kit
128873ORB	47.50	Oil Rubbed Bronze	Lift rod kit
128875CP	129.90	Polished Brass	Handheld shower
128875NL	173.80	Polished Nickel	Showerhead kit
128875PM	129.90	Platinum	Handheld shower
128875ST	173.80	Satine	Handheld shower
128876	53.35	Chrome	Handle kit
128876BN	85.15	Brushed Nickel	Handle kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
128877	53.35	Chrome	Handle kit
128877BN	85.15	Brushed Nickel	Handle kit
128878	16.30	Chrome	Aerator kit
128879	106.00	Chrome	Spout kit
128879BN	169.20	Brushed Nickel	Spout kit
128880	59.95	Chrome	Handle kit
128880BN	88.90	Brushed Nickel	Handle kit
128881	38.90	Chrome	Escutcheon
128881BN	60.05	Brushed Nickel	Escutcheon
128882	37.50	Chrome	Handle kit
128882BN	57.80	Brushed Nickel	Handle kit
128883	150.95	Chrome	Roman tub spout kit
128883BN	218.85	Brushed Nickel	Roman tub spout kit
128884	17.90	Chrome	Stream straightener
128885	15.50	Chrome	Lift rod kit
128885BN	22.90	Brushed Nickel	Lift rod kit
128886	200.75	Chrome	Roman tub diverter spout
128886BN	291.00	Brushed Nickel	Roman tub diverter spout
129102	33.90	Chrome	Escutcheon
129102BN	50.05	Brushed Nickel	Escutcheon
129102NL	50.05	Polished Nickel	Escutcheon
129102ORB	55.05	Oil Rubbed Bronze	Escutcheon
129102WR	55.05	Wrought Iron	Escutcheon
129665	10.05	N/A or Unfinished	Handle kit
129666	19.70	N/A or Unfinished	Sillcock service kit
129704	23.50	N/A or Unfinished	Hot/cold indicator kit
129706	23.50	N/A or Unfinished	Hot/cold indicator kit
129707	22.55	N/A or Unfinished	Hot/cold indicator kit
129709	33.85	Chrome	Handle kit
129797	24.50	N/A or Unfinished	Stem extension kit
129806	33.55	Chrome	Handle kit
129806BN	51.70	Brushed Nickel	Handle kit
129807	68.10	Chrome	Handle escutcheon
129807BN	104.80	Brushed Nickel	Handle escutcheon
129808	51.30	Chrome	Escutcheon
129808BN	78.90	Brushed Nickel	Escutcheon
129817	42.75	Chrome	Hot handle kit
129817BN	65.95	Brushed Nickel	Handle kit
129818	42.75	Chrome	Handle kit
129818BN	65.95	Brushed Nickel	Handle kit
129819	19.40	N/A or Unfinished	Hot/cold indicator kit
129820	28.70	Chrome	Lift rod kit
129820BN	44.10	Brushed Nickel	Lift rod kit
129821	2.95	N/A or Unfinished	Gasket
129822	59.50	Chrome	Handle kit
129822BN	91.65	Brushed Nickel	Handle kit
129823	59.50	Chrome	Handle kit
129823BN	91.65	Brushed Nickel	Handle kit
129825	44.50	Chrome	Lift rod kit
129825BN	68.50	Brushed Nickel	Lift rod kit
129826	111.25	Chrome	Spout kit
129826BN	161.35	Brushed Nickel	Spout kit
129827	31.20	Chrome	Lift rod kit
129827BN	48.05	Brushed Nickel	Lift rod kit
129828	27.40	Chrome	Diverter spout cap
129828BN	42.25	Brushed Nickel	Diverter spout cap
129829	318.60	Chrome	Roman tub spout kit
129829BN	490.70	Brushed Nickel	Roman tub spout kit
129830	319.70	Chrome	Roman tub spout kit
129830BN	492.15	Brushed Nickel	Roman tub spout kit
129831	5.40	N/A or Unfinished	Bearing washer kit
129905	13.35	Chrome	Plug button kit
129905CSL	18.50	Classic Stainless	Plug button kit

Part Number	List Price	Finish	Description
129905ORB	20.40	Oil Rubbed Bronze	Plug button kit
129905SL	18.50	Stainless	Plug button kit
129907	56.00	Chrome	Spout receptor kit
129908	46.90	Chrome	Wand kit
129921	22.10	Chrome	Handle kit_hot
129953	58.30	Chrome	Shower escutcheon
129953BN	63.00	Brushed Nickel	Escutcheon
129954BN	55.00	Brushed Nickel	Handle hub
129956BN	148.30	Brushed Nickel (BN)	Handheld shower
129957BN	587.05	Brushed Nickel	Roman tub spout kit
129958BN	41.35	Brushed Nickel	Lift rod kit
129960	58.30	Chrome	Shower escutcheon
129960BN	62.15	Brushed Nickel	Escutcheon
130120ORB	28.25	Oil Rubbed Bronze	Spout cap kit
130120SRS	23.90	Spot Resist Stainless	Cap kit
130142	19.15	N/A or Unfinished	Handle adapter kit
130143	63.95	N/A or Unfinished	Extension kit
130147	7.35	Chrome	Temperature override kit
130147BN	11.90	Brushed Nickel	Temperature override kit
130147NL	12.30	Polished Nickel	Temperature override kit
130147ORB	13.10	Oil Rubbed Bronze	Temperature override kit
130147WR	13.10	Wrought Iron	Temperature override kit
130148	44.15	Chrome	Shower escutcheon
130148BN	94.85	Brushed Nickel (BN)	Escutcheon
130148ORB	104.35	Bronze - Oil Rubbed (ORB)	Escutcheon
130148WR	104.35	Wrought Iron (WR)	Shower escutcheon
130149	96.60	Chrome	Handle kit
130149BN	148.75	Brushed Nickel	Handle kit
130149ORB	163.65	Oil Rubbed Bronze	Handle kit
130149WR	163.65	Wrought Iron	Handle kit
130150	20.95	Chrome	Handle cap kit
130150BN	30.95	Brushed Nickel (BN)	Handle cap kit
130150NL	32.00	Polished Nickel	Handle cap kit
130150ORB	34.10	Bronze - Oil Rubbed (ORB)	Handle cap kit
130150WR	34.10	Wrought Iron (WR)	Handle cap kit
130151	97.65	Chrome	Handle kit
130151BN	150.40	Brushed Nickel (BN)	Handle kit
130151ORB	165.45	Oil Rubbed Bronze	Handle kit
130151WR	165.45	Wrought Iron	Handle kit
130152	23.00	Chrome	Handle escutcheon
130152BN	46.15	Brushed Nickel (BN)	Handle escutcheon
130152NL	38.65	Polished Nickel	Escutcheon
130152ORB	50.75	Bronze - Oil Rubbed (ORB)	Handle escutcheon
130152WR	50.75	Wrought Iron (WR)	Handle escutcheon
130153	33.70	Chrome	Handle escutcheon
130153BN	51.80	Brushed Nickel (BN)	Handle escutcheon
130153NL	56.55	Polished Nickel	Handle escutcheon
130153ORB	56.95	Bronze - Oil Rubbed (ORB)	Handle escutcheon
130153WR	56.95	Wrought Iron (WR)	Escutcheon
130155	21.85	Chrome	Extension kit
130156	211.00	N/A or Unfinished	Cartridge repair kit
130157	48.65	N/A or Unfinished	Cartridge
130158	16.10	N/A or Unfinished	Check stop
130183	36.65	Chrome	Spout kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
130183CSL	62.15	Classic Stainless (CSL)	Spout kit
130183ORB	68.35	Oil Rubbed Bronze	Spout kit
130183W	56.45	Glacier	Spout kit
130525	71.75	Chrome	Handle hub kit
130525P	117.90	Polished Brass	Handle hub kit
130526	71.75	Chrome	Handle hub kit
130526P	117.90	Polished Brass	Handle hub kit
130965	44.15	Chrome	Handle hub kit
130965CSL	78.25	Classic Stainless	Handle hub kit
130965ORB	86.15	Oil Rubbed Bronze	Handle hub
130965SRS	53.20	Spot Resist Stainless	Handle hub kit
130966	10.80	Chrome	Hinge pin caps
130966CSL	9.85	Classic Stainless	Hinge cap kit
130966ORB	10.85	Oil Rubbed Bronze	Hinge pin caps
130966SRS	11.80	Spot Resist Stainless	Hinge cap kit
130967	22.10	Chrome	Hinge pin assembly
130968	36.30	Chrome	Escutcheon & gasket kit
130968CSL	35.90	Classic Stainless	Escutcheon
130968ORB	39.55	Oil Rubbed Bronze	Wall escutcheon and gasket
130968SRS	48.35	Spot Resist Stainless	Escutcheon
130969	25.65	Chrome	Hardware kit
130970	20.15	Chrome	Aerator kit
130970CSL	19.85	Classic Stainless	Aerator kit
130970ORB	21.90	Oil Rubbed Bronze	Stream straightener
130970SRS	20.05	Spot Resist Stainless	Stream straightener kit
130976	7.30	Chrome	Handle cap kit
130976CSL	21.00	Classic Stainless	Handle cap kit
130976ORB	42.50	Oil Rubbed Bronze	Handle cap kit
130976SL	21.00	Stainless	Handle cap kit
130998	116.05	Chrome	Spout kit
130998BN	178.65	Brushed Nickel	Spout kit
131092	28.25	Chrome	Lift rod kit
131092BN	43.40	Brushed Nickel	Lift rod kit
131097	58.30	Chrome	Handle kit
131097BN	84.65	Brushed Nickel	Handle kit
131097ORB	93.10	Oil Rubbed Bronze	Handle kit
131098	58.30	Chrome	Handle kit
131098BN	84.65	Brushed Nickel	Handle kit
131098ORB	93.10	Oil Rubbed Bronze	Handle kit
131099	5.55	Chrome	Handle cap kit
131099BN	8.05	Brushed Nickel	Handle cap kit
131099ORB	8.90	Oil Rubbed Bronze	Handle cap kit
131100	15.50	Chrome	Lift rod kit
131100BN	22.40	Brushed Nickel	Lift rod kit
131100ORB	24.60	Oil Rubbed Bronze	Lift rod kit
131101	67.20	Chrome	Handle kit
131101BN	97.60	Brushed Nickel	Handle kit
131101ORB	107.25	Oil Rubbed Bronze	Handle kit
131102	89.40	Chrome	Spout kit
131102BN	129.60	Brushed Nickel	Spout kit
131102ORB	142.60	Oil Rubbed Bronze	Spout kit
131104	171.55	Chrome	Roman tub spout kit
131107	19.20	Chrome	Lift rod kit
131107BN	27.85	Brushed Nickel	Lift rod kit
131107ORB	30.60	Oil Rubbed Bronze	Lift rod kit
131108	34.60	Chrome	Shower escutcheon
131108BN	50.20	Brushed Nickel	Shower escutcheon
131108ORB	55.15	Oil Rubbed Bronze	Shower escutcheon
131109	52.15	Chrome	Handle kit

Part Number	List Price	Finish	Description
131109BN	75.70	Brushed Nickel	Handle kit
131109ORB	83.30	Oil Rubbed Bronze	Handle kit
131119	30.20	Chrome	Handle kit
131120	14.00	Chrome	Dome kit
131121	18.30	Chrome	Escutcheon
131164	19.60	Chrome	Escutcheon
131166	11.70	Chrome	Aerator kit
131185	54.25	Chrome	Wall escutcheon and gasket
131185BN	80.50	Brushed Nickel	Wall escutcheon and gasket
131186	65.50	Chrome	Wall escutcheon and gasket
131186BN	100.85	Brushed Nickel	Wall escutcheon and gasket
131186ORB	110.90	Oil Rubbed Bronze	Wall escutcheon and gasket
131187	54.60	Chrome	Wall escutcheon and gasket
131187BN	84.15	Brushed Nickel	Wall escutcheon and gasket
131187NL	84.15	Polished Nickel	Wall escutcheon and gasket
131187ORB	92.60	Oil Rubbed Bronze	Wall escutcheon and gasket
131187WR	92.60	Wrought Iron	Wall escutcheon and gasket
131189	110.60	Chrome	Handle kit
131189BN	164.15	Brushed Nickel	Handle kit
131190	110.70	Chrome	Handle kit
131190BN	170.30	Brushed Nickel	Handle kit
131190ORB	187.40	Oil Rubbed Bronze	Handle kit
131191	115.70	Chrome	Handle kit
131191BN	178.15	Brushed Nickel	Handle kit
131191NL	178.15	Polished Nickel	Handle kit
131191ORB	195.90	Oil Rubbed Bronze	Handle kit
131191WR	195.90	Wrought Iron	Handle kit
131193	111.75	Chrome	Handle kit
131193BN	165.70	Brushed Nickel	Handle kit
131194	111.80	Chrome	Handle kit
131194BN	172.25	Brushed Nickel	Handle kit
131194ORB	189.40	Oil Rubbed Bronze	Handle kit
131195	116.75	Chrome	Handle kit
131195BN	179.65	Brushed Nickel	Handle kit
131195NL	179.65	Polished Nickel	Handle kit
131195ORB	197.60	Oil Rubbed Bronze	Handle kit
131195WR	197.60	Wrought Iron	Handle kit
131380	77.50	Chrome	Wand kit
131380BL	76.40	Matte Black	Wand kit
131380CSL	93.70	Classic Stainless	Wand kit
131380ORB	96.30	Oil Rubbed Bronze	Wand kit
131380SL	91.05	Stainless	Wand kit
131381	44.50	Chrome	Hose kit
131382	39.30	Chrome	Wand kit
131382BL	46.90	Matte Black	Wand kit
131382SL	54.55	Stainless	Wand kit
131383	59.90	Chrome	Deck plate
131383BL	66.50	Matte Black	Deck plate
131383CSL	78.00	Classic Stainless	Escutcheon
131383SL	78.00	Stainless	Deck plate
131384	16.25	Chrome	Wand kit
131384BL	11.45	Matte Black	Wand kit
131384SL	25.95	Stainless	Wand kit
131386SL	146.40	Stainless	Wand kit
131553	62.95	Chrome	Pop-up waste kit
131553BN	94.25	Brushed Nickel	Pop-up waste kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
131553NL	94.25	Polished Nickel	Pop-up waste kit
132152	9.00	N/A or Unfinished	Spout kit
132153	61.20	Chrome	Soap dispenser
132320BN	33.40	Brushed Nickel (BN)	Handle cap kit
132448	13.45	Chrome	Stop tube kit
132448BN	17.70	Brushed Nickel	Stop tube kit
132448P	20.45	Polished Brass	Stop tube kit
132448WR	19.40	Wrought Iron	Stop tube kit
132452	11.90	Chrome	Spacer kit
132596	35.25	N/A or Unfinished	Hose kit
132597	19.80	N/A or Unfinished	Hardware kit
133018BN	36.00	Brushed Nickel (BN)	Handle kit
133019BN	37.00	Brushed Nickel (BN)	Handle kit
133020BN	16.30	Brushed Nickel (BN)	Lift rod kit
133021BN	55.80	Brushed Nickel (BN)	Handle hub kit
133022BN	20.90	Brushed Nickel (BN)	Lift rod kit
133023BN	135.90	Brushed Nickel (BN)	Spout kit
133024BN	83.10	Brushed Nickel (BN)	Showerhead kit
133025BN	69.10	Brushed Nickel (BN)	Tub drain assembly
133026BN	52.70	Brushed Nickel (BN)	Escutcheon kit
133027BN	49.50	Brushed Nickel (BN)	Handle kit
133436	8.40	N/A or Unfinished	Bushing
133437	56.55	Chrome	Escutcheon
133437BN	77.25	Brushed Nickel	Escutcheon
133437ORB	85.05	Oil Rubbed Bronze	Escutcheon
133481	17.30	Chrome	Lift rod kit
133481BN	22.75	Brushed Nickel	Lift rod kit
133482	17.45	Chrome	Escutcheon
133482BN	23.60	Brushed Nickel	Escutcheon
133483	35.90	Chrome	Deck plate
133483BN	51.90	Brushed Nickel	Deck plate
133484	7.35	Chrome	Plug button kit
133484BN	9.80	Brushed Nickel	Plug button kit
133485	42.75	Chrome	Handle kit
133485BN	58.70	Brushed Nickel	Handle kit
133486	11.00	Chrome	Plug button kit
133486BN	12.75	Brushed Nickel	Plug button kit
133487BN	15.25	Brushed Nickel	Dome kit
134120	23.30	Chrome	Lift rod kit
134121	346.05	Chrome	Spout kit
134122	462.45	Chrome	infrared sensor control box
134123	30.40	Chrome	Extension kit
134124	32.80	N/A or Unfinished	Flow restrictor kit
134309	132.10	Chrome	Spout kit
134309BN	191.45	Brushed Nickel	Spout kit
134309ORB	203.40	Oil Rubbed Bronze	Spout kit
134309P	159.45	Polished Brass	Spout kit
134310	123.45	Chrome	Spout kit
134310BN	179.05	Brushed Nickel	Spout kit
134400	223.40	Chrome	Spout kit
134401	30.55	Chrome	Lift rod kit
134402	67.80	Chrome	Handle kit
134402BN	111.10	Brushed Nickel	Handle kit
134404	24.65	Chrome	Lift rod kit
134404BN	59.40	Brushed Nickel	Lift rod kit

Part Number	List Price	Finish	Description
134404NL	59.40	Polished Nickel	Lift rod kit
134404ORB	59.40	Oil Rubbed Bronze	Lift rod kit
134404P	59.40	Polished Brass	Lift rod kit
134404WR	59.40	Wrought Iron	Lift rod kit
134405	246.35	Chrome	Roman tub spout kit
134408	104.95	Chrome	Handheld shower
134413	31.80	Chrome	Handle escutcheon
134413CSL	48.85	Classic Stainless	Handle escutcheon
134413SL	49.45	Stainless	Handle escutcheon
134418	35.75	Chrome	Escutcheon
134418CSL	55.10	Classic Stainless	Spout escutcheon
134418SL	55.10	Stainless	Escutcheon
134419	70.85	Chrome	Shower escutcheon
134421	76.10	Chrome	Handle kit
134422	102.35	Chrome	Handle escutcheon
134742	84.40	Chrome	Wand kit
134742CSL	104.65	Classic Stainless	Wand kit
134742ORB	109.85	Oil Rubbed Bronze	Wand kit
134742SL	104.65	Stainless	Wand kit
134742SRS	101.10	Spot Resist Stainless	Wand kit
134743	47.60	Chrome	Spout kit
134743CSL	68.90	Classic Stainless	Spout kit
134743ORB	75.85	Oil Rubbed Bronze	Spout kit
134743SL	68.90	Stainless	Spout kit
134938	49.70	Chrome	Handle kit
134938BN	67.65	Brushed Nickel	Handle kit
134938ORB	77.25	Oil Rubbed Bronze	Handle kit
135149	78.70	Chrome	Escutcheon
135149BN	110.45	Brushed Nickel	Escutcheon
135149ORB	131.45	Oil Rubbed Bronze	Escutcheon
135149P	94.85	Polished Brass	Escutcheon
135149WR	131.45	Wrought Iron	Escutcheon
135150	26.95	Chrome	Handle kit
135150BN	43.85	Brushed Nickel	Handle kit
135150ORB	48.25	Oil Rubbed Bronze	Handle kit
135150P	48.25	Polished Brass	Handle kit
135150WR	48.25	Wrought Iron	Handle kit
135151	8.55	Chrome	Stop tube kit
135151BN	12.60	Brushed Nickel	Stop tube kit
135151P	15.35	Polished Brass	Stop tube kit
135151WR	13.75	Wrought Iron	Stop tube kit
135152	4.50	N/A or Unfinished	Spacer kit
135153	41.45	Chrome	Escutcheon
135153BN	55.20	Brushed Nickel	Escutcheon
135167	46.90	Chrome	Handle extension kit
135167BN	85.55	Brushed Nickel	Handle extension kit
135167P	67.30	Polished Brass	Handle extension kit
135167WR	94.25	Wrought Iron	Handle extension kit
136101	23.40	N/A or Unfinished	Adapter kit
136102	11.50	N/A or Unfinished	Hydrolock(R) Hose Spray Kit
136103	36.00	Black	Hose & spray
136103BL	49.80	Matte Black	Hose & spray
136103C	36.00	Chrome	Hose & spray
136103CP	53.00	Chrome	Hose & spray
136103ORB	83.55	Oil Rubbed Bronze	Hose & spray
136103SL	49.80	Stainless	Hose & spray
136103SLP	49.80	Brushed Platinum	Hose & spray
136103V	36.00	Ivory	Hose & spray
136103W	36.00	Glacier	Hose & spray
136104	70.05	Chrome	Hose & spray
136104CSL	119.60	Classic Stainless	Hose & spray
136104ORB	131.60	Oil Rubbed Bronze	Hose & spray

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
136104SRS	202.90	Spot Resist Stainless	Hose & spray
136104WR	131.60	Wrought Iron	Hose & spray
136105SL	128.75	Stainless	Hose & spray
136106	72.15	Chrome	Hose & spray
136106CSL	72.15	Classic Stainless	Side spray kit
136106ORB	87.20	Oil Rubbed Bronze	Hose & spray
136106SL	72.15	Stainless	Hose & spray
136106SRS	72.15	Spot Resist Stainless	Hose & spray
136109	38.65	Black	Hose & spray
136123	23.50	N/A or Unfinished	Hardware kit
136195	10.85	Chrome	Escutcheon screws
136195BN	15.75	Brushed Nickel	Escutcheon screws
136195NL	16.65	Polished Nickel	Escutcheon screws
136195P	16.65	Polished Brass	Escutcheon screws
136195WR	16.65	Wrought Iron	Escutcheon screws
136196	34.50	Chrome	Handle adapter kit
136196BN	45.55	Brushed Nickel	Handle adapter kit
136197	5.95	Chrome	Plug button kit
136197BN	15.20	Brushed Nickel	Plug button kit
136197NL	8.75	Polished Nickel	Plug button kit
136197ORB	16.65	Oil Rubbed Bronze	Plug button kit
136197P	12.45	Polished Brass	Plug button kit
136197WR	16.65	Wrought Iron	Plug button kit
136304	7.40	N/A or Unfinished	Diverter kit
136331	8.25	N/A or Unfinished	Spout plug
136640	44.10	Chrome	Handle kit
136640BN	59.20	Brushed Nickel	Handle kit
136640NL	66.80	Polished Nickel	Handle kit
136640ORB	65.20	Oil Rubbed Bronze	Handle kit
136640P	65.20	Polished Brass	Service kit
136640WR	65.20	Wrought Iron	Handle kit
136829	51.85	Chrome	Pullout spout, Extensa
136829BL	49.60	Matte Black	Pullout spout
136829S	49.60	Sand	Pullout spout
136829SL	62.55	Stainless	Pullout spout, Extensa
136829V	49.60	Ivory	Pullout spout
136829WG	49.60	Glacier	Pullout spout
137001	9.85	N/A or Unfinished	Collar
137028	41.45	N/A or Unfinished	Hose kit
137034	19.30	Chrome	Slider for slide bar
137034BN	50.80	Brushed Nickel	Slider for slide bar
137034NL	50.80	Polished Nickel	Slider for slide bar
137034ORB	55.90	Oil Rubbed Bronze	Slider for slide bar
137034P	55.90	Polished Brass	Slider for slide bar
137034WR	55.90	Wrought Iron	Slider for slide bar
137035	9.10	N/A or Unfinished	Hardware kit
137114	38.45	N/A or Unfinished	Extension kit
137228	7.75	N/A or Unfinished	Hot/cold indicator kit
137347	36.95	Chrome	Handle extension kit
137347BN	60.10	Brushed Nickel	Handle extension kit
137347NL	43.85	Polished Nickel	Handle extension kit
137347P	58.85	Polished Brass	Handle extension kit
137347WR	66.15	Wrought Iron	Handle extension kit
137372	184.80	Chrome	Spout kit
137372BN	268.50	Brushed Nickel	Spout kit
137386	57.45	Chrome	Handle kit
137386BN	83.30	Brushed Nickel	Handle kit
137386ORB	91.65	Oil Rubbed Bronze	Handle kit
137387	57.45	Chrome	Handle kit
137387BN	83.30	Brushed Nickel	Handle kit
137387ORB	91.65	Oil Rubbed Bronze	Handle kit
137388	63.20	Chrome	Handle kit

Part Number	List Price	Finish	Description
137388BN	91.70	Brushed Nickel	Handle kit
137388ORB	100.85	Oil Rubbed Bronze	Handle kit
137389	29.30	Chrome	Lift rod kit
137389BN	42.50	Brushed Nickel	Lift rod kit
137389ORB	46.80	Oil Rubbed Bronze	Lift rod kit
137390	141.65	Chrome	Spout kit
137390BN	205.60	Brushed Nickel	Spout kit
137390ORB	226.15	Oil Rubbed Bronze	Spout kit
137391	188.15	Chrome	Roman tub spout kit
137391BN	272.80	Brushed Nickel	Roman tub spout kit
137391ORB	289.70	Bronze - Oil Rubbed (ORB)	Spout kit
137392	194.45	Chrome	Roman tub diverter spout
137392BN	281.80	Brushed Nickel	Roman tub diverter spout
137392ORB	310.00	Oil Rubbed Bronze	Roman tub diverter spout
137393	20.60	Chrome	Diverter rod kit
137393BN	29.95	Brushed Nickel	Diverter rod kit
137393ORB	32.95	Oil Rubbed Bronze	Diverter rod kit
137394	59.05	Chrome	Escutcheon
137394BN	85.55	Brushed Nickel	Escutcheon
137394ORB	94.25	Oil Rubbed Bronze	Escutcheon
137395	63.75	Chrome	Shower escutcheon
137395BN	92.45	Brushed Nickel	Shower escutcheon
137395ORB	101.70	Oil Rubbed Bronze	Shower escutcheon
137396	44.50	Chrome	Handle kit
137396BN	64.60	Brushed Nickel	Handle kit
137396ORB	71.05	Oil Rubbed Bronze	Handle kit
137397	26.20	Chrome	Handle kit
137397BN	36.30	Brushed Nickel	Handle kit
137397ORB	39.95	Oil Rubbed Bronze	Handle kit
137398	18.15	Chrome	Escutcheon
137398BN	23.30	Brushed Nickel	Escutcheon
137398ORB	25.65	Oil Rubbed Bronze	Escutcheon
137399	26.35	Chrome	Deck plate
137399BN	36.30	Brushed Nickel	Deck plate
137399ORB	39.95	Oil Rubbed Bronze	Deck plate
137401	12.55	N/A or Unfinished	Aerator
137402	16.05	N/A or Unfinished	Stream straightener kit
137403	4.45	N/A or Unfinished	Plug button kit
137404	4.45	N/A or Unfinished	Plug button kit
137481	16.35	Chrome	Escutcheon
137488	7.20	Chrome	Shower arm flange
137488BN	18.80	Brushed Nickel	Shower arm flange
137510	18.15	N/A or Unfinished	Handle kit
137510BN	50.10	Brushed Nickel (BN)	Handle kit
137511	4.50	Chrome	Handle rod
137511BN	19.45	Brushed Nickel (BN)	Handle kit
137512	6.35	N/A or Unfinished	Dome
137512BN	15.80	Brushed Nickel (BN)	Dome kit
137513	3.95	Chrome	Cartridge nut
137514	10.65	Chrome	Aerator kit
137514BN	20.55	Brushed Nickel (BN)	Aerator kit
137515	1.10	Chrome	O-ring kit
137516	9.25	Chrome	Escutcheon
137516BN	20.25	Brushed Nickel (BN)	Escutcheon
137517	3.50	Chrome	Hardware kit
137518	4.70	Chrome	Hardware kit
137520	6.85	Chrome	Aerator kit
137521	59.85	Chrome	Spout kit
137522	1.20	Chrome	Spout retainer kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
137523	11.15	Chrome	Spout nut kit
137524	164.50	Chrome	Spout kit
137524BN	304.05	Brushed Nickel (BN)	Roman tub spout kit
137525	13.80	Chrome	Spout cap
137525BN	29.85	Brushed Nickel (BN)	Spout cap kit
137526	3.65	Chrome	Flow restrictor kit
137526BN	8.55	Brushed Nickel (BN)	Aerator kit
137527	34.45	Chrome	Handle kit
137527BN	91.45	Brushed Nickel (BN)	Handle kit
137528	1.45	Chrome	Plug button kit
137528BN	3.05	Brushed Nickel (BN)	Plug button kit
137530	1.05	Chrome	Hot/cold indicator kit
137531	24.80	Chrome	Handheld shower
137531BN	54.65	Brushed Nickel (BN)	Handshower
137532	10.15	Chrome	Escutcheon
137533	14.15	Chrome	Lift rod kit
137533BN	30.90	Brushed Nickel (BN)	Lift rod kit
137534	12.45	Chrome	Spout cap kit
137534BN	25.10	Brushed Nickel (BN)	Spout cap kit
137536	18.90	Chrome	Handle kit
137536BN	51.55	Brushed Nickel (BN)	Handle kit
137537BN	19.70	Brushed Nickel (BN)	Handle rod
137538	1.20	Chrome	Plug button kit
137538BN	8.05	Brushed Nickel (BN)	Plug button kit
137540BN	59.45	Brushed Nickel (BN)	Escutcheon
137541	9.75	Chrome	Aerator kit
137541BN	18.35	Brushed Nickel (BN)	Aerator kit
137542	117.15	Chrome	Spout kit
137542BN	232.60	Brushed Nickel (BN)	Spout kit
137543	5.00	Chrome	Spout cap
137543BN	11.00	Brushed Nickel (BN)	Spout cap
137544	34.75	Chrome	Handle kit
137544BN	92.50	Brushed Nickel (BN)	Handle kit
137545	12.55	Chrome	Lift rod kit
137545BN	26.30	Brushed Nickel (BN)	Lift rod kit
138300	84.15	Chrome	Escutcheon
138300BN	119.00	Brushed Nickel	Escutcheon
138300NL	107.85	Polished Nickel	Escutcheon
138300ORB	130.85	Oil Rubbed Bronze	Escutcheon
138300WR	130.85	Wrought Iron	Escutcheon
138765	15.35	N/A or Unfinished	Hardware kit
139071	6.80	N/A or Unfinished	Hardware kit
139221	13.35	N/A or Unfinished	Liquid soap/lotion dispenser pump only
139260	2.70	N/A or Unfinished	Mounting kit
139280	5.95	N/A or Unfinished	Template kit
139760	97.15	Chrome	Handle kit
139760BN	187.90	Brushed Nickel (BN)	Handle kit
139761	174.95	Chrome	Spout kit
139761BN	253.70	Brushed Nickel	Spout kit

Part Number	List Price	Finish	Description
139762	25.95	Chrome	Lift rod kit
139762BN	51.85	Brushed Nickel	Lift rod kit
139763	12.90	Chrome	Hot/cold indicator kit
139765	154.70	Chrome	Spout kit
139765BN	224.40	Brushed Nickel	Spout kit
139766	329.15	Chrome	Roman tub spout kit
139766BN	477.20	Brushed Nickel (BN)	Roman tub spout kit
139767	32.40	Chrome	Lift rod kit
139767BN	64.80	Brushed Nickel (BN)	Lift rod kit
139769	32.40	Chrome	Handle adapter kit
139770	224.00	Chrome	Roman tub spout kit
139770BN	324.90	Brushed Nickel (BN)	Roman tub spout kit
139772	64.80	Chrome	Handle kit
139772BN	116.70	Brushed Nickel (BN)	Handle kit
139773	65.80	Chrome	Handle kit
139773BN	95.30	Brushed Nickel (BN)	Handle kit
139774	66.80	Chrome	Handle kit
139774BN	96.75	Brushed Nickel (BN)	Handle kit
139885	70.00	Chrome	Handle kit
139885BN	98.95	Brushed Nickel	Handle kit
139885ORB	108.80	Oil Rubbed Bronze	Handle kit
139885P	105.00	Polished Brass	Handle kit
139885WR	108.80	Wrought Iron	Handle kit
139968	51.60	N/A or Unfinished	Hardware kit
140028	27.30	Chrome	Service kit
140244	64.80	Chrome	Wand kit
140244BL	116.70	Matte Black	Wand kit
140245	64.80	Chrome	Wand kit
140245BL	116.70	Matte Black	Wand kit
140245SRS	52.60	Spot Resist Stainless	Wand kit
140246	58.30	Chrome	Wand kit
140246BL	110.20	Matte Black	Wand kit
140247	116.70	Chrome	Spout kit
140247BL	181.45	Matte Black	Spout kit
140247CSL	181.45	Classic Stainless	Spout kit
140249	116.70	Chrome	Spout kit
140249BL	181.45	Matte Black	Spout kit
140249CSL	181.45	Classic Stainless (CSL)	Spout kit
140249ORB	199.60	Oil Rubbed Bronze	Spout kit
140250	32.40	Chrome	Handle kit
140251	12.90	Chrome	Gasket kit
140325	31.80	N/A or Unfinished	Shank kit
140379	72.45	Chrome	Wand kit
140379CSL	98.55	Classic Stainless (CSL)	Wand kit
140379W	64.30	Glacier (GLC)	Wand kit
140392	71.95	Chrome	Wand Kit
140392BC	81.30	Brushed Chrome	Wand kit
140392BL	64.30	Matte Black	Wand kit
140392CSL	64.30	Classic Stainless (CSL)	Wand kit
140392S	64.30	Sand/Almond/Bone	Wand kit
140392SL	81.30	Stainless	Wand kit
140392V	64.30	Ivory (IVY)	Wand kit
140392W	64.30	Glacier (GLC)	Wand kit
140676	5.20	N/A or Unfinished	Silicone grease pack
140680	12.10	N/A or Unfinished	drainage

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
140690	13.55	N/A or Unfinished	drainage
140706	8.10	N/A or Unfinished	Hardware kit
140707	9.85	N/A or Unfinished	Hardware kit
140708	9.75	N/A or Unfinished	Hardware kit
140709	5.40	N/A or Unfinished	Handle adapter kit
140710	4.65	N/A or Unfinished	Cartridge nut
140711	22.55	N/A or Unfinished	Shank kit
140712	19.45	N/A or Unfinished	Shank kit
140713	22.10	N/A or Unfinished	Hose kit
140714	15.55	N/A or Unfinished	CPVC transition fittings (4) &
140715	10.15	N/A or Unfinished	Change to Cold expansion PEX adapters
140716	5.10	N/A or Unfinished	O-ring kit
140718	4.80	N/A or Unfinished	O-ring kit
140719	31.05	N/A or Unfinished	Hose kit
140720	22.70	N/A or Unfinished	Hardware kit
140721	7.40	N/A or Unfinished	Quick-connect clips (5)
140762	15.55	N/A or Unfinished	Cap kit
140777	6.50	N/A or Unfinished	Flow restrictor kit
140779	6.50	N/A or Unfinished	Flow restrictor kit
140780	55.85	Chrome	drainage
140780BN	77.90	Brushed Nickel	drainage
140780NL	77.20	Polished Nickel	drainage
140780ORB	88.00	Oil Rubbed Bronze	drainage
140780P	107.50	Polished Brass	Waste assembly
140899	6.35	N/A or Unfinished	Siding wedge
140900	9.15	N/A or Unfinished	Vacuum breaker kit
140901	5.85	N/A or Unfinished	Hot/cold indicator kit
140902	6.05	N/A or Unfinished	Temperature limit stop kit
140903	14.80	N/A or Unfinished	Handle kit
140904	11.80	N/A or Unfinished	Retainer nut
140994	85.05	Chrome	Spout kit
140994CSL	122.65	Classic Stainless	Spout kit
140995	57.40	Chrome	Wand kit
140995CSL	65.85	Classic Stainless	Wand kit
140996CSL	34.35	Classic Stainless	Handle kit
140997	10.90	Chrome	Dome kit
140997BL	93.45	Matte Black	Spout kit
140997CSL	15.50	Classic Stainless	Dome kit
140997ORB	22.45	Oil Rubbed Bronze	Dome kit
140998	10.65	Chrome	Cartridge nut
140999	5.50	Chrome	Gasket kit
141000	79.30	Chrome	Hose kit
141002	45.20	Chrome	Escutcheon
141002BL	51.90	Matte Black	Escutcheon
141002NL	49.25	Polished Nickel	Escutcheon
141002ORB	57.20	Oil Rubbed Bronze	Escutcheon
141002SRS	51.90	Spot Resist Stainless	Escutcheon & gasket kit
141003	13.10	N/A or Unfinished	installation tool
141005	68.50	Chrome	Spout kit
141005CSL	95.45	Classic Stainless	Spout kit
141006	33.25	Chrome	Hose & spray
141006CSL	55.00	Classic Stainless	Hose & spray
141007	11.70	Chrome	Hose guide
141007CSL	14.15	Classic Stainless	Hose guide
141007SRS	17.00	Spot Resist Stainless	Hose guide
141008	18.95	Chrome	Aerator kit
141008CSL	21.40	Classic Stainless	Aerator kit
141025	10.85	N/A or Unfinished	O-ring kit
141044	93.40	Chrome	Wand_hose_kit
141044ORB	143.95	Oil Rubbed Bronze	Wand_hose_kit

Part Number	List Price	Finish	Description
141044SL	135.50	Stainless	Wand_hose_kit
141044V	143.95	Ivory	Wand_hose_kit
141044W	143.95	Glacier	Wand_hose_kit
141797	31.05	Chrome	Dome kit
141797BL	51.85	Matte Black	Dome kit
141797CSL	51.85	Classic Stainless	Dome kit
141797ORB	57.00	Oil Rubbed Bronze	Dome kit
141797SRS	27.65	Spot Resist Stainless (SRS)	Dome kit
141798	48.00	Chrome	Roman tub hand shower elbow
141798BN	68.25	Brushed Nickel	Handle elbows
142538	4.85	N/A or Unfinished	Hardware kit
142980	10.35	N/A or Unfinished	Stem extension kit
142981	5.35	N/A or Unfinished	Escutcheon adjuster kit
143002	9.40	N/A or Unfinished	Handle adapter kit
143200	6.35	N/A or Unfinished	Gasket kit
143321	25.90	Chrome	Handle kit
143321BN	32.25	Brushed Nickel	Handle kit
143321ORB	40.50	Oil Rubbed Bronze	Handle kit
143322	23.55	Chrome	Handle kit
143322BN	32.35	Brushed Nickel (BN)	Handle kit
143322ORB	36.45	Oil Rubbed Bronze	Handle kit
143323	23.20	Chrome	Escutcheon
143323BN	35.65	Brushed Nickel	Escutcheon
143323ORB	39.25	Oil Rubbed Bronze	Escutcheon
143324	24.60	Chrome	Escutcheon
143324BN	33.40	Brushed Nickel	Escutcheon
143324ORB	36.75	Oil Rubbed Bronze	Escutcheon
143325	5.70	N/A or Unfinished	Gasket
143326	11.60	N/A or Unfinished	Aerator
143327	5.95	N/A or Unfinished	Shank kit
143530	8.40	N/A or Unfinished	Diverter plug
144266	5.15	N/A or Unfinished	Cartridge nut
144318	25.95	N/A or Unfinished	Hardware kit
144319	15.55	N/A or Unfinished	Push fit kit
144321	38.85	N/A or Unfinished	Push fit kit
144322	58.30	N/A or Unfinished	Data cable
144323	7.85	N/A or Unfinished	Template kit
144324	11.70	N/A or Unfinished	inlet filter kit
144325	38.85	N/A or Unfinished	inlet adapter kit
144326	36.30	N/A or Unfinished	Outlet retainer kit
144327	23.40	Chrome	Remote cradle kit
144328	15.55	Pebble	Remote cradle kit
144332	32.40	N/A or Unfinished	Push fit kit
144333	45.35	N/A or Unfinished	Check valve kit
144334	51.85	N/A or Unfinished	inlet adapter kit
144450	17.40	Chrome	Lever handle mechanism kit
144451	17.40	Chrome	Lever handle mechanism kit
144453	6.80	Chrome	Aerator kit
144454	21.40	Chrome	Escutcheon
144455	2.50	Chrome	Gasket
145058	16.80	N/A or Unfinished	Adapter kit
145665	4.55	N/A or Unfinished	Hardware kit
146188	30.50	Chrome	Handle kit
146188BN	44.10	Brushed Nickel	Handle kit
146188ORB	48.55	Oil Rubbed Bronze	Handle kit
146189	25.50	Chrome	Dome
146189BN	36.80	Brushed Nickel	Dome
146189NL	39.10	Polished Nickel	Dome
146189ORB	39.10	Oil Rubbed Bronze	Dome
146189WR	39.10	Wrought Iron	Dome

Moen Genuine Parts

Listed in numerical order

SUGGESTED LIST PRICES

Part Number	List Price	Finish	Description
146190	5.80	N/A or Unfinished	Mounting kit
146191	31.60	Chrome	Handle kit
146191BN	45.70	Brushed Nickel	Handle kit
146191ORB	48.75	Oil Rubbed Bronze	Handle kit
146191P	48.75	Polished Brass	Handle kit
146191WR	48.75	Wrought Iron	Handle kit
146192	31.70	Chrome	Handle kit
146192BN	45.95	Brushed Nickel	Handle kit
146194	3.50	N/A or Unfinished	Cartridge nut
146210	28.55	Chrome	Handle kit
146211	11.80	Chrome	Dome
146211BL	16.50	Matte Black	Dome
146211CSL	17.05	Classic Stainless	Handle kit
146211ORB	18.85	Oil Rubbed Bronze	Dome
146211W	16.50	Glacier	Dome
146212SRS	89.40	Spot Resist Stainless	Spout receptor kit
146213	5.00	N/A or Unfinished	O-ring kit
146214	29.95	Chrome	Handle kit
146214ORB	47.80	Oil Rubbed Bronze	Handle kit
146214SRS	43.50	Spot Resist Stainless	Handle kit
146214W	41.90	Glacier	Handle kit
146216	35.25	Chrome	Handle kit
146216CSL	50.95	Classic Stainless	Handle kit
146217	12.15	Chrome	Dome
146217BL	17.00	Matte Black	Dome
146217SRS	17.75	Spot Resist Stainless	Dome
146217V	17.00	Ivory	Dome
146217W	17.00	Glacier	Dome
146218	71.20	Chrome	Spout receptor kit
146218BL	99.75	Matte Black	Spout receptor kit
146218CSL	103.25	Classic Stainless	Spout receptor kit
146219	34.45	Chrome	Handle kit
146219BL	48.25	Matte Black	Handle kit
146219CSL	49.95	Classic Stainless	Handle kit
146219W	48.25	Glacier	Handle kit
146220	32.85	Chrome	Handle kit
146220BL	46.15	Matte Black	Handle kit
146220CSL	47.80	Classic Stainless	Handle kit
146220SRS	47.80	Spot Resist Stainless	Handle kit
146220V	46.15	Ivory	Handle kit
146220W	46.15	Glacier	Handle kit
146221	66.85	Chrome	Spout receptor kit
146221BL	93.40	Matte Black	Spout receptor kit
146221SRS	96.80	Spot Resist Stainless	Spout receptor kit
146221V	93.40	Ivory	Spout receptor kit
146221W	93.40	Glacier	Spout receptor kit
146258	10.35	N/A or Unfinished	Template kit
146259	51.85	N/A or Unfinished	Data cable
146670	5.45	Chrome	Plug button kit
146670BN	11.65	Brushed Nickel	Slide bar_end cap
146670ORB	12.80	Oil Rubbed Bronze	Plug button kit
146670P	12.80	Polished Brass	Slide bar_end cap
146670WR	12.80	Wrought Iron	Plug button kit
146711	87.70	Chrome	Spout kit
146711CSL	174.15	Classic Stainless	Spout kit
146711ORB	191.60	Oil Rubbed Bronze	Spout kit
146712	28.55	Chrome	Handle kit
146712ORB	43.90	Oil Rubbed Bronze	Handle kit
146712SRS	38.60	Spot Resist Stainless	Handle kit

Part Number	List Price	Finish	Description
146778	28.20	Chrome	Escutcheon
146778BC	36.55	Brushed Chrome	Escutcheon
146778W	39.35	Glacier	Escutcheon
146779	27.60	Chrome	Escutcheon
146779BC	35.95	Brushed Chrome	Escutcheon
146780	36.95	Chrome	Handle kit
146781	25.35	Chrome	Handle kit
146781BC	32.85	Brushed Chrome	Handle kit
146781W	35.45	Glacier	Handle kit
146782	25.90	Chrome	Handle kit
146783	9.60	Chrome	Dome
146783BC	12.50	Brushed Chrome	Dome
146783W	13.40	Glacier	Dome
146784	157.90	Chrome	Spout kit
146784ORB	166.20	Oil Rubbed Bronze	Spout kit
146784SRS	228.95	Spot Resist Stainless	Spout kit
146785	66.95	Chrome	Spout kit
146786	53.45	Chrome	Spout kit
146786BC	69.60	Brushed Chrome	Spout kit
146786W	74.90	Glacier	Spout kit
146787	6.10	N/A or Unfinished	Bearing washer kit
146788	31.05	Chrome	Escutcheon
146789	5.95	N/A or Unfinished	O-ring kit
146790	12.85	N/A or Unfinished	Mounting kit
146851	32.40	Chrome	Handle kit
146851BL	51.85	Matte Black	Handle kit
146851SRS	50.10	Spot Resist Stainless	Handle kit
146926	5.20	N/A or Unfinished	O-ring kit
146927	9.30	N/A or Unfinished	Mounting kit
146928	27.00	Chrome	Handle kit
146928CSL	39.00	Classic Stainless	Handle kit
146936	4.70	N/A or Unfinished	Spacer kit
147204	24.30	Chrome	Escutcheon & gasket kit
147204BN	58.85	Brushed Nickel	Escutcheon & gasket kit
147206	86.25	N/A or Unfinished	Extension kit
147207	25.95	N/A or Unfinished	Handle adapter kit
147208	138.65	N/A or Unfinished	Cartridge repair kit
147209	38.85	N/A or Unfinished	Check stop
147210	32.40	N/A or Unfinished	Cartridge repair kit
147211	19.40	N/A or Unfinished	Handle adapter kit
147212	32.40	N/A or Unfinished	Handle extension kit
147213	10.35	N/A or Unfinished	Mounting kit
147539	30.15	Chrome	Escutcheon
147539SRS	44.85	Spot Resist Stainless	Escutcheon
147540	9.60	Chrome	Plug button kit
147540CSL	14.75	Classic Stainless	Plug button kit
147540SRS	14.75	Spot Resist Stainless	Plug button kit
147541	30.60	Chrome	Handle hub kit
147541CSL	47.00	Classic Stainless	Handle hub kit
147541SRS	45.45	Spot Resist Stainless	Handle hub kit
147542	19.70	Chrome	Handle kit
147542BN	29.00	Brushed Nickel	Handle insert kit
147542SRS	29.30	Spot Resist Stainless	Handle kit
147543	190.85	Chrome	Spout kit
147543SRS	283.85	Spot Resist Stainless	Spout kit
147544	10.85	N/A or Unfinished	Bearing washer kit
147545	130.40	Chrome	Spout kit
147546	62.25	Chrome	Wand kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
147546CSL	83.95	Classic Stainless	Wand kit
147547	81.80	Chrome	eco-performance handshower handheld shower
147547BN	120.00	Brushed Nickel	eco-performance handshower handheld shower
147548	20.00	N/A or Unfinished	Hose adapter
147549	14.50	Chrome	Escutcheon & gasket kit
147549BN	21.35	Brushed Nickel	Escutcheon
147550	15.35	Chrome	Lift rod kit
147550BN	22.45	Brushed Nickel	Lift rod kit
147552	30.60	Chrome	Handle hub kit
147552BN	44.90	Brushed Nickel	Handle hub
147554	9.00	Chrome	Spout cap kit
147554BN	13.10	Brushed Nickel	Slot plug
147555	36.95	Chrome	Extension kit
147555BN	54.25	Brushed Nickel	Extension kit
147556	127.95	Chrome	Extension kit
147556BN	187.65	Brushed Nickel	Extension kit
147557	31.95	Chrome	Handle kit
147557BN	46.90	Brushed Nickel	Handle kit
147558	7.40	N/A or Unfinished	Plug button kit
147559	23.85	N/A or Unfinished	Handle adapter kit
147560	166.75	Chrome	Spout kit
147560BN	244.45	Brushed Nickel	Spout kit
147562	9.85	Chrome	Escutcheon
147562BN	13.85	Brushed Nickel	Escutcheon
147563	10.50	Chrome	Escutcheon
147563BN	15.35	Brushed Nickel	Escutcheon
147564	23.20	Chrome	Lift rod kit
147564BN	34.00	Brushed Nickel	Lift rod kit
147565	305.45	Chrome	Spout kit
147565BN	447.90	Brushed Nickel	Spout kit
147566	28.95	Chrome	Escutcheon
147566BN	42.45	Brushed Nickel	Escutcheon
147567	54.05	Chrome	Escutcheon
147567BN	79.15	Brushed Nickel	Escutcheon
147568	336.90	Chrome	Spout kit
147568BN	493.80	Brushed Nickel	Spout kit
147569	39.80	Chrome	Lift rod kit
147569BN	58.20	Brushed Nickel	Lift rod kit
147570	5.25	N/A or Unfinished	Bearing washer kit
147572	10.35	Chrome	Shower arm flange
147572BN	15.15	Brushed Nickel	Shower arm flange
147573	28.75	Chrome	Handle kit
147573BN	42.25	Brushed Nickel	Handle kit
147574	56.70	Chrome	Escutcheon & gasket kit
147574BN	83.20	Brushed Nickel	Shower escutcheon
147575	5.15	N/A or Unfinished	Set screw kit
147576	59.50	Chrome	Escutcheon & gasket kit
147576BN	87.25	Brushed Nickel	Shower escutcheon
147913	119.70	Chrome	eco-performance handshower handheld shower
147913BN	177.15	Brushed Nickel (BN)	Eco-performance handshower handheld shower
148148BN	10.35	Brushed Nickel	Dome
148148NL	12.00	Polished Nickel	Dome kit
148148ORB	12.00	Oil Rubbed Bronze	Dome kit
148149	23.40	Chrome	Handle kit
148149BN	23.40	Brushed Nickel	Handle kit
148282	6.50	Chrome	Flow restrictor kit
148478	5.20	Chrome	Plaster ground

Part Number	List Price	Finish	Description
148479	25.95	Chrome	Extension kit
148479BN	48.55	Brushed Nickel	Extension kit
148479WR	48.90	Wrought Iron	Extension kit
148480	25.95	Chrome	Shower escutcheon
148480BN	32.40	Chrome	Shower escutcheon
148480ORB	35.65	Oil Rubbed Bronze	Shower escutcheon
148521	10.35	N/A or Unfinished	Support plate with gasket
148606	9.75	N/A or Unfinished	CPVC transition fittings (4) &
148819	72.20	Chrome	Spout kit
148819CSL	92.60	Classic Stainless	Spout kit
148819ORB	104.65	Oil Rubbed Bronze	Spout kit
148820	25.95	Chrome	Handle kit
148820BL	38.05	Matte Black	Handle kit
148820CSL	33.85	Classic Stainless	Handle kit
148820ORB	37.55	Oil Rubbed Bronze	Handle kit
148820SRS	33.85	Spot Resist Stainless	Handle kit
148821	5.15	N/A or Unfinished	Gasket kit
148974	3.65	Chrome	Gasket kit
149088	9.50	N/A or Unfinished	Diverter kit
149111	28.75	Chrome	Handle kit
149111BN	38.60	Brushed Nickel	Handle kit
149112	17.45	Chrome	Lift rod kit
149112BN	21.50	Brushed Nickel	Lift rod kit
149113	44.45	Chrome	Handle kit
149113BN	61.25	Brushed Nickel	Handle kit
149114	204.00	Chrome	Spout kit
149114BN	276.95	Brushed Nickel	Spout kit
149115	14.75	Chrome	Lift rod kit
149115BN	18.85	Brushed Nickel	Lift rod kit
149116	266.40	Chrome	Roman tub spout kit
149116BN	357.80	Brushed Nickel	Roman tub spout kit
149117	12.55	Chrome	Aerator
149118	288.70	Chrome	Roman tub spout kit
149118BN	381.15	Brushed Nickel	Roman tub spout kit
149119	20.45	Chrome	Lift rod kit
149119BN	25.55	Brushed Nickel	Lift rod kit
149121	4.85	N/A or Unfinished	Hot/cold indicator kit
149122	32.40	Chrome	Handle kit
149122BN	42.65	Brushed Nickel	Handle kit
149123	53.40	Chrome	Shower escutcheon
149123BN	71.60	Brushed Nickel	Shower escutcheon
149381	7.85	N/A or Unfinished	Plaster ground
149384	19.65	N/A or Unfinished	hose bracket
149509	45.20	Chrome	one-handle pullout kitchen faucet
149570	31.95	Chrome	Handle kit
149570CSL	46.30	Classic Stainless	Handle kit
149570SRS	65.85	Spot Resist Stainless	Handle kit
149571	36.30	Chrome	Escutcheon
149571CSL	36.30	Classic Stainless	Escutcheon
149571SRS	63.70	Spot Resist Stainless	Escutcheon
149748	12.70	Chrome	Slide bar_end cap
149748BN	18.50	Brushed Nickel	Plug button kit
150257	37.55	N/A or Unfinished	Cartridge
150259	33.00	N/A or Unfinished	Hose kit
150260	15.55	N/A or Unfinished	Hose weight
150287	97.70	Chrome	Spout kit
150287CSL	121.80	Classic Stainless	Spout kit
150288	187.90	Chrome	Spout kit
150288CSL	241.25	Classic Stainless	Spout kit

Moen Genuine Parts

Listed in numerical order

SUGGESTED LIST PRICES

Part Number	List Price	Finish	Description
150288SRS	233.10	Spot Resist Stainless	Spout kit
150313	8.40	N/A or Unfinished	3/8" Square drive tool
150625	23.30	Chrome	Handle kit
150625BC	28.00	Brushed Chrome	Handle kit
150625BN	46.60	Brushed Nickel	Handle kit
150625P	36.25	Brushed Chrome	Handle kit
150626	23.80	Chrome	Handle kit
150627	27.30	N/A or Unfinished	Handle hub
150628	7.00	Chrome	Dome
150628BC	8.45	Chrome	Dome
150628BN	10.20	Brushed Nickel	Handle hub
150628P	11.00	Chrome	Dome
150662	25.70	Chrome	Handle kit
150662ORB	40.90	Oil Rubbed Bronze	Handle kit
150662SRS	34.25	Spot Resist Stainless	Handle kit
150662WR	40.90	Wrought Iron	Handle kit
150663	47.95	Chrome	Handle escutcheon
150663ORB	76.45	Oil Rubbed Bronze	Handle escutcheon
150663SRS	63.90	Spot Resist Stainless	Handle escutcheon
150663WR	76.45	Wrought Iron	Handle escutcheon
150664	30.20	Chrome	Handle kit
150664CSL	43.75	Classic Stainless	Handle kit
150664ORB	48.15	Oil Rubbed Bronze	Handle kit
150665	36.25	Chrome	Handle kit
150665ORB	57.80	Oil Rubbed Bronze	Handle kit
150665SRS	52.50	Spot Resist Stainless	Handle kit
150666	9.75	Chrome	Dome kit
150666ORB	22.05	Oil Rubbed Bronze	Dome kit
150667	36.25	Chrome	Handle escutcheon
150667ORB	57.80	Oil Rubbed Bronze	Handle escutcheon
150667SRS	52.50	Spot Resist Stainless	Handle escutcheon
150668	33.00	Chrome	Handle kit
150668ORB	52.70	Oil Rubbed Bronze	Handle kit
150668SRS	46.30	Spot Resist Stainless	Handle kit
150669	11.15	Chrome	Dome kit
150669ORB	23.75	Oil Rubbed Bronze	Dome kit
150669SRS	15.65	Spot Resist Stainless	Dome kit
150671	27.00	Chrome	Handle kit
150672	104.65	Chrome	Spout kit
150883	3.55	N/A or Unfinished	Hot/cold indicator kit
151187CSL	117.15	Classic Stainless	Spout kit
151188	51.65	Chrome	Spout kit
151188CSL	74.85	Classic Stainless	Spout kit
151188ORB	82.35	Oil Rubbed Bronze	Spout kit
151189	28.80	Chrome	Wand kit
151189BL	50.30	Matte Black	Spout kit
151189CSL	38.90	Classic Stainless	Wand kit
151189ORB	42.00	Oil Rubbed Bronze	Wand kit
151190	16.15	Chrome	Aerator kit
151190CSL	30.75	Classic Stainless	Aerator kit
151380	65.80	Chrome	16" overhead shower arm
151380BN	111.90	Brushed Nickel	16" overhead shower arm
151380ORB	123.00	Oil Rubbed Bronze	16" overhead shower arm
151644	1.30	N/A or Unfinished	Plug button kit
151813	21.05	Chrome	Escutcheon
151813BN	28.20	Brushed Nickel	Escutcheon
152027	56.05	Chrome	line list items
152027BN	83.50	Brushed Nickel	line list items

Part Number	List Price	Finish	Description
152859	4.65	Chrome	Plug button kit
152859BC	5.55	Brushed Chrome	Plug button kit
152859BL	5.55	Black	Plug button kit
152859CSL	5.55	Classic Stainless	Plug button kit
152859NL	5.55	Polished Nickel	Plug button kit
152859ORB	5.55	Oil Rubbed Bronze	Plug button kit
152859P	5.55	Polished Brass	Plug button kit
152859SRS	5.40	Spot Resist Stainless	Plug button kit
152859W	4.50	Glacier	Plug button kit
153206	7.35	Chrome	Dome
153206P	11.30	Chrome	Dome
153641	47.95	Chrome	Dome
153641CSL	69.50	Classic Stainless	Dome
153641ORB	76.45	Oil Rubbed Bronze	Dome
153641SRS	63.90	Spot Resist Stainless	Dome
153641WR	76.45	Wrought Iron	Dome
153977	42.90	Chrome	Wand kit
153977CSL	52.15	Chrome	Wand kit
153977ORB	80.75	Chrome	Wand kit
153978	28.05	Chrome	Handle kit
153978ORB	45.50	Chrome	Handle kit
153978SRS	34.75	Spot Resist Stainless	Handle kit
153980	50.10	Chrome	Wand kit
153980ORB	62.20	Oil Rubbed Bronze	Wand kit
153980SRS	59.50	Spot Resist Stainless	Wand kit
153982	21.40	Chrome	Aerator kit
153982ORB	33.30	Old World Bronze	Aerator kit
153983	4.30	Chrome	Gasket kit
154285	55.40	Chrome	Handle cap kit
154286	163.15	Chrome	Spout kit
154286BN	243.80	Brushed Nickel	Spout kit
154286NL	268.20	Polished Nickel	Spout kit
154286ORB	268.20	Oil Rubbed Bronze	Spout kit
154287	19.25	Chrome	Lift rod kit
154287BN	24.65	Brushed Nickel	Lift rod kit
154287NL	27.20	Polished Nickel	Lift rod kit
154287ORB	27.20	Oil Rubbed Bronze	Lift rod kit
154288	21.40	Chrome	Aerator
154288BN	30.85	Brushed Nickel	Aerator
154288NL	32.95	Polished Nickel	Aerator
154288ORB	32.95	Oil Rubbed Bronze	Aerator
154288SRS	30.85	Spot Resist Stainless	Aerator
154289	6.80	N/A or Unfinished	Aerator
154290	205.80	Chrome	Roman tub spout kit
154290BN	298.50	Brushed Nickel	Roman tub spout kit
154290NL	317.00	Polished Nickel	Roman tub spout kit
154290ORB	317.00	Oil Rubbed Bronze	Roman tub spout kit
154291	223.90	Chrome	Roman tub diverter spout
154291BN	324.65	Brushed Nickel	Roman tub diverter spout
154291NL	337.50	Polished Nickel	Roman tub diverter spout
154291ORB	337.50	Oil Rubbed Bronze	Roman tub diverter spout
154292	13.45	Chrome	Diverter rod kit
154292BN	20.00	Brushed Nickel	Diverter rod kit
154292NL	22.00	Polished Nickel	Diverter rod kit
154292ORB	22.00	Oil Rubbed Bronze	Diverter rod kit
154293	356.50	Chrome	Spout kit
154293BN	518.50	Brushed Nickel	Spout kit
154293NL	549.00	Polished Nickel	Spout kit
154293ORB	549.00	Oil Rubbed Bronze	Spout kit
154294	23.40	Chrome	Handle kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
154294BN	33.85	Brushed Nickel	Handle kit
154294NL	35.95	Polished Nickel	Handle kit
154294ORB	35.95	Oil Rubbed Bronze	Handle kit
154294SRS	33.85	Spot Resist Stainless	Handle kit
154295	31.80	Chrome	Stream straightener
154295BN	47.80	Brushed Nickel	Stream straightener
154295NL	52.50	Polished Nickel	Stream straightener
154295ORB	52.50	Oil Rubbed Bronze	Stream straightener
154296	243.05	Chrome	Slide bar
154296BN	267.35	Brushed Nickel	Slide bar
154296NL	294.10	Polished Nickel	Slide bar
154296ORB	294.10	Oil Rubbed Bronze	Slide bar
154297	8.10	Chrome	Slide bar_end cap
154297BN	12.75	Brushed Nickel	Slide bar_end cap
154297NL	14.10	Polished Nickel	Slide bar_end cap
154297ORB	14.10	Oil Rubbed Bronze	Slide bar_end cap
154298	14.95	Chrome	Handle kit
154298BN	21.60	Brushed Nickel	Handle kit
154298NL	21.60	Polished Nickel	Handle kit
154298ORB	23.80	Oil Rubbed Bronze	Handle kit
154299	54.60	Chrome	Wall escutcheon and gasket
154299BN	84.15	Brushed Nickel	Wall escutcheon and gasket
154299NL	92.60	Polished Nickel	Wall escutcheon and gasket
154299ORB	92.60	Oil Rubbed Bronze	Wall escutcheon and gasket
154300	35.35	Chrome	Shower escutcheon
154300BN	51.20	Brushed Nickel	Shower escutcheon
154300NL	56.35	Polished Nickel	Shower escutcheon
154300ORB	56.35	Oil Rubbed Bronze	Shower escutcheon
154301	36.50	Chrome	Handle hub
154301BN	52.90	Brushed Nickel	Handle hub
154301NL	58.15	Polished Nickel	Handle hub
154301ORB	58.15	Oil Rubbed Bronze	Handle hub
154302	45.00	Chrome	Handle hub
154302BN	52.90	Brushed Nickel	Handle hub
154302NL	52.90	Polished Nickel	Handle hub
154302ORB	54.95	Oil Rubbed Bronze	Handle hub
154305	121.95	Chrome	eco-performance handshower handheld shower
154305BN	176.80	Brushed Nickel	eco-performance handshower handheld shower
154305NL	187.75	Polished Nickel	Handheld shower
154305ORB	187.75	Oil Rubbed Bronze	eco-performance handshower handheld shower
154306	13.45	Chrome	Handle kit
154306BN	19.40	Brushed Nickel	Handle kit
154306NL	21.45	Polished Nickel	Handle kit
154306ORB	21.45	Oil Rubbed Bronze	Handle kit
154364	6.55	N/A or Unfinished	Aerator kit
154391	29.10	Chrome	Handle hub
154795	35.55	N/A or Unfinished	Sillcock service kit
154796	37.10	N/A or Unfinished	Sillcock service kit
154797	38.45	N/A or Unfinished	Sillcock service kit
155023	4.65	N/A or Unfinished	Screw kit
155649	39.95	Chrome	Escutcheon
155649BN	57.90	Brushed Nickel	Escutcheon
155649NL	57.90	Polished Nickel	Escutcheon
155649ORB	63.70	Oil Rubbed Bronze	Escutcheon
155650	35.60	Chrome	Escutcheon

Part Number	List Price	Finish	Description
155650BN	51.70	Brushed Nickel	Escutcheon
155650NL	51.70	Polished Nickel	Escutcheon
155650ORB	56.80	Oil Rubbed Bronze	Escutcheon
155651	16.05	N/A or Unfinished	Hardware kit
155652	6.10	N/A or Unfinished	Hardware kit
155654	4.20	N/A or Unfinished	O-ring kit
155655	1.25	N/A or Unfinished	Screen washer
155656	33.50	N/A or Unfinished	Extension kit
155658	14.25	N/A or Unfinished	Hardware kit
155663	172.05	Chrome	Spout kit
155663BN	229.70	Brushed Nickel	Spout kit
155664	204.00	Chrome	Spout kit
155664BN	262.55	Brushed Nickel	Spout kit
155664ORB	295.60	Oil Rubbed Bronze	Spout kit
155665	192.55	Chrome	Spout kit
155665BN	247.35	Brushed Nickel	Spout kit
155665ORB	278.40	Oil Rubbed Bronze	Spout kit
155694	21.35	Chrome	handshower bracket
155694BN	30.85	Brushed Nickel	handshower bracket
155694ORB	34.05	Oil Rubbed Bronze	handshower bracket
155746	172.60	Chrome	slide bars
155746BN	250.25	Brushed Nickel	slide bars
155746ORB	275.25	Oil Rubbed Bronze	line list items
155747	56.55	Chrome	eco-performance handshower handheld shower
155747BN	82.05	Brushed Nickel	eco-performance handshower handheld shower
155747ORB	90.25	Oil Rubbed Bronze	eco-performance handshower handheld shower
155759	7.80	N/A or Unfinished	Screw kit
155890	112.50	Chrome	Handheld shower
155890BN	167.25	Brushed Nickel	Handheld shower
155890ORB	183.90	Oil Rubbed Bronze	Handheld shower
155891	64.95	Chrome	Handheld shower
155891BN	94.25	Brushed Nickel	Handheld shower
156723	14.95	Chrome	Handle kit
156723P	46.15	Polished Brass	Handle kit
156724	43.20	Chrome	Handle kit
156724BC	51.85	Brushed Chrome	Handle kit
156781	60.95	Chrome	Spout hub kit
156781CSL	86.75	Classic Stainless	Spout kit
156781ORB	97.05	Oil Rubbed Bronze	Spout hub kit
156782	27.35	N/A or Unfinished	Hardware kit
156815	119.75	Chrome	Showerhead kit
157131	27.25	Chrome	Shower escutcheon
157131BC	47.50	Brushed Chrome	Shower escutcheon
157131P	42.45	Polished Brass	Shower escutcheon
157276	56.55	Chrome	eco-performance handshower handheld shower
157276BN	82.05	Brushed Nickel	eco-performance handshower handheld shower
157276ORB	90.25	Oil Rubbed Bronze	eco-performance handshower handheld shower
157328	40.45	Chrome	Escutcheon & gasket kit
157328ORB	51.20	Oil Rubbed Bronze	Deck plate
157328SRS	46.55	Spot Resist Stainless	Spout kit
158080	13.80	Chrome	Escutcheon
158080BN	16.25	Brushed Nickel	Escutcheon
158197	78.75	Chrome	Spout kit

Moen Genuine Parts

Listed in numerical order

SUGGESTED LIST PRICES

Part Number	List Price	Finish	Description
158197CSL	107.85	Classic Stainless	Spout kit
158198CSL	95.30	Classic Stainless	Spout kit
158492	23.95	Chrome	Handle kit
158492BN	34.45	Brushed Nickel	Handle kit
158493	21.75	Chrome	Handle kit
158493BN	26.60	Brushed Nickel	Handle kit
158494	27.95	Chrome	Handle kit
158494BN	38.55	Brushed Nickel	Handle kit
158495	32.00	Chrome	Handle kit
158495BN	45.50	Brushed Nickel	Handle kit
158532ORB	11.25	Chrome	Dome
158550	4.45	N/A or Unfinished	Check valve kit
159014	37.75	Chrome	Escutcheon
159014BN	49.75	Brushed Nickel	Escutcheon
159018	67.80	Chrome	Handle kit
159018BN	91.70	Brushed Nickel	Handle kit
159018ORB	102.65	Oil Rubbed Bronze	Handle kit
159019	67.75	Chrome	Handle kit
159019BN	88.60	Brushed Nickel	Handle kit
159020	68.15	Chrome	Handle kit
159020BN	92.90	Brushed Nickel	Handle kit
159022	60.10	Chrome	Escutcheon
159022BN	82.40	Brushed Nickel	Escutcheon
159022ORB	79.85	Oil Rubbed Bronze	Escutcheon
159023	56.85	Chrome	Escutcheon
159023BN	77.25	Brushed Nickel	Escutcheon
159024	67.55	Chrome	Handle kit
159024BN	91.20	Brushed Nickel	Handle kit
159028	68.45	Chrome	Handle kit
159028BN	90.20	Brushed Nickel	Handle kit
159029	68.50	Chrome	Handle kit
159029BN	93.30	Brushed Nickel	Handle kit
159029ORB	99.90	Oil Rubbed Bronze	Handle kit
159060	17.70	N/A or Unfinished	Hose guide
159107	33.10	Chrome	Handle kit
159107BN	48.40	Brushed Nickel	Handle kit
159107P	53.15	Polished Brass	Handle kit
159264	32.40	Chrome	Escutcheon
159264BN	40.55	Brushed Nickel	Escutcheon
159266	33.60	Chrome	Handle kit
159266BN	49.20	Brushed Nickel	Handle kit
159558CSL	68.25	Classic Stainless	Spout kit
159559	12.60	N/A or Unfinished	Hose weight
159560	32.00	N/A or Unfinished	Hose kit
159561	50.90	Chrome	Wand kit
159561BL	50.20	Matte Black	Wand kit
159561ORB	97.95	Matte Black	Wand kit
159561SRS	59.45	Spot Resist Stainless	Wand kit
159563	55.40	Chrome	Wand kit
159563ORB	79.30	Oil Rubbed Bronze	Wand kit
159576	6.40	N/A or Unfinished	Gasket
159581	32.80	N/A or Unfinished	Hose kit
159582	16.15	N/A or Unfinished	Hose kit
160042	87.00	Chrome	eco-performance handshower handheld shower
160042BN	126.20	Brushed Nickel	eco-performance handshower handheld shower
160042ORB	138.80	Oil Rubbed Bronze	eco-performance handshower handheld shower
160659	8.80	Chrome	Dome kit
160659BN	9.40	Chrome	Dome kit

Part Number	List Price	Finish	Description
160659NL	11.50	Polished Nickel	Dome kit
160659ORB	10.20	Chrome	Dome kit
160659SRS	10.60	Spot Resist Stainless	Dome kit
160660	8.80	Chrome	Cartridge nut
160660BL	13.85	Matte Black	Dome
160660BN	9.40	Brushed Nickel	Cartridge nut
160660ORB	10.20	Oil Rubbed Bronze	Cartridge nut
160660SRS	14.35	Spot Resist Stainless	Dome
160997SRS	27.35	Spot Resist Stainless	Aerator
160998SRS	48.60	Spot Resist Stainless	Wand kit
160999SRS	18.95	Spot Resist Stainless	Aerator
161143	51.85	Chrome	Wand kit
161143BL	49.60	Matte Black	Wand kit
161143SRS	53.85	Spot Resist Stainless	Wand kit
161143V	37.90	Ivory	Wand kit
161143WG	49.60	Glacier	Wand kit
161144	46.05	Chrome	Wand kit
161144ORB	75.15	Oil Rubbed Bronze	Wand kit
161144SRS	68.25	Spot Resist Stainless	Wand kit
161145	28.80	Chrome	Wand kit
161145CSL	38.90	Chrome	Wand kit
161145ORB	42.00	Oil Rubbed Bronze	Wand kit
161146	73.50	Chrome	Wand kit
161146CSL	67.75	Classic Stainless	Wand kit
161147	83.85	Chrome	Wand kit
161147ORB	147.15	Chrome	Wand kit
161147W	121.75	Glacier	Wand kit
161148	57.40	Chrome	Wand kit
161148CSL	65.85	Classic Stainless	Wand kit
161149	84.40	Chrome	Wand kit
161149ORB	109.85	Oil Rubbed Bronze	Wand kit
161149SRS	101.10	Spot Resist Stainless	Wand kit
161150	77.50	Chrome	Wand kit
161150BL	76.40	Black	Wand kit
161150CSL	93.70	Classic Stainless	Wand kit
161150ORB	96.30	Oil Rubbed Bronze	Wand kit
161151	62.25	Chrome	Wand kit
161151CSL	83.95	Classic Stainless	Wand kit
161152	58.30	Chrome	Wand kit
161152CSL	110.20	Classic Stainless	Wand kit
161152SRS	106.40	Spot Resist Stainless	Wand kit
161153	34.90	Chrome	Wand kit
161153CSL	48.70	Classic Stainless	Wand kit
161153ORB	53.55	Oil Rubbed Bronze	Wand kit
161153SRS	47.05	Spot Resist Stainless	Wand kit
161154	64.80	Chrome	Wand kit
161154SRS	112.70	Spot Resist Stainless	Wand kit
161156	50.10	Chrome	Wand kit
161156ORB	62.20	Oil Rubbed Bronze	Wand kit
161156SRS	59.50	Spot Resist Stainless	Wand kit
161157	42.90	Chrome	Wand kit
161157ORB	80.75	Oil Rubbed Bronze	Wand kit
161157SRS	52.15	Spot Resist Stainless	Wand kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
161756	23.15	N/A or Unfinished	Mounting kit
161757	7.00	N/A or Unfinished	Cartridge nut
161758	24.60	N/A or Unfinished	Stem extension kit
161759	5.00	N/A or Unfinished	Plaster ground
161760	6.05	N/A or Unfinished	Mounting kit
161761	35.15	N/A or Unfinished	Shank kit
161762	22.65	N/A or Unfinished	Mounting kit
161771	8.70	N/A or Unfinished	Mounting kit
161772	32.70	N/A or Unfinished	Diverter kit
161773	18.80	N/A or Unfinished	installation tool
161774	9.20	N/A or Unfinished	Handle adapter kit
161909	26.60	Chrome	Handle kit
161909BN	36.35	Brushed Nickel	Handle kit
161909ORB	41.00	Oil Rubbed Bronze	Handle kit
161917	14.20	Chrome	Lift rod kit
161917BN	17.25	Brushed Nickel	Lift rod kit
161917ORB	17.55	Oil Rubbed Bronze	Lift rod kit
161919	21.05	Chrome	Deck plate
161919BN	29.80	Brushed Nickel	Deck plate
161919ORB	37.45	Oil Rubbed Bronze	Deck plate
161942	56.00	Chrome	Handle kit
161942BN	76.45	Brushed Nickel	Handle kit
161942ORB	87.15	Oil Rubbed Bronze	Handle kit
161944	130.45	Chrome	Spout kit
161944BN	172.85	Brushed Nickel	Spout kit
161944ORB	198.10	Oil Rubbed Bronze	Spout kit
161945	37.55	Chrome	Handle screw
161945BN	46.25	Brushed Nickel	Handle kit
161945ORB	61.75	Oil Rubbed Bronze	Handle kit
161947	277.45	Chrome	Roman tub spout kit
161947BN	376.60	Brushed Nickel	Spout kit
161947ORB	356.05	Oil Rubbed Bronze	Spout kit
161949	303.15	Chrome	Roman tub spout kit
161949BN	398.25	Brushed Nickel	Spout kit
161949ORB	383.75	Oil Rubbed Bronze	Spout kit
161950	14.95	Chrome	Lift rod kit
161950BN	18.40	Brushed Nickel	Lift rod kit
161950ORB	19.00	Brushed Nickel	Lift rod kit
161951	86.25	Chrome	line list items
161951BN	116.65	Brushed Nickel	line list items
161951ORB	128.35	Oil Rubbed Bronze	line list items
161952	43.30	Chrome	Shower escutcheon
161952BN	79.35	Brushed Nickel	Shower escutcheon
161952ORB	62.25	Oil Rubbed Bronze	Shower escutcheon
161953	32.40	Chrome	Shower escutcheon
161953BN	68.20	Brushed Nickel	Shower escutcheon
161953ORB	47.15	Oil Rubbed Bronze	Shower escutcheon
161954	39.80	Chrome	Handle kit
161954BN	53.15	Brushed Nickel	Handle kit
161954ORB	57.45	Oil Rubbed Bronze	Handle kit
161955	67.90	Chrome	line list items
161955BN	105.30	Brushed Nickel	line list items
161955ORB	115.90	Oil Rubbed Bronze	line list items
161956	5.95	Chrome	Hot/cold indicator kit
162105	10.35	N/A or Unfinished	Handle cap kit
162154	26.10	N/A or Unfinished	Cartridge
162378	9.35	N/A or Unfinished	Check valve kit
162379	9.35	N/A or Unfinished	Check valve kit
163053	175.55	Chrome	Spout kit
163053BN	224.90	Brushed Nickel	Spout kit
163053ORB	261.30	Oil Rubbed Bronze	Spout kit
163138	37.55	Chrome	Handle kit
163138BN	46.25	Brushed Nickel	Handle kit

Part Number	List Price	Finish	Description
163138ORB	61.75	Oil Rubbed Bronze	Handle kit
163153	26.75	Chrome	Escutcheon
163153BN	32.45	Brushed Nickel	Escutcheon
163153ORB	39.25	Oil Rubbed Bronze	Escutcheon
163244	55.95	Chrome	Wand kit
163244SRS	64.15	Spot Resist Stainless	Wand kit
163245	161.40	Chrome	Spout kit
163245SRS	195.50	Spot Resist Stainless	Spout kit
163246	52.40	Chrome	Wand kit
163246CSL	64.40	Classic Stainless	Wand kit
163246SRS	64.40	Spot Resist Stainless	Wand kit
163247	52.90	Chrome	Spout receptor kit
163248	56.00	Chrome	Wand kit
163248CSL	64.85	Classic Stainless	Wand kit
163248ORB	114.80	Oil Rubbed Bronze	Wand kit
163248SRS	64.85	Spot Resist Stainless	Wand kit
163248W	49.60	Wrought Iron	Wand kit
163249	73.90	Chrome	Spout receptor kit
163249ORB	99.40	Oil Rubbed Bronze	Spout receptor kit
163249SRS	109.25	Spot Resist Stainless	Spout receptor kit
163249W	108.75	Wrought Iron	Spout receptor kit
163250	66.90	Chrome	Spout kit
163250BL	80.10	Black	Spout kit
163250SRS	88.95	Spot Resist Stainless	Spout kit
163709	339.70	Chrome	Spout kit
163709ORB	376.10	Oil Rubbed Bronze	Spout kit
163710	6.00	N/A or Unfinished	Hose guide
163711	11.60	N/A or Unfinished	Battery kit
163712	43.30	N/A or Unfinished	AC Adapter for MotionSense
163714	189.05	N/A or Unfinished	Electronic module bracket kit
163716	12.00	N/A or Unfinished	Hose kit
163717	12.10	N/A or Unfinished	Filter manifold kit
163718	24.30	N/A or Unfinished	Hose kit
163792	3.40	Chrome	Cap
163792BN	5.60	Brushed Nickel	Cap
163792ORB	6.20	Oil Rubbed Bronze	Cap
163793	4.10	N/A or Unfinished	Hardware kit
163795	48.90	Chrome	Wand kit
163795ORB	85.50	Oil Rubbed Bronze	Wand kit
163795SRS	56.00	Spot Resist Stainless	Wand kit
163847	9.85	N/A or Unfinished	Aerator
163949	3.75	Chrome	Plug button kit
163949BN	3.85	Brushed Nickel	Plug button kit
163949ORB	4.10	Oil Rubbed Bronze	Plug button kit
164486	11.40	Chrome	Hose guide
164486NL	26.00	Polished Nickel	Hose guide
164486ORB	54.15	Oil Rubbed Bronze	Hose guide
164486SRS	15.35	Spot Resist Stainless	Hose guide
164487	23.85	Chrome	Handle kit
164487NL	31.55	Polished Nickel	Handle kit
164487ORB	37.25	Oil Rubbed Bronze	Handle kit
164487SRS	31.95	Spot Resist Stainless	Handle kit
164488	38.05	Chrome	Aerator kit
164488NL	40.50	Polished Nickel	Aerator kit
164488ORB	46.15	Oil Rubbed Bronze	Aerator kit

Moen Genuine Parts

Listed in numerical order

SUGGESTED LIST PRICES

Part Number	List Price	Finish	Description
164488SRS	40.50	Spot Resist Stainless	Aerator kit
164745	10.30	Chrome	shower arm flange
164745BN	15.05	Brushed Nickel	shower arm flange
164745ORB	19.55	Oil Rubbed Bronze	shower arm flange
164927	65.90	Chrome	eco-performance handshower handheld shower
164927BN	95.45	Brushed Nickel	eco-performance handshower handheld shower
164927ORB	107.70	Oil Rubbed Bronze	eco-performance handshower handheld shower
164928	65.90	Chrome	eco-performance handshower handheld shower
164928BN	95.45	Brushed Nickel	eco-performance handshower handheld shower
164928ORB	107.70	Oil Rubbed Bronze	eco-performance handshower handheld shower
164929	55.20	Chrome	eco-performance handshower handheld shower
164929BN	80.05	Brushed Nickel	eco-performance handshower handheld shower
164929ORB	90.25	Oil Rubbed Bronze	eco-performance handshower handheld shower
165212	56.55	Chrome	eco-performance handshower handheld shower
165212BN	82.05	Brushed Nickel	eco-performance handshower handheld shower
165903	21.85	Chrome	Handle kit
165903BN	28.90	Brushed Nickel	Handle kit
165904	24.60	Chrome	Handle kit
165904BN	31.70	Brushed Nickel	Handle kit
165905	47.20	Chrome	Handle kit
165905BN	64.90	Brushed Nickel	Handle kit
165906	240.80	Chrome	Spout kit
165906BN	311.95	Brushed Nickel	Spout kit
165907	5.10	N/A or Unfinished	Hot/cold indicator kit
165908	216.10	Chrome	Spout kit
165908BN	299.35	Brushed Nickel	Spout kit
165909	369.90	Chrome	Diverter tub spout
165909BN	421.40	Brushed Nickel	Diverter tub spout
165910	49.20	Chrome	Lift rod kit
165910BN	68.00	Brushed Nickel	Lift rod kit
165911	76.50	Chrome	Shower escutcheon
165911BN	115.20	Brushed Nickel	Shower escutcheon
165912	43.20	Chrome	Handle escutcheon
165912BN	60.45	Brushed Nickel	Handle escutcheon
165913	32.40	Chrome	Handle kit
165913BN	44.35	Brushed Nickel	Handle kit
165914	129.35	Chrome	Diverter tub spout
165914BN	219.35	Brushed Nickel	Diverter tub spout
165916	63.95	Chrome	Handle kit
165916BN	88.80	Brushed Nickel	Handle kit
165917	63.60	Chrome	Handle kit
165917BN	88.20	Brushed Nickel	Handle kit
165998	25.35	Chrome	Spout cap
165998NL	20.00	Chrome	Spout cap
165998ORB	31.85	Chrome	Spout cap

Part Number	List Price	Finish	Description
165998SRS	31.85	Chrome	Spout cap
168492	84.65	Chrome	Wand kit
168492SRS	122.70	Spot Resist Stainless	Wand kit
168493	94.35	Chrome	Spout kit
168493BRB	146.65	Mediterranean Bronze	Spout kit
168493MSRS	119.45	Spot Resist Stainless Microban	Spout kit
168493ORB	146.65	Oil Rubbed Bronze	Spout kit
168493SRS	136.80	Spot Resist Stainless	Spout kit
168494	22.10	Chrome	Handle kit
168494SRS	32.05	Spot Resist Stainless	Handle kit
168495	136.30	Chrome	Spout kit
168495SRS	197.60	Spot Resist Stainless	Spout kit
168496	29.90	Chrome	Hose & spray
168496SRS	43.35	Spot Resist Stainless	Hose & spray
168497	87.80	Chrome	Spout kit
168497SRS	127.20	Spot Resist Stainless	Spout kit
168498	5.15	N/A or Unfinished	Gasket
168499	7.55	Chrome	Aerator
168500	84.60	Chrome	Wand kit
168501	146.55	Chrome	Pullout spout
168501BL	205.20	Matte Black	Pullout spout
168501SRS	212.50	Spot Resist Stainless	Pullout spout
168502	25.85	Chrome	Handle kit
168502BL	36.20	Matte Black	Handle kit
168502SRS	37.45	Spot Resist Stainless	Handle kit
168503	131.50	Chrome	Spout kit
168503BL	184.15	Matte Black	Spout kit
168503SRS	190.75	Spot Resist Stainless	Spout kit
168504	5.15	N/A or Unfinished	Gasket
168665	25.75	N/A or Unfinished	Adapter kit
168666	16.40	N/A or Unfinished	Side_spray_kit
168682	225.00	Chrome	Spout kit
168682BN	276.80	Brushed Nickel	Spout kit
168683	65.85	Chrome	Shower escutcheon
168683BN	99.10	Brushed Nickel	Shower escutcheon
168809	7.60	N/A or Unfinished	Mounting kit
168994	7.20	N/A or Unfinished	O-ring kit
169031	125.00	N/A or Unfinished	Adapter kit
169032	215.00	N/A or Unfinished	MotionSense reprogramming kit
169245ORB	10.95	Oil Rubbed Bronze	Dome kit
169507	14.60	Chrome	Extension kit
169752	65.20	Chrome	Shower escutcheon
170145	316.90	Chrome	Spout kit
170145CSL	163.85	Classic Stainless	Spout kit
170145ORB	424.60	Oil Rubbed Bronze	Spout kit
170145SRS	396.50	Spot Resist Stainless	Spout kit
170206	5.85	N/A or Unfinished	Bearing washer kit
170926	43.55	Black	Hose & spray
170926BL	47.70	Matte Black	Hose & spray
170926C	44.95	Chrome	Hose & spray
170926P	99.40	Polished Brass	Hose & spray
170926S	72.40	Sand	Hose & spray
170926SL	80.00	Stainless	Hose & spray

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
170926V	72.40	Ivory	Hose & spray
170926W	38.30	Glacier	Hose & spray
171325	7.75	Black	Service kit
172654	34.05	Chrome	Handle kit
172654BN	42.15	Brushed Nickel	Handle kit
172655	31.75	Chrome	Escutcheon
172655BN	39.35	Brushed Nickel	Escutcheon
172656	64.40	Chrome	line list items
172656BN	102.10	Brushed Nickel	Spout kit
172657	64.40	Chrome	line list items
172657BN	102.10	Brushed Nickel	Spout kit
172658	37.95	Chrome	Lift rod kit
172658BN	54.05	Brushed Nickel	Lift rod kit
172659	231.65	Chrome	Spout kit
172659BN	313.15	Brushed Nickel	Spout kit
172660	227.70	Chrome	Spout kit
172660BN	315.05	Brushed Nickel	Spout kit
172661	33.85	Chrome	Lift rod kit
172661BN	47.95	Brushed Nickel	Lift rod kit
172662	19.30	Chrome	Spout kit
172662BN	26.65	Brushed Nickel	Spout kit
172663	44.65	Chrome	Handle kit
172663BN	61.70	Brushed Nickel	Handle kit
172664	24.95	Chrome	Handle kit
172664BN	29.90	Brushed Nickel	Handle kit
172665	27.40	Chrome	Handle kit
172665BN	32.25	Brushed Nickel	Handle kit
172666	15.20	Chrome	Escutcheon
172666BN	18.90	Brushed Nickel	Escutcheon
172667	9.95	Chrome	Lift rod kit
172667BN	12.80	Brushed Nickel	Lift rod kit
172668	11.10	Chrome	Escutcheon
172668BN	13.60	Brushed Nickel	Escutcheon
172669	47.45	Chrome	Escutcheon
172669BN	62.65	Brushed Nickel	Escutcheon
173488BL	11.65	Black	Knob kit (soap dispenser cap)
173490	15.55	N/A or Unfinished	Liquid dispenser bottle
173714	167.65	N/A or Unfinished	Electronic module bracket kit
173717	28.45	N/A or Unfinished	Filter manifold kit
173720	2.95	N/A or Unfinished	Check valve kit
173981	95.95	Chrome	Spout kit
173981CSL	147.45	Classic Stainless	Spout kit
173981ORB	125.80	Oil Rubbed Bronze	Spout kit
173981SRS	116.10	Spot Resist Stainless	Spout kit
173987	21.85	Chrome	Handle kit
173987SRS	28.30	Spot Resist Stainless	Handle kit
173988	73.35	Chrome	Wand kit
173988SRS	89.40	Spot Resist Stainless	Wand kit
173989	97.05	Chrome	Spout receptor kit
173989SRS	128.65	Spot Resist Stainless	Spout receptor kit
174290	18.70	N/A or Unfinished	Extension kit
174291	37.55	N/A or Unfinished	Valve body
174292	37.55	N/A or Unfinished	Valve body
174329	8.30	N/A or Unfinished	Handle adapter kit
174333	41.45	Chrome	Shower escutcheon
174333BN	59.45	Brushed Nickel	Shower escutcheon
174818	20.45	Chrome	Spout kit
174836	4.30	N/A or Unfinished	Diverter kit

Part Number	List Price	Finish	Description
174948MBRB	111.00	Mediterranean Bronze Microban	Spout kit
175083	6.55	N/A or Unfinished	Aerator
175084	6.55	N/A or Unfinished	Aerator
175376	33.45	Chrome	Handle kit
175376BN	46.80	Brushed Nickel	Handle kit
175376NL	46.80	Polished Nickel	Handle kit
175376ORB	51.55	Oil Rubbed Bronze	Handle kit
175377	44.05	Chrome	Escutcheon
175377BN	61.75	Brushed Nickel	Escutcheon
175377NL	61.75	Polished Nickel	Escutcheon
175377ORB	67.90	Oil Rubbed Bronze	Escutcheon
175378	30.30	Chrome	Lift rod kit
175378BN	42.40	Brushed Nickel	Lift rod kit
175378NL	42.40	Polished Nickel	Lift rod kit
175378ORB	46.65	Oil Rubbed Bronze	Lift rod kit
175379	43.45	Chrome	Handle kit
175379BN	60.80	Brushed Nickel	Handle kit
175379NL	60.80	Polished Nickel	Handle kit
175379ORB	66.85	Oil Rubbed Bronze	Handle kit
175380	55.25	Chrome	Handle kit
175380BN	77.35	Brushed Nickel	Handle kit
175380NL	77.35	Polished Nickel	Handle kit
175380ORB	85.15	Oil Rubbed Bronze	Handle kit
175381	142.60	Chrome	Spout kit
175381BN	199.60	Brushed Nickel	Spout kit
175381NL	199.60	Polished Nickel	Spout kit
175381ORB	219.55	Oil Rubbed Bronze	Handle kit
175382	274.35	Chrome	Spout kit
175382BN	384.10	Brushed Nickel	Spout kit
175382NL	384.10	Polished Nickel	Spout kit
175382ORB	422.55	Oil Rubbed Bronze	Spout kit
175383	44.05	Chrome	Escutcheon
175383BN	61.70	Brushed Nickel	Escutcheon
175383NL	61.70	Polished Nickel	Escutcheon
175383ORB	67.90	Oil Rubbed Bronze	Escutcheon
175385	67.60	Chrome	Spout kit
175385BN	104.85	Brushed Nickel	Spout kit
175385NL	104.85	Polished Nickel	Spout kit
175385ORB	115.25	Oil Rubbed Bronze	Spout kit
175386	28.35	Chrome	Escutcheon
175386BN	39.70	Brushed Nickel	Escutcheon
175386NL	39.70	Polished Nickel	Escutcheon
175386ORB	43.65	Oil Rubbed Bronze	Escutcheon
175709	103.85	N/A or Unfinished	Extension kit
175959	27.75	Chrome	Handle kit
175959ORB	40.65	Oil Rubbed Bronze	Handle kit
175959SRS	34.95	Spot Resist Stainless	Handle kit
175960	52.05	Chrome	Wand kit
175960ORB	77.20	Oil Rubbed Bronze	Wand kit
175960SRS	61.50	Spot Resist Stainless	Wand kit
175961	182.65	Chrome	Spout receptor kit
175961ORB	285.70	Oil Rubbed Bronze	Spout receptor kit
175961SRS	234.90	Spot Resist Stainless	Spout receptor kit
175983	141.90	Chrome	Spout kit
175983ORB	213.55	Oil Rubbed Bronze	Spout kit
175983SRS	175.00	Spot Resist Stainless	Spout kit
175984	39.85	Chrome	Wand kit
175984ORB	57.40	Oil Rubbed Bronze	Wand kit
175984SRS	48.85	Spot Resist Stainless	Wand kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
175985	24.20	Chrome	Handle kit
175985ORB	35.05	Oil Rubbed Bronze	Handle kit
175985SRS	30.35	Spot Resist Stainless	Handle kit
175988	131.25	Chrome	Spout kit
175988ORB	203.85	Oil Rubbed Bronze	Spout kit
175988SRS	168.20	Spot Resist Stainless	Spout kit
175989	39.00	Chrome	Wand kit
175989ORB	57.85	Oil Rubbed Bronze	Wand kit
175989SRS	47.90	Spot Resist Stainless	Wand kit
175991	4.05	N/A or Unfinished	Gasket
176015	72.60	Chrome	eco-performance handshower handheld shower
176015BN	105.20	Brushed Nickel	eco-performance handshower handheld shower
176015ORB	115.80	Oil Rubbed Bronze	eco-performance handshower handheld shower
176015P	142.90	Polished Brass	eco-performance handshower handheld shower
176015WR	147.00	Wrought Iron	eco-performance handshower handheld shower
176077	75.10	Chrome	Spout kit
176077BL	96.55	Black	Spout kit
176077BRB	116.80	Mediterranean Bronze	Spout kit
176077MSRS	95.30	Spot Resist Stainless Microban	Spout kit
176077ORB	116.80	Oil Rubbed Bronze	Spout kit
176078	83.40	Chrome	Spout kit
176078BRB	120.35	Mediterranean Bronze	Spout kit
176078ORB	120.35	Oil Rubbed Bronze	Spout kit
176078SRS	91.25	Spot Resist Stainless	Spout kit
176079	80.60	Chrome	Spout kit
176079BL	100.85	Black	Spout kit
176079ORB	122.45	Oil Rubbed Bronze	Spout kit
176079SRS	108.40	Spot Resist Stainless	Spout kit
176080	79.85	Chrome	Spout kit
176080ORB	111.25	Oil Rubbed Bronze	Spout kit
176080SRS	122.05	Spot Resist Stainless	Spout kit
176081	85.80	Chrome	Spout kit
176081BL	110.25	Black	Spout kit
176081SRS	121.10	Spot Resist Stainless	Spout kit
176083	147.70	Chrome	Spout kit
176083ORB	200.80	Oil Rubbed Bronze	Spout kit
176083SRS	190.05	Spot Resist Stainless	Spout kit
176085	46.10	Chrome	Spout kit
176085ORB	64.85	Oil Rubbed Bronze	Spout kit
176085SRS	67.30	Spot Resist Stainless	Spout kit
176086	86.80	Chrome	Spout kit
176086ORB	117.20	Oil Rubbed Bronze	Spout kit
176086SRS	117.15	Spot Resist Stainless	Spout kit
176087	52.85	Chrome	Spout kit
176087BL	59.40	Black	Spout kit

Part Number	List Price	Finish	Description
176087ORB	68.05	Oil Rubbed Bronze	Spout kit
176087SRS	68.25	Spot Resist Stainless	Spout kit
176088	66.90	Chrome	Spout kit
176088SRS	86.85	Spot Resist Stainless	Spout kit
176257	81.80	Chrome	eco-performance handshower handheld shower
176257BN	120.00	Brushed Nickel	eco-performance handshower handheld shower
176260SRS	32.20	Spot Resist Stainless	Handle kit
176261ORB	78.65	Oil Rubbed Bronze	Spout kit
176261SRS	84.50	Spot Resist Stainless	Spout kit
176262	171.50	Chrome	Spout kit
176262SRS	229.50	Spot Resist Stainless	Spout kit
176263	34.90	Chrome	Wand kit
176264SRS	52.20	Spot Resist Stainless	Spout kit
176265	5.80	Chrome	Gasket kit
176633	30.60	Chrome	Diverter kit
176633BN	42.85	Brushed Nickel	Diverter kit
176633NL	42.85	Polished Nickel	Diverter kit
176633ORB	47.10	Oil Rubbed Bronze	Diverter kit
177138	35.10	Chrome	Handle kit
177138BN	49.15	Brushed Nickel	Handle kit
177138ORB	54.10	Oil Rubbed Bronze	Handle kit
177167	34.50	Chrome	Deck plate
177167BN	48.35	Brushed Nickel	Deck plate
177167NL	48.35	Polished Nickel	Deck plate
177167ORB	53.15	Oil Rubbed Bronze	Deck plate
177171	86.25	Chrome	Shower arm
177171BN	116.65	Brushed Nickel	Shower arm
177171NL	116.65	Polished Nickel	Shower arm
177171ORB	128.35	Oil Rubbed Bronze	Shower arm
177565	52.15	N/A or Unfinished	AC Adapter for MotionSense
177566	38.40	N/A or Unfinished	Mounting hardware
177567	14.20	N/A or Unfinished	Battery kit
177568	101.30	N/A or Unfinished	Service kit
177569	192.45	N/A or Unfinished	Service kit
177570	9.95	N/A or Unfinished	Mounting kit
177572	23.30	N/A or Unfinished	Service kit
177573	366.75	Chrome	Spout kit
177573ORB	407.25	Oil Rubbed Bronze	Spout kit
177573SRS	387.55	Spot Resist Stainless	Spout kit
177574	386.90	Chrome	Spout kit
177574ORB	425.45	Oil Rubbed Bronze	Spout kit
177574SRS	408.70	Spot Resist Stainless	Spout kit
177575	350.45	Chrome	Spout kit
177575SRS	372.55	Spot Resist Stainless	Spout kit
177576	402.65	Chrome	Spout kit
177576SRS	446.50	Spot Resist Stainless	Spout kit
177701	35.15	Chrome	Diverter knob kit
177701BN	49.30	Brushed Nickel	Diverter knob kit
177701ORB	54.15	Oil Rubbed Bronze	Diverter knob kit
177702	31.20	Chrome	Escutcheon
177702BN	43.65	Brushed Nickel	Escutcheon
177702ORB	48.00	Oil Rubbed Bronze	Escutcheon

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
177703	241.45	N/A or Unfinished	Valve body
177704	40.70	Chrome	Spray nozzle
177704BN	56.95	Brushed Nickel	Spray nozzle
177704ORB	62.70	Oil Rubbed Bronze	Spray nozzle
177705	54.75	Chrome	Spray nozzle
177706	13.15	N/A or Unfinished	Cartridge nut
178216	29.10	Chrome	Handle kit
178216ORB	41.10	Oil Rubbed Bronze	Handle kit
178216SRS	36.45	Spot Resist Stainless	Handle kit
178217	11.35	Chrome	Handle kit
178217ORB	18.70	Oil Rubbed Bronze	Handle kit
178217SRS	15.95	Spot Resist Stainless	Handle kit
178218	76.50	Chrome	Spout kit
178218ORB	123.90	Oil Rubbed Bronze	Spout kit
178218SRS	138.65	Spot Resist Stainless	Spout kit
178219	32.35	Chrome	Spout hub kit
178219ORB	54.65	Oil Rubbed Bronze	Spout hub kit
178219SRS	41.35	Spot Resist Stainless	Spout hub kit
178231	16.10	Chrome	Spout cap
178231ORB	22.40	Oil Rubbed Bronze	Spout cap
178231SRS	29.50	Spot Resist Stainless	Spout cap
178232	34.45	Chrome	Handle kit
178232ORB	52.90	Oil Rubbed Bronze	Handle kit
178232SRS	44.65	Spot Resist Stainless	Handle kit
178233	69.30	Chrome	Spout hub kit
178233ORB	97.60	Oil Rubbed Bronze	Spout hub kit
178233SRS	88.70	Spot Resist Stainless	Spout hub kit
178234	31.45	Chrome	Escutcheon
178234ORB	48.40	Oil Rubbed Bronze	Escutcheon
178234SRS	39.55	Spot Resist Stainless	Escutcheon
178294	31.60	N/A or Unfinished	Extension kit
178462	32.15	Chrome	Handle kit
178462BN	45.00	Brushed Nickel	Handle kit
178462NL	45.00	Polished Nickel	Handle kit
178462ORB	49.55	Oil Rubbed Bronze	Handle kit
178755	65.20	Chrome	Shower escutcheon
178755BN	94.60	Chrome	Shower escutcheon
178755ORB	100.45	Chrome	Shower escutcheon
178888	167.30	Chrome	Spout kit
178888BN	242.65	Brushed Nickel	Spout kit
178888ORB	266.90	Oil Rubbed Bronze	Spout kit
178890	164.05	Chrome	Spout kit
178890BN	237.90	Brushed Nickel	Spout kit
178890ORB	261.65	Oil Rubbed Bronze	Spout kit
178892	180.50	Chrome	Spout kit
178892BN	261.75	Brushed Nickel	Spout kit
178892ORB	287.95	Oil Rubbed Bronze	Spout kit
178894	220.55	Chrome	Spout kit
178894BN	319.80	Brushed Nickel	Spout kit
178894ORB	351.70	Oil Rubbed Bronze	Spout kit
178896	232.20	Chrome	Spout kit
178896BN	336.65	Brushed Nickel	Spout kit
178896ORB	370.30	Oil Rubbed Bronze	Spout kit
179084	34.45	Chrome	Handle kit
179084ORB	52.90	Oil Rubbed Bronze	Handle kit
179084SRS	44.65	Spot Resist Stainless	Handle kit

Part Number	List Price	Finish	Description
179085	80.35	Chrome	Spout kit
179085ORB	131.65	Oil Rubbed Bronze	Spout kit
179085SRS	151.25	Spot Resist Stainless	Spout kit
179086	44.60	Chrome	Side_spray_kit
179086ORB	60.80	Oil Rubbed Bronze	Side_spray_kit
179086SRS	51.60	Spot Resist Stainless	Side_spray_kit
179353	13.35	Chrome	Aerator
179353ORB	20.80	Oil Rubbed Bronze	Aerator
179353SRS	16.80	Spot Resist Stainless	Aerator
179354	177.30	Chrome	Lift rod kit
179354BN	248.20	Brushed Nickel	Lift rod kit
179354NL	248.20	Polished Nickel	Lift rod kit
179354ORB	273.05	Oil Rubbed Bronze	Lift rod kit
179635	347.85	Chrome	Spout kit
179635ORB	383.20	Oil Rubbed Bronze	Spout kit
179635SRS	369.60	Spot Resist Stainless	Spout kit
179639	12.50	N/A or Unfinished	Filter
179640	24.75	N/A or Unfinished	O-ring kit
179645	43.50	Chrome	Wand kit
179645ORB	76.45	Oil Rubbed Bronze	Wand kit
179645SRS	52.50	Spot Resist Stainless	Wand kit
179655	29.00	Chrome	Handle kit
179655ORB	40.10	Oil Rubbed Bronze	Handle kit
179655SRS	37.85	Spot Resist Stainless	Handle kit
179656	42.80	Chrome	Wand kit
179656ORB	59.05	Oil Rubbed Bronze	Wand kit
179656SRS	55.65	Spot Resist Stainless	Wand kit
179657	130.75	Chrome	Spout receptor kit
179657ORB	170.05	Oil Rubbed Bronze	Spout receptor kit
179657SRS	180.45	Spot Resist Stainless	Spout receptor kit
179781	14.25	Chrome	Lift rod kit
179781BN	18.75	Brushed Nickel	Lift rod kit
179782	42.20	Chrome	Handle kit
179782BN	48.60	Brushed Nickel	Handle kit
179783	20.00	N/A or Unfinished	Gasket
179784	53.95	Chrome	Handle kit
179784BN	64.65	Brushed Nickel	Handle kit
179785	209.65	Chrome	Roman tub spout kit
179785BN	247.95	Brushed Nickel	Roman tub spout kit
179786	34.65	Chrome	Lift rod kit
179786BN	36.90	Brushed Nickel	Lift rod kit
179787	125.05	Chrome	Spout kit
179787BN	166.10	Brushed Nickel	Spout kit
179790	27.85	Chrome	Escutcheon
179790BN	46.50	Brushed Nickel	Escutcheon
179792	46.80	Chrome	Handle kit
179792BN	54.95	Brushed Nickel	Handle kit
179793	19.45	Chrome	Hose guide
179793ORB	22.80	Oil Rubbed Bronze	Hose guide
179793SRS	26.90	Spot Resist Stainless	Hose guide
179830	31.35	Chrome	Handle kit
179831	199.85	Chrome	Spout kit
179832	10.70	Chrome	Handle adapter kit
179833	11.65	Chrome	Escutcheon
179834	13.05	Chrome	Shower arm flange
179836	37.45	Chrome	Escutcheon & gasket kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
179837	29.60	Chrome	Handle kit
179877	7.65	N/A or Unfinished	O-ring kit
179878	4.75	N/A or Unfinished	Gasket
179879	16.75	N/A or Unfinished	Waterway
180059	79.10	N/A or Unfinished	O-ring kit
180073	36.25	Chrome	Diverter rod kit
180073BN	50.75	Brushed Nickel	Diverter rod kit
180073NL	50.75	Polished Nickel	Diverter rod kit
180073ORB	55.85	Oil Rubbed Bronze	Diverter rod kit
180158	8.80	N/A or Unfinished	Aerator kit
180238	46.15	Chrome	eco-performance handshower handheld shower
180823	4.95	N/A or Unfinished	Washer
181500	29.85	Chrome	Escutcheon
181500BN	40.35	Brushed Nickel	Escutcheon
181500NL	40.35	Polished Nickel	Escutcheon
181500ORB	44.35	Oil Rubbed Bronze	Escutcheon
181500WR	44.35	Wrought Iron	Escutcheon
181502	25.60	Chrome	Escutcheon
181502BN	34.55	Brushed Nickel	Escutcheon
181502ORB	38.05	Oil Rubbed Bronze	Escutcheon
181600	71.45	Chrome	Handle kit
181600BN	96.40	Brushed Nickel	Handle kit
181602	36.35	Chrome	Handle kit
181602BN	49.05	Brushed Nickel	Handle kit
181602NL	49.05	Polished Nickel	Handle kit
181602ORB	54.00	Oil Rubbed Bronze	Handle kit
181603	81.35	Chrome	Handle kit
181603BN	109.85	Brushed Nickel	Handle kit
181603NL	109.85	Polished Nickel	Handle kit
181603ORB	120.80	Oil Rubbed Bronze	Handle kit
181603WR	120.80	Wrought Iron	Handle kit
182074	353.20	Chrome	Roman tub spout kit
182074BN	494.45	Brushed Nickel	Roman tub spout kit
182074NL	494.45	Polished Nickel	Roman tub spout kit
182074ORB	543.85	Oil Rubbed Bronze	Roman tub spout kit
190102	38.40	Chrome	Hot handle kit
190102BN	53.80	Brushed Nickel	Hot handle kit
190102ORB	59.20	Oil Rubbed Bronze	Hot handle kit
190112	32.00	Chrome	Lift rod kit
190112BN	44.80	Brushed Nickel	Lift rod kit
190112ORB	49.30	Oil Rubbed Bronze	Lift rod kit
190202	45.20	Chrome	Handle kit
190202BN	63.30	Brushed Nickel	Handle kit
190202ORB	69.60	Oil Rubbed Bronze	Handle kit
190322	249.00	Chrome	Roman tub spout kit
190322BN	348.60	Brushed Nickel	Roman tub spout kit
190322ORB	383.50	Oil Rubbed Bronze	Roman tub spout kit
190444	24.90	Chrome	Escutcheon
190444BN	34.90	Brushed Nickel	Escutcheon
190444ORB	38.40	Oil Rubbed Bronze	Escutcheon
190503	49.40	Chrome	Handle kit
190503BN	69.20	Brushed Nickel	Handle kit
190503ORB	76.10	Oil Rubbed Bronze	Handle kit
197000	3.80	N/A or Unfinished	Screw kit
197001	29.55	N/A or Unfinished	Shank kit
197002	17.75	N/A or Unfinished	Stem extension kit
197003	18.65	N/A or Unfinished	Handle adapter kit
197004	14.40	N/A or Unfinished	Stem extension kit
200001	363.55	Chrome	Roman tub spout kit
200001BN	447.15	Brushed Nickel	Roman tub spout kit
200006	26.75	N/A or Unfinished	Bracket
200007	10.55	N/A or Unfinished	Mounting hardware

Part Number	List Price	Finish	Description
200008	68.00	N/A or Unfinished	Mounting plate
200009	55.50	N/A or Unfinished	Mounting plate
200010	99.75	N/A or Unfinished	Bracket extension
200011	80.80	N/A or Unfinished	Bracket extension
200012	24.70	N/A or Unfinished	Riser cover
200013	21.65	N/A or Unfinished	Riser cover
216711	6.55	N/A or Unfinished	Flow restrictor kit
216721	6.55	N/A or Unfinished	Flow restrictor kit
221641	68.75	Chrome	Handle kit
221641BN	96.00	Brushed Nickel	Handle kit
221641NL	105.65	Polished Nickel	Handle kit
221641ORB	105.65	Oil Rubbed Bronze	Handle kit
221642	68.75	Chrome	Handle kit
221642BN	99.70	Brushed Nickel	Handle kit
221642NL	105.90	Polished Nickel	Handle kit
221642ORB	105.90	Oil Rubbed Bronze	Handle kit
221672	21.50	Chrome	handle cap
221672BN	28.60	Brushed Nickel	handle cap
221672NL	28.60	Polished Nickel	handle cap
221672ORB	31.55	Oil Rubbed Bronze	handle cap
221673	14.60	Chrome	Handle cap kit
221673BN	19.45	Brushed Nickel	Handle cap kit
221673NL	19.45	Polished Nickel	Handle cap kit
221673ORB	21.45	Oil Rubbed Bronze	Handle cap kit
221772	13.80	Chrome	Handle cap kit
221772BN	18.35	Brushed Nickel	Handle cap kit
222307	20.95	Stainless	Easy clean drain assembly
222900	8.15	Chrome	Plug button kit
222900SL	9.75	Stainless	Plug button kit
222900WR	10.20	Wrought Iron	Plug button kit
226651	39.70	Chrome	12" straight shower arm
226651AZ	84.75	Antique Bronze	12" straight shower arm
226651BN	77.10	Brushed Nickel	12" straight shower arm
226651NL	77.10	Polished Nickel	12" straight shower arm
226651ORB	84.75	Oil Rubbed Bronze	12" straight shower arm
226651WR	84.75	Wrought Iron	12" straight shower arm
252000		Chrome	Handle kit
252000BN		Brushed Nickel	Handle kit
252001	29.75	Chrome	Handle kit
252001BN	38.55	Brushed Nickel	Handle kit
252002	28.70	Chrome	Handshower cradle
252002BN	38.55	Brushed Nickel	Handshower cradle
252004	35.35	Chrome	Diverter knob kit
252004BN	43.50	Brushed Nickel	Diverter knob kit
252005	21.70	N/A or Unfinished	Cartridge
252006	40.95	N/A or Unfinished	Cartridge sleeve
252006BN	50.60	Brushed Nickel	Cartridge sleeve
252007	43.50	N/A or Unfinished	Cartridge nut
252008	145.95	N/A or Unfinished	Bracket
252009	189.70	N/A or Unfinished	Manifold
252010	117.05	Chrome	Diverter kit
252010BN	144.15	Chrome	Diverter kit
259416	121.10	Chrome	Service kit
259416BN	152.85	Brushed Nickel	Service kit
259417	49.10	N/A or Unfinished	Screw kit
259418	38.15	N/A or Unfinished	Screw kit
259420	8.00	N/A or Unfinished	Screw kit
259421	157.35	N/A or Unfinished	Mounting kit
259422	158.80	N/A or Unfinished	Mounting kit
259423	222.30	Chrome	Service kit
259423BN	280.95	Brushed Nickel	Service kit
259424	4.80	N/A or Unfinished	O-ring kit
262000	101.35	Chrome	Handle kit

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
262000BN	122.90	Brushed Nickel	Handle kit
262001	31.25	Chrome	Handle kit
262001BN	48.30	Brushed Nickel	Handle kit
262002	46.80	Chrome	Handle hub
262002BN	58.00	Brushed Nickel	Handle hub
262003	71.85	N/A or Unfinished	Handle adapter kit
262004	50.60	Chrome	Escutcheon
262004BN	60.70	Brushed Nickel	Escutcheon
262005	252.75	Chrome	Handshower cradle
262005BN	315.55	Brushed Nickel	Handshower cradle
262006	28.30	Chrome	Escutcheon
262006BN	39.65	Brushed Nickel	Escutcheon
262007	136.95	N/A or Unfinished	Manifold
262008	121.25	N/A or Unfinished	Bracket
262955	89.40	N/A or Unfinished	Shank kit
316711	6.55	N/A or Unfinished	Flow restrictor kit
316721	9.85	N/A or Unfinished	Aerator
344111	16.80	Chrome	Soap/lotion dispensers
344112	71.25	Chrome	soap/lotion dispensers
344112BC	78.45	Brushed Chrome	soap/lotion dispensers
344112BL	78.45	Matte Black	soap/lotion dispensers
344112CSL	85.50	Classic Stainless	soap/lotion dispensers
344112SL	85.50	Stainless	soap/lotion dispensers
344112SRS	74.30	Spot Resist Stainless	Spout kit
344112V	78.45	Ivory	soap/lotion dispensers
344112W	78.45	Glacier	soap/lotion dispensers
344113	16.80	Chrome	Soap/lotion dispensers
344114	71.25	Chrome	soap/lotion dispensers
344114CSL	85.50	Classic Stainless	soap/lotion dispensers
344114ORB	89.80	Oil Rubbed Bronze	soap/lotion dispensers
344114SL	85.50	Stainless	soap/lotion dispensers
344114SRS	88.20	Spot Resist Stainless	Spout kit
3863EP17	258.00	Chrome	eco-performance handshower handheld shower
3863EP17BN	535.55	Chrome	eco-performance handshower handheld shower
3865EP17	176.20	Chrome	eco-performance handshower handheld shower
3865EP17BN	255.75	Brushed Nickel	eco-performance handshower handheld shower
3865EP17ORB	281.40	Oil Rubbed Bronze	eco-performance handshower handheld shower
3868EP17	216.00	Chrome	eco-performance handshower handheld shower
3868EP17BN	312.60	Brushed Nickel	eco-performance handshower handheld shower
3868EP17ORB	343.60	Oil Rubbed Bronze	eco-performance handshower handheld shower
3887EP17	239.65	Chrome	eco-performance handshower handheld shower
3887EP17BN	476.15	Brushed Nickel	eco-performance handshower handheld shower
416711	6.55	N/A or Unfinished	Flow restrictor kit
516711	6.55	N/A or Unfinished	Aerator
6300EP15	31.30	Chrome	one-function 2-1/2" diameter spray head easy clean xl showerhead

Part Number	List Price	Finish	Description
6302EP15	80.80	Chrome	one-function 4-3/8" diameter spray head eco-performance showerhead showerhead
6302EP15BN	126.20	Brushed Nickel	one-function 4-3/8" diameter spray head eco-performance showerhead showerhead
6302EP15ORB	138.85	Oil Rubbed Bronze	one-function 4-3/8" diameter spray head eco-performance showerhead showerhead
716711	6.50	N/A or Unfinished	Aerator
157276EP15	56.55	Chrome	eco-performance showerhead handheld shower
	82.05	Brushed Nickel	eco-performance showerhead handheld shower
	90.25	Oil Rubbed Bronze	eco-performance showerhead handheld shower
A701	43.35	Chrome	handshower bracket
A701BN	62.80	Brushed Nickel	handshower bracket
A701ORB	69.05	Oil Rubbed Bronze	handshower bracket
A704BRB	62.10	Mediterranean Bronze	Shower arm flange
A714	37.40	Chrome	vacuum breaker
A714NL	93.85	Polished Nickel	vacuum breaker
A714ORB	59.70	Oil Rubbed Bronze	vacuum breaker
A714P	85.35	Polished Brass	vacuum breaker
A714ST	54.25	Satine	vacuum breaker
A714WR	59.70	Wrought Iron	Vacuum breaker kit
A720	66.45	Chrome	shower arm diverter
A720AZ	99.30	Antique Bronze	shower arm diverter
A720BN	90.30	Brushed Nickel	shower arm diverter
A720NL	87.65	Polished Nickel	shower arm diverter
A720ORB	99.30	Oil Rubbed Bronze	shower arm diverter
A720P	79.70	Polished Brass	shower arm diverter
A721	59.55	Chrome	drop ell
A721BN	83.95	Brushed Nickel	drop ell
A725	46.60	Chrome	drop ell
A725AZ	72.50	Antique Bronze	drop ell
A725BN	65.90	Brushed Nickel	drop ell
A725NL	65.90	Polished Nickel	drop ell
A725ORB	72.50	Oil Rubbed Bronze	drop ell
A725P	65.90	Polished Brass	drop ell
A725WR	72.50	Wrought Iron	drop ell
A726	89.15	Chrome	handheld shower hose
A726AZ	164.95	Antique Bronze	handheld shower hose line list items
A726BR	164.95	Brown	handheld shower hose
A726NL	159.15	Polished Nickel	handheld shower hose
A726P	159.15	Polished Brass	handheld shower hose
A726ST	159.15	Satine	handheld shower hose
A726WR	101.50	Wrought Iron	handheld shower hose
A730	45.55	Chrome	handshower bracket
A730P	105.60	Polished Brass	handshower bracket
A730ST	105.60	Satine	handshower bracket
A735	139.15	Chrome	slide bars
A735BN	201.75	Brushed Nickel	slide bars
A735CP	160.00	Chrome/Polished Brass	slide bars
A735ORB	214.20	Oil Rubbed Bronze	slide bars
A735P	214.20	Polished Brass	slide bars
A735WR	214.20	Wrought Iron	slide bars
A742	150.50	Chrome	Slide bar

Moen Genuine Parts

Listed in numerical order

SUGGESTED LIST PRICES

Part Number	List Price	Finish	Description
A742BN	218.30	Brushed Nickel	Slide bar
A745	151.35	Chrome	Slidebar bar
A745BN	219.50	Brushed Nickel	Slidebar bar
A750	38.50	N/A or Unfinished	Slide bars
A755	119.10	Chrome	drop ell handshower bracket
A755BN	172.70	Brushed Nickel	drop ell handshower bracket
A755ORB	189.95	Oil Rubbed Bronze	drop ell handshower bracket
A1616	114.90	Chrome	extension kits
A1616BN	164.50	Brushed Nickel	extension kits
A1616ORB	181.05	Oil Rubbed Bronze	extension kits
A1616P	184.30	Polished Brass	extension kits
A1616WR	181.05	Wrought Iron	extension kits
A1717	127.60	Chrome	extension kits
A1717BN	182.85	Brushed Nickel	extension kits
A1717ORB	198.70	Oil Rubbed Bronze	extension kits
A2020	126.45	Chrome	Extension kit
A2020BN	181.10	Brushed Nickel	Extension kit
AT2099	15.15	Chrome	tub/shower accent kit
AT2099BN	38.55	Brushed Nickel	tub/shower accent kit
AT2099ORB	42.40	Oil Rubbed Bronze	tub/shower accent kit
AT2099P	40.80	Polished Brass	tub/shower accent kit
AT2199	7.20	Chrome	shower arm flange
AT2199AZ	20.90	Antique Bronze	tub/shower accent kit
AT2199BN	18.95	Brushed Nickel	shower arm flange
AT2199NL	18.95	Polished Nickel	tub/shower accent kit
AT2199ORB	20.90	Oil Rubbed Bronze	shower arm flange
AT2199P	20.05	Polished Brass	shower arm flange
AT2199SLP	13.55	Brushed Platinum	Shower arm flange
AT2199WR	20.90	Wrought Iron	shower arm flange
CA3919	13.35	Chrome	Aerator
CA3924	13.35	Chrome	Aerator
CA100112	14.60	Chrome	Aerator
CLA701	43.35	Chrome	handshower bracket
CLA701BN	62.80	Brushed Nickel	handshower bracket
CL703	73.95	Chrome	shower arm diverter
CL703BN	107.20	Brushed Nickel	shower arm diverter
CL703ORB	117.95	Oil Rubbed Bronze	shower arm diverter
CL707	100.35	Chrome	shower arm diverter
CL707BN	145.50	Brushed Nickel	shower arm diverter
CL707ORB	160.10	Oil Rubbed Bronze	shower arm diverter
CL6302	80.80	Chrome	one-function 4-3/8" diameter spray head standard showerhead
CL6302BN	126.20	Brushed Nickel	one-function 4-3/8" diameter spray head standard showerhead
CL6302EP	80.80	Chrome	one-function 4-3/8" diameter spray head standard showerhead
CL6302EPBN	126.20	Brushed Nickel	one-function 4-3/8" diameter spray head standard showerhead
CL6303	44.70	Chrome	one-function 3-3/8" diameter spray head standard showerhead
CL6303BN	68.45	Brushed Nickel	one-function 3-3/8" diameter spray head standard showerhead
CL6303EP	44.70	Chrome	one-function 3-3/8" diameter spray head standard showerhead
CL6303EPBN	68.45	Brushed Nickel	one-function 3-3/8" diameter spray head standard showerhead
CL10154	25.85	Chrome	shower arm

Part Number	List Price	Finish	Description
CL10154BN	52.35	Brushed Nickel	shower arm
CL26500	47.55	Chrome	five-function 4" diameter spray head standard showerhead
CL26500BN	77.65	Chrome	five-function 4" diameter spray head standard showerhead
CL26500EP	47.55	Chrome	five-function 4" diameter spray head standard showerhead
CL26500EPBN	77.65	Brushed Nickel	five-function 4" diameter spray head standard showerhead
CL123815	32.50	Chrome	shower arm
CL123815BN	61.15	Brushed Nickel	shower arm
CL145058	16.80	N/A or Unfinished	Adapter kit
CL155694	21.35	Chrome	handshower bracket
CL155694BN	30.85	Brushed Nickel	handshower bracket
CL155747	56.55	Chrome	eco-performance handshower handheld shower
CL155747BN	82.05	Brushed Nickel	eco-performance handshower handheld shower
CL155748	33.00	Chrome	handheld shower hose
CL155748BN	47.95	Brushed Nickel	handheld shower hose
CL164928	67.55	Chrome	eco-performance handshower handheld shower
CL164928BN	97.90	Brushed Nickel	eco-performance handshower handheld shower
DN0794BN	163.30	Brushed Nickel	towel shelf
DN0794CH	151.00	Chrome	towel shelf
DN7100	110.85	Glacier	shower chair
DN7175	56.50	Glacier	tub grip
GA716	98.50	Stainless	bottom grid
GA719	142.35	Stainless	bottom grid
GA726	69.25	Stainless	bottom grid
GA728	93.40	Stainless	bottom grid
GA746B	117.30	Stainless	bottom grid
GA748B	133.00	Stainless	bottom grid
GA749B	148.85	Stainless	bottom grid
GA760	166.55	Stainless	bottom grid
GA763	123.10	Stainless	bottom grid
GA768	145.30	Stainless	bottom grid
GA771	160.00	Stainless	bottom grid
GA772	122.65	Stainless	bottom grid
GA780B	162.70	Stainless	bottom grid
GA781B	145.30	Stainless	bottom grid
GA782B	123.10	Stainless	bottom grid
GA785B	134.35	Stainless	bottom grid
GA821	90.65	Stainless	rinse basket
GA841	122.65	Stainless	rinse basket
GA915	127.10	Natural Wood	cutting board
GA922	109.25	Natural Wood	cutting board
GA944	159.70	Natural Wood	cutting board
P26100EP	67.85	Chrome	eco-performance handshower handheld shower
S110	104.10	Chrome	shower arm
S110BN	126.00	Brushed Nickel	shower arm
S112	355.95	Chrome	one-function 10" diameter spray head rainshower showerhead
S112BN	481.90	Brushed Nickel	one-function 10" diameter spray head rainshower showerhead

Part Number	List Price	Finish	Description
S112EP	355.95	Chrome	one-function 10" diameter spray head eco-performance rainshower showerhead
S112EPBN	481.90	Brushed Nickel	one-function 10" diameter spray head eco-performance showerhead showerhead
S112EPNL	530.05	Polished Nickel	one-function 10" diameter spray head eco-performance showerhead showerhead
S112EPORB	530.05	Oil Rubbed Bronze	one-function 10" diameter spray head eco-performance showerhead showerhead
S112NL	530.05	Polished Nickel	one-function 10" diameter spray head rainshower showerhead
S112ORB	530.05	Oil Rubbed Bronze	one-function 10" diameter spray head rainshower showerhead
S112WR	530.05	Wrought Iron	one-function 10" diameter spray head rainshower showerhead
S113	104.10	Chrome	14" shower arm
S113BN	126.00	Brushed Nickel	14" shower arm
S113NL	126.00	Polished Nickel	14" shower arm
S113ORB	138.60	Oil Rubbed Bronze	14" shower arm
S113WR	138.60	Wrought Iron	14" shower arm
S114	121.60	Chrome	diverter spouts
S114BN	198.95	Brushed Nickel	diverter spouts
S114NL	198.95	Polished Nickel	diverter spouts
S114ORB	218.80	Oil Rubbed Bronze	diverter spouts
S115	132.20	Chrome	extension kits
S115BN	218.40	Brushed Nickel	extension kits
S115NL	218.40	Polished Nickel	extension kits
S115ORB	240.20	Oil Rubbed Bronze	extension kits
S122	39.95	Chrome	8" shower arm
S122BN	82.60	Brushed Nickel	8" shower arm
S122ORB	90.85	Oil Rubbed Bronze	Brushed Nickel 8" shower arm
S133	39.95	Chrome	shower arm
S133BN	82.60	Brushed Nickel	shower arm
S143	39.95	Chrome	6" shower arm
S143BN	82.60	Brushed Nickel	6" shower arm
S143ORB	82.65	Oil Rubbed Bronze	6" shower arm
S144	153.50	Chrome	diverter spouts
S144BN	233.35	Brushed Nickel	diverter spouts
S144ORB	256.60	Oil Rubbed Bronze	diverter spouts
S146	158.05	Chrome	one-function 7" diameter spray head rainshower showerhead
S146BN	217.25	Brushed Nickel	one-function 7" diameter spray head rainshower showerhead
S146EPBN	217.25	Brushed Nickel	one-function 7" diameter spray head eco-performance showerhead showerhead
S146EPORB	228.25	Oil Rubbed Bronze	one-function 7" diameter spray head eco-performance showerhead showerhead
S146ORB	228.25	Oil Rubbed Bronze	one-function 7" diameter spray head rainshower showerhead
S156	157.95	Chrome	one-function 7" diameter spray head rainshower showerhead

Part Number	List Price	Finish	Description
S176	157.95	Chrome	one-function 7" diameter spray head rainshower showerhead
S176BN	217.20	Brushed Nickel	one-function 7" diameter spray head rainshower showerhead
S176EP	157.95	Chrome	one-function 7" diameter spray head eco-performance rainshower showerhead
S176EPBN	217.20	Brushed Nickel	one-function 7" diameter spray head eco-performance rainshower showerhead
S177	39.85	Chrome	shower arm
S177BN	82.60	Brushed Nickel	shower arm
S1311	379.70	Chrome	two-function 9" diameter spray head rainshower showerhead
S1311BN	518.25	Brushed Nickel	two-function 9" diameter spray head rainshower showerhead
S1311EP	379.70	Chrome	two-function 9" diameter spray head eco-performance rainshower showerhead
S1311EPBN	518.25	Brushed Nickel	two-function 9" diameter spray head eco-performance showerhead showerhead
S1311EPNL	518.25	Polished Nickel	two-function 9" diameter spray head eco-performance rainshower showerhead
S1311EPORB	570.00	Oil Rubbed Bronze	two-function 9" diameter spray head eco-performance showerhead showerhead
S1311NL	518.25	Polished Nickel	two-function 9" diameter spray head rainshower showerhead
S1311ORB	570.00	Oil Rubbed Bronze	two-function 9" diameter spray head rainshower showerhead
S3840	75.20	Chrome	diverter spouts
S3840BN	116.50	Brushed Nickel	diverter spouts
S3842	60.55	Chrome	diverter spouts
S3842BN	93.70	Brushed Nickel	nondiverter spouts
S3859	89.85	Chrome	diverter spouts
S3859AZ	143.25	Antique Bronze	diverter spouts
S3859BN	130.30	Brushed Nickel	diverter spouts
S3859ORB	143.25	Oil Rubbed Bronze	diverter spouts
S3860	88.40	Chrome	nondiverter spouts
S3860BN	128.20	Brushed Nickel	nondiverter spouts
S3860ORB	140.95	Oil Rubbed Bronze	nondiverter spouts
S3870EP	311.25	Chrome	eco-performance handshower handheld shower
S3870EPBN	624.25	Brushed Nickel	eco-performance handshower handheld shower
S3870EPORB	687.30	Oil Rubbed Bronze	eco-performance handshower handheld shower
S3879EP	274.75	Chrome	eco-performance handshower handheld shower
S3879EPBN	551.25	Brushed Nickel	eco-performance handshower handheld shower
S3894	93.85	Chrome	Diverter tub spout

Moen Genuine Parts

Listed in numerical order

Part Number	List Price	Finish	Description
S3896	89.85	Chrome	diverter spouts line list items
S3896BN	130.30	Chrome	diverter spouts line list items
S3898	88.40	Chrome	nondiverter spouts
S3898BN	128.20	Brushed Nickel	nondiverter spouts
S3900	121.10	Chrome	diverter spouts
S6310	157.95	Chrome	one-function 7" diameter spray head rainshower showerhead
S6310BN	217.20	Brushed Nickel	one-function 7" diameter spray head rainshower showerhead
S6310EP	157.95	Chrome	one-function 7" diameter spray head eco-performance rainshower showerhead
S6310EPBN	217.20	Brushed Nickel	one-function 7" diameter spray head eco-performance rainshower showerhead
S6310EPNL	206.85	Polished Nickel	one-function 7" diameter spray head rainshower showerhead
S6310EPORB	228.05	Oil Rubbed Bronze	one-function 7" diameter spray head eco-performance rainshower showerhead
S6310NL	206.85	Polished Nickel	one-function 7" diameter spray head rainshower showerhead
S6310ORB	228.05	Oil Rubbed Bronze	one-function 7" diameter spray head rainshower showerhead
S6310WR	228.05	Wrought Iron	one-function 7" diameter spray head rainshower showerhead
S6312	102.75	Chrome	one-function 5-7/8" diameter spray head standard showerhead
S6312BN	122.15	Brushed Nickel	one-function 5-7/8" diameter spray head standard showerhead
S6312EP	102.75	Chrome	one-function 5-7/8" diameter spray head eco-performance showerhead showerhead
S6312EPBN	122.15	Brushed Nickel	one-function 5-7/8" diameter spray head eco-performance showerhead showerhead
S6312EPNL	122.15	Polished Nickel	one-function 5-7/8" diameter spray head eco-performance showerhead showerhead
S6312EPORB	134.35	Oil Rubbed Bronze	one-function 5-7/8" diameter spray head eco-performance showerhead showerhead
S6312NL	122.15	Polished Nickel	one-function 5-7/8" diameter spray head standard showerhead
S6312ORB	134.35	Oil Rubbed Bronze	one-function 5-7/8" diameter spray head standard showerhead
S6320	247.50	Chrome	two-function 8" diameter spray head rainshower showerhead
S6320AZ	427.80	Antique Bronze	two-function 8" diameter spray head rainshower showerhead
S6320BN	388.90	Brushed Nickel	two-function 8" diameter spray head rainshower showerhead

Part Number	List Price	Finish	Description
S6320EP	247.50	Chrome	two-function 8" diameter spray head eco-performance rainshower showerhead
S6320EPBN	388.90	Brushed Nickel	two-function 8" diameter spray head eco-performance showerhead showerhead
S6320EPORB	427.80	Oil Rubbed Bronze	two-function 8" diameter spray head eco-performance rainshower showerhead
S6320ORB	427.80	Oil Rubbed Bronze	two-function 8" diameter spray head rainshower showerhead
S6335	123.85	Chrome	one-function 6-1/2" diameter spray head standard showerhead
S6335BN	168.65	Brushed Nickel	one-function 6-1/2" diameter spray head standard showerhead
S6335EP	123.85	Chrome	one-function 6-1/2" diameter spray head eco-performance showerhead showerhead
S6335EPBN	168.65	Brushed Nickel	one-function 6-1/2" diameter spray head eco-performance showerhead showerhead
S6335EPORB	185.40	Oil Rubbed Bronze	one-function 6-1/2" diameter spray head eco-performance showerhead showerhead
S6335ORB	185.40	Oil Rubbed Bronze	one-function 6-1/2" diameter spray head standard showerhead
S6340	157.95	Chrome	one-function 6" diameter spray head rainshower showerhead
S6340BN	217.20	Brushed Nickel	one-function 6" diameter spray head rainshower showerhead
S6340EP	157.95	Chrome	one-function 6" diameter spray head eco-performance rainshower showerhead
S6340EPBN	217.20	Brushed Nickel	one-function 6" diameter spray head eco-performance rainshower showerhead
S6345	241.35	Chrome	two-function 8-1/2" diameter spray head rainshower showerhead
S6345BN	379.25	Brushed Nickel	two-function 8-1/2" diameter spray head rainshower showerhead
S6345EP	241.35	Chrome	two-function 8-1/2" diameter spray head eco-performance rainshower showerhead
S6345EPBN	379.25	Brushed Nickel	two-function 8-1/2" diameter spray head rainshower showerhead
S6360	229.95	Chrome	one-function 8" diameter spray head rainshower showerhead
S6360BN	345.00	Brushed Nickel	one-function 8" diameter spray head rainshower showerhead
S6360EP	229.95	Chrome	one-function 8" diameter spray head eco-performance rainshower showerhead

Part Number	List Price	Finish	Description
S6360EPBN	345.00	Brushed Nickel	one-function 8" diameter spray head eco-performance rainshower showerhead
S6360EPORB	380.10	Oil Rubbed Bronze	one-function 8" diameter spray head eco-performance rainshower showerhead
S6360ORB	380.10	Oil Rubbed Bronze	one-function 8" diameter spray head rainshower showerhead
S6365	157.95	Chrome	one-function 6" diameter spray head rainshower showerhead
S6365BN	217.20	Brushed Nickel	one-function 6" diameter spray head rainshower showerhead
S6365EP	157.95	Chrome	one-function 6" diameter spray head eco-performance rainshower showerhead
S6365EPBN	217.20	Brushed Nickel	one-function 6" diameter spray head eco-performance rainshower showerhead
S6365EPORB	228.05	Oil Rubbed Bronze	one-function 6" diameter spray head eco-performance rainshower showerhead
S6365ORB	228.05	Oil Rubbed Bronze	one-function 6" diameter spray head rainshower showerhead
S11704	135.05	Chrome	diverter spouts
S11704BN	221.05	Brushed Nickel	diverter spouts
S11705EP	223.85	Chrome	eco-performance handshower handheld shower
S11705EPBN	324.45	Brushed Nickel	eco-performance handshower handheld shower
S12104	137.70	Chrome	diverter spouts
S12104BN	218.10	Brushed Nickel	diverter spouts
S12104NL	220.25	Polished Nickel	diverter spouts
S12104ORB	239.90	Oil Rubbed Bronze	diverter spouts
S12107EP	452.25	Chrome	eco-performance handshower handheld shower
S12107EPBN	639.50	Brushed Nickel	eco-performance handshower handheld shower
S12107EPNL	639.50	Polished Nickel	eco-performance handshower handheld shower
S12107EPORB	703.40	Oil Rubbed Bronze	eco-performance handshower handheld shower
S3879EP17	274.75	Chrome	eco-performance handshower handheld shower
S3879EP17BN	551.25	Brushed Nickel	eco-performance handshower handheld shower
S6335EP15	123.85	Chrome	one-function 6-1/2" diameter spray head standard showerhead
S6340EP15	157.95	Chrome	one-function 6" diameter spray head eco-performance rainshower showerhead
S6340EP15BN	217.20	Brushed Nickel	one-function 4-3/8" diameter spray head eco-performance showerhead showerhead

Part Number	List Price	Finish	Description
S6340EP20	157.95	Chrome	one-function 6" diameter spray head eco-performance rainshower showerhead
T90331	30.60	Chrome	tub/shower drain covers
T90331AZ	106.15	Antique Bronze	tub/shower drain covers
T90331BC	93.70	Brushed Chrome	tub/shower drain covers
T90331BN	96.45	Brushed Nickel	tub/shower drain covers
T90331NL	96.45	Polished Nickel	tub/shower drain covers
T90331ORB	106.15	Oil Rubbed Bronze	tub/shower drain covers
T90331P	106.15	Polished Brass	tub/shower drain covers
T90331WR	106.15	Wrought Iron	tub/shower drain covers

NOTES

Lined area for notes.

Bulk Pack

Integra® One-Handle Kitchen Faucet / 67315
2200™ Series Drop-In Double/Equal Bowl Sink / BG222173

Please see moen.com/consumer-support/warranty
for complete product warranty information.

Table of Contents

388 Kitchen
389 Bathroom
395 Moentrol® Showering Rough-in Valves and Trim
396 Posi-Temp® Showering Rough-in Valves and Trim
407 Non-Pressure Balancing Showering
408 Stainless Steel Sinks


MOEN® BULK-PACK

Bulk-Pack gives you everything you need for on-site installation: kitchen, lavatory, Roman tub, tub/shower faucets and stainless steel sinks in case lots.

Each kitchen and lavatory faucet carton contains individually packaged faucets ready for installation.



Roman tub and tub/shower faucets come packaged in two cartons. The rough-in valves are in one carton, the finish trim in another carton. This helps you avoid losing or damaging the trim.











Each carton is labeled for easy identification.

CROSS-REFERENCE For Bulk Pack Faucets and Valves**CROSS-REFERENCE TABLE**


	Single Pack	Bulk Pack
Kitchen	7425	67425
Kitchen	7430	67430
Kitchen	7434	67434
Kitchen	7840	67840
Kitchen	7900	67900
Kitchen	7910	67910
Kitchen	67315C	67315C
Kitchen	67315SRS	67315SRS
Sinks	G222173	BG222173
Sinks	G222174	BG222174
Valves	2510	62300
Valves	2520	62320
Valves	2570	62370
Valves	2580	62380
Valves	2590	62390
Valves	3570	63170
Valves	9000	69000
Tub/Shower	T2131	T62131
Tub/Shower	T2132	T62132
Tub/Shower	T2133	T62133
Tub/Shower	T2151	T62151
Tub/Shower	T2152	T62152
Tub/Shower	T2153	T62153
Tub/Shower	T2182	T62182
Tub/Shower	T2183	T62183
Tub/Shower	T2742	T62742
Tub/Shower	T2743	T62743
Tub/Shower	2352	T182 + 62320
Tub/Shower	L2352	TL182 + 62300
Tub/Shower	2353	T183 + 62320
Tub/Shower	L2353	TL183 + 62300
Tub/Shower	L2361	TL181 + 62370
Tub/Shower	L2362	TL182 + 62370
Tub/Shower	2363	T183 + 62370
Tub/Shower	L2363	TL183 + 62370
Bathroom Sink Faucet	L4601	L64601
Bathroom Sink Faucet	L4621	L64620
Bathroom Sink Faucet	L4625	L64624
Bathroom Sink Faucet	4925	64925
Bathroom Sink Faucet	6172	66172
Bathroom Sink Faucet	6410	66410
Bathroom Sink Faucet	6610	66610
Bathroom Sink Faucet	6802	66802
Bathroom Sink Faucet	6810	66810

BULK Kitchen Faucets

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CAMERIST®	ONE-HANDLE PULLOUT KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: one or three hole • overall height: 10.88" • connection size: 3/8" • connection type: compression • number of functions: four-function • spray type: aerated stream; pause function; powerful cleaning rinse; light gentle veggie spray • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 59" • deck plate: included 	67545C	308.20	Chrome	3
	 DURALOCK® DURALAST®				
INTEGRA®	ONE-HANDLE PULLOUT KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: one or three hole • overall height: 10.63" • connection size: 3/8" • connection type: compression • number of functions: two-function • spray type: aerated stream; powerful cleaning rinse • water usage: 1.5 gpm (5.7 L/min) max. • hose length: 59" • deck plate: included 	67315C	225.40	Chrome	1
		67315SRS ●	318.60	Spot Resist Stainless	1
	 DURALOCK® DURALAST®				
CAMERIST®	ONE-HANDLE KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: two to four hole • overall height: 8.13" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. • deck plate: included • side spray: included 	67840	186.75	Chrome	6
	 DURALOCK® DURALAST®				
CHATEAU®	ONE-HANDLE KITCHEN FAUCET				
	<ul style="list-style-type: none"> • application: three hole • overall height: 8.50" • connection size: 3/8" • connection type: compression • water usage: 1.5 gpm (5.7 L/min) max. 	67425	122.55	Chrome	12
	 DURALAST®				

NOTES

- Spot Resist Stainless Finish 




















DURALOCK® Duralock® Quick Connections

DURALAST® Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

BULK Bathroom Faucets

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
BRANTFORD™ ONE-HANDLE BATHROOM FAUCET					
  <ul style="list-style-type: none">• application: one or three hole• supply line length: flexible• connection size: 3/8"• connection type: compression• deck plate: included• drain assembly : 50% plastic/ 50% metal• drain assembly type: lift rod   DURALAST™	66600	172.80	Chrome	6	
METHOD™ ONE-HANDLE BATHROOM FAUCET					
  <ul style="list-style-type: none">• application: one or three hole• supply line length: flexible• connection size: 3/8"• connection type: compression• deck plate: included• drain assembly : 50% plastic/ 50% metal• drain assembly type: lift rod   DURALAST™	66810	181.60	Chrome	6	
CHATEAU® ONE-HANDLE BATHROOM FAUCET					
  <ul style="list-style-type: none">• application: three hole• center dimensions: 4" center• connection size: 1/2"• connection type: IPS• drain assembly : drain not included  DURALAST™	64601	110.95	Chrome	1	
  <ul style="list-style-type: none">• application: three hole• center dimensions: 4" center• supply line length: 16"• connection size: 3/8"• connection type: IPS• drain assembly : drain not included   DURALAST™	L64600	110.95	Chrome	12	
  <ul style="list-style-type: none">• application: three hole• center dimensions: 4" center• connection size: 1/2"• connection type: IPS• drain assembly : drain not included   DURALAST™	L64601	110.95	Chrome	12	

BULK
















NOTES

DURALAST® Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

BULK Bathroom Faucets

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CHATEAU®	ONE-HANDLE BATHROOM FAUCET				
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : metal • drain assembly type: lift rod  DURALAST®	64620	144.80	Chrome	12
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : 50% plastic/ 50% metal • drain assembly type: lift rod  DURALAST®	64621	136.40	Chrome	1
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 3/8" • connection type: compression • drain assembly : 50% plastic/ 50% metal • drain assembly type: lift rod  DURALAST®	64625	137.80	Chrome	1
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : metal • drain assembly type: lift rod   DURALAST®	L64620	144.80	Chrome	12
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : 50% plastic/ 50% metal • drain assembly type: lift rod   DURALAST®	L64621	136.40	Chrome	12
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 3/8" • connection type: compression • drain assembly : metal • drain assembly type: lift rod   DURALAST®	L64624	148.95	Chrome	12













NOTES

DURALAST® Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

BULK Bathroom Faucets

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CHATEAU® ONE-HANDLE BATHROOM FAUCET					
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • supply line length: 16" • connection size: 3/8" • connection type: compression • drain assembly : 50% plastic/ 50% metal • drain assembly type: lift rod 	L64625	137.80	Chrome	12
	  DURALAST®				
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : metal • drain assembly type: spring loaded pop-up • red/blue markings: included 	L64635	148.95	Chrome	12
	  DURALAST®				
CHATEAU® TWO-HANDLE BATHROOM FAUCET					
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : drain not included 	64900	73.35	Chrome	1
					
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : metal • drain assembly type: lift rod 	64919	107.30	Chrome	12
					
	<ul style="list-style-type: none"> • application: three hole • center dimensions: 4" center • connection size: 1/2" • connection type: IPS • drain assembly : 50% plastic/ 50% metal • drain assembly type: lift rod 	64920	103.00	Chrome	1
					

BULK










NOTES

DURALAST® Duralast® Cartridge

Due to California Energy Commission (CEC) regulation, bathroom sink faucets will flow at 1.2 gpm effective 7/1/16 (formerly 1.5 gpm).

BULK Bathroom Faucets

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CHATEAU® TWO-HANDLE BATHROOM FAUCET					
	<ul style="list-style-type: none">• application: three hole• center dimensions: 4" center• connection size: 1/2"• connection type: IPS• drain assembly : drain not included  	64922	86.75	Chrome	12
	<ul style="list-style-type: none">• application: three hole• center dimensions: 4" center• connection size: 1/2"• connection type: IPS• drain assembly : 50% plastic/ 50% metal• drain assembly type: lift rod  	64925	120.35	Chrome	12
	<ul style="list-style-type: none">• application: three hole• center dimensions: 4" center• connection size: 1/2"• connection type: IPS• drain assembly : 50% plastic/ 50% metal• drain assembly type: lift rod  	64970	99.30	Chrome	12

BULK

BULK Bathroom Faucets

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
DARTMOOR™ TWO-HANDLE BATHROOM FAUCET					
	<ul style="list-style-type: none">• application: three hole• center dimensions: 4" center• connection size: 1/2"• connection type: IPS• drain assembly : 50% plastic/ 50% metal• drain assembly type: lift rod	66802	151.95	Chrome	1
		DURALAST®			
GLYDE™ TWO-HANDLE BATHROOM FAUCET					
	<ul style="list-style-type: none">• application: three hole• center dimensions: 4" center• connection size: 1/2"• connection type: IPS• drain assembly : 50% plastic/ 50% metal• drain assembly type: lift rod	66172	151.95	Chrome	6
		DURALAST®			
EVA® TWO-HANDLE CENTERSET BATHROOM FAUCET					
	<ul style="list-style-type: none">• application: three hole• center dimensions: 4" center• connection size: 1/2"• connection type: IPS• drain assembly : 50% plastic/ 50% metal• drain assembly type: lift rod	66410	141.65	Chrome	6
		DURALAST®			
	<ul style="list-style-type: none">• application: three hole• center dimensions: 4" center• connection size: 1/2"• connection type: IPS• drain assembly : 50% plastic/ 50% metal• drain assembly type: spring loaded pop-up	66411	141.65	Chrome	6
		DURALAST®			
BRANTFORD™ TWO-HANDLE CENTERSET BATHROOM FAUCET					
	<ul style="list-style-type: none">• application: three hole• center dimensions: 4" center• connection size: 1/2"• connection type: IPS• drain assembly : 50% plastic/ 50% metal• drain assembly type: lift rod	66610	141.65	Chrome	6
		DURALAST®			

BULK

BULK Bathroom Connections

Must order in Case Quantity.

	MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
M-PACT®	BULK PACK WIDESPREAD VALVE 8" - 16" CENTER 1/2" IPS CONNECTION			
	69000	103.30	1/2" IPS	6




- application: three hole
- center dimensions: 8" - 16" center
- drain assembly : metal
- drain assembly type: lift rod

 DURALOCK®
 DURALAST®

BULK

NOTES

-  Moen® **M•PACT®** Common Valve System
- DURALOCK® Duralock® Quick Connections
- DURALAST® Duralast® Cartridge


BULK Moentrol® Showering

Must order in Case Quantity.


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
LEGEND®	MOENTROL® TUB/SHOWER				
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: standard• showerhead size: 2-1/2" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• spout length: 5 1/2"• spout connection type: slip fit• tub spout type: diverter• valve sold separately  	TL172	77.95	Chrome	12
LEGEND®	MOENTROL® SHOWER ONLY				
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: standard• showerhead size: 2-1/2" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• valve sold separately  	TL171	47.65	Chrome	12
LEGEND®	MOENTROL® VALVE TRIM				
	<ul style="list-style-type: none">• valve sold separately  	TL170	43.35	Chrome	12
M-PACT®	MOENTROL® VALVE ONLY				
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included• check stops: included 	63150	171.45	1/2" IPS	12
	<ul style="list-style-type: none">• ports: four• adjustable temp limit stop: included• check stops: included 	63170	171.45	1/2" CC	12

BULK

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET















NOTES

 Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering


















Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CHATEAU®	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately 	T183	58.20	Chrome	12
CHATEAU®	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately 	T183EP	58.20	Chrome	12
CHATEAU®	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: IPS • tub spout type: diverter • red/blue markings: included • valve sold separately 	T184	58.20	Chrome	12
DARTMOOR™	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-7/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately  	T62183	101.05	Chrome	12
GLYDE™	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-7/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately  	T62743	101.05	Chrome	6

NOTES
 Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering














Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
EVA®	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • valve sold separately  	T62133	84.65	Chrome	12
EVA®	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • chrome sold in case qty only: no single pack • valve sold separately   	T62133EP	84.65	Chrome	12
EVA®	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • spout length: 7" • spout connection type: slip fit • tub spout type: diverter • chrome sold in case qty only: no single pack • valve sold separately  	T62133NH	72.50	Chrome	12
BRANTFORD™	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • chrome sold in case qty only: no single pack • valve sold separately  	T62153	84.65	Chrome	12
BRANTFORD™	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 3-3/8" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 6 1/2" • spout connection type: slip fit • tub spout type: diverter • valve sold separately   	T62153EP	84.65	Chrome	12


NOTES Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
BRANTFORD™	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• spout length: 6 1/2"• spout connection type: slip fit• tub spout type: diverter• chrome sold in case qty only: no single pack• valve sold separately  	T62153NH	72.50	Chrome	12
METHOD™	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: standard• showerhead size: 2-1/2" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• spout length: 5 7/8"• spout connection type: slip fit• tub spout type: diverter• valve sold separately  	T62803	84.65	Chrome	12
METHOD™	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: eco-performance showerhead• showerhead size: 2-1/2" diameter spray head• showerhead flow rate: 1.75 gpm (6.65 L/min) max.• spout length: 5 7/8"• spout connection type: slip fit• tub spout type: diverter• valve sold separately   	T62803EP	84.65	Chrome	12
METHOD™	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• spout length: 5 7/8"• spout connection type: slip fit• tub spout type: diverter• valve sold separately  	T62803NH	72.50	Chrome	12

HOW TO ORDER A COMPLETE TUB/SHOWER FAUCET

















NOTES


 Moen® **M•PACT®** Common Valve System

















BULK Posi-Temp® Showering

Must order in Case Quantity.


		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CHATEAU®	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately  	TL183	58.20	Chrome	12
		TL183BC	95.60	Brushed Chrome	1
CHATEAU®	POSI-TEMP® TUB/SHOWER				
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately   	TL183EP	58.20	Chrome	12
CHATEAU®	POSI-TEMP® TUB/SHOWER	POSI-TEMP® TUB/SHOWER			
	<ul style="list-style-type: none"> • showerhead type: showerhead sold separately • spout length: 5 1/2" • spout connection type: slip fit • tub spout type: diverter • red/blue markings: included • valve sold separately  	TL183NH	51.15	Chrome	12
		TL183NHBC	89.45	Brushed Chrome	12
CHATEAU®	POSI-TEMP® SHOWER ONLY				
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: standard • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 2.5 gpm (9.5 L/min) max. • red/blue markings: included • valve sold separately 	T182	35.85	Chrome	12
CHATEAU®	POSI-TEMP® SHOWER ONLY				
	<ul style="list-style-type: none"> • showerhead functions: one-function • showerhead type: eco-performance showerhead • showerhead size: 2-1/2" diameter spray head • showerhead flow rate: 1.75 gpm (6.65 L/min) max. • red/blue markings: included • valve sold separately 	T182EP	35.85	Chrome	12

NOTES

 Moen® **M•PACT®** Common Valve System

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
DARTMOOR™					
POSI-TEMP® SHOWER ONLY					
<div><div>NEW!</div><div></div><div></div></div>	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: standard• showerhead size: 3-7/8" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• valve sold separately	T62182	70.15	Chrome	12
	<div></div>				
GLYDE™					
POSI-TEMP® SHOWER ONLY					
<div><div>NEW!</div><div></div><div></div></div>	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: standard• showerhead size: 3-3/8" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• valve sold separately	T62742	70.15	Chrome	12
	<div></div>				
EVA®					
POSI-TEMP® SHOWER ONLY					
<div></div> <div></div>	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: standard• showerhead size: 3-3/8" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• valve sold separately	T62132	56.20	Chrome	12
	<div></div>				
EVA®					
POSI-TEMP® SHOWER ONLY					
<div></div> <div></div>	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• chrome sold in case qty only: no single pack• valve sold separately	T62132NH	53.45	Chrome	12
	<div></div>				

HOW TO ORDER A COMPLETE SHOWER FAUCET




















NOTES


 Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
BRANTFORD™					
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: standard• showerhead size: 3-3/8" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• valve sold separately  	T62152	56.20	Chrome	12
BRANTFORD™					
POSI-TEMP® TUB/SHOWER					
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: eco-performance showerhead• showerhead size: 3-3/8" diameter spray head• showerhead flow rate: 1.75 gpm (6.65 L/min) max.• chrome sold in case qty only: no single pack• valve sold separately   	T62152EP	56.20	Chrome	12
BRANTFORD™					
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none">• showerhead type: showerhead sold separately• chrome sold in case qty only: no single pack• valve sold separately  	T62152NH	53.45	Chrome	12
METHOD™					
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: standard• showerhead size: 2-1/2" diameter spray head• showerhead flow rate: 2.5 gpm (9.5 L/min) max.• valve sold separately  	T62802	56.20	Chrome	12
METHOD™					
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none">• showerhead functions: one-function• showerhead type: eco-performance showerhead• showerhead size: 2-1/2" diameter spray head• showerhead flow rate: 1.75 gpm (6.65 L/min) max.• valve sold separately   	T62802EP	56.20	Chrome	12

HOW TO ORDER A COMPLETE SHOWER FAUCET













NOTES

 Moen® **M•PACT®** Common Valve System


BULK

BULK Posi-Temp® Showering

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
METHOD™					
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none">showerhead type: showerhead sold separatelyvalve sold separately	T62802NH	53.45	Chrome	12
					
CHATEAU®					
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none">showerhead functions: one-functionshowerhead type: standardshowerhead size: 2-1/2" diameter spray headshowerhead flow rate: 2.5 gpm (9.5 L/min) max.red/blue markings: includedvalve sold separately	TL182	35.85	Chrome	12
		TL182BC	71.45	Brushed Chrome	1
					
CHATEAU®					
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none">showerhead functions: one-functionshowerhead type: eco-performance showerheadshowerhead size: 2-1/2" diameter spray headshowerhead flow rate: 1.75 gpm (6.65 L/min) max.red/blue markings: includedvalve sold separately	TL182EP	35.85	Chrome	12
					
CHATEAU®					
POSI-TEMP® SHOWER ONLY					
	<ul style="list-style-type: none">showerhead type: showerhead sold separatelyred/blue markings: includedvalve sold separately	TL182NH	34.00	Chrome	12
		TL182NHBC	66.20	Chrome	12
					
CHATEAU®					
POSI-TEMP® VALVE TRIM					
	<ul style="list-style-type: none">red/blue markings: includedvalve sold separately	T181	32.60	Chrome	12
					

HOW TO ORDER A COMPLETE VALVE ONLY



NOTES

 Moen® **M•PACT®** Common Valve System

BULK


BULK Posi-Temp® Showering Connections

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CHATEAU® POSI-TEMP® VALVE ONLY					
	<ul style="list-style-type: none">• red/blue markings: included• valve sold separately	T187	32.60	Chrome	12
	 				
EVA® POSI-TEMP® VALVE ONLY					
	<ul style="list-style-type: none">• valve sold separately	T62131	41.85	Chrome	12
	 				
BRANTFORD™ POSI-TEMP® VALVE ONLY					
	<ul style="list-style-type: none">• valve sold separately	T62151	41.85	Chrome	12
	 				
METHOD™ POSI-TEMP® VALVE ONLY					
	<ul style="list-style-type: none">• valve sold separately	T62801	41.85	Chrome	12
	 				
CHATEAU® POSI-TEMP® VALVE TRIM					
	<ul style="list-style-type: none">• red/blue markings: included• valve sold separately	TL181	32.60	Chrome	12
	 				













BULK

NOTES


 Moen® M•PACT® Common Valve System

BULK Posi-Temp® Showering Connections

Must order in Case Quantity.













		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
M-PACT®	BULK PACK POSI-TEMP® 1/2" IPS CONNECTION				
	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: included	62300	104.95	1/2" IPS	12
					
M-PACT®	BULK PACK POSI-TEMP® 1/2" CC CONNECTION				
	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: included	62320	104.95	1/2" CC	12
					
M-PACT®	BULK PACK POSI-TEMP® 1/2" CPVC CONNECTION STOPS				
	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedconnection type: CPVCstops: includedquarter turn stops: included	62330	139.10	1/2" CPVC	12
					
M-PACT®	BULK PACK POSI-TEMP® 1/2" CPVC CONNECTION				
	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedconnection type: CPVC	62340	116.50	1/2" CPVC	12
					
M-PACT®	BULK PACK POSI-TEMP® 1/2" CC IPS CONNECTION				
	<ul style="list-style-type: none">ports: threeadjustable temp limit stop: included	62345	104.95	1/2" CC,IPS	12
		FP62345	104.95	1/2" CC,IPS	12
M-PACT®	BULK PACK POSI-TEMP® 1/2" COLD EXPANSION PEX CONNECTION STOPS				
	<ul style="list-style-type: none">ports: fouradjustable temp limit stop: includedconnection type: cold expansion PEXstops: includedquarter turn stops: includedadjustable temp limit stop: included	62360	127.55	1/2" Cold Expansion PEX	12
					

NOTES

 Moen® M•PACT® Common Valve System

BULK Posi-Temp® Showering Connections













Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
POSI-TEMP®	BULK PACK POSI-TEMP® 1/2" COLD EXPANSION PEX CONNECTION PRESSURE BALANCING				
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • connection type: cold expansion PEX 	62365	104.95	1/2" Cold Expansion PEX	12
		FP62365	104.95	1/2" Cold Expansion PEX	12
					
M-PACT®	BULK PACK POSI-TEMP® 1/2" CC CONNECTION STOPS				
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • stops: included • quarter turn stops: included 	62370	127.55	1/2" CC	12
					
M-PACT®	BULK PACK POSI-TEMP® 1/2" CRIMP RING PEX CONNECTION				
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included 	62380	104.95	1/2" Crimp ring PEX	12
					
POSI-TEMP®	BULK PACK POSI-TEMP® 1/2" COLD EXPANSION PEX CONNECTION PRESSURE BALANCING				
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • connection type: cold expansion PEX • stops: included • quarter turn stops: included 	62385	127.55	1/2" Cold Expansion PEX	12
		FP62385	127.55	1/2" Cold Expansion PEX	12
					
M-PACT®	BULK PACK POSI-TEMP® 1/2" IPS CONNECTION STOPS				
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • stops: included • quarter turn stops: included 	62390	127.55	1/2" IPS	12
					
M-PACT®	BULK PACK POSI-TEMP® 1/2" CC CONNECTION				
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • test plug: included 	FP62320	104.95	1/2" CC	12
					

NOTES
 Moen® **M•PACT®** Common Valve System

BULK Posi-Temp® Showering Connections

Must order in Case Quantity.













		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
M-PACT®	BULK PACK POSI-TEMP® 1/2" CPVC CONNECTION				
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • connection type: CPVC • test plug: included 	FP62340	116.50	1/2" CPVC	12
M-PACT®	BULK PACK POSI-TEMP® 1/2" CRIMP RING PEX CONNECTION PRESSURE BALANCING STOPS				
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • stops: included • quarter turn stops: included 	FP62360	127.55	1/2" crimp ring PEX	12
M-PACT®	BULK PACK POSI-TEMP® 1/2" CC CONNECTION STOPS				
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • stops: included • quarter turn stops: included • test plug: included 	FP62370	127.55	1/2" CC	12
M-PACT®	BULK PACK POSI-TEMP® 1/2" COLD EXPANSION PEX CONNECTION				
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • connection type: cold expansion PEX • test plug: included 	FP62380	104.95	1/2" Cold Expansion PEX	12
M-PACT®	BULK PACK POSI-TEMP® 1/2" IPS CONNECTION PRESSURE BALANCING STOPS				
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • stops: included • quarter turn stops: included 	FP62390	127.55	1/2" IPS	12
M-PACT®	BULK PACK POSI-TEMP® 1/2" IPS CONNECTION				
	<ul style="list-style-type: none"> • ports: four • adjustable temp limit stop: included • test plug: included 	FP62300	104.95	1/2" IPS	12

NOTES

 Moen® **M•PACT®** Common Valve System

BULK Non-Pressure Balancing Showering Connections

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
M-PACT® NON-PRESSURE BALANCING VALVE ONLY					
	• ports: four	62700	95.60	1/2" IPS	12
					
CHATEAU® STANDARD TUB/SHOWER					
	• showerhead functions: one-function	T471	66.75	Chrome	12
	• showerhead type: standard				
	• showerhead size: 2-1/2" diameter spray head				
	• showerhead flow rate: 2.5 gpm (9.5 L/min) max.				
	• spout length: 5 1/2"				
	• spout connection type: slip fit				
	• tub spout type: diverter				
	• red/blue markings: included				
	• valve sold separately				
					
CHATEAU® STANDARD TUB/SHOWER					
	• showerhead functions: one-function	TL471	66.75	Chrome	12
	• showerhead type: standard				
	• showerhead size: 2-1/2" diameter spray head				
	• showerhead flow rate: 2.5 gpm (9.5 L/min) max.				
	• spout length: 5 1/2"				
	• spout connection type: slip fit				
	• tub spout type: diverter				
	• red/blue markings: included				
	• valve sold separately				
	 				
CHATEAU® STANDARD SHOWER ONLY					
	• showerhead functions: one-function	T473	41.25	Chrome	12
	• showerhead type: standard				
	• showerhead size: 2-1/2" diameter spray head				
	• showerhead flow rate: 2.5 gpm (9.5 L/min) max.				
	• red/blue markings: included				
	• valve sold separately				
					
CHATEAU® STANDARD SHOWER ONLY					
	• showerhead functions: one-function	TL473	41.25	Chrome	12
	• showerhead type: standard				
	• showerhead size: 2-1/2" diameter spray head				
	• showerhead flow rate: 2.5 gpm (9.5 L/min) max.				
	• red/blue markings: included				
	• valve sold separately				
	 				

HOW TO ORDER A COMPLETE STANDARD STANDARD VALVE





NOTES

 Moen® M-PACT® Common Valve System

BULK

BULK Non-Pressure Balancing Showering Connections, Stainless Steel Sinks

Must order in Case Quantity.

		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
CHATEAU®	STANDARD VALVE TRIM				
	<ul style="list-style-type: none">valve sold separately	T470	34.60	Chrome	12
					
CHATEAU®	STANDARD VALVE TRIM				
	<ul style="list-style-type: none">valve sold separately	TL470	34.60	Chrome	12
					
		MODEL NUMBER	LIST PRICE	FINISH/ CONNECTION	CASE QTY
2200™ SERIES	DOUBLE BOWL THREE HOLE SINK				
	<ul style="list-style-type: none">drain opening size: 3 1/2"drop-in with: integrated mounting railsdepth size: 6.5"minimum cabinet size: 36"	BG222173	106.15	Stainless	25
		BG222174	106.15	Stainless	25
MOEN®	STAINLESS STEEL SINK ACCESSORY				
	<ul style="list-style-type: none">case quantity: 40drop-in basket strainer with drain assembly: 3-1/2"includes: lock nut	22037	16.55	Satin	40

HOW TO ORDER A COMPLETE STANDARD TUB/SHOWER FAUCET



NOTES

 Moen® M•PACT® Common Valve System



Commercial

Products Catalog 2016

Please see moen.com/consumer-support/warranty
for complete product warranty information.

COMMERCIAL

Contents

412	M•DURA™ Heavy-Duty Faucets
430	M•PRESS™ Heavy-Duty Metering Faucets
434	M•BITION™ Medium-Duty Faucets
441	M•POWER™ Sensor-Operated Faucets
449	M•POWER™ Sensor-Operated Flush Valves
455	M•DURA™ Heavy-Duty Manual Flush Valves
461	M•DURA™ Heavy-Duty Showering
479	Accessories

Moen® Commercial Series Stainless Steel
Sinks (see wholesale sink section, page 53)

Built for the real world.

Moen® Commercial understands the demanding environments of commercial and institutional facilities. Just as importantly, we understand what satisfies demanding professionals like you.

That's why we go beyond manufacturing durable, reliable products that include vandal-resistant and energy-efficient options. Our products offer lower lifetime costs to help you meet financial goals too. Plus, we stand behind everything with a best-in-class warranty and outstanding customer service so you can have confidence in your decision to choose Moen® Commercial. Real-world performance. Real-world reliability.

Moen 5-Year Limited Warranty



We're so confident in the performance of our products that we back them with a 5-Year Limited Warranty. If they should ever drip, leak or prove to have a finish defect, we'll send you the replacement parts, free of charge. Just call 1-800-BUY-MOEN or see your Moen dealer for complete details.



Water-saving feature when compared to industry standards



Americans with Disabilities Act (ADA) compliant



Meets the current requirements of the Buy American Act (BAA)



Indicates Moen® Commercial products that are certified to meet WaterSense® labeling criteria and contribute toward maximizing LEED® points

Moen products comply with the Safe Drinking Water Act's stringent lead safety standards.

Each product in this catalog has been identified by:

- ▲ NSF 61/9 and 372 compliant
- NSF 372 compliant
- Non-drinking water faucet

To see our full line of faucets and valves, visit moencommercial.com.






M•DURA™ Heavy-Duty Faucets





















COMMERCIAL

M•DURA™ Modern Widespread Lavatory Faucet / 9220 and 9223 Series


















M•DURA™ Heavy-Duty Lavatory Faucets























-  **Real-World Reliability: Heavy Duty Construction**
Solid cast-brass body is made heavy to last long, with added protection from a wear-resistant chrome finish.
-  **Tested Durability: Ceramic Disc Cartridge**
Protected by a free-spinning hub and tamperproof screws, the heavy-duty cartridge features internal stops that prevent misalignment and ensure complete shutoff.
-  **Vandal Resistant Operation: Recessed Aerator**
Unique design can only be removed by authorized personnel.
-  **Updated Appearance: Easy-to-Clean Styling**
Softened angles and lack of recesses resist dirt buildup.
-  **Worry-Free Quality: Best-in-Class Five Year Limited Warranty**

	MODEL NUMBER	LIST PRICE	CASE QTY	
MODERN SINGLE-MOUNT LAVATORY FAUCET†				
	<ul style="list-style-type: none">• Single-mount• Cast brass• 3½" lever handle• 1.2 gpm [4.5 lpm] max. vandal-resistant aerator• 3/8" compression connections• 22" supply line• No lift rod hole Brass adjustable temperature limit stop	9417F12 Ships by Q2	252.00	3
	    			
	<ul style="list-style-type: none">• 0.5 gpm [1.9 lpm] max. vandal-resistant aerator	9417F05	252.00	3
	   			
	<ul style="list-style-type: none">• 1.2 gpm [4.5 lpm] max. vandal-resistant aerator• With metal drain	9419F12 Ships by Q2	280.00	3
	    			
	<ul style="list-style-type: none">• 0.5 gpm [1.91 lpm] max. vandal-resistant aerator• With metal drain	9419F05	280.00	3
	   			
	<ul style="list-style-type: none">• 4" optional deck plate	99559	31.85	20









M•DURA™ Heavy-Duty Lavatory Faucets

	MODEL NUMBER	LIST PRICE	CASE QTY
MODERN WIDESPREAD LAVATORY FAUCET*			
	<ul style="list-style-type: none">• 8" widespread• Cast brass• 3" lever handles• 1.2 gpm [4.5 lpm] max. vandal-resistant aerator• ½" IPS connections• Without drain• No lift rod hole	9220F12 Ships by Q2	310.65 3
	   		
	<ul style="list-style-type: none">• 0.5 gpm [1.9 lpm] max. vandal resistant aerator• Without drain	9220F05	310.65 3
	   		
	<ul style="list-style-type: none">• 1.2 gpm [4.5 lpm] max. vandal-resistant aerator• With metal drain	9223F12 Ships by Q2	345.15 3
	   		
	<ul style="list-style-type: none">• 0.5 gpm [1.9 lpm] max. vandal-resistant aerator• With metal drain	9223F05	345.15 3
	   		

CENTERSET LAVATORY FAUCET*				
	<ul style="list-style-type: none"> • 4" centerset • Cast brass • 2½" lever handles • 2.2 gpm [8.3 lpm] max. vandal-resistant aerator • ½" IPS connections • Without drain • No lift rod hole 	8210	192.50	6
	  			
	<ul style="list-style-type: none"> • 1.2 gpm [4.5 lpm] max. vandal-resistant aerator 	8210F12 Ships by Q2	192.50	6
	   			
	<ul style="list-style-type: none"> • 0.5 gpm [1.9 lpm] max. vandal-resistant aerator 	8210F05	192.50	6
	   			
	<ul style="list-style-type: none"> • 2.2 gpm [8.3 lpm] max. vandal-resistant aerator • With metal drain 	8216	217.40	6
	   			
	<ul style="list-style-type: none"> • 2.2 gpm [8.3 lpm] max. vandal-resistant aerator • With metal grid strainer 	8218	211.15	6
	   			





































*Ceramic Disc Cartridges (52000 Hot; 52001 Cold)

M•DURA™ Heavy-Duty Lavatory Faucets

	MODEL NUMBER	LIST PRICE	CASE QTY
CENTERSET LAVATORY FAUCET*			
 <ul style="list-style-type: none"> • 4" centerset • Cast brass • 4" wrist blade handles • 2.2 gpm [8.3 lpm] max. vandal-resistant aerator • ½" IPS connections • Without drain • No lift rod hole   	8215	213.45	6
	8215F12 Ships by Q2	213.45	6
	8215F05	213.45	6
	8215F03	213.45	6
	8219	237.20	6
WIDESPREAD LAVATORY FAUCET*			
 <ul style="list-style-type: none"> • 8" widespread • Cast brass • 2½" lever handles • 2.2 gpm [8.3 lpm] max. vandal-resistant aerator • ½" IPS connections • Without drain • No lift rod hole   	8220	301.55	6
	8220F05	301.55	3
	8223	334.60	6
	8224	328.20	6

*Ceramic Disc Cartridges (52000 Hot; 52001 Cold)

























M•DURA™ Heavy-Duty Lavatory Faucets

		MODEL NUMBER	LIST PRICE	CASE QTY
WIDESPREAD LAVATORY FAUCET*				
	<ul style="list-style-type: none"> • 8" widespread • Cast brass • 4" wrist blade handles • 2.2 gpm [8.3 lpm] max. vandal-resistant aerator • ½" IPS connections • Without drain • No lift rod hole   	8228	320.55	6
	<ul style="list-style-type: none"> • 1.2 gpm [4.5 lpm] max. vandal-resistant aerator    	8228F12 Ships by Q2	320.55	3
	<ul style="list-style-type: none"> • 0.5 gpm [1.9 lpm] max. vandal-resistant aerator    	8228F05	320.55	3
	<ul style="list-style-type: none"> • 2.2 gpm [8.31 lpm] max. vandal-resistant aerator • With metal drain    	8239	353.65	6
MANUAL-TO-METERING CONVERSION KIT**				
	<p>Manual-to-metering conversion kit. Convert any M•DURA™ 8200 series faucet† to an M•PRESS™ metering faucet with a simple cartridge and handle change. Includes hot/cold color indicator rings.</p>	52120	150.70	12
† Excludes 8242, 8244 and Modern Lavs				
CENTERSET LAVATORY FAUCET**				
 <div>  Chrome  Brushed Nickel </div>	<ul style="list-style-type: none"> • 4" centerset • Cast brass • 2½" lever handle • 2.2 gpm [8.3 lpm] max. vandal-resistant aerator • ½" IPS connections • Without drain • No lift rod hole • Adjustable temperature limit stop  	8413	164.80	6
	<ul style="list-style-type: none"> • 1.2 gpm [4.5 lpm] max. aerator    	8413F12 Ships by Q2	164.80	3
	<ul style="list-style-type: none"> • 0.5 gpm [1.9 lpm] max. aerator   	8413F05	164.80	3
	<ul style="list-style-type: none"> • 0.35 gpm [1.3 lpm] max. aerator   	8413F03	164.80	3
	<ul style="list-style-type: none"> • 2.2 gpm [8.3 lpm] max. aerator • With metal drain  	8414	196.70	6
	<ul style="list-style-type: none"> • 2.2 gpm [8.3 lpm] max. aerator • With metal drain • Brushed Nickel  	8414BN	254.50	3

*Ceramic Disc Cartridges (52000 Hot; 52001 Cold) **Ceramic Disc Cartridge (121549)

▲ NSF 6 1/9 and 372 compliant ♿ ADA compliant ⚙ BAA compliant 💧 WaterSense® 🌿 Water-saving

M•DURA™ Heavy-Duty Lavatory Faucets

		MODEL NUMBER	LIST PRICE	CASE QTY
CENTERSET LAVATORY FAUCET**				
	<ul style="list-style-type: none">• 4" centerset• Cast brass• 6" lever handle• 2.2 gpm [8.3 lpm] max. aerator• ½" IPS connections• Without drain• No lift rod hole• Adjustable temperature limit stop  	8416	177.05	6
	<ul style="list-style-type: none">• 0.5 gpm [1.9 lpm] max. aerator   	8416F05	177.05	3
SINGLE-MOUNT LAVATORY FAUCET**				
	<ul style="list-style-type: none">• Single-mount• Cast brass• 2½" lever handle• 2.2 gpm [8.3 lpm] max. aerator• 3/8" compression connections• 22" supply line• Without drain• No lift rod hole• Adjustable temperature limit stop  	8417	227.70	6
	<ul style="list-style-type: none">• 1.2 gpm [4.5 lpm] max. aerator   	8417F12 Ships by Q2	227.70	6
	<ul style="list-style-type: none">• 0.5 gpm [1.9 lpm] max. aerator   	8417F05	227.70	6
	<ul style="list-style-type: none">• 1.2 gpm [4.5 lpm] max. aerator• With metal grid strainer   	8419F12	258.65	6
	<ul style="list-style-type: none">• 0.5gpm [1.91 lpm] max. aerator   	8419F05	258.65	6
SINGLE-MOUNT LAVATORY FAUCET**				
	<ul style="list-style-type: none">• Single-mount• Cast brass• 6" lever handle• 2.2 gpm [8.3 lpm] max. aerator• 3/8" compression connections• 22" supply line• Without drain• No lift rod hole• Adjustable temperature limit stop  	8418	239.35	6

COMMERCIAL

M•DURA™ Heavy-Duty Lavatory and Kitchen Faucets













	MODEL NUMBER	LIST PRICE	CASE QTY
ONE-HANDLED ECO-PERFORMANCE SINGLE SUPPLY LAVATORY FAUCET**			
 <ul style="list-style-type: none"> • Single-mount • Cast brass • 2½" lever handle • 0.5 gpm [1.9 lpm] max. vandal-resistant aerator • Anti-rotational mounting system • Cold water tap only • ½" IPS connections • Without drain    	8161	142.25	6
 <ul style="list-style-type: none"> • 4" optional deckplate • Anti-rotation (for use with 8161 or 8884 only!) 	99550	29.10	12
WIDESPREAD KITCHEN FAUCET*			
 <ul style="list-style-type: none"> • 8" widespread • Solid brass construction • 4" wrist blade handles • 2.2 gpm [8.3 lpm] max.† aerator • 8" spout reach • ½" IPS connections • Without drain • Includes optional 2.0 gpm [7.6 lpm] max. laminar flow spout base conversion kit† <p>† Transitioning 3rd Quarter - 1.5 gpm (5.7 lpm) max.</p>   	8225	313.05	6
<ul style="list-style-type: none"> • Without spout <p>See page 429 for spout options</p>   	8229	261.00	6
WIDESPREAD KITCHEN FAUCET*			
 <ul style="list-style-type: none"> • 8" widespread • Cast brass • 2½" lever handles • 2.2 gpm [8.3 lpm] max.† vandal-resistant aerator • ½" IPS connections • Without drain <p>† Transitioning 3rd Quarter - 1.5 gpm (5.7 lpm) max.</p>   	8227	294.00	6
<ul style="list-style-type: none"> • Without spout <p>See page 429 for spout options</p>   	8226	241.90	6

Optional spouts available on page 429.

*Ceramic Disc Cartridges [52000 Hot; 52001 Cold] **Ceramic Disc Cartridge [52001 Cold]




▲ NSF 6 1/9 and 372 compliant ♿ ADA compliant Ⓢ BAA compliant 💧 Water-saving











M•DURA™ Heavy-Duty Faucets

	MODEL NUMBER	LIST PRICE	CASE QTY
WIDESPREAD KITCHEN FAUCET*			
	8242	337.25	6
<ul style="list-style-type: none">• 8" widespread• Solid brass construction• 2½" lever handles• 2.2 gpm [8.3 lpm] max.† aerator• 8" spout reach• Chrome side spray• ½" IPS connections <p>† Transitioning 3rd Quarter - 1.5 gpm (5.7 lpm) max.</p> <p>  </p>			
WIDESPREAD KITCHEN FAUCET*			
	8244	356.25	6
<ul style="list-style-type: none">• 8" widespread• Solid brass construction• 4" wrist blade handles• 2.2 gpm [8.3 lpm] max.† aerator• 8" spout reach• Chrome side spray• ½" IPS connections <p>† Transitioning 3rd Quarter - 1.5 gpm (5.7 lpm) max.</p> <p>  </p>			
WIDESPREAD FAUCET*			
	8248	306.60	6
<ul style="list-style-type: none">• 8" widespread• Solid brass construction• 4" wrist blade handles• 2.2 gpm [8.3 lpm] max.*** aerator• 5¼" spout reach• ½" IPS connections• Without drain• Includes optional 2.0 gpm [7.6 lpm] max. laminar flow spout base conversion kit*** <p>*** Transitioning 3rd Quarter - 1.2 gpm (4.5 lpm) max.</p> <p>  </p>			

COMMERCIAL

Optional spouts available on page 429.

*Ceramic Disc Cartridges (52000 Hot; 52001 Cold) **Ceramic Disc Cartridge (52001 Cold)
▲ NSF 6 1/9 and 372 compliant  ADA compliant  BAA compliant  Water-saving

KITCHEN FAUCET*		MODEL NUMBER	LIST PRICE	CASE QTY
	<ul style="list-style-type: none">• 8" deckmount• Solid brass construction• 2½" lever handles• 2.2 gpm [8.3 lpm] max.† aerator• 8" spout reach• ½" IPS connections † Transitioning 3rd Quarter - 1.5 gpm (5.7 lpm) max. <div></div>	8287	289.00	6
	<ul style="list-style-type: none">• Without spout See page 429 for spout options <div></div>	8280	231.85	6
KITCHEN FAUCET*				
	<ul style="list-style-type: none">• 8" deckmount• Solid brass construction• 4" wrist blade handles• 2.2 gpm [8.3 lpm] max.† aerator• 8" spout reach• ½" IPS connections• Includes optional 2.0 gpm [7.6 lpm] max. laminar flow spout base conversion kit † † Transitioning 3rd Quarter - 1.5 gpm (5.7 lpm) max. <div></div>	8289	307.95	6
	<ul style="list-style-type: none">• Without spout See page 429 for spout options <div></div>	8285	250.90	6

Optional spouts available on page 429.

*Ceramic Disc Cartridges (52000 Hot; 52001 Cold) **1255® Duralast® Cartridge
▲ NSF 6 1/9 and 372 compliant ♿ ADA compliant ⚙️ BAA compliant 💧 Water-saving

M•DURA™ Heavy-Duty Kitchen Faucets

	MODEL NUMBER	LIST PRICE	CASE QTY
--	-----------------	---------------	-------------

SINGLE-HANDLE KITCHEN FAUCET**



- Single-mount/deckmount
- Solid brass construction
- 4" lever handle
- 1.5 gpm [5.7 lpm] max. aerator
- 9" spout reach
- 22" supply line
- Flexible supplies with 3/8" compression connection
- Includes optional 8" deckplate
- **Brass adjustable temperature limit stop**

8701

142.30

12



- 12" spout reach

8711

212.70

6



SINGLE-HANDLE KITCHEN FAUCET**



- Single-mount/deckmount with chrome side spray
- Solid brass construction
- 4" lever handle
- 1.5 gpm [5.7 lpm] max. aerator
- 9" spout reach
- 22" supply line
- Flexible supplies with 3/8" compression connection
- Includes optional 8" deckplate
- **Brass adjustable temperature limit stop**

8707

169.55

6



- 12" spout reach

8717

251.35

6



SINGLE-HANDLE WALLMOUNT KITCHEN FAUCET**



- 7½" - 8½" application
- Solid brass construction
- 4" lever handle
- 1.5 gpm [5.7 lpm] max. aerator
- 9" spout reach
- ½" eccentric connections
- **Brass adjustable temperature limit stop**

8713

427.15

12



- 12" spout reach

8714

440.35

12



Optional spouts available on page 429.

*Ceramic Disc Cartridges [52000 Hot; 52001 Cold] **1255® Duralast® Cartridge
 ▲ NSF 61/9 and 372 compliant ♿ ADA compliant Ⓢ BAA compliant ♻ Water-saving

M•DURA™ Heavy-Duty Faucets















		MODEL NUMBER	LIST PRICE	CASE QTY
CENTERSET FAUCET*				
	<ul style="list-style-type: none"> • 4" centerset • Cast brass • 2½" lever handles • 2.2 gpm [8.3 lpm] max.*** vandal-resistant laminar flow • 3 5/8" spout reach • ½" IPS connections • Without drain *** Transitioning 3rd Quarter - 1.2 gpm (4.5 lpm) max.   	8270	228.95	6
	<ul style="list-style-type: none"> • 5¼" spout reach   	8272	240.05	6
CENTERSET FAUCET*				
	<ul style="list-style-type: none"> • 4" centerset • Cast brass • 2½" lever handles • 2.2 gpm [8.3 lpm] max.*** aerator • 6" spout reach • ½" IPS connections • Without drain *** Transitioning 3rd Quarter - 1.2 gpm (4.5 lpm) max.   	8273	196.85	6
	<ul style="list-style-type: none"> • Without spout See page 429 for spout options   	8274	184.60	
CENTERSET FAUCET*				
	<ul style="list-style-type: none"> • 4" centerset • Cast brass • 4" wrist blade handles • 2.2 gpm [8.3 lpm] max.*** vandal-resistant laminar flow • 3 5/8" spout reach • ½" IPS connections • Without drain *** Transitioning 3rd Quarter - 1.2 gpm (4.5 lpm) max.   	8278	241.25	6
	<ul style="list-style-type: none"> • 5¼" spout reach • Includes optional 2.0 gpm [7.6 lpm] max.*** laminar flow spout base conversion kit *** Transitioning 3rd Quarter - 1.2 gpm (4.5 lpm) max.   	8279	261.05	6
	<ul style="list-style-type: none"> • Without spout See page 429 for spout options   	8276	205.55	6

Optional spouts available on page 429.

*Ceramic Disc Cartridges (52000 Hot; 52001 Cold) **1255® Duralast® Cartridge


▲ NSF 6 1/9 and 372 compliant  ADA compliant  BAA compliant

M•DURA™ Heavy-Duty Multi-Purpose Faucets
















	MODEL NUMBER	LIST PRICE	CASE QTY	
SINGLE-HANDLE MULTIPURPOSE FAUCET**				
	<ul style="list-style-type: none">• 4"-8" application• 4" lever handle• 2.2 gpm [8.3 lpm] max.† aerator• Solid brass construction• 5¼" spout reach• Chrome side spray• 22" supply line• Flexible supplies with 3/8" compression connection• Brass adjustable temperature limit stop † Transitioning 3rd Quarter - 1.5 gpm (5.7 lpm) max.	8138	280.10	6
	<div></div>			
	<ul style="list-style-type: none">• Without side spray	8137	235.35	6
	<div></div>			
	<ul style="list-style-type: none">• Without spout See page 429 for spout options	8125	179.40	6
	<div></div>			
UTILITY FAUCET*				
	<ul style="list-style-type: none">• 4" centerset• Cast brass• 2½" lever handles• 6½" spout reach• ¾" garden hose threaded spout• Unrestricted flow• ½" IPS connections• Without drain	8277	208.30	6
	<div></div>			

Optional spouts available on page 429.

*Ceramic Disc Cartridges (52000 Hot; 52001 Cold) **1255® Duralast® Cartridge





 NSF 6 1/9 and 372 compliant
  Non-drinking water faucet
  ADA compliant
  BAA compliant

M•DURA™ Heavy-Duty Multi-Purpose Faucets











	MODEL NUMBER	LIST PRICE	CASE QTY	
WALLMOUNT UTILITY FAUCET*				
	<ul style="list-style-type: none">• 7½" - 8½" application• Cast brass• 2½" lever handles• 2.2 gpm [8.3 lpm] max.† aerator• 12" spout reach• ½" IPS eccentric connections † Transitioning 3rd Quarter - 1.5 gpm (5.7 lpm) max.	8119	291.45	6
	  			
WALLMOUNT UTILITY FAUCET*				
	<ul style="list-style-type: none">• 7½" - 8½" application• Cast brass• 4" wrist blade handles• 2.2 gpm [8.3 lpm] max.† aerator• 8" spout reach• ½" IPS eccentric connections † Transitioning 3rd Quarter - 1.5 gpm (5.7 lpm) max.	8126	292.20	6
	  			
	<ul style="list-style-type: none">• Without spout• 4" wrist blade handles See page 429 for spout options	8121	236.45	6
	  			
SERVICE SINK FAUCET*				
	<ul style="list-style-type: none">• 7½" - 8½" application• Cast brass• 2½" lever handles• 9 3/8" spout reach• Unrestricted flow• ¾" garden hose thread• Vacuum breaker• Service stops• Wallmounting bracket• Pail hook• ½" IPS eccentric connections • Rough Chrome finish	8230	200.35	3
	  			

Optional spouts available on page 429.

*Ceramic Disc Cartridges (52000 Hot; 52001 Cold)

 NSF 6 1/9 and 372 compliant
  Non-drinking water faucet
  ADA compliant
  BAA compliant

M•DURA™ Heavy-Duty Multi-Purpose Faucets























	MODEL NUMBER	LIST PRICE	CASE QTY
SERVICE SINK FAUCET*			
 <ul style="list-style-type: none"> • 7½" - 8½" application • Cast brass • 2½" lever handles • 10¼" spout reach • Unrestricted flow • ¾" garden hose thread • Vacuum breaker • Service stops • Internal check stops prevent crossflow • Wallmounting bracket • Integral check stops • Pail hook • ½" IPS eccentric connections • Polished Chrome finish   	8124	247.00	6
 <ul style="list-style-type: none"> • 4" wrist blade handles   	8232	289.90	6
MOP HANGER			
 <ul style="list-style-type: none"> • Stainless steel • Holds 3 handles • Mounting hardware included 	8198	65.05	10
HOSE BRACKET			
 <ul style="list-style-type: none"> • Stainless steel • 30" heavy-duty rubber hose • Mounting hardware included 	8199	47.35	10

Optional spouts available on page 429.

*Ceramic Disc Cartridges (52000 Hot; 52001 Cold)

 Non-drinking water faucet
  ADA compliant
  BAA compliant

M•DURA™ Heavy-Duty Laboratory Faucets

		MODEL NUMBER	LIST PRICE	CASE QTY
LABORATORY FAUCET*				
	<ul style="list-style-type: none"> • Single mount • Cast brass • 2½" lever handle • 2.2 gpm [8.3 lpm] max. aerator • 5¼" spout reach • 22" supply line • 3/8" compression connections   	8103	167.80	6
	<ul style="list-style-type: none"> • Without spout See page 429 for spout options   	8100	109.15	6
LABORATORY FAUCET*				
	<ul style="list-style-type: none"> • Single mount • Cast brass • 2½" lever handle • Unrestricted flow • 6" vacuum-breaker spout with hose nozzle • 22" supply line • 3/8" compression connections   	8106	226.50	6
LABORATORY FAUCET*				
	<ul style="list-style-type: none"> • Single mount • Cast brass • 2½" lever handles • 2.2 gpm [8.3 lpm] max. aerator • 5¼" spout reach • 22" supply line • 3/8" compression connections   	8113	248.60	6
	<ul style="list-style-type: none"> • Without spout See page 429 for spout options   	8110	189.95	6
LABORATORY FAUCET*				
	<ul style="list-style-type: none"> • Single mount • Cast brass • 2½" lever handles • Unrestricted flow • 6" vacuum-breaker spout with hose nozzle • 22" supply line • 3/8" compression connections   	8116	307.30	6
























Optional spouts available on page 429.

*Ceramic Disc Cartridges (52000 Hot; 52001 Cold)

▲ NSF 6 1/9 and 372 compliant ● NSF 372 compliant

♿ ADA compliant BAA compliant ♻ Water-saving

M•DURA™ Heavy-Duty Specialty Faucets for Healthcare Applications

	MODEL NUMBER	LIST PRICE	CASE QTY	
SPECIALTY FAUCET FOR HEALTHCARE APPLICATIONS*				
	<ul style="list-style-type: none">• 8" widespread• Solid brass construction• 4" smooth wrist blade handles• 2.2 gpm [8.3 lpm] max. aerator• 5¼" spout reach• ½" IPS connections• Without drain• Includes optional 2.0 gpm [7.6 lpm] max. laminar flow spout base conversion kit	8248SM	306.60	3
	  	<ul style="list-style-type: none">• 1.2 gpm [4.5 lpm] max. aerator• Includes optional 1.2 gpm [4.5 lpm] max. laminar flow spout base conversion kit	8248SMF12 Ships Q3	306.60
	   			
SPECIALTY FAUCET FOR HEALTHCARE APPLICATIONS*				
	<ul style="list-style-type: none">• 8" widespread• Solid brass construction• 4" smooth wrist blade handles• 2.2 gpm [8.3 lpm] max. aerator• 8" spout reach• ½" IPS connections• Without drain• Includes optional 2.0 gpm [7.6 lpm] max. laminar flow spout base conversion kit	8225SM	313.05	3
	  	<ul style="list-style-type: none">• 1.5 gpm [5.7 lpm] max. aerator• Includes optional 1.5 gpm [5.7 lpm] max. laminar flow spout base conversion kit	8225SMF15	313.05
	   			
SPECIALTY FAUCET FOR HEALTHCARE APPLICATIONS*				
	<ul style="list-style-type: none">• 4" centerset• Cast brass• 4" smooth wrist blade handles• 2.2 gpm [8.3 lpm] max. vandal-resistant laminar flow• 3 5/8" spout reach• ½" IPS connections• Without drain	8278SM	241.25	6
	  	<ul style="list-style-type: none">• 1.2 gpm [4.5 lpm] max. vandal-resistant laminar flow	8278SMF12 Ships Q3	241.25
	   			


Optional spouts available on page 429.













*Ceramic Disc Cartridges (52000 Hot; 52001 Cold)





▲ NSF 6 1/9 and 372 compliant

♿ ADA compliant ♻ BAA compliant ♻ Water-saving

M•DURA™ Heavy-Duty Specialty Faucets for Healthcare Applications

	MODEL NUMBER	LIST PRICE	CASE QTY	
SPECIALTY FAUCET FOR HEALTHCARE APPLICATIONS*				
	<ul style="list-style-type: none">• 4" centerset• Cast brass• 4" smooth wrist blade handles• 2.2 gpm [8.3 lpm] max. vandal-resistant laminar flow• 5¼" spout reach• ½" IPS connections• Without drain• Includes optional 2.0 gpm [7.6 lpm] max. laminar flow spout base conversion kit	8279SM	256.70	6
	<ul style="list-style-type: none">• 1.2 gpm [4.5 lpm] max. vandal-resistant laminar flow• Includes optional 1.2 gpm [4.5 lpm] max. laminar flow spout base conversion kit	8279SMF12	256.70	6

SPECIALTY FAUCET FOR HEALTHCARE APPLICATIONS*				
	<ul style="list-style-type: none">• 4" centerset• Cast brass• 2½" smooth lever handles• 2.2 gpm [8.3 lpm] max. vandal-resistant aerator• ½" IPS connections• Without drain• No lift rod hole	8210SM	192.50	6
	  			
	<ul style="list-style-type: none">• 1.2 gpm [4.5 lpm] max. vandal-resistant aerator	8210SMF12 Ships by Q2	192.50	6
	   			
	<ul style="list-style-type: none">• 0.5 gpm [1.9 lpm] max. vandal-resistant aerator	8210SMF05	192.50	6
	   			

SPECIALTY FAUCET FOR HEALTHCARE APPLICATIONS*				
	<ul style="list-style-type: none">• 4" centerset• Cast brass• 4" smooth wrist blade handles• 2.2 gpm [8.3 lpm] max. vandal-resistant aerator• ½" IPS connections• Without drain• No lift rod hole	8215SM	213.45	6
	<div></div> <ul style="list-style-type: none">• 1.2 gpm [4.5 lpm] max. vandal-resistant aerator	8215SMF12 Ships by Q2	213.45	6

All spouts include 2.2 gpm [8.3 lpm] max. aerators.

*Ceramic Disc Cartridges (52000 Hot; 52001 Cold) **Height from spout nut base plane to aerator

▲ NSF 6 1/9 and 372 compliant

♿ ADA compliant BAA compliant WaterSense® Water-saving

M•DURA™ Heavy-Duty Spouts

DOUBLE-BEND SPOUTS



S0003



S0010

Model Number		Reach	Base to Aerator**	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0000	▲	6.00"	2.00"	4.325"	0.89	12	47.50
S0001	▲	6.00"	3.75"	7.375"	1.20	12	57.10
S0002	▲	6.00"	5.00"	9.125"	1.64	12	58.35
S0003	▲	6.00"	5.75"	9.75"	1.60	12	57.10
S0004	▲	6.00"	8.50"	12.75"	1.71	12	68.60
S0006	▲	8.00"	0.75"	3.50"	1.20	12	43.50
S0007	▲	8.00"	6.00"	9.75"	1.90	12	58.35
S0009	▲	10.00"	5.75"	9.75"	2.20	12	62.90
S0010	▲	12.00"	0.50"	3.125"	1.40	12	68.60
S0011	▲	12.00"	6.00"	9.75"	1.64	12	57.10

MULTI-BEND SPOUTS



Model Number		Reach	Base to Aerator**	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0012	▲	18.00"	3.75"	7.75"	2.40	12	124.70

GOOSENECK SPOUTS



S0030

S0060

S0070

Model Number		Reach	Base to Aerator**	Overall Height	Weight Each Pounds	Case Quantity	List Price
S0020	▲	3.625"	6.25"	8.75"	1.47	12	58.35
S0030	▲	5.25"	5.50"	10.00"	1.55	12	64.05
S0050	▲	8.00"	6.125"	11.375"	1.65	12	70.90
S0060	▲	8.00"	10.00"	12.00"	1.10	12	88.10
S0070	▲	9.50"	6.50"	9.175"	1.81	12	76.65

RESTRICTED SWINGS SPOUT KITS †



S00R30

S00R50

Model Number		Reach	Base to Aerator**	Overall Height	Weight Each Pounds	Case Quantity	List Price
S00R30	▲	5.25"	7.375"	11.25"	2.15	12	99.50
S00R50	▲	8.00"	7.875"	12.75"	2.27	12	107.45

† 140° restricted swing with 100° adapter

For use only with 8200 series widespread and kitchen faucets that have a center, stand-alone spout hub.

VACUUM-BREAKER SPOUTS



Model Number		Reach	Base to Aerator**	Overall Height	Weight Each Pounds	Case Quantity	List Price
SV003	■	6.00"	5.75"	10.50"	2.15	12	117.80
SV006	■	8.00"	0.50"	4.00"	1.40	12	109.80
SV010	■	12.00"	0.50"	4.00"	1.70	12	115.50

All spouts include 2.2 gpm [8.3 lpm] max. aerators.

Spouts are designed for use only with the 8100 and 8200 series.

*Ceramic Disc Cartridges (52000 Hot; 52001 Cold) **Height from spout nut base plane to aerator

▲ NSF 6 1/9 and 372 compliant ■ Non-drinking water faucet


♿ ADA compliant ♻ BAA compliant 💧 WaterSense® 💧 Water-saving

M•PRESS™ Heavy-Duty Metering Faucets

COMMERCIAL

M•PRESS™ Single-Mount Metering Faucet / 8884 Series

M•PRESS™ Heavy-Duty Metering Faucets



Consistent Timing: Sealed Silicone Timing Mechanism

The sealed silicone timing mechanism is completely separated from the water source—protected from impurities and clogs—to ensure consistent timing.



Reliable Performance: Pressure-Independent Design

Even if pressure varies, you get consistent handle feel, reliable timing and proper shutoff with every use.



Superior Durability: Anti-Rotation Handle and Deckplate

Interlocking design ensures the handle will never rotate. Optional anti-rotation deckplates are available for single-mount models (8884, 8894).



Vandal-Resistant Operation: Recessed Aerator

Unique, recessed design protects aerator from tampering and damage.



Superior Durability: Heavy-Duty Construction

Solid cast brass body and a finish that resists harsh chemical cleaners.



Worry-Free Quality: Best-in-Class Five-Year Limited Warranty



Versatile Interchangeability: Manual-to-Metering Conversion Kit

Convert any M•DURA™ 8200 series* faucet to an M•PRESS™ metering faucet with a simple cartridge and handle conversion kit.

* Excludes 8242, 8244 and Modern Lavs

ECO-PERFORMANCE SINGLE-MOUNT METERING FAUCET*



- Single-mount
- Cast brass
- Timing preset to 10 seconds
- Adjustable timing cycle
- 0.5 gpm [1.9 lpm] max. vandal-resistant multi-stream laminar flow
- Max 0.25 gpc [.95 lpc] @ 30 seconds
- ½" IPS connections
- Without drain



MODEL
NUMBER

LIST
PRICE

CASE
QTY

8884 173.40 6



- 4" optional deckplate
- Anti-rotation
(for use with 8161 or 8884 only)



99550 29.10 12

COMMERCIAL

		MODEL NUMBER	LIST PRICE	CASE QTY
ECO-PERFORMANCE CENTERSET METERING FAUCET*				
	<ul style="list-style-type: none"> • 4" centerset • Cast brass • Timing preset to 10 seconds • Adjustable timing cycle • 0.5 gpm [1.9 lpm] max. vandal-resistant multi-stream laminar flow • Max. 0.25 gpc [.95 lpc] @ 30 seconds • ½" IPS connections • Without drain 	8886	319.60	6
	<div> <div></div> <div></div> <div></div> </div>			
ECO-PERFORMANCE WIDESPREAD METERING FAUCET*				
	<ul style="list-style-type: none"> • 8" widespread • Cast brass • Timing preset to 10 seconds • Adjustable timing cycle • 0.5 gpm [1.9 lpm] max. vandal-resistant multi-stream laminar flow • Max. 0.25 gpc [.95 lpc] @ 30 seconds • ½" IPS connections • Without drain 	8889	409.05	6
	<div> <div></div> <div></div> <div></div> </div>			
ECO-PERFORMANCE SINGLE-MOUNT METERING FAUCET*				
	<ul style="list-style-type: none"> • Single-mount • Cast brass • Extended reach • Timing preset to 10 seconds • Adjustable timing cycle • 0.5 gpm [1.9 lpm] max. vandal-resistant multi-stream laminar flow • Max. 0.25 gpc [.95 lpc] @ 30 seconds • ½" IPS connections • Without drain 	8894	196.85	6
	<div> <div></div> <div></div> <div></div> </div>			
	<ul style="list-style-type: none"> • 4" optional anti-rotation deckplate [for use with 8894 model] 	99551	29.10	12
	<div> <div></div> <div></div> <div></div> </div>			

M•PRESS™ Heavy-Duty Metering Faucets

	MODEL NUMBER	LIST PRICE	CASE QTY
DURAMETER™ CARTRIDGE			



- Durameter™ replacement metering cartridge

52100 81.20 24

MANUAL-TO-METERING CONVERSION KIT			
--	--	--	--



- Manual-to-metering conversion kit.
Convert any M•DURA™ 8200 series faucet* to an M•PRESS™ metering faucet with a simple cartridge and handle change.
- Includes hot/cold color indicator rings

52120 150.70 6

COMMERCIAL

*Excludes 8242, 8244 and Modern Lavs

M•BITION™ Medium-Duty Faucets

COMMERCIAL

M•BITION™ Single-Handle Lavatory Faucet / 8430 Series

M•BITION™ Medium-Duty Lavatory Faucets



Safe Operation: Temperature Control

Adjustable temperature limit stop with durable brass construction.

Superior Durability: 1255® Duralast® Cartridge

Proprietary ceramic-disc design for smooth feel and reliable operation.

Easy to Install: Supply Line Options

Choose from standard copper or flexible supply lines.

ADA Compliant: Lever Handle

Features embedded hot/cold indicators that won't wear off.

Vandal-Resistant: Recessed Aerator

Unique, recessed design protects aerator from tampering and damage.

Worry-Free Quality:

Best-in-Class Five-Year Limited Warranty

MODERN SUITE LAVATORY FAUCET*

NEW!



- Single-mount
- 3-1/8" lever handle
- 1.2 gpm [4.5 lpm] max. vandal-resistant aerator
- 3/8" compression connections
- 34" supply length
- Without drain



- Metal drain included



- 4" optional deck plate

MODEL NUMBER	LIST PRICE	CASE QTY
--------------	------------	----------

9480	155.95	3
------	--------	---

9482	173.30	3
------	--------	---

99559	31.85	20
-------	-------	----

WIDESPREAD LAVATORY FAUCET**

NEW!



- Widespread
- 3" lever handles
- 1.2 gpm [4.5 lpm] max. vandal-resistant aerator
- 1/2" IPS connections
- Without drain



- Metal drain included



9921	224.55	3
------	--------	---

9922	249.50	3
------	--------	---

*1255® Duralast® Cartridge **Need 2H Cartridges#s (H,C) [2H Duralast®]

To see our full line of M•Bition faucets and coordinating M•Dura Modern Suite showering, see the 2016 Moen Commercial catalog or visit moencommercial.com.

M•BITION™ Medium-Duty Lavatory Faucets

MODEL
NUMBER

LIST
PRICE

CASE
QTY

SINGLE-HANDLE LAVATORY FAUCET*



Chrome

Classic
Brushed
Nickel

- 4" centerset
- 4" lever handle
- 1.5 gpm [5.7 lpm] max.† vandal-resistant aerator
- ½" IPS connections
- Without drain
- Removable plug button in lift rod hole

Brass adjustable temperature limit stop

† Transitioning 2nd quarter - 1.2 gpm (4.5 lpm) max.



- 1.5 gpm [5.7 lpm] max.† vandal-resistant aerator
- With metal drain

† Transitioning 2nd quarter - 1.2 gpm (4.5 lpm) max.



- 1.5 gpm [5.7 lpm] max.† vandal-resistant aerator
- With metal grid strainer

† Transitioning 2nd quarter - 1.2 gpm (4.5 lpm) max.



- 1.5 gpm [5.7 lpm] max.† vandal-resistant aerator
- Without drain

† Transitioning 2nd quarter - 1.2 gpm (4.5 lpm) max.



- 0.5 gpm [1.9 lpm] max. vandal-resistant aerator

Flexible supply lines with 3/8" connections



8400	172.60	6
8420	200.30	6
8420CBN	250.40	12
8425	195.00	6
8422	181.10	12
8422F05	181.10	12



Classic Brushed Nickel available on select models ending in **CBN**.

*1255® Duralast® Cartridge

M•BITION™ Medium-Duty Lavatory Faucets

SINGLE-HANDLE LAVATORY FAUCET*



Chrome

Classic
Brushed
Nickel

- 4" centerset
- 3" lever handle
- 1.5 gpm [5.7 lpm] max.† vandal-resistant aerator
- ½" IPS connections
- Without drain
- Removable plug button in lift rod hole
- **Brass adjustable temperature limit stop**
- † **Transitioning 2nd quarter - 1.2 gpm (4.5 lpm) max.**



- 0.5 gpm [1.9 lpm] max. vandal resistant aerator



- 1.5 gpm [5.7 lpm] max.† vandal-resistant aerator
- With metal drain

† **Transitioning 2nd quarter - 1.2 gpm (4.5 lpm) max.**



- 0.5 gpm [1.9 lpm] max. vandal-resistant aerator
- With metal drain



- 1.5 gpm [5.7 lpm] max.† vandal-resistant aerator
- With metal grid strainer

† **Transitioning 2nd quarter - 1.2 gpm (4.5 lpm) max.**



- 1.5 gpm [5.7 lpm] max.† vandal-resistant aerator
- **Flexible supply lines with 3/8" connections**
- Without drain

† **Transitioning 2nd quarter - 1.2 gpm (4.5 lpm) max.**



- 0.5 gpm [1.9 lpm] max. vandal-resistant aerator
- **Flexible supply lines with 3/8" connections**



- 1.5 gpm [5.7 lpm] max.† vandal-resistant aerator
- **Flexible supply lines with 3/8" connections**
- With metal drain

† **Transitioning 2nd quarter - 1.2 gpm (4.5 lpm) max.**



Classic Brushed Nickel available on select models ending in CBN.

*1255® Duralast® Cartridge

M•BITION™ Medium-Duty Lavatory Faucets

MODEL
NUMBER LIST
PRICE CASE
QTY

CENTERSET LAVATORY FAUCET**



- 4" centerset
 - 4" wrist blade handles
 - 1.5 gpm [5.7 lpm] max.† vandal-resistant aerator
 - ½" IPS connections
 - Without drain
 - Removable plug button in lift rod hole
- † Transitioning 2nd quarter - 1.2 gpm (4.5 lpm) max.



- | | | | |
|----------------------------------|----------------|--------|---|
| • 0.5 gpm [1.9 lpm] max. aerator | 8800F05 | 160.15 | 6 |
|----------------------------------|----------------|--------|---|



- | | | | |
|--|-------------|--------|---|
| • 1.5 gpm [5.7 lpm] max.† vandal-resistant aerator | 8810 | 183.65 | 6 |
| • With metal grid strainer | | | |


† Transitioning 2nd quarter - 1.2 gpm (4.5 lpm) max.



- | | | | |
|--|----------------|--------|---|
| • 1.5 gpm [5.7 lpm] max.† vandal-resistant aerator | 8820 | 189.25 | 6 |
| • With metal drain | | | |
| † Transitioning 2nd quarter - 1.2 gpm (4.5 lpm) max. | 8820CBN | 232.05 | 6 |



CENTERSET LAVATORY FAUCET**




- 4" centerset
 - 2½" lever handles
 - 1.5 gpm [5.7 lpm] max.† aerator
 - ½" IPS connections
 - Without drain
 - Removable plug button in lift rod hole
- † Transitioning 2nd quarter - 1.2 gpm (4.5 lpm) max.



- | | | | |
|--------------------|----------------|--------|----|
| • With metal drain | 8917 | 138.80 | 12 |
| | 8917CBN | 173.55 | 12 |



WIDESPREAD LAVATORY FAUCET**



- 8"-16" adjustable-width widespread
 - 2½" lever handles
 - 1.5 gpm [5.7 lpm] max.† aerator
 - ½" IPS connections
 - With metal drain
- † Transitioning 2nd quarter - 1.2 gpm (4.5 lpm) max.


























- | | | | |
|----------------------------|-------------|--------|---|
| • With metal grid strainer | 8924 | 265.60 | 6 |
| • No lift rod hole | | | |



Classic Brushed Nickel available on select models ending in **CBN**.

**Washerless Cartridges (1224)

M•BITION™ Medium-Duty Kitchen Faucets

		MODEL NUMBER	LIST PRICE	CASE QTY
KITCHEN FAUCET*				
	<ul style="list-style-type: none"> • Deckmount • 2½" lever handles • 1.5 gpm [5.7 lpm] max. aerator • 9" spout reach • ½" IPS connections    	8780	115.30	6
KITCHEN FAUCET*				
	<ul style="list-style-type: none"> • Deckmount • 2½" lever handles • 1.5 gpm [5.7 lpm] max. aerator • 9" spout reach • ½" IPS connections • Chrome side spray   	8791	135.90	6
KITCHEN FAUCET*				
	<ul style="list-style-type: none"> • Deckmount • 4" wrist blade handles • 1.5 gpm [5.7 lpm] max. aerator • 9" spout reach • ½" IPS connections    	8798	184.85	6
KITCHEN FAUCET*				
	<ul style="list-style-type: none"> • Deckmount • 2½" lever handles • 1.5 gpm [5.7 lpm] max. aerator • 12 5/8" high-arc spout • 8½" spout reach • ½" IPS connections • Chrome side spray   	8792	263.20	6
KITCHEN FAUCET*				
	<ul style="list-style-type: none"> • Deckmount • 4" wrist blade handles • 1.5 gpm [5.7 lpm] max. aerator • 11 3/8" high-arc spout • 8½" spout reach • ½" IPS connections    	8799	240.95	6

*Washerless Cartridges [1224]

M•BITION™ Medium-Duty Bar/Pantry Faucets

		MODEL NUMBER	LIST PRICE	CASE QTY
BAR/PANTRY FAUCET*				
	<ul style="list-style-type: none">• 4" centerset• 4" wrist blade handles• 1.5 gpm [5.7 lpm] max.† aerator• 4 9/16" spout reach• 1/2" IPS connections <p>† Transitioning 2nd Quarter - 1.2 gpm (4.5 lpm) max.</p> <div></div>	8938	159.70	6
BAR/PANTRY FAUCET*				
	<ul style="list-style-type: none">• 4" centerset• 2 1/2" lever handles• 1.5 gpm [5.7 lpm] max.† aerator• 4 9/16" spout reach• 1/2" IPS connections <p>† Transitioning 2nd Quarter - 1.2 gpm (4.5 lpm) max.</p> <div></div>	8957	123.00	12
BAR/PANTRY FAUCET*				
	<ul style="list-style-type: none">• 4" centerset• 4" wrist blade handles• 1.5 gpm [5.7 lpm] max.† aerator• 4 3/4" spout reach• 1/2" IPS connections <p>† Transitioning 2nd Quarter - 1.2 gpm (4.5 lpm) max.</p> <div></div>	8948	157.55	6
BAR/PANTRY FAUCET*				
	<ul style="list-style-type: none">• 4" centerset• 4" wrist blade handles• 1.5 gpm [5.7 lpm] max.† aerator• 11 1/2" high-arc spout• 8 1/2" spout reach• 1/2" IPS connections <p>† Transitioning 2nd Quarter - 1.2 gpm (4.5 lpm) max.</p> <div></div>	8940	228.25	6







*Washerless Cartridges (1224)

M•POWER™ Above-Deck Sensor-Operated Faucets










COMMERCIAL

M•POWER™ Above-Deck Sensor-Operated Lavatory Faucet / 8551 Series










- **Updated Design: On-Trend Styling**
A sleek, new look brings a modern touch to commercial installations.
- **Clean Performance: Improved Hygiene and Sanitation**
Get more than just hands-free operation. Innovative sentinel flush purges copper waterway every 24 hours to eliminate static water. Laminar flow options further reduce chances of contamination.
- **Versatile: Advanced Sensor Functionality**
State-of-the-art sensor technology stands up to high-use environments and offers cleaning mode that disables activation for easier cleaning.
- **Simplified Maintenance: Above-the-Deck Access**
Battery pack and mechanics are easily accessed from above. LED display informs when batteries need replacement.
- **Water Savings: Sustainable, Efficient Operation**
Choose from several eco-performance flow rates.
- **Worry-Free Quality: Best-in-Class Five-Year Limited Warranty**






















	MODEL NUMBER	LIST PRICE	CASE QTY
ABOVE-DECK SENSOR-OPERATED FAUCET			
 <ul style="list-style-type: none">• Single-mount• Battery-powered (4 AA included)• Easy battery access• 2-piece metal body• 3/8" compression connections• Non-mixing• 0.5 gpm [1.9 lpm] max. vandal-resistant multi-stream laminar flow• ½" IPS connections• Without drain <div></div>	8551	667.55	6
<div></div> <ul style="list-style-type: none">• AC-powered (adapter included)	8551AC	685.75	6

See page 447 for sensor-operated faucet accessories.

M•POWER™ Sensor-Operated Faucets

	MODEL NUMBER	LIST PRICE	CASE QTY	
ABOVE-DECK SENSOR-OPERATED FAUCET				
	<ul style="list-style-type: none">• Single-mount• Battery-powered (4 AA included)• Easy battery access• 2-piece metal body• 3/8" compression connections• Temperature control and manual override• 0.5 gpm [1.9 lpm] max. vandal-resistant multi-stream laminar flow• Without drain    	8552	737.75	6
	<ul style="list-style-type: none">• AC-powered (adapter included)    	8552AC	737.75	6
	<ul style="list-style-type: none">• 4" deckplate• Designed for 8551, 8551AC, 8552, 8552AC	99556	31.85	20
	<ul style="list-style-type: none">• 8" deckplate• Fits 8551, 8551AC, 8552, 8552AC, 8553, 8553AC, 8554, 8554AC	99558	40.95	20

ABOVE-DECK SENSOR-OPERATED FAUCET				
	<ul style="list-style-type: none">• Single-mount• Battery-powered (4 AA included)• Easy battery access• 2-piece metal body• 3/8" compression connections• Non-mixing• 0.5 gpm [1.9 lpm] max. vandal-resistant multi-stream laminar flow• Without drain <div></div>	8553	667.55	6
	<ul style="list-style-type: none">• AC-powered (adapter included) <div></div>	8553AC	685.75	6

ABOVE-DECK SENSOR-OPERATED FAUCET				
	<ul style="list-style-type: none">• Single-mount• Battery-powered (4 AA included)• Easy battery access• 2-piece metal body• 3/8" compression connections• Temperature control and manual override• 0.5 gpm [1.9 lpm] max. vandal-resistant multi-stream laminar flow• Without drain	8554	737.75	6
	   			
	<ul style="list-style-type: none">• AC-powered (adapter included)	8554AC	737.75	6
	   			
	<ul style="list-style-type: none">• 4" deckplate• Designed for 8553, 8553AC, 8554, 8554AC	99557	31.85	20
	<ul style="list-style-type: none">• 8" deckplate• Fits 8551, 8551AC, 8552, 8552AC, 8553, 8553AC, 8554, 8554AC	99558	40.95	20

See page 447 for sensor-operated faucet accessories.





M•POWER™ Sensor-Operated Faucets











M•POWER™ Above-Deck Sensor-Operated Lavatory Faucet / 8553 Series

COMMERCIAL

M•POWER™ Below-Deck Sensor-Operated Faucets


- **Optimized Performance: Self-Adaptive Sensor Technology**
Adjusts to the environment to work properly without having to make sensor adjustments. A slow-closing solenoid reduces water hammer.
- **Vandal-Resistant Operation: Smart Sensor Placement**
Sensors located on the underside of the spout deter tampering.
- **Water Savings: Eco-Performance Aerators**
A 0.5 gpm aerator reduces water use by 77% compared to standard 2.2 gpm designs.
- **Worry-Free Quality: Best-in-Class Five-Year Limited Warranty**

	MODEL NUMBER	LIST PRICE	CASE QTY
BELOW-DECK SENSOR-OPERATED FAUCET			
	CA8301 <ul style="list-style-type: none">• 4" centerset• Battery-powered* (4 AA included)• Solid brass construction• 3/8" compression connections• Non-mixing• 0.5 gpm [1.9 lpm] max. vandal-resistant multi-stream laminar flow• Without drain <div></div>	656.35	6


BELOW-DECK SENSOR-OPERATED FAUCET			
	CA8302 <ul style="list-style-type: none">• Single mount• Battery-powered* (4 AA included)• Solid brass construction• 3/8" compression connections• Non-mixing• 0.5 gpm [1.9 lpm] max. vandal-resistant multi-stream laminar flow• Without drain <div></div>	647.70	6

*Converts to AC power with the following accessories: single-unit adapter (104427); for multi-unit applications, both one (1) multi-unit adapter (104401) for up to 8 faucets and one (1) lead kit (104402) for each faucet are required.


M•POWER™ Sensor-Operated Faucets

	MODEL NUMBER	LIST PRICE	CASE QTY
BELOW-DECK SENSOR-OPERATED FAUCET			
	<ul style="list-style-type: none"> • Single mount • Battery-powered* (4 AA included) • 5 3/8" spout reach • 3/8" compression connections • Non-mixing • 0.5 gpm [1.9 lpm] max. vandal-resistant multi-stream laminar flow • Without drain 	CA8303	714.25 6
	<ul style="list-style-type: none"> • 4" deckplate Fits CA8302, CA8303 	104426	32.05 64
	<ul style="list-style-type: none"> • 8" deckplate Fits CA8302, CA8303 	104448	45.80 50



BELOW-DECK SENSOR-OPERATED FAUCET			
	<ul style="list-style-type: none"> • Wallmount • Battery-powered* (4 AA included) • 5 3/8" spout reach • 3/8" compression connections • Non-mixing • 0.5 gpm [1.9 lpm] max. vandal-resistant multi-stream laminar flow • Without drain 	CA8304	737.45 6
	<ul style="list-style-type: none"> • 4" deckplate Fits CA8302, CA8303 	104426	32.05 64
	<ul style="list-style-type: none"> • 8" deckplate Fits CA8302, CA8303 	104448	45.80 50



LOW-FLOW THERMOSTATIC MIXING VALVE			
	<ul style="list-style-type: none"> • 1/2" IPS connections • Includes 3/8" compression adapters • Listed to ASSE Standard 1070 • Lavatory faucet application • Minimum flow rate at 45 psi= 0.35 gpm 	104451	173.00 12
	<ul style="list-style-type: none"> • 4" deckplate Fits CA8302, CA8303 	104426	32.05 64
	<ul style="list-style-type: none"> • 8" deckplate Fits CA8302, CA8303 	104448	45.80 50

IMPROVED!

THERMOSTATIC MIXING VALVE SERVICE KITS			
Part No.	Description		List Price
175916	1/2" IPS Adapter Kit		14.95
175917	1/2" CC Adapter Kit		14.95
175918	1/2" Cold Expansion PEX Adapter Kit		14.95
181040	1/2" Crimp Ring PEX Adapter Kit		14.95
175921	3/8" Compression Adapter Kit		14.95
175925	Fitting Nut Kit		14.95
175726	Screen Washers and Seal Washer Kit		14.95

See page 447 for sensor-operated faucet accessories.

*Converts to AC power with the following accessories: single-unit adapter (104427); for multi-unit applications, both one (1) multi-unit adapter (104401) for up to 8 faucets and one (1) lead kit (104402) for each faucet are required.

M•POWER™ Sensor-Operated Faucets

SENSOR-OPERATED FAUCET ACCESSORIES		
Part No.	Description	List Price
104020	Manual Temperature Control Handle Kit 8307, 8308	22.30
104021	Solenoid Valve Repair Kit 8301–8304	49.50
104400	In-Line Filter with Check Valve for 8301–8308	54.35
104401	Multi-Unit AC Power Adapter (up to 8 faucets/flush valves) 8301–8304/Flush Valve	101.80
104402	24" Power Cable Lead (1 cable required per faucet) 8301–8304	32.20
104404	Faucet Control Module for 8305, 8307 (DC)	171.45
104405	Faucet Control Module for 8306, 8308 (AC)	171.45
104408	Multi-Unit Adapter, 7.5V, 3A for 8306, 8308	99.25
104424	Mixing Valve with Check Valve for 8301–8308	64.35
104426	4" Deckplate (with mounting kit) for 8302, 8303	32.05
104427	Single AC Adapter with Shielded Cable for 8301–8304 and All Flush Valves	61.80
104428	4" Deckplate (with mounting kit) for 8305–8308	34.60
104429	Gooseneck Spout (5 3/4" reach, 10 1/4" height) 8303, 8304	40.80
104430	Gooseneck Spout (5 3/8" reach, 13 1/4" height) 8303, 8304	54.55
104431	Swing Spout (6" reach, 4 3/4" height) 8303, 8304	43.15
104432	Swing Spout (8" reach, 5 3/4" height) 8303, 8304	44.25
104433	Gooseneck Spout (8 3/8" reach, 11" height) 8303, 8304	83.10
104434	Control Module for 8301–8304	273.80
104438	Filter Screen for Filter Housing for 8301–8308	8.35
104439	Solenoid Housing for 8301–8304	300.10
104441	Nylon Washer for Filter Housing for 8301–8308	2.30
104443	Supply Rod for 8304 Electronic Faucet	16.00
104444	Supply Line 8305–8308 (1/bag)	29.75
104446	Plug-In AC Single Outlet Power Adapter (with cable) for 8306, 8308	58.85
104447	Hex Key Wrench 8305–8308	2.90
104448	8" Deckplate (with mounting kit) for CA8302, CA8303, CA8305, CA8306, CA8307, CA8308	45.80
104450	Solenoid Coil Kit for 8305–8308	124.70
104456	Sensor Eye Casing for 8301–8304	12.60
104457	O-Ring for Electronic Faucet Spout 8303, 8304	2.45
104458	Split Washer for Electronic Spout 8303, 8304	2.45
104459	Battery Holder for Electronic Faucet 8301–8304	6.35
104460	Spout Nut for Electronic Faucet 8303, 8304	9.00
104534	1.5 gpm Laminar Flow for 8301, 8302, 8305–8308	17.75
104535	0.5 gpm Rosetta Spray for 8301, 8302, 8305–8308	17.75
104539	Set Screw for Electronic Faucet 8305–8308	4.60
109146	6' Sensor Eye and Cable 8301–8304	213.20
174055	Battery Housing for 8551, 8552, 8553, 8554	29.20
174056	Solenoid Repair Kit for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	92.85
174057	Strain Relief and Sensor Cable Extension for 8551–8554	25.80
174058	AC Adapter for 8551AC, 8552AC, 8553AC, 8554AC	128.45
174059	Y Splitter for Multi-Unit Application for 8551AC, 8552AC, 8553AC, 8554AC	60.50
174060	Mounting Hardware for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	16.35
174061	Manual Temperature Control Handle Kit 8552, 8554, 8552AC, 8554AC	22.90
174062	T10 Torx Key and Screw for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	8.45
174065	In-Line Filter with Check Valve for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	46.35
174066	Filter Screen for Filter Housing for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	5.35
174334	Sensor and Bracket for 8551, 8552, 8551AC, 8552AC	183.35
174335	Sensor and Bracket for 8553, 8554, 8553AC, 8554AC	183.35
174336	Override Plug Button for 8552, 8552AC	18.15
174337	Override Plug Button for 8554, 8554AC	18.15
52016F10	1.0 gpm Aerator for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	17.75
52018F15	1.5 gpm Laminar Aerator for All Above-Deck SKUs 8551, 8552, 8553, 8554, 8551AC, 8552AC, 8553AC, 8554AC	17.75

M•POWER™ Sensor-Operated Faucets



M•POWER™ Below-Deck Sensor-Operated Lavatory Faucet / CA8303


COMMERCIAL






M•POWER™ Sensor-Operated Flush Valves









M•POWER™ Sensor-Operated Flush Valve / 8310 Series

COMMERCIAL













- **Reduced Maintenance: Self-Cleaning Piston Technology**
Internal filter screen and self-lubricating silicone seals guard against damage and leaks.
- **Versatile: Field-Adjustable Flow Rates**
Simplifies parts inventory by offering flexibility to work in different applications.
- **Performance: Wide Operating Pressure Range**
Consistent, powerful flushes in any range from 10 psi to 120 psi.
- **Reliable Operation: Manual Mechanical Override**
Manual button ensures the system operates in power outages.
- **Worry-Free Quality: Best-in-Class Five-Year Limited Warranty**



	MODEL NUMBER	LIST PRICE	CASE QTY	
1½" DC SENSOR-OPERATED FLUSH VALVE				
	<ul style="list-style-type: none">• Closet• Solid brass construction• Battery-powered (4 AA included)• Easy battery access• Manual mechanical override button• Heavy-duty piston technology• 1.6 gpf [6.0 lpf] max. 	8310	596.45	4
	<ul style="list-style-type: none">• 1.28 gpf [4.8 lpf] max.  	8311	596.45	4
	Dual Flush Technology <ul style="list-style-type: none">• 1.0/1.6 gpf [3.8/6.0 lpf] max.  	8310DF16	626.20	4






Intended for use with matching flow rates as specified by the fixture manufacturer.









M•POWER™ Sensor-Operated Flush Valves

	MODEL NUMBER	LIST PRICE	CASE QTY
1½" DC SENSOR-OPERATED FLUSH VALVE			
	8313	598.20	4
	<ul style="list-style-type: none">• Closet• Solid brass construction• 24" extension tube• Battery-powered (4 AA included)• Easy battery access• Manual mechanical override button• Heavy-duty piston technology• 1.6 gpf [6.0 lpf] max.		
			
1½" AC SENSOR-OPERATED FLUSH VALVE			
	8310AC16	596.45	4
	<ul style="list-style-type: none">• Closet• Solid brass construction• AC-powered• Requires 12V transformer (sold separately)*• Manual override button• Heavy-duty piston technology• 1.6 gpf [6.0 lpf] max.		
			
	8311AC12	596.45	4
	<ul style="list-style-type: none">• 1.28 gpf [4.8 lpf] max.		
	 		
	8310ACDF16	626.20	4
	<ul style="list-style-type: none">• Dual Flush Technology• 1.0/1.6 gpf [3.8/6.0 lpf] max.		
	 		

COMMERCIAL

*Single AC adapter (104406) or multi-unit adapter (104401) sold separately.
 ADA compliant  Water-saving

	MODEL NUMBER	LIST PRICE	CASE QTY	
SENSOR-OPERATED DC FLUSH VALVE RETROFIT KIT				
 	<ul style="list-style-type: none">• Closet• Solid brass construction• Battery-powered (4 AA included)• Easy battery access• Manual mechanical override button• Heavy-duty piston technology• 1.6 gpf [6.0 lpf] max. 	8310R16	499.10	8
	<ul style="list-style-type: none">• Closet• Dual Flush Technology• 1.0/1.6 gpf (3.8/6.0 lpf) max.  	8310RDF16	524.00	4

3/4" DC SENSOR-OPERATED FLUSH VALVE				
	<ul style="list-style-type: none">• Urinal• Solid brass construction• Battery-powered (4 AA included)• Easy battery access• Manual mechanical override button• Heavy-duty piston technology• 1.0 gpf 3.8 lpf] max. 	8312	596.45	4
	<ul style="list-style-type: none">• 0.5 gpf (1.9 lpf) max.   	8315	596.45	4
	<p>Pint flush</p> <ul style="list-style-type: none">• 0.125 gpf (0.5 lpf) max.   	8316	596.45	4

Intended for use with matching flow rates as specified by the fixture manufacturer.

*Single AC adapter (104406) or multi-unit adapter (104401) sold separately.

 ADA compliant  WaterSense®  Water-saving

M•POWER™ Sensor-Operated Flush Valves

	MODEL NUMBER	LIST PRICE	CASE QTY
1¼" DC SENSOR-OPERATED FLUSH VALVE			



- Urinal
- Solid brass construction
- Battery-powered (4 AA included)
- Easy battery access
- Manual mechanical override button
- Heavy-duty piston technology
- 1.0 gpf [3.8 lpf] max.



8314 596.45 6

¾" AC SENSOR-OPERATED FLUSH VALVE			
-----------------------------------	--	--	--



- Urinal
- Solid brass construction
- AC-powered
- Requires 12V transformer (sold separately)*
- Manual override button
- Heavy-duty piston technology
- 1.0 gpf [3.8 lpf] max.



8312AC10 596.45 4

- 0.5 gpf (1.9 lpf) max.

8315AC05 596.45 4



Pint flush

- 0.125 gpf (0.5 lpf) max.

8316AC 596.45 4



SENSOR-OPERATED AC FLUSH VALVE RETROFIT KIT			
---	--	--	--



- Urinal
- Solid brass construction
- Battery-powered (4 AA included)
- Easy battery access
- Manual mechanical override button
- Heavy-duty piston technology
- 1.0 gpf [3.8 lpf] max.



8312R10 499.10 8

Intended for use with matching flow rates as specified by the fixture manufacturer.

*Single AC adapter (104406) or multi-unit adapter (104401) sold separately.

ADA compliant WaterSense® Water-saving

M•POWER™ Sensor-Operated Flush Valves

SENSOR-OPERATED FLUSH VALVE ACCESSORIES

Part No.	Description	List Price
104334	Control Module 1.6 gpf Closet	160.10
104401	Multi-Unit AC Power Adapter (up to 8 faucets/flush valves) 8301-8304/Flush Valve	101.80
104403	Control Module 1.0 gpf Urinal	160.10
104406	AC Adapter for Flush Valves (powers 1 unit)	34.25
104435	Flush Valve Solenoid Coil Kit	137.50
104437	Flush Valve Control Disk Valve	40.10
104440	Flush Valve Battery Holder (2/bag)	6.35
104449	Vandal-Proof Screws with O-Ring for Flush Valve (12/bag)	36.05
104452	Control Module 1.28 gpf Closet	160.10
104453	AC Tube and Wall Flange	57.10
104454	AC Flush Valve Cap	92.65
104455	DC Flush Valve Cap	81.20
104461	Manual Override Replacement Plug	30.10
104500	2¼" (standard) Extension Nipple (compatible with Delany angle stops)	36.60
104501	1¾" Extension Nipple (compatible with Delany angle stops)	32.05
104502	2¾" Extension Nipple (compatible with Delany angle stops)	44.60
104503	3¼" Extension Nipple (compatible with Delany angle stops)	49.20
104504	3¾" Extension Nipple (compatible with Delany angle stops)	54.85
104505	4¼" Extension Nipple (compatible with Delany angle stops)	60.60
104506	2 1/8" (standard) Extension Nipple (compatible with Sloan-Moen Style)	32.05
104507	2½" Extension Nipple*	35.50
104508	3" Extension Nipple*	37.75
104509	3½" Extension Nipple*	41.15
104510	4" Extension Nipple*	45.75
104511	4½" Extension Nipple*	49.20
104512	5" Extension Nipple*	54.85
104513	5½" Extension Nipple*	58.35
104514	6" Extension Nipple*	62.90
104515	1½" Flush Extension Tube-24"	106.75
104516	Split Ring Wall Support	73.00
104517	Flush Valve Trap Primer	105.60
104518	1" Sweat Kit, Flush Valve	30.90
104519	1" Sweat Kit, Flush Valve 6" Long	43.50
104520	Sensor Eye/Wires for Flush Valve	76.65
104521	1" Angle Stop Valve Flush Valve	110.15
104522	¾" Angle Stop Valve Flush Valve	110.15
104523	Angle Stop Repair Kit	19.30
104524	Flush Valve Manual Override Button	36.05
104525	Vacuum Breaker Kit	18.00
104526	Brass Valve Body Nut Flush Valve	24.05
104527	O-Ring (large) for Flush Valve Seat	5.50
104528	1½" Brass Flush Valve Tube	42.05
104529	1¼" Brass Flush Tube	40.85
104530	¾" Brass Flush Tube	39.80
104531	1½" Top Spud Assembly	42.05
104532	1¼" Top Spud Assembly	39.80
104533	¾" Top Spud Assembly	35.15
104536	Plastic Flush Valve Cap Mount Bracket	18.25
104537	Piston Tip Assembly Service Kit (10 tips/bag)	34.35
104538	Urinal Tailpiece (24" x ¾")	107.45
104560	Offset Flush Tube 22½" x 1½"	42.75

*Compatible with Moen M•DURA™, Sloan, Zurn,
American Standard, Kohler and Toto angle stops.

M•DURA™ Heavy-Duty Manual Flush Valves



M•DURA™ Heavy-Duty Manual Urinal Flush Valve / 8312M Series

COMMERCIAL



Handle stem encased in a watertight brass channel, secured by dual O-ring seals.

Heavy-duty metal stop valve with dual O-ring seals.



Longer Life, Lower Lifetime Cost: AccuSet™ Piston Technology
Works at water pressures as low as 20 psi, so fluctuations won't lead to costly repairs. A stainless steel, self-cleaning filter protects against clogs and damage from line debris.

Maintenance Freedom:
Advanced Handle and All-Metal Stop Valve Design
All-metal handle is encased in a watertight brass channel, secured by dual O-ring seals for substantial leak protection; heavy-duty metal stop valve won't wear down or break apart like plastic assemblies.

Precise Flush Control and Water Savings: Premium Sealing
Chloramine-resistant polymer seals prevent breakdowns and leaks, allowing M•DURA™ to deliver precise flush volume over the life of the product.

Worry-Free Quality: Robust Design, Heavy-Duty Construction
Best-in-class five-year limited warranty.

1½" MANUAL CLOSET FLUSH VALVE



- Closet
- Solid brass construction
- 3.5 gpf (13.2 lpf) **AccuSet™ piston technology** with self-cleaning filter
- ADA compliant non-hold open handle with dual O-ring seals
- High back-pressure vacuum breaker
- **All brass shut-off with chloramine-resistant face seal**



- 1.6 gpf (6.0 lpf)



- 1.28 gpf (4.8 lpf)



MODEL NUMBER	LIST PRICE	CASE QTY
--------------	------------	----------

8310M35	181.85	3
---------	--------	---

8310M16	181.85	3
---------	--------	---












8310M128	181.85	3
----------	--------	---




Intended for use with matching flow rates as specified by the fixture manufacturer.

To help meet and maintain facilities building codes, Moen M•DURA flush valves are third-party certified by IAPMO and CSA to all applicable standards.

 ADA compliant  BAA compliant  Water-saving


M•DURA™ Heavy-Duty Manual Flush Valves


	MODEL NUMBER	LIST PRICE	CASE QTY	
¾" MANUAL URINAL FLUSH VALVE				
	<ul style="list-style-type: none">• Urinal• Solid brass construction• 1.0 gpf (3.8 lpf) AccuSet™ piston technology with self-cleaning filter• ADA compliant non-hold open handle with dual O-ring seals• High back-pressure vacuum breaker• All brass shut-off with chloramine-resistant face seal <div></div>	8312M10	181.85	3
	<ul style="list-style-type: none">• 0.5 gpf (1.9 lpf) <div></div>	8312M05	181.85	3
	Pint flush <ul style="list-style-type: none">• 0.125 gpf (0.5 lpf) <div></div>	8312M0125	181.85	3


1 1/4" MANUAL URINAL FLUSH VALVE					
	<ul style="list-style-type: none">• Urinal• Solid brass construction• 1.0 gpf (3.8 lpf) AccuSet™ piston technology with self-cleaning filter• ADA compliant non-hold open handle with dual O-ring seals• High back-pressure vacuum breaker• All brass shut-off with chloramine-resistant face seal	8314M10	181.85	3	
	 				

COMMERCIAL

M•DURA™ Heavy-Duty Manual Flush Valves

		MODEL NUMBER	LIST PRICE	CASE QTY
MANUAL FLUSH VALVE RETROFIT KIT				
	<ul style="list-style-type: none"> • Closet • Solid brass construction • 3.5 gpf (13.2 lpf) AccuSet™ piston technology with self-cleaning filter • ADA compliant non-hold open handle with dual O-ring seals 	8310MR35	146.30	6
	<ul style="list-style-type: none"> • Closet • 1.6 gpf (6.0 lpf) 	8310MR16	146.30	6
	<ul style="list-style-type: none"> • Closet • 1.28 gpf (4.8 lpf) 	8310MR128	146.30	6
	<ul style="list-style-type: none"> • Urinal • 1.0 gpf (3.8 lpf) 	8312MR10	146.30	6
	<ul style="list-style-type: none"> • Urinal • 0.5 gpf (1.9 lpf) 	8312MR05	146.30	6
	<ul style="list-style-type: none"> • Urinal • Pint flush • 0.125 gpf (0.5 lpf) 	8312MR0125	146.30	6

1½" MANUAL CLOSET FLUSH VALVE WITH BEDPAN WASHER				
	<ul style="list-style-type: none"> • Closet • Solid brass construction • 3.5 gpf (13.2 lpf) AccuSet™ piston technology with self-cleaning filter • ADA compliant non-hold open handle • Pivot arm O-ring provides consistent seal integrity • Ergonomic spray head with rounded edges • High back-pressure vacuum breaker • All brass shut-off with chloramine-resistant face seal 	8310BPW35	555.05	2
	<ul style="list-style-type: none"> • 0.5 gpf (1.9 lpf) 	8310BPW16	555.05	2

BEDPAN WASHER DIVERTER KIT				
	<ul style="list-style-type: none"> • Closet • Solid brass construction • 3.5 gpf (13.2 lpf) AccuSet™ piston technology with self-cleaning filter • ADA compliant non-hold open handle • Pivot arm O-ring provides consistent seal integrity • Ergonomic spray head with rounded edges • High back-pressure vacuum breaker • All brass shut-off with chloramine-resistant face seal 	8310BPWR	401.30	3

Intended for use with matching flow rates as specified by the fixture manufacturer.

To help meet and maintain facilities building codes, Moen M•DURA flush valves are third-party certified by IAPMO and CSA to all applicable standards.

M•DURA™ Heavy-Duty Manual Flush Valves

MANUAL FLUSH VALVE ACCESSORIES		
Part No.	Description	List Price
104540	M•DURA™ 2 1/4" Extension (standard) Nipple (compatible with Delany angle stops)	36.60
104541	M•DURA™ 1 3/4" Extension Nipple (compatible with Delany angle stops)	32.05
104542	M•DURA™ 2 3/4" Extension Nipple (compatible with Delany angle stops)	44.60
104543	M•DURA™ 3 1/4" Extension Nipple (compatible with Delany angle stops)	49.20
104544	M•DURA™ 3 3/4" Extension Nipple (compatible with Delany angle stops)	54.85
104545	M•DURA™ 4 1/4" Extension Nipple (compatible with Delany angle stops)	60.60
104546	M•DURA™ 2 1/8" Extension (standard) Nipple*	32.05
104547	M•DURA™ 2 1/2" Extension Nipple*	35.50
104548	M•DURA™ 3" Extension Nipple*	37.75
104549	M•DURA™ 3 1/2" Extension Nipple*	41.15
104550	M•DURA™ 4" Extension Nipple*	45.75
104551	M•DURA™ 4 1/2" Extension Nipple*	49.20
104552	M•DURA™ 5" Extension Nipple*	54.85
104553	M•DURA™ 5 1/2" Extension Nipple*	58.35
104554	M•DURA™ 6" Extension Nipple*	62.90
104555	M•DURA™ 1" Angle Stop	110.15
104556	M•DURA™ 3/4" Angle Stop	110.15
104557	M•DURA™ Angle Stop Repair Kit	19.30
104560	M•DURA™ Offset Flush Tube 22 1/2" x 1 1/2"	42.75
104561	M•DURA™ Cap Assembly	60.40
104563	M•DURA™ 3.5 gpf (13.2 lpf) Piston	81.20
104564	M•DURA™ 1.6 gpf (6.0 lpf) Piston	81.20
104565	M•DURA™ 1.28 gpf (4.8 lpf) Piston	81.20
104566	M•DURA™ 1.0 gpf (3.8 lpf) Piston	81.20
104567	M•DURA™ 0.5 gpf (1.9 lpf) Piston	81.20
104568	M•DURA™ 0.125 gpf (0.5 lpf) Piston	81.20
104569	M•DURA™ Handle Assembly	24.35
104570	M•DURA™ Vacuum Breaker Assembly	18.00
104571	M•DURA™ Body Nut	24.05
104572	M•DURA™ Angle Stop Replacement Cap	6.25
104578	M•DURA™ Flush Tube 8 1/2" x 1 1/2"	45.95
104579	M•DURA™ Flush Tube 8" x 1 1/4"	49.90
104580	M•DURA™ Flush Tube 8" x 1 3/4"	46.05
104581	M•DURA™ 1 1/2" Top Spud Assembly	32.20
104582	M•DURA™ 1 1/4" Top Spud Assembly	29.30
104583	M•DURA™ 3/4" Top Spud Assembly	25.20
104584	M•DURA™ Flush Extension Tube 24" x 3/4"	74.95
104585	M•DURA™ Flush Extension Tube 24" x 1 1/2"	118.10
104588	M•DURA™ Sweat Kit (1" supply) 3" length	27.05
104589	M•DURA™ Sweat Kit (1" supply) 6" length	43.50
104590	M•DURA™ Cap Assembly with 3.5 gpf Marking	25.90
104591	M•DURA™ Cap Assembly with 1.6 gpf Marking	25.90
104592	M•DURA™ Cap Assembly with 1.28 gpf Marking	25.90
104593	M•DURA™ Cap Assembly with 1.0 gpf Marking	25.90
104594	M•DURA™ Cap Assembly with 0.5 gpf Marking	25.90
104595	M•DURA™ Cap Assembly with 0.125 gpf Marking	25.90
104597	M•DURA™ Tail Piece and Interior Cap Tool	17.25
104598	M•DURA™ Sweat Kit (3/4" supply) 3" length	25.50
104599	M•DURA™ Sweat Kit (3/4" supply) 6" length	45.75
104609	M•DURA™ Piston Gaskets	10.00

BEDPAN WASHER ACCESSORIES

Part No.	Description	List Price
104573	M•DURA™ Bedpan Washer Seal Kit	23.30
104574	M•DURA™ Bedpan Washer Seal Kit	50.90
104575	M•DURA™ Bedpan Washer Arm Assembly	50.90
104577	M•DURA™ Bedpan Washer Spray Face	10.90
104600	M•DURA™ Offset Flush Tube 8" x 1 1/2"	49.15
SMA10000CH* SecureMount™ anchors, 1 pair, for use with bedpan washer wallmount flange		29.40

M•DURA™ Heavy-Duty Manual Flush Valves



COMMERCIAL

M•DURA™ Heavy-Duty Manual Urinal Flush Valves / 8312M Series

M•DURA™ Heavy-Duty Showering



COMMERCIAL






M•DURA™ Modern Heavy-Duty Shower System / T9342 Series









M•DURA™ An invigorating shower at every flow rate.



ENGINEERED TO ENHANCE THE SHOWER EXPERIENCE.

Our latest design maximizes performance and durability while offering a range of flow rate options. Available in LifeShine® Classic Brushed Nickel and Chrome.

-  Available in the standard flow rate—2.5 gpm (9.5 lpm)—as well as WaterSense®-certified flow rates of 1.5 gpm (5.7 lpm) and 1.75 gpm (6.6 lpm).
-  Water flows through an engineered-polymer channel for instant, consistent flow.
-  Conserves water without sacrificing performance.
-  All-metal design, ideal for heavy-use applications.
-  Set screw locks the showerhead to the arm for antitheft protection.
















	MODEL NUMBER	LIST PRICE	CASE QTY	
MODERN POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER SYSTEM				
	<ul style="list-style-type: none">• Posi-Temp® tub/shower system trim kit only• Solid brass construction• Valve not included• Pair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477)• Also requires a 3360 three-function transfer valve found on page 477• 2.5 gpm (9.5 lpm) max.• 30" slide bar†  	T9343	478.30	1
	<ul style="list-style-type: none">• 1.5 gpm (5.7 lpm)    	T9343EP15	478.30	1
 Classic Brushed Nickel available on select models ending in CBN .				

*The brass Posi-Temp and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm). † Slide bar is not a grab bar. Not to be used as support.

-  ADA compliant (excluding holders, slide bars and diverting tub spout)
-  BAA compliant
-  WaterSense®
-  Water-saving

M•DURA™ Heavy-Duty Showering




	MODEL NUMBER	LIST PRICE	CASE QTY	
MODERN POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER SYSTEM WITH SLIDE BAR/GRAB BAR				
	<ul style="list-style-type: none">• Posi-Temp® tub/shower system trim kit only• Valve not included• Pair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477)• Also requires a 3360 three-function transfer valve found on page 477• 2.5 gpm (9.5 lpm) max.• 24" slide bar/grab bar  	T9343GBM25	526.15	1
	<ul style="list-style-type: none">• 1.5 gpm (5.7 lpm) max.    	T9343GBM15	526.15	1

POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER SYSTEM				
	Includes the brass Posi-Temp® rough-in-valve 8371HD with ½" CC connections, integral stops and 3360 three-function transfer valve	8343*	653.85	1
	<ul style="list-style-type: none">• No volume control• Adjustable temperature limit stop• Vandal-resistant head, arm and flange• Handshower with non-positive pause function• 2.5 gpm (9.5 lpm) max.• 69" double swivel hose• 30" slide bar†• Tub filler spout• Integral double check valves in handshower• Drop ell			
	 			
	<ul style="list-style-type: none">• Posi-Temp® tub/shower system trim kit only• Valve not included• Pair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477)• Also requires a 3360 three-function transfer valve found on page 477• 2.5 gpm (9.5 lpm) max.	T8343	349.85	1
	 	T8343CBN	514.35	1
	<ul style="list-style-type: none">• 1.5 gpm (5.7 lpm) max.	T8343EP15	349.85	1
	   	T8343EP15CBN	514.35	1
 	<ul style="list-style-type: none">• Showerhead not included• Vandal-resistant arm and flange	T8343NH	341.90	1
	 	T8343NHCBN	470.80	1
	Classic Brushed Nickel available on select models ending in CBN .			
Chrome	Classic Brushed Nickel			
*The brass Posi-Temp and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and				

 Classic Brushed Nickel available on select models ending in **CBN**.





*The brass Posi-Temp and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm). † Slide bar is not a grab bar. Not to be used as support.

 ADA compliant (excluding holders, slide bars and diverting tub spout)

 BAA compliant  WaterSense®  Water-saving

COMMERCIAL
















	MODEL NUMBER	LIST PRICE	CASE QTY	
MODERN POSI-TEMP® PRESSURE-BALANCING SHOWER SYSTEM				
	<ul style="list-style-type: none">• Posi-Temp® tub/shower system trim kit only• Valve not included• Pair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477)• Also requires a 3360 three-function transfer valve found on page 477• 2.5 gpm (9.5 lpm) max.• 30" slide bar†  	T9342	452.65	1
	<ul style="list-style-type: none">• 1.5 gpm (5.7 lpm) max.    	T9342EP15	452.65	1







MODERN POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER SYSTEM WITH SLIDE BAR/GRAB BAR					
	<ul style="list-style-type: none">• Posi-Temp® tub/shower system trim kit only• Valve not included• Pair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477)• Also requires a 3360 three-function transfer valve found on page 477• 2.5 gpm (9.5 lpm) max.• 24" slide bar/grab bar	 	T9342GBM25	497.90	1
	<ul style="list-style-type: none">• 1.5 gpm (5.7 lpm) max.	   	T9342GBM15	497.90	1

 Classic Brushed Nickel available on select models ending in **CBN**.

*The brass Posi-Temp and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm). † Slide bar is not a grab bar. Not to be used as support.

M•DURA™ Heavy-Duty Showering

	MODEL NUMBER	LIST PRICE	CASE QTY	
POSI-TEMP® PRESSURE-BALANCING SHOWER SYSTEM				
  Chrome  Classic Brushed Nickel	<ul style="list-style-type: none">Includes the brass Posi-Temp® rough-in-valve 8371HD with ½" CC connections, integral stops and 3360 three-function transfer valveNo volume controlAdjustable temperature limit stopVandal-resistant showerhead, arm and flangeHandshower with non-positive pause function2.5 gpm (9.5 lpm) max.69" double swivel hose30" slide bar†Integral double check valves in handshowerDrop ell  	8342*	636.65	1
	<ul style="list-style-type: none">1.5 gpm (5.7 lpm) max.   	8342EP15*	636.65	1
	<ul style="list-style-type: none">Posi-Temp® tub/shower system trim kit only	T8342	331.10	1
	<ul style="list-style-type: none">Valve not includedPair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477)Also requires a 3360 three-function transfer valve found on page 4772.5 gpm (9.5 lpm) max.  	T8342CBN	486.70	1
	<ul style="list-style-type: none">1.5 gpm (5.7 lpm) max.   	T8342EP15 T8342EP15CBN	331.10 486.70	1 1
<ul style="list-style-type: none">Showerhead not included	T8342NH	323.10	1	
<ul style="list-style-type: none">Vandal-resistant arm and flange  	T8342NHCBN	443.15	1	

POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER SYSTEM				
	<ul style="list-style-type: none">• Includes the brass Posi-Temp® rough-in-valve 8371HD with ½" CC connections, integral stops and 3360 three-function transfer valve• No volume control• Adjustable temperature limit stop• Vandal-resistant head, arm and flange• Handshower with non-positive pause function• 2.5 gpm (9.5 lpm) max.• 69" double swivel hose• 30" slide bar†• Tub filler spout• Integral double check valves in handshower• Drop ell	8341	631.25	1
	 			
	<ul style="list-style-type: none">• Posi-Temp® tub/shower system trim kit only	T8341	325.25	1
	<ul style="list-style-type: none">• Valve not included• Pair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477)• Also requires a 3360 three-function transfer valve found on page 477• 2.5 gpm (9.5 lpm) max.			
	 			
				



Classic Brushed Nickel available on select models ending in CBN.



ADA compliant (excluding holders, slide bars and diverting tub spout)



BAA compliant








WaterSense®



Water-saving

M•DURA™ Heavy-Duty Showering

		MODEL NUMBER	LIST PRICE	CASE QTY
MODERN POSI-TEMP® PRESSURE-BALANCING HANDSHOWER SYSTEM				
	<ul style="list-style-type: none"> • Posi-Temp® shower system trim kit only • Valve not included • Pair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477) • 2.5 gpm (9.5 lpm) max. • 30" slide bar† 	T9346	398.75	4
	<ul style="list-style-type: none"> • 1.5 gpm (5.7 lpm) max. 	T9346EP15	398.75	4
MODERN POSI-TEMP® PRESSURE-BALANCING HANDSHOWER SYSTEM WITH SLIDE BAR/GRAB BAR				
	<ul style="list-style-type: none"> • Posi-Temp® shower system trim kit only • Valve not included • Pair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477) • 2.5 gpm (9.5 lpm) max. • 24" slide bar/grab bar 	T9346GBM25	438.65	3
	<ul style="list-style-type: none"> • 1.5 gpm (5.7 lpm) max. 	T9346GBM15	438.65	3
POSI-TEMP® PRESSURE-BALANCING HANDSHOWER SYSTEM				
	<ul style="list-style-type: none"> • Includes the brass Posi-Temp® rough-in-valve 8371HD with ½" CC connections and integral stops • No volume control • Adjustable temperature limit stop • Handshower with non-positive pause function • 2.5 gpm (9.5 lpm) max. • 69" double swivel hose • 30" slide bar† • Integral double check valves in handshower • Drop ell 	8346*	452.00	4
	<ul style="list-style-type: none"> • 1.5 gpm (5.7 lpm) max. 	8346EP15*	452.00	4
	<ul style="list-style-type: none"> • Posi-Temp® shower system trim kit only 	T8346	305.55	4
	<ul style="list-style-type: none"> • Valve not included • Pair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477) • 2.5 gpm (9.5 lpm) max. 	T8346CBN	433.25	4
	<ul style="list-style-type: none"> • 1.5 gpm (5.7 lpm) max. 	T8346EP15	305.55	4
 Chrome  Classic Brushed Nickel		T8346EP15CBN	433.25	4

Classic Brushed Nickel available on select models ending in **CBN**.

*The brass Posi-Temp and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm). † Slide bar is not a grab bar. Not to be used as support.



ADA compliant (excluding holders, slide bars and diverting tub spout)



BAA compliant






WaterSense®



Water-saving

M•DURA™ Heavy-Duty Showering



		MODEL NUMBER	LIST PRICE	CASE QTY
MODERN POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER				
	<ul style="list-style-type: none"> • Single handle Posi-Temp® tub/shower system trim kit only • Valve not included • Pair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477) • 2.5 gpm (9.5 lpm) max. 	T9389	152.00	3
	<ul style="list-style-type: none"> • 1.5 gpm (5.7 lpm) max. 	T9389EP15	152.00	3

POSI-TEMP® PRESSURE-BALANCING TUB/SHOWER				
	<ul style="list-style-type: none"> • Includes the brass Posi-Temp® rough-in-valve 8371HD with ½" CC connections and integral stops • No volume control • Vandal-resistant showerhead, arm and flange • Adjustable temperature limit stop • Diverter tub spout • 2.5 gpm (9.5 lpm) max. 	8389*	233.75	6
	<ul style="list-style-type: none"> • 1.5 gpm (5.7 lpm) max. 	8389EP15*	233.75	6
	<ul style="list-style-type: none"> • Includes the brass Posi-Temp® rough-in-valve 8370HD with ½" CC connections without stops • 2.5 gpm (9.5 lpm) max. 	8339*	203.50	6
	<ul style="list-style-type: none"> • Single handle Posi-Temp® tub/shower system trim kit only • Valve not included • Pair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477) • 2.5 gpm (9.5 lpm) max. 	T8389 T8389CBN	91.35 142.70	3 3
	<ul style="list-style-type: none"> • 1.5 gpm (5.7 lpm) max. 	T8389EP15 T8389EP15CBN	91.35 142.70	3 3
	<ul style="list-style-type: none"> • Showerhead not included • Vandal-resistant arm and flange 	T8389NH T8389NHCBN	76.30 111.75	3 3











































 Classic Brushed Nickel available on select models ending in **CBN**.

*The brass Posi-Temp and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm). † Slide bar is not a grab bar. Not to be used as support.


















 ADA compliant (excluding holders, slide bars and diverting tub spout)














 BAA compliant  WaterSense®  Water-saving


M•DURA™ Heavy-Duty Showering

		MODEL NUMBER	LIST PRICE	CASE QTY
MODERN POSI-TEMP® PRESSURE-BALANCING SHOWER				
	<ul style="list-style-type: none"> Single-handle Posi-Temp® shower system trim kit only Valve not included Pair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477) 2.5 gpm (9.5 lpm) max.  	T9375	119.45	3
	<ul style="list-style-type: none"> 1.5 gpm (5.7 lpm) max.   	T9375EP15	119.45	3
POSI-TEMP® PRESSURE-BALANCING SHOWER				
	<ul style="list-style-type: none"> Includes the brass Posi-Temp® rough-in-valve 8371HD with ½" CC connections and integral stops No volume control Vandal-resistant showerhead, arm and flange Adjustable temperature limit stop 2.5 gpm (9.5 lpm) max.  	8375*	204.70	12
	<ul style="list-style-type: none"> 1.5 gpm (5.7 lpm) max.   	8375EP15*	204.70	12
	<ul style="list-style-type: none"> Includes the brass Posi-Temp® rough-in-valve 8370HD with ½" CC connections without stops 2.5 gpm (9.5 lpm) max.  	8325*	165.80	12
	<ul style="list-style-type: none"> Single handle Posi-Temp® shower system trim kit only Valve not included Pair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477) 2.5 gpm (9.5 lpm) max.  	T8375	59.65	3
	<ul style="list-style-type: none"> Single handle Posi-Temp® shower system trim kit only Valve not included Pair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477) 2.5 gpm (9.5 lpm) max.  	T8375CBN	91.75	3
	<ul style="list-style-type: none"> 1.5 gpm (5.7 lpm) max.   	T8375EP15	59.65	3
	<ul style="list-style-type: none"> 1.5 gpm (5.7 lpm) max.   	T8375EP15CBN	91.75	3
	<ul style="list-style-type: none"> Showerhead not included Vandal-resistant arm and flange  	T8375NH	42.25	3
	<ul style="list-style-type: none"> Showerhead not included Vandal-resistant arm and flange  	T8375NHCBN	70.65	3
POSI-TEMP® PRESSURE-BALANCING HANDSHOWER SYSTEM				
	<ul style="list-style-type: none"> Includes the brass Posi-Temp® rough-in-valve 8371HD with ½" CC connections and integral stops No volume control Adjustable temperature limit stop Vandal-resistant head, arm and flange Handshower with non-positive pause function 2.5 gpm (9.5 lpm) max. 69" double swivel hose and 30" slide bar† Tub filler spout Integral double check valves in handshower Drop ell  	8348*	342.15	6
	<ul style="list-style-type: none"> Posi-Temp® shower system trim kit only Valve not included Pair with a brass Posi-Temp® rough-in-valve* (choose from connection options found on page 475 to page 477)  	T8348	210.20	6
 Classic Brushed Nickel available on select models ending in CBN.				
 ADA compliant (excluding holders, slide bars and diverting tub spout)				
 BAA compliant  WaterSense®  Water-saving				


M•DURA™ Heavy-Duty Showering

	MODEL NUMBER	LIST PRICE	CASE QTY	
24" SLIDE BAR/GRAB BAR HANDSHOWER SYSTEM WITHOUT VALVE				
  Chrome  Classic Brushed Nickel	<ul style="list-style-type: none">Handshower with non-positive shutoff1.5 gpm (5.7 lpm) max.1 1/2" x 24" stainless steel ADA compliant slide bar/grab bar69" double swivel metal hoseIntegral double check valves in handshowerDrop ell   	52224GBM15	235.85	3
	  	52224GBM15CBN	483.55	3
	 	52224GBM25	235.85	3
	<ul style="list-style-type: none">1 1/4" x 24" stainless steel ADA compliant slide bar/grab bar2.5 gpm (9.5 lpm) max.  	52124GBM25	230.65	3
	 	52124GBM25CBN	472.80	3
	<ul style="list-style-type: none">1 1/2" x 24" stainless steel ADA compliant slide bar/grab bar60" plastic hose2.5 gpm (9.5 lpm) max.  	52224GBP25	204.50	3

36" SLIDE BAR/GRAB BAR HANDSHOWER SYSTEM WITHOUT VALVE					
	<ul style="list-style-type: none">Handshower with non-positive shutoff	52236GBM15	256.80	3	
	<ul style="list-style-type: none">1.5 gpm (5.7 lpm) max.	52236GBM15CBN	525.40	3	
	<ul style="list-style-type: none">1 1/2" x 36" stainless steel ADA compliant slide bar/grab bar69" double swivel metal hoseIntegral double check valves in handshowerDrop ell				
	  				
	<ul style="list-style-type: none">1.75 gpm (6.6 lpm) max.	52236GBM17	256.80	3	
	  				
	<ul style="list-style-type: none">2.5 gpm (9.5 lpm) max.	52236GBM25	256.80	3	
	 				
	<ul style="list-style-type: none">1 1/4" x 36" stainless steel ADA compliant slide bar/grab bar2.5 gpm (9.5 lpm) max.	52136GBM25	251.55	3	
	 	52136GBM25CBN	515.65	3	
	<ul style="list-style-type: none">1 1/2" x 36" stainless steel ADA compliant slide bar/grab bar60" plastic hose2.5 gpm (9.5 lpm) max.	52236GBP25	225.40	3	
	 				



Chrome













Classic Brushed Nickel






 Classic Brushed Nickel available on select models ending in **CBN**.










*The brass Posi-Temp™ and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm). † Slide bar is not a grab bar. Not to be used as support.

 ADA compliant (excluding holders, slide bars and diverting tub spout)

 BAA compliant  WaterSense®  Water-saving



















	MODEL NUMBER	LIST PRICE	CASE QTY	
HANDSHOWER SYSTEM WITHOUT VALVE				
 <div> Chrome</div> <div> Classic Brushed Nickel</div>	• Handshower with non-positive pause function	52710	267.70	6
	• 2.5 gpm (9.5 lpm) max.	52710CBN	532.85	6
	• 69" double swivel hose			
	• 30" slide bar†			
	• Integral double check valves in handshower			
	• Drop ell			
	 			
• 1.5 gpm (5.7 lpm) max.	52710EP15	267.70	6	
  	52710EP15CBN	532.85	6	

ENVI® THREE FUNCTION HANDSHOWER SYSTEM WITHOUT VALVE				
	• Three-function handshower	52740EP17	267.15	6
	• 1.75 gpm (6.6 lpm) max.			
	• 69" double swivel hose			
	• 30" slide bar†			
	• Integral double check valves in handshower			
	• Drop ell			
	   			

HANDSHOWER SYSTEM WITHOUT VALVE				
	<ul style="list-style-type: none">• Handshower with non-positive pause function• 1.5 gpm [5.7 lpm] max.• 69" double swivel hose• Wall bracket• Integral double check valves in handshower• Drop ell	52748EP15	195.30	6
	  			
	 Classic Brushed Nickel available on select models ending in CBN .			
	*The brass Posi-Temp™ and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm [5.7 lpm]. † Slide bar is not a grab bar. Not to be used as support.			
	 ADA compliant (excluding holders, slide bars and diverting tub spout)			
	 BAA compliant  WaterSense®  Water-saving			













MoenPro.com

M•DURA™ Heavy-Duty Showering























		MODEL NUMBER	LIST PRICE	CASE QTY
MODERN HANDSHOWER				
	<ul style="list-style-type: none"> • Handshower with non-positive pause function • Single-function spray pattern • 2.5 gpm (9.5 lpm) max. • Easy clean nozzles • 69" double swivel metal hose • Integral double check valves in handshower 	9349	104.00	6
	 			
	<ul style="list-style-type: none"> • 1.5 gpm (5.7 lpm) max. 	9349EP15	104.00	6
	  			
HANDSHOWER				
	<ul style="list-style-type: none"> • Handshower with non-positive pause function • Single-function spray pattern • 2.5 gpm (9.5 lpm) max. • Easy clean nozzles • 69" double swivel metal hose • Integral double check valves in handshower 	8349	73.25	6
		8349CBN	106.70	6
				
  Chrome Classic Brushed Nickel	<ul style="list-style-type: none"> • 1.5 gpm (5.7 lpm) max. 	8349EP15	73.25	6
	  	8349EP15CBN	106.70	6
	<ul style="list-style-type: none"> • 1.75 gpm (6.6 lpm) max. 	8349EP17	73.25	6
	  	8349EP17CBN	106.70	6
SHOWER ARM AND FLANGE				
	<ul style="list-style-type: none"> • All metal shower arm and flange 	A705	51.40	12
		A705CBN	77.05	12
	  Chrome Classic Brushed Nickel			

 Classic Brushed Nickel available on select models ending in CBN.

M•DURA™ Heavy-Duty Showering

		MODEL NUMBER	LIST PRICE	CASE QTY
MODERN SHOWERHEAD				
	<ul style="list-style-type: none"> • Single-function spray pattern • 2.5 gpm (9.5 lpm) max. • 1/2" IPS connection • Self-cleaning spray formers 	9263	70.65	12
	<ul style="list-style-type: none"> • 1.5 gpm (5.7 lpm) max. 	9263EP15	70.65	12
VANDAL-RESISTANT SHOWERHEAD				
	<ul style="list-style-type: none"> • Single-function spray pattern • 2.5 gpm (9.5 lpm) max. • 1/2" IPS connection • Self-cleaning spray formers 	5263	51.70	12
		5263CBN	94.30	12
	<ul style="list-style-type: none"> • 1.5 gpm (5.7 lpm) max. 	5263EP15	51.70	12
		5263EP15CBN	94.30	12
	<ul style="list-style-type: none"> • 1.75 gpm (6.6 lpm) max. 	5263EP17	51.70	12
		5263EP17CBN	94.30	12
	 Chrome  Classic Brushed Nickel			
VANDAL-RESISTANT SHOWERHEAD				
	<ul style="list-style-type: none"> • Single-function spray pattern • 1.5 gpm (5.7 lpm) max. • 1/2" IPS connection • Self-cleaning spray formers 	52716EP15	68.00	20
VANDAL-RESISTANT SHOWERHEAD				
	<ul style="list-style-type: none"> • Single-function spray pattern • 2.5 gpm (9.5 lpm) max. • 1/2" IPS connection • Adjustable spray angle • Mounting hardware included 	8290	115.90	12
	<ul style="list-style-type: none"> • 1.5 gpm (5.7 lpm) max. 	8290EP15	111.40	12
VANDAL-RESISTANT SHOWERHEAD				
	<ul style="list-style-type: none"> • Single-function spray pattern • 2.5 gpm (9.5 lpm) max. • 1/2" IPS connection • Adjustable spray angle • Extended spray nozzle • Mounting hardware included 	8292	120.90	12

M•DURA™ Heavy-Duty Showering

		MODEL NUMBER	LIST PRICE	CASE QTY
MODERN POSI-TEMP® PRESSURE-BALANCING VALVE CONTROL				
	<ul style="list-style-type: none"> • Single-handle trim kit only • Valve not included • Pair with a brass Posi-Temp® rough-in-valve (choose from connection options found on page 475 to page 477) 	T9370	95.45	3
	 			
POSI-TEMP® PRESSURE-BALANCING VALVE CONTROL				
	<ul style="list-style-type: none"> • Includes the brass Posi-Temp® rough-in-valve 8371HD with ½" CC connections and integral stops • No volume control • Adjustable temperature limit stop 	8370*	181.65	6
	 			
	<ul style="list-style-type: none"> • Includes the brass Posi-Temp® rough-in-valve 8370HD with ½" CC connections without stops 	8320*	151.85	12
	 			
	<ul style="list-style-type: none"> • Single-handle trim kit only • Valve not included • Pair with a brass Posi-Temp® rough-in-valve (choose from connection options found on page 475 to page 477) 	T8370	34.50	3
	 	T8370CBN	63.05	3
MODERN THREE-FUNCTION TRANSFER VALVE CONTROL				
	<ul style="list-style-type: none"> • Three function transfer valve trim kit only • Valve not included • Pair with a 3360 three-function transfer valve found on page 477 	T9360	122.15	3
	 			
THREE-FUNCTION TRANSFER VALVE CONTROL				
	<ul style="list-style-type: none"> • Includes the 3360 three-function transfer valve with ½" CC connections • Valve operates three distinct functions, but can be plumbed for two distinct functions 	8360	223.50	6
	 			
	<ul style="list-style-type: none"> • Three function transfer valve trim kit only • Valve not included • Pair with the 3360 three-function transfer valve found on page 477 	T8360	44.15	3
	 	T8360CBN	80.65	3
 Classic Brushed Nickel available on select models ending in CBN .				

*The brass Posi-Temp and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

M•DURA™ Heavy-Duty Showering

MODEL
NUMBER

LIST
PRICE

CASE
QTY

ALIGN® THREE-FUNCTION TRANSFER VALVE CONTROL

NEW!



- Designed to pair with the Align® bath suite found on pages 167 and 169.
- Three function transfer valve trim kit only
- **Valve not included**
- Pair with a 3360 three-function transfer valve found on page 477



T4192 134.10 12

MOENTROL® PRESSURE-BALANCING VALVE CONTROL



Chrome
Classic
Brushed
Nickel

- Includes the Moentrol® valve**
- ½" CC connections
 - Volume control
 - Adjustable temperature limit stop
 - Push/Pull operation



8350* 239.45 6

- Single-handle trim kit only
- **Valve not included**
- Pair with a 3570 or 3520 Moentrol® valve*

T8350 60.90 3

T8350CBN 110.25 3

TUB/SHOWER ACCESSORIES

Part Number	Finish	Description	List Price
15856	Chrome	Diverter tub spout, 1/2" slip fit, vandal-resistant	58.35
15856CBN	Classic Brushed Nickel		84.90
100686	Chrome	Slide bar swivel bracket for handshower	48.65
101629	Chrome	30" adjustable slide bar with attaching hardware (This bar is not a grab bar. Not to be used for support.)	134.35
101629CBN	Classic Brushed Nickel		195.60
104414	Chrome	Wall-mounted bracket for handshower	49.20
52711	---	Slide bar/Grab bar bracket- 1 1/2" diameter	48.50
52714	---	Slide bar/Grab bar bracket- 1 1/4" diameter	48.50
SMA 1000CH**	---	SecureMount™ anchors, 1 pair, for use with bedpan washer wallmount flange and grab bars	29.40
A725	Chrome	Drop ell	46.60
A725CBN	Classic Brushed Nickel		68.25
A726	Chrome	69" metal hose (vacuum breaker sold separately)	89.15
A723	Chrome	59" plastic hose (vacuum breaker sold separately)	28.05
A780	Chrome	80" metal hose (vacuum breaker sold separately)	105.10
52703	Chrome	Optional vacuum breaker for handshower 1/2" IPS connections	64.65
A714ST	Classic Brushed Nickel	Optional vacuum breaker for handshower 1/2" IPS connections	54.25



Classic Brushed Nickel available on select models ending in **CBN**.

*The brass Posi-Temp™ and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

**Moen Accessories part numbers are included for reference purposes only.
Moen Accessories CANNOT be combined with Moen faucet parts on a purchase order.




ADA compliant (excluding holders, slide bars and diverting tub spout)



BAA compliant

M•DURA™ Heavy-Duty Tub/Shower Valves



Faster, Easier Maintenance: Integral Stops

Shut-off water supply at the valve for quick and easy maintenance.



Safe, Consistent Operation: Graphite Composite Pressure-Balancing Design

Posi-Temp® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).



Superior Durability: 1222HD Brass Posi-Temp Cartridge

The heavy-duty brass 1222HD cartridge features superior durability, boasting exceptional strength and resistance to heat.



Installation Flexibility: Inlet Connection Options

For faster, easier install, choose from CC, IPS, PEX, CPVC and PEX expansion inlet connections.



CC



IPS



PEX



CPVC



PEX
Expansion



Worry-Free Quality:

Best-in-Class Five-Year Limited Warranty

BRASS POSI-TEMP® CARTRIDGE

- Single-handle replacement cartridge
- Graphite composite pressure-balancing spool design

MODEL
NUMBER

LIST
PRICE

CASE
QTY

1222HD









91.95

18





M•DURA™ Heavy-Duty Showering



Order your valve to match your supply lines for quick, hassle-free installation.
Choose from CC, IPS, PEX, CPVC and PEX expansion inlet connection options.



		MODEL NUMBER	LIST PRICE	CASE QTY
BRASS POSI-TEMP® ROUGH-IN VALVE				
	<ul style="list-style-type: none">• M•PACT® Common Valve System• ½" CC connections without integral stops• 4-port cycling valve• Adjustable temperature limit stop• Graphite composite pressure-balancing spool design	8370HD*	128.05	6
				
BRASS POSI-TEMP® ROUGH-IN VALVE				
	<ul style="list-style-type: none">• M•PACT® Common Valve System• ½" CC connections with integral stops• 4-port cycling valve• Adjustable temperature limit stop• Graphite composite pressure-balancing spool design	8371HD*	154.15	6
				
BRASS POSI-TEMP® ROUGH-IN VALVE				
	<ul style="list-style-type: none">• M•PACT® Common Valve System• ½" IPS connections with integral stops• 4-port cycling valve• Adjustable temperature limit stop• Graphite composite pressure-balancing spool design	8372HD*	154.15	6
				
BRASS POSI-TEMP® ROUGH-IN VALVE				
	<ul style="list-style-type: none">• M•PACT® Common Valve System• ½" PEX connections with integral stops• 4-port cycling valve• Adjustable temperature limit stop• Graphite composite pressure-balancing spool design	8373HD*	154.15	6
				


*The brass Posi-Temp and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

M•DURA™ Heavy-Duty Showering

	MODEL NUMBER	LIST PRICE	CASE QTY
BRASS POSI-TEMP® ROUGH-IN VALVE			
 <ul style="list-style-type: none"> • M•PACT® Common Valve System • 1/2" CPVC connections with integral stops • 4-port cycling valve • Adjustable temperature limit stop • Graphite composite pressure-balancing spool design 	8374HD*	166.15	6

BRASS POSI-TEMP® ROUGH-IN VALVE			
 <ul style="list-style-type: none"> • M•PACT® Common Valve System • 1/2" PEX Expansion connections with integral stops • 4-port cycling valve • Adjustable temperature limit stop • Graphite composite pressure-balancing spool design <p>NOTE: PEX expansion valves are not to be used on PEX crimp ring assemblies.</p> 	8375HD*	154.15	6

THREE-FUNCTION TRANSFER VALVE			
 <ul style="list-style-type: none"> • 1/2" CC connections with integral stops • Three distinct functions • Ceramic disk cartridge 	3360	188.50	6

HIGH-FLOW THERMOSTATIC MIXING VALVE				
<div><div>NEW!</div></div>	<ul style="list-style-type: none">• ½" CC connections• Listed to ASSE Standard 1070• Roman tub application• Maximum flow rate at 45 psi = 12.0 gpm	104465	173.00	12
	<div>▲</div> <ul style="list-style-type: none">• 1/2" IPS connections <div>▲</div>	104466	173.00	12

THERMOSTATIC MIXING VALVE SERVICE KITS			
Part No.	Description	List Price	
175916	1/2" IPS Adapter Kit	14.95	
175917	1/2" CC Adapter Kit	14.95	
175918	1/2" Cold Expansion PEX Adapter Kit	14.95	
181040	1/2" Crimp Ring PEX Adapter Kit	14.95	
175921	3/8" Compression Adapter Kit	14.95	
175925	Fitting Nut Kit	14.95	
175726	Screen Washers and Seal Washer Kit	14.95	

*The brass Posi-Temp® and Moentrol® valves meet ASSE 1016 compliance requirements for controlling temperature fluctuations when paired with Moen Commercial showerheads and handshowers with flow rates as low as 1.5 gpm (5.7 lpm).

M•DURA™ Heavy-Duty Showering



M•DURA™ Heavy-Duty Valve Control and Slide Bar/Grab Bar
Handshower System / T8370CBN and 52224GBM15CBN

COMMERCIAL

Model No.	Finish	Product Description	List Price
A705	Chrome	Shower Flange and Shower Arm	51.40
A705CBN	Classic Brushed Nickel	Shower Flange and Shower Arm	77.05
A723	Chrome	59" Plastic Hose (vacuum breaker sold separately)	28.05
12523	—	Stem Bushing Support, 14834 and 14848 Wrist-Blade Handles	2.30
12828	Chrome	Kitchen Spout, 12" Long	120.65
14690	—	Heavy-Duty Ceramic Cartridge 8100 Series Prior to 2005	51.50
14695	—	Heavy-Duty Ceramic Cartridge 8100 Series Prior to 2005 (widespread)	51.50
14750	Chrome	1¼" Grid Strainer Waste	25.20
14834	Chrome	Wrist-Blade Handle, Hot Sani-Stream Models	56.10
14834CBN	Classic Brushed Nickel	Wrist-Blade Handle Kit – Hot, Classic Brushed Nickel	81.65
14838	Chrome	Wrist-Blade Handle, Cold Sani-Stream Models	56.10
14838CBN	Classic Brushed Nickel	Wrist-Blade Handle Kit – Cold, Classic Brushed Nickel	81.65
15856	Chrome	Diverter Spout, Slip Fit, Vandal-Resistant	58.35
15856CBN	Classic Brushed Nickel	Diverter Spout, Slip Fit, Vandal-Resistant	84.90
16000	Chrome	Handle Kit for Metering Faucet	61.95
16264	Chrome	High-Arch Spout for 8940, 8796 and 8799	112.10
16350	Chrome	Aerator 0.5 gpm Vandal-Resistant, Male Thread	17.25
16352	—	Plastic Replacement Cartridge for 8884, 8886 and 8889	101.10
52000	—	2-Handle Brass Shell Ceramic Disc Cartridge – Hot	14.90
52001	—	2-Handle Brass Shell Ceramic Disc Cartridge – Cold	14.90
52002	—	Cartridge Nut, O-Ring, Cover 8200 Series	20.65
52003	Chrome	Widespread Escutcheon 8200 Series	34.35
52005	—	Torx Head Wrench 8200 Series	4.50
52006	—	Aerator 2.2 gpm Insert 8200 Series	10.30
52007	Chrome	Laminar Flow 2.2 gpm Insert 8200 Series	12.55
52008	Chrome	Lever Handle, Cold, 8200 Series	22.90
52009	Chrome	Lever Handle, Hot, 8200 Series	22.90
52010	Chrome	Wrist-Blade Handle, Cold, 8200 Series	45.75
52011	Chrome	Wrist-Blade Handle, Hot, 8200 Series	45.75
52012	Chrome	Vacuum Breaker Service Kit	16.00
52015	Chrome	Handle Kits for Laboratory Faucets (hot or cold)	42.35
52016	Chrome	Aerator 0.5 gpm Insert 8200 Series	19.30
52016F03	—	0.35 gpm max. (1.3 lpm) Recessed Vandal-Resistant Rosetta Spray	17.75
52016F05	—	0.5 gpm max. (1.9 lpm) Recessed Vandal-Resistant Rosetta Spray	17.75
52016F15	—	1.5 gpm max. (5.7 lpm) Recessed Vandal-Resistant Aerator	17.75
52016F22	—	2.2 gpm max. (8.3 lpm) Recessed Vandal-Resistant Aerator	17.75
52019	Chrome	Wallmount Connections Kit for 8124 (1 per)	60.60
52020	Chrome	Wallmount Connections Kit for 8230 (1 per)	60.60
52021	Chrome	Widespread Spout 8200 Series	105.20
52022	—	Set Screw for Widespread Spout Hub	1.75
52023	Chrome	Widespread Mounting Kit for 8200 Series	30.90
52024	—	Set Screw for Metering Handle	1.75
52025	—	Friction Washers for S Series Spout (2 per)	2.90
52028	—	Center Spout Hub for M•DURA™ Widespread Faucets	57.10
52618	Chrome	0.35 gpm max. (1.3 lpm) Vandal-Resistant Rosetta Spray	12.85
52650	Chrome	Laminar Flow Spout, Flow Control in Base, 2.0 gpm, Fits S-Series Spouts with Spout Ring	27.50
52652	Chrome	Laminar Flow Spout, Flow Control in Base, 1.5 gpm, Fits S-Series Spouts with Spout Ring	27.50
52653	Chrome	Laminar Flow Spout, Flow Control in Base, 1.0 gpm, Fits S-Series Spouts with Spout Ring	27.50
52655	Chrome	Laminar Flow Spout, Flow Control in Base, 0.5 gpm, Fits S-series Spouts without Spout Ring	17.25
52703	Chrome	Optional Vacuum Breaker for Handshowers, ½" IPS Connections	64.65
52706	Chrome	Shower Arm Diverter	62.25
52711	—	Slide Bar/Grab Bar Bracket	48.50
59001	Chrome	NEW! Modern 1-Handle Kit	35.55
59002	—	NEW! Modern 1-Handle Retaining Nut and Cartridge	29.10
59005	—	NEW! Aerator Key for Cache PCA JR	4.20
59006	Chrome	NEW! Waste Assembly with Modern Lift Rod	60.00
59007	—	NEW! Modern 1-Handle Mounting Hardware	23.55

Model No.	Finish	Product Description	List Price
59008	Chrome	NEW! Modern Widespread Handle Kit	36.50
59009	—	NEW! Modern Widespread Red/Blue Color Rings	5.85
59010	Chrome	NEW! Modern Widespread Handle Hub Kit	70.70
59011	—	NEW! Widespread Spout/Handle Mounting Kit	24.60
59012	Chrome	NEW! Modern Widespread Spout, Diverting, 0.5 gpm	166.85
59013	Chrome	NEW! Modern Widespread Spout, Diverting, 1.5 gpm	166.85
59014	Chrome	NEW! Modern Widespread Spout, Nondiverting, 0.5 gpm	168.00
59015	Chrome	NEW! Modern Widespread Spout, Nondiverting, 1.5 gpm	168.00
59016	Chrome	NEW! Modern Shower Escutcheon	29.90
59017	Chrome	NEW! Modern Shower Handle Lever Kit	45.70
59018	Chrome	NEW! Modern 3-Function Escutcheon	50.75
59019	Chrome	NEW! Modern 3-Function Handle Repair Kit	57.65
59021	Chrome	NEW! Modern Tub Spout, Diverting	87.05
59022	Chrome	NEW! Modern Tub Spout, Nondiverting	80.45
59023	Chrome	NEW! Modern Tub Gate Kit15.35	15.75
92191	Chrome	Tri-Blade Replacement Handles (2 per)	51.45
93379	Chrome	Handle Cap with Color Indicators, All 1-Handle Lever Faucets	18.00
93380	Chrome	Lever Handle Kit, 1-Handle Kitchen, 4"	89.80
93385	Chrome	Lever Handle Kit, 1-Handle Lav, 2½"	87.20
93390	Chrome	Lever Handle Kit, 1-Handle Lav, 4"	87.20
93410	Chrome	Handle Kit with Insert, 1-Handle Tub/Shower	25.80
93415	Chrome	Easy Grip Handle Kit, 1-Handle Lav, Vandal-Proof	46.95
93426	Chrome	Easy Grip Handle Kit, 1-Handle Tub/Shower, Vandal-Proof	46.95
93455	Chrome	Escutcheon Screws, Torx for Posi-Temp® and Moentrol® 1-Handle Tub/Showers	10.30
93455CBN	Classic Brushed Nickel	Escutcheon Screws, Classic Brushed Nickel	11.95
99457	Chrome	4" Deckplate (for use with previous 8884 model)	26.85
99550	Chrome	Anti-Rotation Deckplate for 8161 and 8884	29.10
99551	Chrome	Anti-Rotation Deckplate for 8894	29.10
99559	Chrome	NEW! Modern 4" Optional Deckplate	31.85
100078	—	Handle Screw Kit, Sani-Stream 3-Function Transfer Valve	20.00
100078CBN	Classic Brushed Nickel	Handle Screw Kit, Classic Brushed Nickel	10.30
100079	Chrome	Lever Handle Kit, 3-Function Transfer Valve Kit	33.80
100079CBN	Classic Brushed Nickel	Handle Repair Kit, Classic Brushed Nickel	49.15
100080	—	Mounting Sleeve, 3-Function Transfer Valve	46.95
100080CBN	Classic Brushed Nickel	Mounting Sleeve, Classic Brushed Nickel	68.35
100087	—	Shower Function Label, 3-Function Transfer Valve	7.50
100686	Chrome	Slide Bar Swivel for Handshower	48.65
101018	—	Temperature Indicators, 8889 Metering Faucet	4.10
101019	—	Temperature Indicators, 8884, 8886 Metering Faucets	3.40
101020	Chrome	Widespread Spout, 8889 Metering Faucet	77.15
101629	Chrome	Adjustable 30" Slide Bar with Attaching Hardware	134.35
101629CBN	Classic Brushed Nickel	Adjustable 30" Slide Bar with Attaching Hardware	195.60
101867	Chrome	Temperature Limit Stop Kit, 1-Handle Lav	12.35
101868	Chrome	Conversion Kit with Adjustable Temperature Limit Stop	61.20
104020	—	Manual Temperature Control Handle Kit 8307-08	22.30
104021	—	Solenoid Valve Repair Kit 8301-8304	49.50
104334	—	Control Module 8310 (1.6 gpf closet)	160.10
104400	—	In-Line Filter with Check Valve	54.35
104401	—	AC Power Adapter (up to 8 faucets/flush valves) 8301-8304/Flush Valve	101.80
104402	—	24" Power Cable Lead for 8301-8304	32.20
104403	—	Control Module 8312, 8314 (1.0 gpf urinal)	160.10
104404	—	Control Module 8305, 8307 (DC)	171.45
104405	—	Control Module 8306, 8308 (AC)	171.45
104406	—	AC Adapter for Flush Valves (powers 1 unit)	34.25
104408	—	AC Adapter, 75V, 3A for 8306-8308	99.25

Model No.	Finish	Product Description	List Price
104414	Chrome	Handshower Wall Bracket Kit	49.20
104424	Chrome	Mixing Valve, Includes Integral Check Valves	64.35
104426	Chrome	4" Deckplate for Models 8302, 8303	32.05
104427	—	AC Adapter, 110V, Armored (powers 1 unit) (8301–8304, all flush valves)	61.80
104428	Chrome	4" Deckplate with Mounting Hardware for 8305–8308	34.60
104429	Chrome	Gooseneck Spout 8303, 8304: 5¼" x 6" x 10¼"	40.80
104430	Chrome	Gooseneck Spout 8303, 8304: 5 ¾" x 9" x 13¼"	54.55
104431	Chrome	Gooseneck Spout 8303, 8304: 6" x 1½" x 4¾"	43.15
104432	Chrome	Gooseneck Spout 8303, 8304: 8" x 2¾" x 5¾"	44.25
104433	Chrome	Gooseneck Spout 8303, 8304: 8 ¾" x 6" x 11"	83.10
104434	—	Control Module for 8301–8304	273.80
104435	—	Flush Valve Solenoid Coil Kit	137.15
104437	—	Flush Valve Control Disk Valve	40.10
104438	—	Filter Screen (mesh)	8.35
104439	—	Solenoid/Housing Assembly	300.10
104440	—	Flush Valve Battery Holder (2/bag)	6.35
104441	—	Nylon Washer for Filter Housing	2.30
104443	—	Supply Rod for 8304	16.00
104444	—	Flexible Supply Line 8305–8308 (1/bag)	29.75
104446	—	Plug-In Power Adapter Single (with cable) 8306, 8308	58.85
104447	—	Hex Key Wrench 8305–8307	2.90
104448	Chrome	8" Deckplate with Mounting Kit for 8302, 8303, 8305–8308	45.80
104449	—	Vandal-Proof Screws with O-Ring for Flush Valve (12/bag)	36.05
104450	—	Solenoid Coil Kit 8305–8307	124.70
104451	—	Thermostatic Mixing Valve	173.00
104452	—	Control Module (1.28 gpf closet)	160.10
104453	Chrome	AC Tube and Wall Flange	57.10
104454	Chrome	AC Flush Valve Cap	92.65
104455	Chrome	DC Flush Valve Cap	81.20
104456	—	Sensor Eye Casing for 8301–8304	12.60
104457	—	O-Ring for Electronic Faucet Spout	2.45
104458	—	Split Washer for Electronic Spout	2.45
104459	—	Battery Holder for Electronic Faucet 8301–8304	6.35
104460	Chrome	Electronic Faucet Spout Nut	9.00
104461	Chrome	Manual Override Replacement Plug	30.10
104500	Chrome	2¼" Delany Supply (standard) Extension Nipple	36.60
104501	Chrome	1¾" Delany Supply Extension Nipple	32.05
104502	Chrome	2¾" Delany Supply Extension Nipple	44.60
104503	Chrome	3¼" Delany Supply Extension Nipple	49.20
104504	Chrome	3¾" Delany Supply Extension Nipple	54.85
104505	Chrome	4¼" Delany Supply Extension Nipple	60.60
104506	Chrome	2 1/8" Sloan-Moen Style Supply Extension Nipple (standard)	32.05
104507	Chrome	2½" Sloan-Moen Style Supply Extension Nipple	35.50
104508	Chrome	3" Sloan-Moen Style Supply Extension Nipple	37.75
104509	Chrome	3½" Sloan-Moen Style Supply Extension Nipple	41.15
104510	Chrome	4" Sloan-Moen Style Supply Extension Nipple	45.75
104511	Chrome	4½" Sloan-Moen Style Supply Extension Nipple	49.20
104512	Chrome	5" Sloan-Moen Style Supply Extension Nipple	54.85
104513	Chrome	5½" Sloan-Moen Style Supply Extension Nipple	58.35
104514	Chrome	6" Sloan-Moen Style Supply Extension Nipple	62.90
104515	Chrome	1½" Closet Flush Tube – 24"	106.75
104516	Chrome	Split Ring Wall Support	73.00
104517	Chrome	Flush Valve Trap Primer	105.60
104518	Chrome	1" Sweat Kit, Flush Valve	30.90
104519	Chrome	1" Sweat Kit, Flush Valve 6" Long	43.50
104520	Chrome	Sensor Eye/Wires for Flush Valve	76.65

Model No.	Finish	Product Description	List Price
104521	Chrome	1" Angle Stop Valve Flush Valve	110.15
104522	Chrome	¾" Angle Stop Valve Flush Valve	110.15
104523	Chrome	Angle Stop Repair Kit	19.30
104524	Chrome	Flush Valve Manual Override Button	36.05
104525	Chrome	Vacuum Breaker Kit	18.00
104526	Chrome	Brass Valve Body Nut Flush Valve	24.05
104527	Chrome	O-Ring (Large) for Flush Valve Seat	5.50
104528	Chrome	1½" Brass Flush Valve Tube	42.05
104529	Chrome	1¼" Brass Flush Tube	40.85
104530	Chrome	¾" Brass Flush Tube	39.80
104531	Chrome	1½" Top Spud Assembly	42.05
104532	Chrome	1¼" Top Spud Assembly	39.80
104533	Chrome	¾" Top Spud Assembly	35.15
104534	Chrome	Aerator 1 .5 gpm for 8305-8308	17.75
104535	Chrome	Aerator 0.5 gpm for 8305-8308	17.75
104536	—	Plastic Flush Valve Cap Mount Bracket	18.25
104537	—	Flush Valve Solenoid Tips (10 per)	34.35
104538	Chrome	1¼" Urinal Tailpiece - 24"	107.45
104539	Chrome	Set Screw for 8305-8308	4.60
104540	Chrome	M•DURA™ 2¼" Delany (standard) Nipple	36.60
104541	Chrome	M•DURA™ 1¾" Delany Nipple	32.05
104542	Chrome	M•DURA™ 2¾" Delany Nipple	44.60
104543	Chrome	M•DURA™ 3¼" Delany Nipple	49.20
104544	Chrome	M•DURA™ 3¾" Delany Nipple	54.85
104545	Chrome	M•DURA™ 4¼" Delany Nipple	60.60
104546	Chrome	M•DURA™ 2 1/8" Sloan (standard) Nipple	32.05
104547	Chrome	M•DURA™ 2½" Sloan Nipple	35.50
104548	Chrome	M•DURA™ 3" Sloan Nipple	37.75
104549	Chrome	M•DURA™ 3½" Sloan Nipple	41.15
104550	Chrome	M•DURA™ 4" Sloan Nipple	45.75
104551	Chrome	M•DURA™ 4½" Sloan Nipple	49.20
104552	Chrome	M•DURA™ 5" Sloan Nipple	54.85
104553	Chrome	M•DURA™ 5½" Sloan Nipple	58.35
104554	Chrome	M•DURA™ 6" Sloan Nipple	62.90
104555	Chrome	M•DURA™ 1" Angle Stop Flush Valve	110.15
104556	Chrome	M•DURA™ ¾" Angle Stop Flush Valve	110.15
104557	Chrome	M•DURA™ Angle Stop Repair Kit	19.30
104560	Chrome	1½" Offset Tailpiece	42.75
104561	Chrome	M•DURA™ Flush Valve Cap Assembly	60.40
104563	—	3.5 gpf (13.2 lpf) Piston	81.20
104564	—	1.6 gpf (6.0 lpf) Piston	81.20
104565	—	1.28 gpf (4.8 lpf) Piston	81.20
104566	—	1.0 gpf (3.8 lpf) Piston	81.20
104567	—	0.5 gpf (1.9 lpf) Piston	81.20
104568	—	0.125 gpf (0.5 lpf) Piston	81.20
104569	Chrome	M•DURA™ Flush Valve Handle Assembly	24.35
104570	Chrome	M•DURA™ Vacuum Breaker Assembly	18.00
104571	Chrome	M•DURA™ Flush Valve Body Nut	24.05
104572	Chrome	M•DURA™ Angle Stop Replacement Cap	6.25
104573	Chrome	M•DURA™ Flush Valve Wallmount Assembly	23.30
104574	Chrome	M•DURA™ Bedpan Washer Seal Kit	50.90
104575	Chrome	M•DURA™ Bedpan Washer Arm Assembly	50.90
104577	Chrome	M•DURA™ Bedpan Washer Spray Face	10.90
104578	—	1½" Flush Tube	45.95
104579	—	1¼" Flush Tube	49.90
104580	—	¾" Flush Tube	46.05
104581	—	1½" Top Spud Assembly	32.20

Model No.	Finish	Product Description	List Price
104582	—	1¼" Top Spud Assembly	29.30
104583	—	¾" Top Spud Assembly	25.20
104584	—	Urinal Tailpiece 24" x ¾"	74.95
104585	—	Flush Extension Tube – 24"	118.10
104588	—	1" Sweat Kit Flush Valve	27.05
104589	—	1" Sweat Kit Flush Valve – 6"	43.50
104590	—	M•DURA™ Cap Assembly 3.5 gpf	25.90
104591	—	M•DURA™ Cap Assembly 1.6 gpf	25.90
104592	—	M•DURA™ Cap Assembly 1.28 gpf	25.90
104593	—	M•DURA™ Cap Assembly 1.0 gpf	25.90
104594	—	M•DURA™ Cap Assembly .5 gpf	25.90
104595	—	M•DURA™ Cap Assembly 0.125 gpf	25.90
104597	—	M•DURA™ Flush Valve Tailpiece and Interior Cap Tool	17.25
104770	Chrome	Metal Drain Assembly with Round Knob Lift Rod	20.30
104775	Chrome	Metal Drain Assembly with Fluted Knob Lift Rod	22.30
104775BC	Brushed Chrome	Metal Drain Assembly with Fluted Knob Lift Rod	32.00
106321	—	Extension Kit, 3-Function Transfer Valve	99.25
109146	—	6' Sensor Eye and Cable	213.20
116715	Chrome	Spout Kit, 8948	33.15
121443	Chrome	Wrist-Blade Handle for Ceramic Disc, Cold 8100 Series	43.35
121444	Chrome	Wrist-Blade Handle for Ceramic Disc, Hot 8100 Series	42.25
121520	Chrome	Lever Handle for 8413, 8414, 8417 Series	21.70
121521	Chrome	Lever Handle for 8701	19.30
121549	—	1-Handle Ceramic Disc Cartridge – Models 8413 Series	22.30
121550	—	2-Handle Plastic Shell Ceramic Disc Cartridge – Hot	12.50
121551	—	2-Handle Plastic Shell Ceramic Disc Cartridge – Cold	12.50
121620	—	1-Handle Ceramic Disc Cartridge – Model 8701 (prior to 2010)	22.30
129900	Chrome	Lever Handle Extended Reach 8416, 8418	32.05
129901	Brushed Chrome	Lever Handle for 8414 Series	28.60
129902	Brushed Nickel	Lever Handle for 8414 Series	28.60
161380	Chrome	Moentrol® Escutcheon	47.40
163215	—	Fixed Spout Clip for S-Series Spouts	10.20
174066	—	Filter Screen for Filter Housing	5.35
174334	—	IR Sensor Bracket for 8551, 8551AC, 8552, 8552AC	183.35
174335	—	IR Sensor Bracket for 8553, 8553AC, 8554, 8554AC	183.35
174336	Chrome	Plug Button for 8552, 8552AC	18.15
174337	Chrome	Plug Button for 8554, 8554AC	18.15
175916	—	1/2" IPS Adapter Kit	14.95
175917	—	1/2" CC Adapter Kit	14.95
175918	—	1/2" Cold Expansion PEX Adapter Kit	14.95
181040	—	1/2" Crimp Ring PEX Adapter Kit	14.95
175921	—	3/8" Compression Adapter Kit	14.95
175925	—	Fitting Nut Kit	14.95
175926	—	Screen Washers and Seal Washer Kit	14.95
840011	Chrome	3" Handle Kit	84.65
840011CBN	Classic Brushed Nickel	3" Handle Kit	127.00
840012	Chrome	4" Handle Kit	84.65
840012CBN	Classic Brushed Nickel	4" Handle Kit	127.00
840015F03	—	0.35 gpm max. (1.3 lpm) Recessed Vandal-Resistant Rosetta Spray	12.85
840015F05	—	0.5 gpm max. (1.9 lpm) Recessed Vandal-Resistant Rosetta Spray	12.85
840015F15	—	1.5 gpm max. (5.7 lpm) Recessed Vandal-Resistant Aerator	12.85
840015F22	—	2.2 gpm max. (8.3 lpm) Recessed Vandal-Resistant Aerator	12.85
870111	Chrome	Spout Assembly Kit	117.10
870112	Chrome	Optional Single-Mount Escutcheon	13.55
870113	Chrome	Optional Deckplate	45.55
870114	Chrome	9" Spout Assembly Kit	117.10
870115	Chrome	12" Spout Assembly Kit	120.50

Model No.	UPC	Page Number	Case Qty.	List Price
1222HD	0-26508 20760-4	475	18	91.95
3360	0-26508 22276-8	477	6	188.50
5263	0-26508 23721-2	472	12	51.70
5263CBN	0-26508 23722-9	472	12	94.30
8100	0-26508 02518-5	426	6	109.15
8103	0-26508 16230-9	426	6	167.80
8106	0-26508 16232-3	426	6	226.50
8110	0-26508 02519-2	426	6	189.95
8113	0-26508 16227-9	426	6	248.60
8116	0-26508 16231-6	426	6	307.30
8119	0-26508 16233-0	424	6	291.45
8121	0-26508 02520-8	424	6	236.45
8124	0-26508 02616-8	425	6	247.00
8125	0-26508 02618-2	423	6	179.40
8126	0-26508 16234-7	424	6	292.20
8137	0-26508 18547-6	423	6	235.35
8138	0-26508 19904-6	423	6	280.10
8161	0-26508 22771-8	418	6	142.25
8198	0-26508 14068-0	425	10	65.05
8199	0-26508 14069-7	425	10	47.35
8210	0-26508 15378-9	414	6	192.50
8210SM	0-26508 23863-9	428	6	192.50
8215	0-26508 16118-0	415	6	213.45
8215SM	0-26508 23865-3	428	6	213.45
8215SMF12	0-26508 26683-0	428	6	213.45
8216	0-26508 01417-2	414	6	217.40
8218	0-26508 15512-7	414	6	211.15
8219	0-26508 16778-6	415	6	237.20
8220	0-26508 01596-4	415	3	301.55
8223	0-26508 15541-7	415	3	334.60
8224	0-26508 15542-4	415	3	328.20
8225	0-26508 16243-9	418	6	313.05
8225SM	0-26508 23867-7	427	6	313.05
8226	0-26508 15543-1	418	6	241.90
8227	0-26508 16225-5	418	6	294.00
8228	0-26508 16119-7	416	3	320.55
8229	0-26508 16226-2	418	6	261.00
8230	0-26508 17217-9	424	3	200.35
8232	0-26508 19905-3	425	6	289.90
8239	0-26508 01597-1	416	3	353.65
8242	0-26508 18548-3	419	6	337.25
8244	0-26508 18549-0	419	6	356.25
8248	0-26508 18108-9	419	6	306.60
8248SM	0-26508 23869-1	427	6	306.60
8270	0-26508 15461-8	422	6	228.95
8272	0-26508 15462-5	422	6	240.05
8273	0-26508 18149-2	422	6	196.85
8274	0-26508 15544-8	422	6	184.60
8276	0-26508 16771-7	422	6	205.55
8277	0-26508 19906-0	423	6	208.30
8278	0-26508 16780-9	422	6	241.25
8278SM	0-26508 23871-4	427	6	241.25
8279	0-26508 16781-6	422	6	261.05
8279SM	0-26508 23873-8	428	6	256.70
8280	0-26508 15463-2	420	6	231.85
8285	0-26508 16120-3	420	6	250.90
8287	0-26508 16223-1	420	6	289.00
8289	0-26508 16224-8	420	6	307.95
8290	0-26508 15406-9	472	12	115.90
8292	0-26508 17218-6	472	12	120.90
8310	0-26508 00641-2	450	4	596.45
8310BPWR	0-26508 24015-1	458	3	401.30
8311	0-26508 19907-7	450	4	596.45
8312	0-26508 15222-5	452	4	596.45
8313	0-26508 21321-6	451	4	598.20
8314	0-26508 15223-2	453	6	596.45
8315	0-26508 19908-4	452	4	596.45
8316	0-26508 20599-0	452	4	596.45
8316AC	0-26508 21322-3	453	4	596.45

Model No.	UPC	Page Number	Case Qty.	List Price
8320	0-26508 01243-7	473	12	151.85
8325	0-26508 04040-9	468	12	165.80
8339	0-26508 04041-6	467	6	203.50
8341	0-26508 07825-9	465	1	631.25
8342	0-26508 07826-6	465	1	636.65
8343	0-26508 08313-0	463	1	653.85
8346	0-26508 06334-7	466	4	452.00
8348	0-26508 05776-6	468	6	342.15
8349	0-26508 01509-4	471	6	73.25
8349CBN	0-26508 23703-8	471	6	106.70
8349EP17CBN	0-26508 23705-2	471	6	106.70
8350	0-26508 01467-7	474	6	239.45
8360	0-26508 08681-0	473	6	223.50
8370	0-26508 01396-0	473	12	181.65
8370HD	0-26508 22847-0	476	6	128.05
8371HD	0-26508 22848-7	476	6	154.15
8372HD	0-26508 22849-4	476	6	154.15
8373HD	0-26508 22850-0	476	6	154.15
8374HD	0-26508 22851-7	477	6	166.15
8375HD	0-26508 23980-3	477	6	154.15
8375	0-26508 04042-3	468	12	204.70
8389	0-26508 04043-0	467	6	233.75
8400	0-26508 01506-3	436	12	172.60
8413	0-26508 12971-5	416	3	164.80
8414	0-26508 13712-3	416	3	196.70
8414BN	0-26508 15128-0	416	3	254.50
8416	0-26508 01727-2	417	3	177.05
8417	0-26508 12972-2	417	6	227.70
8418	0-26508 15080-1	417	6	239.35
8420	0-26508 01507-0	436	12	200.30
8420CBN	0-26508 23532-4	436	12	250.40
8422	0-26508 23212-5	436	12	181.10
8425	0-26508 01508-7	436	12	195.00
8430	0-26508 06645-4	437	12	134.95
8430CBN	0-26508 23534-8	437	12	168.80
8432	0-26508 06646-1	437	12	166.10
8434	0-26508 06647-8	437	12	160.10
8437	0-26508 23216-3	437	12	174.75
8437CBN	0-26508 23535-5	437	12	218.45
8439	0-26508 23217-0	437	12	143.65
8551	0-26508 24990-1	442	6	667.55
8551AC	0-26508 24991-8	442	6	685.75
8552	0-26508 24992-5	443	6	737.75
8552AC	0-26508 24993-2	443	6	737.75
8553	0-26508 24994-9	443	6	667.55
8553AC	0-26508 24995-6	443	6	685.75
8554	0-26508 24996-3	443	6	737.75
8554AC	0-26508 24997-0	443	6	737.75
8701	0-26508 12973-9	421	6	142.30
8707	0-26508 20651-5	421	6	169.55
8711	0-26508 02028-9	421	6	212.70
8713	0-26508 02095-1	421	6	427.15
8714	0-26508 01593-3	421	6	440.35
8717	0-26508 23764-9	421	6	251.35
8780	0-26508 02185-9	439	6	115.30
8791	0-26508 12570-0	439	6	135.90
8792	0-26508 12571-7	439	6	263.20
8798	0-26508 00393-0	439	6	184.85
8799	0-26508 01377-9	439	6	240.95
8800	0-26508 00777-8	438	6	160.15
8800CBN	0-26508 23537-9	438	6	196.40
8810	0-26508 00778-5	438	6	183.65
8820	0-26508 00779-2	438	6	189.25
8820CBN	0-26508 23538-6	438	6	232.05
8884	0-26508 09323-8	431	6	173.40
8886	0-26508 09324-5	432	6	319.60
8889	0-26508 09325-2	432	6	409.05
8894	0-26508 22067-2	432	6	196.85
8915	0-26508 09414-3	438	12	117.75

Model No.	UPC	Page Number	Case Qty.	List Price
8915CBN	0-26508 23539-3	438	12	147.15
8917	0-26508 03032-5	438	12	138.80
8917CBN	0-26508 23540-9	438	12	173.55
8922	0-26508 03917-5	438	6	248.20
8922CBN	0-26508 23541-6	438	6	297.90
8924	0-26508 03920-5	438	6	265.60
8938	0-26508 00395-4	440	6	159.70
8940	0-26508 01376-2	440	6	228.25
8948	0-26508 06169-5	440	6	157.55
8957	0-26508 03026-4	440	12	123.00
9263	0-26508 25542-1	472	12	70.65
9349	0-26508 25544-5	471	6	104.00
9480	0-26508 55490-0	435	3	155.95
9482	0-26508 55506-6	435	3	173.30
9921	0-26508 55513-3	435	3	224.55
9922	0-26508 55520-0	435	3	249.50
52100	0-26508 20763-5	433	1	81.20
52120	0-26508 20704-8	433	12	150.70
52710	0-26508 06336-1	470	6	267.70
52710CBN	0-26508 23710-6	470	6	532.85
99550	0-26508 20765-9	431	12	29.10
99551	0-26508 20689-9	432	12	29.10
99556	0-26508 52130-0	443	20	31.85
99557	0-26508 52147-7	443	20	31.85
99558	0-26508 52154-4	443	20	40.95
99559	0-26508 58859-9	435	20	31.85
104426	0-26508 84205-5	446	64	32.05
104448	0-26508 55578-8	446	50	45.80
104451	0-26508 19928-2	446	12	173.00
104465	0-26508 20436-8	477	12	173.00
104466	0-26508 26710-3	477	12	173.00
5263EP15	0-26508 23723-6	472	12	51.70
5263EP15CBN	0-26508 23724-3	472	12	94.30
5263EP17	0-26508 23725-0	472	12	51.70
5263EP17CBN	0-26508 23726-7	472	12	94.30
8210F05	0-26508 23543-0	414	6	192.50
8210SMF05	0-26508 58866-6	428	6	192.50
8210F12	0-26508 66847-7	414	6	192.50
8210SMF12	0-26508 66854-4	428	6	192.50
8215F03	0-26508 23544-7	415	6	213.45
8215F05	0-26508 23545-4	415	6	213.45
8215F12	0-26508 66946-6	415	6	213.45
8220F05	0-26508 23550-8	415	3	301.55
8225SMF15	0-26508 23868-4	427	6	313.05
8228F05	0-26508 23552-2	416	3	320.55
8228F12	0-26508 66823-3	416	3	320.55
8248SMF12	0-26508 67073-3	427	3	306.60
8278SMF12	0-26508 67080-0	427	6	241.25
8279SMF12	0-26508 67097-7	428	6	256.70
8290EP15	0-26508 21336-0	472	12	111.40
8310AC16	0-26508 16764-9	451	4	596.45
8310ACDF16	0-26508 20596-9	451	4	626.20
8310BPW16	0-26508 23919-3	458	2	555.05
8310DF16	0-26508 20597-6	450	4	626.20
8310M16	0-26508 23653-6	456	3	181.85
8310MR16	0-26508 23921-6	458	6	146.30
8310R16	0-26508 16032-9	452	8	499.10
8310RDF16	0-26508 20598-3	452	4	524.00
8310BPW35	0-26508 23920-9	458	2	555.05
8310M35	0-26508 23654-3	456	3	181.85
8310MR35	0-26508 23656-7	458	6	146.30
8311AC12	0-26508 19909-1	451	4	596.45
8312M05	0-26508 23658-1	457	3	181.85
8312MR05	0-26508 23661-1	458	6	146.30
8312AC10	0-26508 16765-6	453	4	596.45
8312M10	0-26508 23659-8	457	3	181.85
8312MR10	0-26508 23662-8	458	6	146.30
8312R10	0-26508 16030-5	453	8	499.10
8314M10	0-26508 23664-2	457	3	181.85

Model No.	UPC	Page Number	Case Qty.	List Price
8315AC05	0-26508 19910-7	453	4	596.45
8342EP15	0-26508 21337-7	465	1	636.65
8346EP15	0-26508 21338-4	466	4	452.00
8349EP15	0-26508 21339-1	471	6	73.25
8349EP15CBN	0-26508 23704-5	471	6	106.70
8349EP17	0-26508 22864-7	471	6	73.25
8375EP15	0-26508 21340-7	468	12	204.70
8389EP15	0-26508 21341-4	467	6	233.75
8413F03	0-26508 23444-0	416	3	164.80
8413F05	0-26508 23445-7	416	3	164.80
8413F12	0-26508 66564-4	416	3	164.80
8416F05	0-26508 23447-1	417	3	177.05
8417F05	0-26508 23449-5	417	6	227.70
8417F12	0-26508 66571-1	417	6	227.70
8419F05	0-26508 22784-8	417	6	258.65
8419F12	0-26508 66588-8	417	6	258.65
8422F05	0-26508 23214-9	436	12	181.10
8430F05	0-26508 23215-6	437	12	134.95
8432F05	0-26508 64706-6	437	12	166.10
8439F05	0-26508 01506-3	437	12	143.65
8800F05	0-26508 23531-7	438	6	160.15
9220F05	0-26508 25539-1	414	3	310.65
9220F12	0-26508 66953-3	414	3	310.65
9223F05	0-26508 25730-2	414	3	345.15
9223F12	0-26508 66960-0	414	3	345.15
9263EP15	0-26508 25543-8	472	12	70.65
9349EP15	0-26508 25545-2	471	6	104.00
9417F05	0-26508 25729-6	413	3	252.00
9417F12	0-26508 66977-7	413	3	252.00
9419F05	0-26508 25548-3	413	3	280.00
9419F12	0-26508 66984-4	413	3	280.00
52124GBM25	0-26508 23411-2	469	3	230.65
52124GB-M25CBN	0-26508 23412-9	469	3	472.80
52136GBM25	0-26508 19133-0	469	3	251.55
52136GB-M25CBN	0-26508 19134-7	469	3	515.65
52224GBM15	0-26508 22696-4	469	3	235.85
52224GB-M15CBN	0-26508 23697-0	469	3	483.55
52224GBM17	0-26508 22697-1	469	3	235.85
52224GBM25	0-26508 22699-5	469	3	235.85
52224GBP25	0-26508 22700-8	469	3	204.50
52236GBM15	0-26508 22701-5	469	3	256.80
52236GB-M15CBN	0-26508 23700-7	469	3	525.40
52236GBM17	0-26508 22702-2	469	3	256.80
52236GBM25	0-26508 22704-6	469	3	256.80
52236GBP25	0-26508 22695-7	469	3	225.40
52710EP15	0-26508 21334-6	470	6	267.70
52710EP15CBN	0-26508 23714-4	470	6	532.85
52716EP15	0-26508 21335-3	472	20	68.00
52740EP17	0-26508 22852-4	470	6	267.15
52748EP15	0-26508 23475-4	470	6	195.30
8310M128	0-26508 23652-9	456	3	181.85
8310MR128	0-26508 23655-0	458	6	146.30
8312M0125	0-26508 23657-4	457	3	181.85
8312MR0125	0-26508 23660-4	458	6	146.30
A705	0-26508 40816-6	471	12	51.40
A705CBN	0-26508 40823-3	471	12	77.05
CA8301	0-26508 21107-6	445	6	656.35
CA8302	0-26508 21108-3	445	6	647.70
CA8303	0-26508 21109-0	446	6	714.25
CA8304	0-26508 21110-6	446	6	737.45
S0000	0-26508 18146-1	429	12	47.50
S0001	0-26508 02531-4	429	12	57.10
S0002	0-26508 02532-1	429	12	58.35
S0003	0-26508 02533-8	429	12	57.10
S0004	0-26508 02534-5	429	12	68.60
S0006	0-26508 02536-9	429	12	43.50

Model No.	UPC	Page Number	Case Qty.	List Price
S0007	0-26508 02537-6	429	12	58.35
S0009	0-26508 02539-0	429	12	62.90
S0010	0-26508 02540-6	429	12	68.60
S0011	0-26508 02541-3	429	12	57.10
S0012	0-26508 02542-0	429	12	124.70
S0020	0-26508 14811-2	429	12	58.35
S00R30	0-26508 20222-7	429	12	99.50
S0030	0-26508 14812-9	429	12	64.05
S00R50	0-26508 20223-4	429	12	107.45
S0050	0-26508 16071-8	429	12	70.90
S0060	0-26508 19927-5	429	12	88.10
S0070	0-26508 18147-8	429	12	76.65
SV003	0-26508 02544-4	429	12	117.80
SV006	0-26508 02547-5	429	12	109.80
SV010	0-26508 02551-2	429	12	115.50
T4192	0-26508 60326-6	474	12	134.10
T8341	0-26508 22855-5	465	1	325.25
T8342	0-26508 22856-2	465	1	331.10
T8342CBN	0-26508 23715-1	465	1	486.70
T8342NH	0-26508 23717-5	465	1	323.10
T8342NHCBN	0-26508 23718-2	465	1	443.15
T8343	0-26508 22858-6	463	1	349.85
T8343CBN	0-26508 23719-9	463	1	514.35
T8343NH	0-26508 23763-2	463	1	341.90
T8343NHCBN	0-26508 23575-1	463	1	470.80
T8346	0-26508 22860-9	466	4	305.55
T8346CBN	0-26508 23563-8	466	4	433.25
T8348	0-26508 22862-3	468	6	210.20
T8350	0-26508 21187-8	474	3	60.90
T8350CBN	0-26508 23706-9	474	3	110.25
T8360	0-26508 22277-5	473	3	44.15
T8360CBN	0-26508 23565-2	473	3	80.65
T8370	0-26508 21188-5	473	3	34.50
T8370CBN	0-26508 23566-9	473	3	63.05
T8375	0-26508 21189-2	468	3	59.65
T8375CBN	0-26508 23567-6	468	3	91.75
T8375NH	0-26508 23569-0	468	3	42.25
T8375NHCBN	0-26508 23570-6	468	3	70.65
T8389	0-26508 21213-4	467	3	91.35
T8389CBN	0-26508 23571-3	467	3	142.70
T8389NH	0-26508 23573-7	467	3	76.30
T8389NHCBN	0-26508 23574-4	467	3	111.75
T9342	0-26508 25733-3	464	1	452.65
T9343	0-26508 25731-9	462	1	478.30
T9346	0-26508 25554-4	466	4	398.75
T9360	0-26508 25558-2	473	3	122.15
T9370	0-26508 25559-9	473	3	95.45
T9375	0-26508 25560-5	468	3	119.45
T9389	0-26508 25562-9	467	3	152.00
T8342EP15	0-26508 22857-9	465	1	331.10
T8342EP15CBN	0-26508 23716-8	465	1	486.70
T8343EP15	0-26508 22859-3	463	1	349.85
T8343EP15CBN	0-26508 23762-5	463	1	514.35
T8346EP15	0-26508 22861-6	466	4	305.55
T8346EP15CBN	0-26508 23564-5	466	4	433.25
T8375EP15	0-26508 22278-2	468	3	59.65
T8375EP15CBN	0-26508 23568-3	468	3	91.75
T8389EP15	0-26508 22279-9	467	3	91.35
T8389EP15CBN	0-26508 23572-0	467	3	142.70
T9342EP15	0-26508 25734-0	464	1	452.65
T9342GBM15	0-26508 25738-8	464	1	497.90
T9342GBM25	0-26508 25737-1	464	1	497.90
T9343EP15	0-26508 25732-6	462	1	478.30
T9343GBM15	0-26508 25736-4	463	1	526.15
T9343GBM25	0-26508 25735-7	463	1	526.15
T9346EP15	0-26508 25555-1	466	4	398.75
T9346GBM15	0-26508 25556-8	466	3	438.65
T9346GBM25	0-26508 25557-5	466	3	438.65
T9375EP15	0-26508 25561-2	468	3	119.45
T9389EP15	0-26508 25563-6	467	3	152.00

PARTNERING TO PROTECT THE ENVIRONMENT



Look for the WaterSense® logo to identify water-efficient Moen® faucets that meet WaterSense® criteria. As of Jan. 1, 2009, all Moen® lavatory faucet SKUs* have been manufactured with a 1.5 gpm aerator that is certified to meet WaterSense® criteria. The packaging label clearly indicates the WaterSense® logo and the 1.5 gpm flow rate. If the product you receive does not have the qualifying label markings, a 1.5 gpm replacement aerator can be ordered by calling 1-800-BUY-MOEN.

*Excluding all bathtub spouts and some commercial faucets and showerheads



The U.S. Green Building Council® developed the Leadership in Energy and Environmental Design (LEED®) Green Building Rating System as a nationally accepted benchmark for measuring and documenting green building practices.




The Green UPC® symbol indicates that this product has been certified by the International Association of Plumbing and Mechanical Officials (IAPMO) to reduce water consumption by at least 20% when compared to standard flow rates.

All Moen® lavatory and kitchen faucets meet NSF 372 requirements.

Shower Valve Flow Rates

Flowing Pressure vs. Flow Rate of Moen Showering Valves (Unrestricted)



Vertical Spa Installation Recommendations

Graph Line	Valve	Flow Rate through shower port (GPM) @ 20PSI	Flow Rate through shower port (GPM) @ 40PSI	Flow Rate through shower port (GPM) @ 60PSI	Use with 2- or 3-function transfer	Maximum Components
2	Posi-Temp® 2520, 2510, 2570, 2580, 2590	2.1	3.2	4.0	Yes	Showerhead, handshower
10	Posi-Temp® 62345	3.6	5.1	6.3	Yes	Showerhead, handshower or showerhead, 2 body sprays
4	Moentrol® 3520, 3510, 3570	3.5	5.0	6.3	Yes	Showerhead, handshower
3	Moentrol® Two Outlets 3320, 3330, 3350	3.0*	4.2*	5.2*	No	Showerhead, handshower or showerhead, 2 body sprays
5	3/4\" ExactTemp® S3371	11.4	15.7	18.0	No	4 components: Any combination of showerheads, handshowers and body sprays (4 max)
9	ioDIGITAL® S3384	10.0	17.0	19.2	No	4 components: Any combination of showerheads, handshowers and body sprays (max 3 body sprays to any one outlet)



Connect with us:
moen.com/social

Visit our web site at MoenPro.com

U.S. Headquarters:
Moen Incorporated
25300 Al Moen Drive, North Olmsted, OH
44070-8022

1-800-BUY-MOEN

Canada Headquarters:
Moen
2816 Bristol Circle, Oakville, Ontario
L6H 5S7

1-800-465-6130